



Symbols

_ (underscore character), in filenames, 375

Numerics

3DES, 450
 5-4-3 rule, 140–141
 6bone, 590
 10BaseFL, 67
 10BaseT
 5-4-3 rule, 140
 node capacity, 141
 upgradability, 136
 10Base2, 63–64, 132–133, 202
 10Base5, 62, 134–135
 100BaseT, 65
 100BaseVG-AnyLAN, 66, 125–126
 100BaseX, 137
 802.3z specification, Gigabit Ethernet, 66
 1000BaseT, 137–138

A

AARP (AppleTalk Address Resolution Protocol), 53
 ABRs (area border routers), 301
 acceptable use policies, 458
 access control lists (ACLs), 312, 443–444, 464
 Active Directory, 354
 access interfaces, ISDN, 172
 access methods
 CSMA/CD, 122–123
 demand priority, 125–126
 token passing, 123–124
 access points, 207
 accessibility of networks, 432
 accessing User Manager for domains, 321
 account lockout, 499
 acknowledgments, 245
 ACLs (access control lists), 312, 443–444, 464
 acoustic couplers, 486
 active detection, 461
 Active Directory, 50, 322, 350
 compatibility, 354
 database structure, 351–352
 DDNS, 353
 domains, 351
 forests, 351
 multimaster replication, 353
 replication, 353
 security, 354
 servers, 353
 trust relationships, 352
 Active Directory Users and Computers MMC
 snap-in, 322
 active hubs, 58, 96, 214
 active primary partition, 378
 active topologies, 143
 ring topology, 56
 Token Ring, 68
 actual connection speed, 555
 adapters, 165
 addgroup command (UNIX), 333
 addresses
 AppleTalk, 150
 classes (IP), 232–239
 logical, 93
 translation, 182–185
 administration, server-based networks, 48
 ADSL (Asymmetric DSL), 173–174
 Advanced Peer-to-Peer Networking (APPN), 422
 Advanced Research Projects Agency network, 9,
 267, 597
 AF_INET addressing, 248
 AF_UNIX, 248
 affordability of Internet services, 592
 AFIS (Automated Fingerprint Identification
 System), 458
 after-hours connectivity, 478–479
 agents, SNMP, 88
 AH (Authentication Header), 445, 518
 AI (artificial intelligence), 602
 alerts, 558
 algorithms, encryption, 448–449
 amplifiers, 120
 amplitude, 110
 analog signaling, 80, 109
 amplifiers, 120
 comparing to digital, 111–112

- multiplexing, 113–114
- ANDing, 244–245
- AnyLAN, demand priority, 125–126
- APIPA (Automatic Private IP Addressing), 239, 242
- APIs (application programming interfaces), 362
- Apple Macintosh, 401–402
- AppleShareIP, 335
- AppleTalk, 53, 68, 150
 - addressing, 150
 - data transfer, 151
 - zones, 150, 401
- AppleTalk Address Resolution Protocol (AARP), 53
- applets, 544
- appliances, user friendly, 593
- application programming interfaces (APIs), 362
- application filtering, 462
- application layer (OSI reference model), 88–89, 261, 274
- Application Server mode (Microsoft Terminal Services), 541–542
- application servers, 42, 319
- application/process layer (DoD model), 97
- applications
 - backward compatibility, 373
 - boot managers, 372
 - client/server, 310
 - defragmenters, 373
 - file types, 367
 - instant messaging, 291
 - multitasking, 381
 - scripts, 332
 - shells, 363
 - telephony, 292–293
 - Trojan horses, 438
 - Web browsers, 278–279
- APPN (Advanced Peer-to-Peer Networking), 422
- architecture
 - AppleTalk, 68
 - ARCnet, 68–69
 - combined topologies, 60
 - comparing, 154
 - data bus, 196–197
 - Ethernet, 62
 - 10Base2, 63–64
 - 10Base5, 62
 - UTP, 64–67
 - Token Ring, 67–68
- archive bits, 468
- ARCnet (Attached Resource Computer Network), 68–69, 151–152
 - data transfer, 151
 - packets, 153
 - RG-62 cabling, 204
- ARCnet Plus, 69
- areas (OSPF), 301
- argon lasers, 209
- arguments, text-based operating systems, 365–366
- ARP (Address Resolution Protocol), 255
- ARPAnet (Advanced Research Projects Agency network), 9, 267, 597
- artificial intelligence, 591
- Ask Jeeves, 282
- assessing need for security, 432
 - management philosophy, 433
 - threats, 434
 - external, 434
 - internal, 439–441
 - type of business, 432
 - type of data, 433
- assigned permissions, Active Directory, 354
- assigning
 - IP addresses, IANA, 233
 - permissions to individual accounts, 48
- asymmetric encryption, 451
- asynchronous communication ports, 485
- asynchronous transmission, 115
- ATM (Asynchronous Transfer Mode), 178
- Attached Resource Computer Network. *See* ARCnet
- attacks
 - brute force, 435
 - DDoS, 433
 - DoS, 436
 - ICMP floods, 436
 - Ping of Death, 437
 - smurf attacks, 437
 - SYN attacks, 438
 - impersonation, 435
 - IP spoofing, 438
 - nuke, 436
 - social engineering, 435
- attenuation, 56, 67, 96, 112, 120, 133
- attributes, 341–342
- audio conferencing, 292
- auditing, 460–461

AUI (attachment unit interface), 96, 196
 authentication, 451
 in biometrics, 458
 Kerberos, 453–455
 MS-CHAP, 483
 mutual authentication, 483
 passwords, 443–444
 remote access, 482–483
 smart cards, 455–456
 VPNs, 521
 authorization, VPNs, 521
 automatic address allocation, 239–242
 autonomous systems, 219
 axis, 200

B

backbone, 61, 268
 10Base5, 134
 commercial backbone, development, 268
 nodes, 268
 segments, 61
 vBNS, 268–269
 backbone area (OSPF), 301
 backing up data, 469
 backslashes (\), 370
 backward compatibility, operating systems, 373.
 See also upgradability
 bands, HPFS, 376
 bandwidth, 121
 aggregation, 483
 channels, 112
 measuring, 553
 multilink, 484
 on demand, 177
 Banyan VINES (Virtual Integrated Network Service), 334
 Banyan VINES StreetTalk, 356
 BAP (Bandwidth Allocation Protocol), 484
 barrel connectors, 211
 base 2 numbering system, 78
 base 10 numbering system, 76
 base 16 numbering system, 77–78
 baseband transmission, 112–113
 baselining performance, 553–554
 battery mode (UPSs), 466
 BDCs (backup domain controllers), 321
 beaconing, 143
 bearer channels (ISDN), 172
 Bellman's equation, 298
 Berkeley Sockets, 248
 Berners-Lee, Tim, 279
 best practices, 554
 bin (UNIX), 330
 binary
 bits, 77
 characters, 78
 converting to decimal, 79, 236
 converting to digital signals, 80
 Bindery, 50, 326–327
 Novell NDS, 349
 binding order, 414
 Biometrics, 455–457
 authentication, 458
 BISDN (Broadband ISDN), 179
 bits, 77, 232
 archive bits, 468
 subnet masks, 242–244
 synchronization, 115
 black boxes, 462
 bloatware, 532
 Blowfish encryption, 516, 520
 BNC connectors, 63, 132, 211–212
 Bohr, Neils, 592
 bonding, 484
 books, electronic publishing, 600–601
 boot manager programs, 372
 booting, 361
 BOOTP (Boot Protocol) protocol, 43, 537–538
 bootstrap code, PXE cards, 538
 bootstrap loader, 375
 bottlenecks, 552
 boundary layers, 99
 branch offices, 478
 connecting with VPNs, 515
 BRI (Basic Rate Interface), 172, 483
 bridges, 214–215
 looping, 103, 217
 nonroutable protocols, 216
 source route, 216

- broadband
 - BISDN, 179
 - CATV, 179–180
 - midsplit broadband configuration, 113
- broadcast addresses, 216, 230
- broadcast storms, 219
- brouters, 220
- browse lists, 41, 386
- browsers (Web), 278–279
- brute force attacks, 435
- b-tree (binary tree)
 - directory scheme, 373
 - indexing algorithms, 377
- budgetary factors in hybrid network
 - implementation, 410
- burstiness, 181
- bus topology, 55–56
- bypassing operating system passwords, 443
- bytes, 77–79

C

- cable modems, 493–494
- cable testers, 569
- cabling
 - ARCnet, 152
 - bandwidth, 121
 - BNC connectors, 132
 - cheapernet, 64
 - coaxial, 200–202
 - impedence, 201
 - thicknet, 62
 - thin coax, 201–202
 - crossover cables, 136
 - fiber-optic, 206–207
 - length specifications, 133
 - patch panels, 212–213
 - plenum-grade, 200
 - RG specifications, 64, 202
 - RJ-62, 204
 - shielding, 119
 - thinnet, 202
 - Token Ring, 144–145
 - twisted-pair, 136, 204–205
 - Type A connectors, 145
 - UTP, 64–67
- calculating
 - host per address class, 237
 - subnet masks, 243–244
- callback security, 490, 497
- CallNotes voice mail, 489
- capabilities of the Internet, 273–274
- capacity planning, 121
- capture command (NetWare), 329
- captured data, displaying, 559
- capturing the printer port, 319
- carrier sense multiple access collision detect, 62, 122–123
- case sensitivity
 - of operating systems, 364
 - passwords, 570
 - UNIX, 331, 375
- catalog records, 377
- categorizing networks
 - by administrative method, 38–49
 - by architecture, 62–69
 - by NOS, 49–51
 - by physical scope, 33
 - LANs, 34
 - MANs, 35–36
 - WANs, 37–38
 - by protocol, 52–54
 - by topology, 54–61
- CATV, 179–180
- CDDI (Copper Distributed Data Interface), 149
- cells (ATM), 178
- cellular technologies, 181
- centralized computing, 308
 - server-based networks, 47
 - WANs, 37
- channels, 112
 - ISDN, 172
 - SPIDs, 165
- CHAP (Challenge Handshake Authentication Protocol), MS-CHAP, 483
- character-based operating systems, 363
- characteristics
 - of analog signaling, 109
 - of digital signaling, 110–111
 - of hybrid networks, 409–411

- of LANs, 34
 - of peer-to-peer networks, 44
 - of server-based networks, 47
- characters, 78
- chat rooms, 291
- cheapernet, 64
- checkpointing, 90
- child objects, 344–345
- Children’s Online Privacy Protection Act, 595
- chipping, 210
- CIDR (classless interdomain routing), 238–239
- CIFS (Common Internet File System), 422
- ciphers, 448
- CIR (committed information rate), 175
- circuit boards
 - data bus, 196–197
 - jumpers, 162
 - UART chips, 164, 486
- circuit filtering, 462
- circuit switched networks, 6–7, 170
 - comparing to packet-switched, 8
 - DDS, 174
 - DSL, 172
 - ISDN, 171–172
 - leased lines, 174
 - PSTN, 171
 - switched 56, 175–176
 - T-carriers, 174–175
- Citrix, 536
 - Winframe/MetaFrame, 542
- Class A addresses, 236–237
- Class B addresses, 237
- Class C addresses, 237
- classes of FDDI networks, 148
- classful addressing, 235–237
- classifying RFCs, 102
- classless addressing, 233, 238
- CLI commands, ping, 573–574
- client operating systems, 23, 44
- client/server systems, 22, 39, 43, 309
 - administration, 48
 - ASPs, 545
 - characteristics, 47
 - comparing to peer-to-peer networks, 38–39
 - configuration, 310–311
 - dedicated servers, 42
 - guest accounts, remote access, 481
 - NetWare, 328–329
 - remote access, configuring, 495–496
 - security, 48–49
 - shares, 40
 - thin clients, 532–533
 - advantages, 534
 - BOOTP, 537–538
 - cost, 534
 - desktop computers, 540
 - DHCP, 537–538
 - handheld PCs, 541
 - hardware, 538–541
 - ICA, 536
 - Net PCs, 540
 - Network Computers, 539
 - RDP, 536
 - RFB, 537
 - security, 535
 - software, 541–542, 544–545
 - TFTP, 537–538
 - WBTs, 539
 - XDMCP, 536
 - UNIX, 333
- clouds, 176
- cluster servers, 43
- clustering technologies, 471
- clusters, 43, 371–373
- CMIP (Common Management Information Protocol), 567
- coax cable, 22, 200–202
 - BNC connectors, 132
 - Ethernet, 5–4-3 rule, 140–141
 - impedence, 201
 - thicknet, 62, 203
 - thin coax, 201–202
- collisions, 122, 133
 - avoidance, 123
 - domains, 141
 - Ethernet, rules of engagement, 139
- COM ports
 - modem banks, 480
 - troubleshooting modem connections, 489–491
- combat, unmanned, 597
- combined topologies, 60
- combo cards, 95, 198
- command-line utilities, ping, 254–255

- commands, 364–365
 - config (NetWare), 576
 - DOS, 366
 - FTP, 290
 - ifconfig
 - Linux, 399–400
 - Windows NT, 577–578
 - nbstat, 364
 - net view, 365
 - parameters, listing, 366
 - ping, syntax, 573–574
- commercial backbone, development, 268
- communication
 - asynchronous, 485
 - layered approach, 82–84
 - networking models, 84
 - DoD, 97–98
 - OSI, 85–86, 88–96
 - standardization, 84
 - vendor-specific, 99
 - protocol binding order, 414
- communications networks, 6–9
- comparing
 - analog and digital signaling, 111–112
 - circuit-switching and packet-switching, 8
 - data and information, 80–81
 - IPv4 and IPv6, 589
 - network architectures, 154
 - share and user-level security, 46
- compatibility, Active Directory, 354
- complex connectors, 213–214
- compression, file systems, 372
- computer accounts, 313
- computer networks
 - advantages of, 11–12
 - defining, 11
 - home computing, 16
 - input devices, sharing, 12
 - Internet
 - development, 13–14
 - e-commerce, 16
 - future of, 17–18
 - high-speed connectivity, 16
 - online learning, 17
 - online services, 15
 - LANs, TCP/IP, 53
 - peer-to-peer
 - centralized administration, 45
 - security, 46
 - server-based, 47
- computer viruses, 438
- communication, unidirectional, 90
- concentrators, 96, 168
- conferencing over Internet, 292
- config command (NetWare), 576
- config utility, 259
- configuration utilities
 - TCP/IP, 259
 - troubleshooting, 576–578
- configuring
 - modems, 164
 - NICs, 197
 - I/O port, 199
 - IRQ, 198–199
 - memory address, 199
 - remote access clients, 495–496
 - routed connections, 187
 - VPNs, 515–516, 522–525
 - Windows 2000 dialing properties, 489
- connecting
 - to Internet, 400
 - to Microsoft network
 - Linux, 398
 - UNIX, 398
 - Windows 2000 Professional, 393–395
 - Windows 9.x, 382–386
 - Windows NT Workstation, 389
 - to NetWare network
 - Linux, 399
 - UNIX, 399
 - Windows 9.x, 386
 - Windows 2000 Professional, 395
 - Windows NT Workstation, 390–391
 - to remote server
 - Windows 9.x, 388
 - Windows 2000 Professional, 396
 - Windows NT Workstation, 391
 - to UNIX/Linux networks, 399–400
 - to workgroups, 401
- connection speeds, measuring, 554–556
- Connection Status dialog box (Windows 2000), 394–395
- connectionless protocols, 8, 91

- connection-oriented protocols, 91
 - connectivity
 - after-hours, 478–479
 - devices, 23, 210
 - BNC connectors, 212
 - passive hubs, 213
 - path panels, 213
 - Ethernet, rules of engagement, 139
 - Internet, requirements for, 270–271
 - proxy servers, 185–186
 - remote access, 478
 - account lockout, 499
 - authentication, 482–483
 - bandwidth aggregation, 483
 - branch offices, 478
 - callback security, 497
 - devices, 484
 - IP addressing, 483
 - mobile users, 480
 - modems, 484–491
 - protocols, 482
 - RADIUS, 498
 - security, 496–499
 - telecommuters, 479
 - VPNs, 481, 505–525
 - routed connections, 186–187
 - testing utilities
 - pathping, 574
 - ping, 573–574
 - translated connections, 182–185
 - troubleshooting, 569, 579
 - universal, 20, 592–595
 - connectors
 - BNC, 132, 211
 - complex connectors, 213–214
 - fiber-optic connectors, 212
 - patch panels, 212
 - RJ (registered jack), 198, 212
 - simple, 211
 - T-connectors, 63
 - twist-and-push, 63
 - Type A, 145
 - vampire taps, 203
 - container objects, 349
 - contiguous namespace, 345
 - convergence, 299–300
 - converting binary to decimal, 79
 - cooperative multitasking, 380
 - Copper Distributed Data Interface (CDDI), 149
 - core protocol, 411, 415
 - corporate espionage, 439
 - counters, monitoring, 559
 - counting systems. *See* numbering systems
 - country codes (domains), 250
 - CPE (customer premises equipment), 165
 - crackers, 435
 - CRC (cyclical redundancy check), 82, 139
 - creating
 - shares, 311
 - user accounts, 315
 - crossover cables, 136, 568
 - cross-platform gateways, 420
 - crosstalk, 119, 204
 - cryptanalysis, 448
 - cryptography, 448
 - CSMA/CA (carrier sense multiple access collision detect), 62, 122–123
 - CSNW (Client Services for NetWare), 51, 390–391
 - CSU/DSU (channel service unit/data service unit), 166, 494
 - customizing modems, 488
 - cut-through switching, 220
 - cXML (commerce XML), 514
 - cyber terrorists, 597
 - cybercafes, 280
 - cyberstalkers, 595
 - cyborgs, 603
 - cycles, 110
 - cylinder (disk drive), 378
 - cyphertext, 448
- ## D
-
- daemons, 275
 - data backups, 466–469
 - data bus, 196–197
 - data collisions, 67
 - data forks, 377
 - data frames (Token Ring), 146
 - data link layer
 - OSI reference model, 93–94
 - tunneling protocols, 508

- data transfer
 - AppleTalk, 151
 - ARCnet, 151
 - FDDI, 147–148
- data warehousing, 311
- databases
 - Active Directory, 351–352
 - bindery, 326–327
 - link-state, 298
 - NDS, 349
- dcpromo.exe command, 353
- DCs (domain controllers), 353
- DDNS (Dynamic DNS), 353
- DDoS (Distributed Denial of Service) attacks, 433
- DDS, 174
- decentralized administration, peer-to-peer networks, 45
- decimal numbering system, 76
- dedicated connections, 481
- dedicated ISDN, 172
- dedicated leased lines
 - T-carriers, 174–175
 - versus dialup, 170
- dedicated routing devices, 217
- dedicated servers, 42–43
- Deep Blue, 602
- default gateways, 187, 218, 244, 294
- default groups, 316
- default routes, 296
- default subnet masks, 243
- Defense Data Network, 14
- defining computer networks, 11
- defragmenters, 373
- demand priority, 67, 125–126
- demultiplexers, 114
- DEN (directory-enabled networking), 349
- Department of Defense (DoD), ARPAnet, 597
- deploying IPv6, 590
- DES (Data Encryption Standard), 450
- designing networks
 - capacity planning, 121
 - WANs, 160
- desktop computers
 - thin clients, 540
 - operating systems, 379
 - Linux, 396–397
 - MS-DOS, 379–381
- developing software, Open Source Initiative, 329
- development of Internet, 267–268
- devices, 456
 - acoustic couplers, 486
 - amplifiers, 120
 - bridges, 214–216
 - brouters, 220
 - cable modems, 493–494
 - connectivity, 23, 210
 - active hubs, 214
 - BNC connectors, 211–212
 - complex connectors, 213–214
 - fiber-optic connectors, 212
 - intelligent hubs, 214
 - media connectors, 213
 - passive hubs, 213
 - patch panels, 212–213
 - repeaters, 213–214
 - RJ connectors, 212
 - simple connectors, 211
 - CSU/DSU, 494
 - endpoints, 165
 - gateways, 89
 - hubs, 96
 - crossover cables, 136
 - intelligent, 66
 - MSAUs, 143
 - Layer 3 switches, 93
 - modems
 - asynchronous communication, 485
 - PnP, 162
 - port speed, 555
 - network monitoring/management, 568–569
 - NICs, 134, 195
 - combo cards, 198
 - configuring, 197
 - I/O port, configuring, 199
 - IRQ, setting, 198–199
 - memory address, configuring, 199
 - role of, 195
 - selecting, 95, 196–198
 - transceivers, 196
 - nodes, 44
 - PnP, 162
 - print devices, 326
 - sharing on Windows networks, 324, 326
 - UNIX shares, 334
 - remote access connectivity, 484–491

- repeaters, 56, 96, 120
- routers, 217–219
 - ACLs, 464
 - interfaces, 296
- shared resources, 12, 317–319
- switches, 220–221
- terminal adapters, 492–493
- terminators, 55
- thin clients, 538–541
 - desktop computers, 540
 - handheld PCs, 541
 - Net PCs, 540
 - Network Computer, 539
 - WBTs, 539
- Token Ring
 - cable types, 144–145
 - MSAUs, 144
 - repeaters, 145
- transceivers, 63, 95
- vampire taps, 63
- WANs
 - concentrator routers, 168
 - CPE, 165
 - modems, 160–165
 - terminal adapters, 165
- DHCP (Dynamic Host Configuration Protocol), 537–538
 - obtaining IP addresses, 239–242
 - servers, 43, 242
- dialog boxes, Connection Status, 394
- dialup, 510–512
 - switched 56, 175
 - versus dedicated leased lines, 170
- DIB (Directory Information Base), 346
- differential backups, 468
- Diffie-Hellman algorithm, 450
- digital certificates, 452–453
- digital links
 - DSL, 172
 - ISDN, 171–172
 - terminal adapters, 165
- digital signaling, 110–111
 - comparing to analog, 111–112
 - discrete state, 80, 110–111
 - multiplexing, 113
 - repeaters, 120
- digital signatures, 452
- digital volt-ohm meters, 569
- dip switches, 162
- dir command (FTP), 290
- directory services, 317, 341–343
 - Active Directory, 350
 - compatibility, 354
 - database structure, 351–352
 - DDNS, 353
 - domains, 351
 - forests, 351
 - multimaster replication, 353
 - replication, 353
 - security, 354
 - servers, 353
 - trust relationships, 352
 - attributes, 342
 - Banyan VINES StreetTalk, 356
 - home directories, 318
 - IBM OS/400, 355
 - Internet-based, 356
 - namespace, 344
 - NDS, 327, 349–350
 - PKI (public key infrastructure), 349
 - published shares, 42
 - SDS (Sun Directory Services), 355
 - shared resources, 343
 - standards, 346
 - DAP, 347
 - LDAP, 347–348
 - X.500, 346
 - tree structure, 344–345
 - UNIX file systems, 374
- Directory Information Base (DIB), 346
- Directory System Agent (DSA), 346
- directory trees, 370
- Directory User Agent (DUA), 346
- disaster protection/recovery
 - data backups, 466–469
 - fault tolerance, 469–470
 - generators, 466
 - power backups, 465
 - surge protection, 465–466
 - UPSs, 466
- disconnections (modem), troubleshooting, 490
- discrete state, 80, 110–111
- disgruntled employees, as internal security threat, 440

disk drives

- cylinder, 378
- duplexing, 470
- fault tolerance, 469–470
- fragmentation, 373
- heads, 378
- mapping in NetWare networks, 328
- mirroring, 469
- partitioning, 377–379
- seek time, 378
- striping with parity drive, 470

disk quotas, NTFS 5, 374
dispersion, 207
displaying

- captured data, 559
- command parameters, 366
- Microsoft servers, 365
- routing tables, 297
- TCP/IP configuration information, 366

distance-learning, 601
distance-vector routing protocols, 298

- RIP, 299–300

Distributed Denial of Service (DDoS) attacks, 433
distributed directory services, 343
distributed link-tracking, NTFS 5, 374
distributed WANs, 37
distribution groups, 316
distribution packages, Microsoft SMS, 564
DMZs (demilitarized zones), 461
DN (distinguished name), 347–348
DNS (Domain Name System), 14, 92, 278

- names, 345
 - resolving, 252
 - translating to IP addresses, 251–253
- servers, 43
- zones, 252

documenting troubleshooting procedures, 571
DoD (Department of Defense)

- model, 97–98
- role in Internet development, 13

domain controllers, 42, 353
Domain Name System. *See* DNS
domain trees, 322
domain-level security, 314
domains, 22, 50, 250

- Active Directory, 351
- BDCs, 321

- User Manager for Domains, 321

domestic life, effect of Internet on, 594
domestic use of PCs, 16–18
DOS (disk operating system), 379

- commands, 366
- directories, 371

DoS (Denial of Service) attacks, 436

- ICMP floods, 436
- Ping of Death attacks, 437
- smurf attacks, 437
- SYN attacks, 438

dotted quad, 233
dotted-decimal format, IP addresses, 232
downlevel domains, 50
downstream neighbors, 56
drivers, 164

- file system drivers, 372

drives. *See* disk drives
DSA (Directory System Agent), 346
DSL (Digital Subscriber Line), 113, 172

- terminal adapters, 165

DSSS (direct sequence spread spectrum), 210
DUA (Directory User Agent), 346
dual ring (FDDI), 147
dual stacking, 590
dual-boot computers, 372
DWDM (dense-wavelength division multiplexing), 114
dynamic disks, 379
Dynamic DNS, 252
dynamic routing, 219, 298–299

E

- e-books, 600
- echo cancellation, 173
- Echo Requests, 573–574
- e-commerce, 16
- editing passwd file, 332–333
- EDS (Electronic Directory Service) standards, 346
- education
 - distance learning, 601
 - online learning, 17, 20
- EFS (Encrypting File System), 374
- EGPs (exterior gateway protocols), 219
- Einstein, Albert, 592

- EISA (Extended Industry Standard Architecture), 197
- electrical ground, 212
- electromagnetic interference, 119, 206
- electronic publishing, 600–601
- e-mail, 283
 - advantages, 283
 - Carnivore, 595
 - emoticons, 284
 - gateway, 89
 - mailbox, 285
 - mailing lists, 286–287
 - newsgroups, 287–288
 - privacy, 284
 - security, 446, 448
 - SMTP, 284
 - software, 284–286
 - spam, 283–284
- emerging technologies, 17
 - healthcare industry, role of Internet, 20
 - in law enforcement, 21
 - PCs in the workplace, 19
 - smart appliances, 17–18
 - telephone technology, 18
 - WANs
 - BISDN, 179
 - CATV, 179–180
 - OC-SONET, 179
 - SMDS, 181
 - wireless, 181
- EMI (electromagnetic interference), 119, 206
- emoticons, 284
- Emware, Inc., 593
- encapsulation, 86, 248–249
 - bridges, 216
 - VPN tunnels, 508–509
- encoding, 109
- encryption, 445
 - asymmetric, 451
 - Blowfish, 516, 520
 - digital signatures, 452
 - IPSec, tunneling, 509, 520
 - laws governing, 449
 - low-level, 519
 - MPPE, 519
 - public/private key, 450–451
 - secret key, 449–450
 - VPNs, 506, 521
- end nodes, 422
- endpoints, 165
- end-to-end security, 445
- enhanced serial port cards, 164
- enterprise networks, 16
- error checking
 - CRC, 82, 139
 - parity, 470
- error messages, HTTP, 275
- ESP (Encapsulating Security Payload), 445, 518
- establishing
 - access control policies, 443–444
 - baseline performance, 553
 - identifying high usage, 553
 - mapping utilization patterns, 554
 - best practices, 554
- Ethernet, 62, 132
 - 5-4-3 rule, 140–141
 - 10Base2, 63–64, 132–133, 202
 - 10Base5, 62, 134–135
 - 10BaseFL, 67
 - 10BaseT
 - 5-4-3 rule, 140–141
 - node capacity, 141
 - upgradability, 136
 - 100BaseX, 137
 - 1000BaseT, 137–138
 - cheapernet, 64
 - collision domains, 141
 - CSMA/CD, 122
 - frames, 82, 138
 - CRC, 139
 - preamble, 139
 - NICs, 134
 - rules of engagement, 139
 - specifications summary, 142
 - star bus topology, 140
 - thicknet, 203
 - twisted-pair cable, 204–205
 - UTP, 64–67
- EtherTalk, 53
- exabytes, 373
- Exceed (X client), 544
- executable binary files, 374

- Expert Analyzer (Sniffer), 562
- expert systems, 602
- exporting encrypted characters, 449
- extended partitions, 378
- extensions of file types, 368–370
- external modems, 160, 163–164, 487
 - banks, 164–165
 - cable modems, 494
 - configuration, 164
 - drivers, 164
- external security threats, 434, 438
 - computer viruses, 438
 - DoS attacks, 436–438
 - IP spoofing, 438
 - worms, 438
- external transceivers, 63, 95
- extranet VPNs, 514–515
- extranets, 37

F

- fallback, 485
- Fast Ethernet, 62, 137
- fast packet technologies, Frame Relay, 177
- FAT (File Allocation Table), 371–373
- fault tolerance, 10, 379, 469–470
 - clustering technologies, 471
 - data backups, 466–469
 - RAID, parity, 470
 - recoverability in file systems, 376
 - star topologies, 58
- fax servers, 43
- FDDI (Fiber Distributed Data Interface)
 - data transfer, 147–148
 - frames, 149
 - wrapped state, 148
- FDM (frequency-division multiplexing), 113, 173
- federal government Web site, 596
- feedback as troubleshooting methodology, 571
- fees, online services, 15
- FHSS (frequency hopping spread spectrum), 210
- fiber-optic cable, 23, 206
 - 10BaseFL, 67
 - connectors, 212
 - dispersion, 207
 - scatter, 120
 - SONET, 179
- fields
 - IP headers, 249
 - Token Ring frames, 146
- File and Print Sharing, 312
- file encryption, 445
- file forking, 377
- file fragmentation, 373
- file servers, 42, 318
- file systems, 369
 - backward compatibility, 373
 - compression, 372
 - directories, 341
 - disk drive, heads, 378
 - drivers, 372
 - FAT, 371–373
 - hard disks, 377–379
 - HFS, 376–377
 - HPFS, 376
 - inverted tree structure, 370
 - NFS, 377
 - NTFS, 372–373
 - recoverability, 376
 - reliability, 376
 - sector sparing, 373
 - selecting, 377
 - SMBF, 424
 - tree structure, 370
 - UNIX, 374–376
 - VFAT, 372
- File Transfer Protocol. *See* FTP
- filenames, underscore character (_), 375
- files, 367–368
 - boot.ini, 372
 - clusters, 371–373
 - extensions, 368–370
 - kernel, 375
 - naming conventions, 370
 - pathnames, 370
- file-sharing protocols, 415
 - CIFS, 422
- filtering mechanisms (firewalls), 462
- FingerSec Corporation, 456
- firewalls, 461–463
 - VPNs, 522
- flame wars, 284

- flat files, UNIX, 376
- flat namespace, 344
- folders, 371
- foreign countries, development of security rating systems, 460
- forests, 322, 351
- forks, 377
- forward slashes (/), 370
- fox and hound, 568
- FQDNs (fully qualified domain names), 250–253
- fractional T-1, 175
- frame, 82
- Frame Relay, 177–178
- frames, 81. *See also* packets
 - Ethernet, 138
 - CRC (cyclical redundancy check), 139
 - preamble, 139
 - FDDI, 149
 - preamble, 139
 - Token Ring, 146
- FreeS/WAN, 518
- freeware, 279
- frequency, 110
- FTP (File Transfer Protocol), 88, 289–290
- full backups, 468
- full duplex transmission, 90, 118
- full mesh topologies, 169
- fully qualified pathnames, 370
- fundamentals of network troubleshooting, 569–571
- future of Internet, 17
 - law enforcement, 21
 - online learning, 20
 - PCs in the workplace, 19
 - role in healthcare industry, 20
 - smart appliances, 17–18
 - telephone technology, 18G

G

- gateways, 38, 419
 - VPN configuration, 515
- gateway of last resort, 187, 218, 244, 294
- Gateway Services for NetWare (GSNW), 51, 89

- gateways, 89
 - cross-platform, 420
 - firewalls, 462
 - Microsoft SNA, 422
 - Samba, 422–424
 - SNA, 421–422
 - Windows-to-NetWare redirectors, 420
- generators, 466
- get command (FTP), 290
- Gigabit Ethernet, 62, 66, 137–138
- global connectivity, 592–593
 - effect on government, 596
 - effect on healthcare, 599–600
 - effect on legislation, 598
 - entertainment, 594
 - home networking, 588–589
 - privacy issues, 594–595
- global directory services, 343
- government
 - global connectivity, 596
 - legislation, universal connectivity, 598
 - security ratings, 459–460
- GPS (global positioning systems), 597
- ground (electrical), 212
- Group Policy, 351
- GSNW (Gateway Services for NetWare), 51, 89
- guaranteed state change, 115
- guest accounts
 - NetWare 3.x, 327
 - remote access, 481
- GUI-based operating systems, 363
 - backslashes, 370
 - file systems, 369
 - files, 367–368
 - extensions, 368–370
 - pathnames, 370
 - Help files, 367
 - Windows NT 4.0, 321

H

- hackers, 435
 - corporate spies, 439
 - disgruntled employees, 440
 - impersonation, 435
- half-duplex transmission, 90, 117–118

- handheld PCs, thin clients, 541
 - handheld-to-PC communication, 419
 - hard disks, 377
 - fault tolerance, 469–470
 - partitions, 378
 - tracks, 378
 - volume, 379
 - hard links, UNIX, 376
 - hardware
 - loopbacks, 568
 - profiles, 393
 - thin clients, 538–541
 - desktop computers, 540
 - handheld PCs, 541
 - Net PCs, 540
 - Network Computers, 539
 - WBTs, 539
 - troubleshooting devices, 568–570
 - WANs
 - CPE, 165
 - modems, 160–165
 - hardware address, 93
 - hardware-based VPNs, 522
 - hash algorithms, 452
 - HCL (Hardware Compatibility List), selecting NICs, 197
 - HDSL (High Data Rate DSL), 173–174
 - headers, 81, 248–249
 - encapsulation, 87
 - fields, 82
 - heads, 378
 - healthcare
 - modern technologies, 599–600
 - role of Internet, 20
 - Heisenberg, Werner, 592
 - Help files, 367
 - hertz, 110
 - Hewlett Packard OpenView, 566
 - hexadecimal numbering system, 77–78
 - hierarchical namespace, 344
 - object-oriented systems, 343
 - high-order bits, 235
 - high-speed connectivity, 16
 - High-Speed Token Ring Alliance, white papers, 68
 - history of communications networks, 6–7
 - home computing, 16
 - home directories, 318
 - home networking, 588–589
 - effect on family life, 594
 - host-to-host layer (DoD model), 98
 - hosts, 44
 - per address class, calculating, 237
 - per subnet, calculating, 244
 - HOSTS file, name resolution, 251
 - hot fixing, 373
 - household appliances
 - smart appliances, 17–18
 - user friendliness, 593
 - HPFS (High Performance File System), 376
 - HTML (Hypertext Markup Language), 275, 277, 514
 - HTTP (HyperText Transfer Protocol), 274–275
 - hubs, 94, 96
 - crossover cables, 136
 - intelligent, 66
 - MSAUs, 143–144
 - human brain
 - AI (artificial intelligence), 602
 - neural network model, 591
 - hybrid mesh topologies, 60, 268
 - hybrid networks, 23, 51, 409
 - characteristics, 409–411
 - file-sharing protocols, 415
 - gateways, 419
 - cross-platform solutions, 420–421
 - firewalls, 462
 - Microsoft SNA, 422
 - Samba, 422–423
 - SNA, 421–422
 - Windows-to-NetWare redirectors, 420
 - hybrid topology, 60
 - hypertext files, 275
-
- I/O (input/output) address, 161, 197
 - NIC configuration, 199
 - IAB (Internet Architecture Board), 302
 - IANA (Internet Assigned Numbers Authority), 233, 302

IBM

- HPFS, 376
- OS/2, 335, 403
- OS/400 directory services, 355
- SNA, 51, 89, 421–422
- Tivoli Enterprise, 566
- ICA (Independent Computing Architecture), 536
- ICANN (Internet Corporation for Assigned Names and Numbers), 302
- ICMP (Internet Control Message Protocol)
 - echo requests, 254, 436
 - floods, 436
- icons, 363
- ICS (Internet Connection Sharing), 185
- Identification tag, Network Properties dialog box (Windows 9.x), 390
- identification technologies
 - biometrics, 456–457
 - privacy issues, 594–595
 - smart cards, 455–456
- identifying
 - high bandwidth consumption, 553
 - IP address classes, 236
- IDSL, 173–174
- IEC (Electrotechnical Commission), 101
- IEEE (Institute of Electrical and Electronic Engineers), 67, 102–104
- IEEE 802 project, 103
- IEEE 802.3 standard, 62, 143
 - 5-4-3 rule, 140–141
 - 10Base2, 132–133
 - 10Base5, 134–135
 - 10BaseT, 136, 140–141
 - 100BaseX, 137
 - 1000BaseT, 137–138
 - collision domains, 141
 - frames, 138–139
 - specifications summary, 142
- IEEE 802.3ab standard, 66
- IEEE 802.5 standard, Token Ring, 67, 142
 - cable types, 144–145
 - communication process, 143
 - frames, 146
 - limitations on implementing, 147
 - MICs, 145
 - MSAUs, 144
 - repeaters, 145
- IESG (Internet Engineering Steering Group), 102, 302
- IETF (Internet Engineering Task Force), 14, 101–102, 302
- ifconfig command (Linux), 399–400
- ifconfig utility, 259
- IGPs (interior gateway protocols), 219
- I-keys, 456
- ILD (injection laser diode), 207
- impedance, 201
- impersonation, 435
- implementing
 - disaster recovery mechanisms
 - generators, 466
 - power backups, 465
 - surge protection, 465–466
 - UPSs, 466
 - fault tolerance, data backups, 466–467
 - hybrid networks, budgetary factors, 410
 - IPv6, 590
 - security
 - acceptable use policies, 458
 - access control policies, 443–444
 - audits, 460–461
 - e-mail, 446, 448
 - file encryption, 445
 - firewalls, 461, 463
 - government ratings, 459–460
 - IPSec, 445
 - login permissions, 442–444
 - multiple protocols, 464
 - operating systems, 441
 - physical security, 464
 - policies, 457
 - SSL, 446
 - termination policies, 459
- importing encrypted characters, 449
- IMTC (International Multimedia Teleconferencing Consortium), 292
- incompatibility in modems, troubleshooting, 491
- incremental backups, 468
- indexes, 281
- indicator lights (modems), 487

- information units
 - frames, 81
 - packets, 80–81
 - headers, 81
 - trailers, 82
 - segments, 81
- information-based legislation, 598
- infotainment, 594
- infrared emitting diodes (IREDs), 207
- infrastructure of Internet, backbone, 268–269
- inherited permissions, Active Directory, 354
- initialization files, boot.ini, 372
- I-node mapping, UNIX, 375
- input devices, sharing, 12
- instant messaging programs, 291
- intelligent hubs, 58, 66, 96, 214
- interfaces
 - GUIs, 363–364
 - routers, 296
 - Sniffer network analyzer, 561
 - text-based, 362–363
- interference
 - attenuation, 120
 - crosstalk, 119
 - EMI, 119
 - RFI, 119
- internal cable modems, 494
- internal configuration parameters, modems, 161–162
- internal modems, 160–162, 487
 - drivers, 164
 - UART chips, 486
- internal security threats
 - accidental breaches, 440
 - corporate espionage, 439
 - disgruntled employees, 440
 - internal politics, 440
 - rebellious users, 441
- Internet. *See also* WWW
 - affordability, 592
 - as source of entertainment, 594
 - audio/videoconferencing, 292
 - backbone, development, 268
 - capabilities, 273–274
 - connectivity, multiple protocol networks, 412
 - conversion to IPv6, 589
 - cybercafes, 280
 - cyberstalkers, 595
 - development, 13–14, 267
 - directory services, 356
 - e-commerce, 16
 - effect on family life, 594
 - effect on healthcare, 599–600
 - effect on medicine, 599
 - effect on publishing, 600
 - e-mail, 283
 - advantages, 283
 - emoticons, 284
 - mailbox, 285
 - mailing lists, 286
 - privacy, 284
 - software, 284–286
 - spam, 283–284
 - future of, 17
 - healthcare, 20
 - online learning, 20
 - PCs in the workplace, 19
 - smart appliances, 17–18
 - telephone technology, 18
 - high-speed connectivity, 16
 - home networking, 588–589
 - IPv6, comparing to IPv4, 589
 - live chat, 291
 - neural networking, 591
 - newsgroups, 287–288
 - online learning, 17
 - online services, fees, 15
 - ownership, 301
 - portals, NFuse, 543
 - privacy issues, 594–595
 - requirements for connectivity
 - ISP, 270
 - local computer/LAN, 270
 - MAEs, 271
 - NAPs, 271
 - regional providers, 270
 - search engines, 281
 - standardizing bodies, 301
 - streaming media, 291
 - telephony application, 292–293
 - universal connectivity
 - effect on government, 596
 - effect on legal system, 598
 - virtual private networking, 293

-
- Internet appliance, 593
 - Internet Drafts, 302
 - Internet Engineering Task Force (IETF), 14, 101–102, 302
 - Internet2 Project, 269
 - Internetwork Packet Exchange/Sequenced Packet Exchange, 52, 229
 - internetworking layer (DoD model), 98
 - internetworks, 37
 - intranets, 37
 - intrusion detection, 460–461
 - inverse multiplexing, 172
 - inverted tree structure, 344–345, 370
 - Novell NDS, 349
 - IP addressing, 92, 231
 - address classes, 232–239
 - APIPA, 239
 - bits, 232
 - CIDR, 238–239
 - classful, 235–237
 - classless, 233, 238
 - dotted-decimal notation, 232
 - IANA, 233
 - logical addresses, 239
 - name resolution, 249–251
 - translating names to numbers, 251–253
 - NAT, 183–184
 - obtaining, 239, 241–242
 - octets, 232–233
 - packet headers, 248–249
 - remote access, 483
 - shortage of, 588–589
 - subnetting, 242–245
 - ANDing, 244–245
 - calculating subnet masks, 243–244
 - default gateway address, 244
 - quick reference chart, 244
 - supernetting, 239
 - translation, 182–185
 - IP forwarding, 294
 - IP routing, 294
 - default gateway, 294
 - dynamic, 298
 - example, 294–295
 - interfaces, 296
 - static, 296
 - IP spoofing, 438
 - ipconfig command (Windows NT), 577–578
 - ipconfig utility, 259
 - IPSec (IP Security), 445, 509, 518, 520
 - iptrace utility, 260
 - IPv6 (Internet Protocol version 6)
 - comparing to IPv4, 589
 - deploying, 590
 - dual stacking, 590
 - security, 589
 - IPv6 Forum, 590
 - IPX (Internetwork Packet Exchange), 230
 - IPX/SPX (Internetwork Packet Exchange/Sequenced Packet Exchange), 52, 229
 - IR (infrared) technology, 209
 - IRC (Internet Relay Chat), 291
 - IrDA (Infrared Data Association), 209
 - IREDs (infrared emitting diodes), 207
 - iris recognition, 456
 - IRQ (interrupt request line), 161, 198–199
 - ISA (Industry Standard Architecture), 196
 - ISDN (Integrated Services Digital Network), 171–172
 - bearer channels, 172
 - bonding, 484
 - BRI, 483
 - terminal adapters, 165, 492–493
 - ISO (International Organization for Standardization), 54, 100
 - ISOC (Internet Society), 14, 302
 - ISPs (Internet service providers), 270
 - cable companies, 180
 - peering agreements, 268
 - VPN connections, 511
 - ITEN (Internet Talk and Entertainment Network), 594
 - ITU (International Telecommunications Union), 101
- ## J
-
- jacks, 212
 - JIT (just-in-time) program compilation, 544
 - jumpers, 162
 - JVM, 544–545

K

Kasparov, Gary, 602
KDCs (key distribution centers), 453
Kerberos, 453–455
kernel, 375
key pairs, 451
keys (security), 435
kilobytes per second (kps), Internet connection speed, 556

L

L2F (Layer 2 Forwarding), 508, 517
L2TP (Layer 2 Tunneling Protocol), 509, 517
LAN meters, 569
LANalyzer, 562
LANs, 24
 advantages of, 12
 AppleTalk, 53, 150
 addressing, 150
 data transfer, 151
 zones, 150
 architectures
 AppleTalk, 68
 ARCnet, 68–69
 comparing, 154
 Ethernet, 62–67
 Token Ring, 67–68
 ARCnet, 151
 data transfer, 151
 packets, 153
 RJ-62 cabling, 204
 capacity planning, 121
 characteristics, 34
 connecting with Windows 2000 Professional, 393
 Ethernet, 132
 5-4-3 rule, 140–141
 10BaseT, 136, 140
 10Base2, 132–133
 10Base5, 134–135
 100BaseX, 137
 1000BaseT, 137–138
 collision domains, 141
 frames, 138–139
 node capacity (10BaseT), 141
 specifications summary, 142
 FDDI, 147
 data transfer, 147–148
 frames, 149
 interfaces, 296
 IPX/SPX, 52
 NetBEUI, 52
 OSI protocol suite, 54
 packet-switched, ATM, 178
 proxy servers, 185–186
 routed connections, 186–187
 TCP/IP, 53
 Token Ring
 beaconing, 143
 cable types, 144–145
 communication process, 143
 frames, 146
 limitations on implementing, 147
 MICs, 145
 MSAUs, 143–144
 repeaters, 145
 topology, 142
 topologies
 hybrid, 60
 linear bus, 55–56
 mesh, 59
 ring, 56
 star, 57–58
 translated connections, 182–183
 NAT, 185
 VPNs, 520
 LANtastic, 335
 LAPB (Link Access Procedure Balanced), 177
 laser (light amplification by stimulation and emission of radiation), 208
 law enforcement
 future of, 21
 MDTs (mobile display terminals), 599
 laws governing encryption technologies, 449
 Layer 2 switching, 220–221
 Layer 3 switching, 93, 221
 Layer 4 switching, 221
 layered communication process, 82–84
 layered networking models, 22
 boundary layers, 99
 DoD, 97–98

- OSI, 85
 - application layer, 88–89
 - communication, 86, 88–96
 - data link layer, 93–94
 - encapsulation, 86
 - network layer, 92
 - physical layer, 94–96
 - presentation layer, 89
 - session layer, 90–91
 - structure, 85
 - transport layer, 91–92
 - vendor-specific, 99
- LBX (Low-Bandwidth X), 536
- LDAP (Lightweight Directory Access Protocol), 347–348
- leaf objects, 327, 346, 349
- leased lines, 174–175
- LEDs (light emitting diodes), 207
- legislation
 - Children’s Online Privacy Protection Act, 595
 - information-based, 598
 - Networking and Information Technology Research and Development Act, 597
- length specifications, cabling, 133
- LFN (long filename) support, NTFS, 373
- limitations on Token Ring implementations, 147
- line printer daemon, 334
- linear bus topology, 55–56
- line-of-sight technology, 209
- link-state routing protocols, 299–301
- Linux, 51, 329–331, 396–397
 - access remote SMB shares, 424
 - connecting
 - to Internet, 400
 - to Microsoft network, 398
 - to NetWare network, 399
 - to UNIX/Linux network, 399–400
 - FreeS/WAN, 518
 - ifconfig command, 399–400, 578
 - passwd file, editing, 332–333
 - SNA, 422
- listing command parameters, 366
- ListServ, 287
- live chat, 291
- LLAP (LocalTalk Link Access Protocol), 68

- LLC (logical link control)
 - frames, 146
 - sublayer, 94
- LMHOSTS file, name resolution, 252
- LOAF (Linux On A Floppy), 331
- local directory services, 343
- LocalTalk, 53, 68, 150
- log files, Active Directory, 351
- logging in, permissions, 442–444
- logical addresses, 93, 239
- logical connection points, ports, 247
- logical drives, 378
- logical topologies, 24, 54, 94–96
- logon servers, 42
- long distance calls over Internet, 293
- loopbacks, 494, 234
- loops, bridging, 217
- low-level encryption, 519
- lpr command (UNIX), 334

M

- MAC (Media Access Control) sublayer, 93–94
- machine language, 76, 364
- Macintosh, 401
 - connecting
 - to Internet, 402
 - to Microsoft network, 401–402
 - to NetWare network, 401–402
 - to UNIX network, 401–402
 - to workgroups, 401
 - HFS file system, 376–377
 - zones, 401
- MAEs (metropolitan area exchanges), 271
- mail clients, 44
- mail servers, 42
- mailbox, 285
- mailing lists, 286–287
- mainframes
 - single point of failure, 10
 - SNA, 51
- Majordomo, 287
- management frames (Token Ring), 146
- management philosophy, as security selection criteria, 433
- management software, SNMP, 88

- ManageWise (Novell), 564
- ManageX component (OpenView), 567
- managing
 - network performance, hardware, 568–569
 - network services, 562
 - permissions, 48
 - shared resources, 317–319
 - user accounts, 313–317
- mandatory directory objects, 342
- MANs (metropolitan area networks), 24, 35–36
- mapping
 - network drives
 - NetWare networks, 328
 - UNIX, 334
 - Windows, 323
 - utilization patterns, 554
- MCA (Micro Channel Architecture), 197
- MD netguide, 599
- MD5 (Message Digest 5), 452
- MDTs (mobile display terminals), 21, 599
- measuring
 - baseline performance, 553–554
 - Internet connection speed, 554–556
- media, 22, 200
 - coaxial cable, 200–202
 - impedence, 201
 - thicknet, 203
 - thin coax, 201–202
 - connectors, 213
 - data backups, 469
 - fiber-optic cable, 206
 - filters, 196
 - RG (Registered Grade) specifications, 202
 - twisted-pair cable, 204–205
 - wireless, 207
 - IR, 209
 - laser, 208
 - radio, 210
- media access, 121
 - CSMA/CD, 62
 - demand priority, 67
 - token passing, 143–144, 152
- memory, bytes, 79
- memory address, NIC configuration, 199
- mesh topologies, 59–60, 169
- message digest, 452
- messages
 - cryptoanalysis, 448
 - digital certificates, 452–453
 - ICMP Echo Requests, 436
- MetaCrawler, 282
- MetaFrame (Citrix), 542
- metasearch engines, 282
- metatags, 281
- methodology of troubleshooting, 569–571, 579–580
- metric, 298
- MIBs (Management Information Bases), 88
- Microsoft
 - DOS
 - commands, 366
 - directories, 371
 - NWLlink, 52
 - print devices, 326
 - servers, displaying, 365
 - SMB (Server Message Block), 415
 - wizards, 325
- Microsoft Active Directory, 350–352
- Microsoft .NET, 545
- Microsoft Performance Monitor. *See* Performance Monitor
- Microsoft Plus! Pack, 388
- Microsoft Services for UNIX, 398
- Microsoft SMS, 563–564
- Microsoft SNA Server, 422
- Microsoft Terminal Services, 541
- Microsoft Windows 9.x, folders, 371
- microwave technologies, 119, 181
- MICs (media interface connectors), 145
- midsplit broadband configuration, 113
- Milnet, 9
- minicom, 400
- mixed gas lasers, 209
- MMV (Microsoft Management Console), 322
- mobile users, 480
- models of human intelligence, 602
- models of networking, 84
 - DoD, 97–98
 - OSI, 85
 - application layer, 88–89
 - communication between layers, 86, 88–96
 - data link layer, 93–94
 - encapsulation, 86
 - network layer, 92
 - physical layer, 94, 96

- presentation layer, 89
- session layer, 90–91
- structure, 85
- transport layer, 91–92
- standardization, 84
- vendor-specific, 99

modems, 160, 484, 486. *See also* terminal adapters

- acoustic couplers, 486
- actual connection speed, 555
- asynchronous communication, 485
- banks, 164–165
- callback security, 490
- COM port, troubleshooting, 489
- configuration, 164
- customizing, 488
- drivers, 164
- external, 163–164, 487
- fallback, 485
- half-duplex transmission, 118
- initialization strings, 486
- internal, 161–162, 487
- internal configuration parameters, 161–162
- PCMCIA, 487
- PnP, 162, 487
- port speed, 555
- SecurID, 499
- sharing, 12
- troubleshooting, 489–491
- UART chips, 486

modulation, 109

monitoring

- counters, 559
- Internet activity, privacy issues, 595
- performance, 556–557
- protocol-specific traffic patterns, 554

mount command (UNIX), 334

MPPE, 519

MSAUs (multistation access units), 57, 94, 143–144

MS-CHAP (Microsoft Challenge Handshake Authentication Protocol), 483

MS-DOS, 379–381

MSN Speedtest, 556

MSPs (management service provicers), 568

MTU (maximum transmission unit), Ping of Death attacks, 437

multiboot computers, 372

- multicast messaging, 234
- multilink configuration, 484
 - ISDN, 165
- multimaster replication, 353
- multimode fiber-optic cable, 206–207
- multiple client/server operating systems, 417
- multiple platform networks, PC-to-Macintosh communications, 418
- multiple security protocols, implementing, 464
- multiple-operating system networks, 415
 - multiple client systems, 417
 - multiple server systems, 415–417
- multiple-platform networks, 411, 417, 419
 - handheld-to-PC, 419
 - Internet connectivity, 412
 - multiple NOSs, 412
 - network/transport protocols, 411
 - PC communication, 419
 - PC-to-mainframe communication, 418–419
 - security, 412–413
- multiplexing, 113–114
- multipoint videoconferencing software, 292
- multiport repeaters, 214
- multistation repeaters, 94–96
- multitasking, 92
 - cooperative multitasking, 380
- multitiered WANs, 169
- multiverses, 592
- mutual authentication, 483

N

- name resolution, 249–251
 - domains, 250
 - translating names to numbers, 251–253
- name resolution servers, 43
- namespace, 344–345
- naming conventions
 - files, 370
 - LDAP, 347–348
- NAPs (network access points), 269–271
- narrowband radio, 210
- NAT (Network Address Translation), 183–185
 - necessity of TCP/IP, 412
- National Physicians Database, 600
- NAUNs (nearest upstream active neighbors), 143

- navigating the Internet, 280–282
- nbstat command, 258, 364
- NCPFS (NCP File System), 399
- NDS (Novell Directory Service), 327, 349–350
- need for VPNs, 510
- Nelson, Ted, 279
- nesting user accounts, 317
- Net PCs, 540
- net use command, 325
- net view command, 365
- Net Watcher, 556
- NetBEUI (NetBIOS Extended User Interface), 52, 227–228
- NetBIOS (Network Basic Input/Output System), 43, 90, 227–228
- netstat command, 256–257
- NetWare, 326–328
 - Bindery, 326–327
 - capture command, 329
 - clients, 328–329
 - config command, 576
 - CSNW, 390–391
 - drives, mapping, 328
 - NDS, 327
- NetWare Lite, 308
- network administration
 - best practices, 554
 - client/server systems, 309–311
 - proactive, 552
 - reactive, 551
 - user accounts
 - creating, 315
 - default groups, 316
 - distribution groups, 316
 - LINUX, 331–333
 - managing, 313, 315, 317
 - nesting, 317
 - security groups, 316
 - universal, 316
 - UNIX, 331–333
- Network Computer architecture, 539
- Network Connection Wizard, Windows 2000, 396
- network interface layer (DoD model), 98
- network layer (OSI reference model), 92
 - IPX, 229
- network management
 - devices, 568–569
 - software, 562
 - CMIP, 567
 - Hewlett Packard OpenView, 566
 - IBM Tivoli Enterprise, 566
 - Microsoft SMS, 563–564
 - MSPs (management service providers), 568
 - Novell ManageWise, 564
 - SNMP, 567
- network media, 200
 - coaxial cable, 200–202
 - impedence, 201
 - thicknet, 203
 - thin coax, 201–202
 - fiber-optic cable, 206
 - RG (Registered Grade) specifications, 202
 - twisted-pair cable, 204–205
 - wireless, 207
 - IR, 209
 - laser, 208
 - radio, 210
- Network Monitor, displaying captured data, 559
- network nodes, 422
- network numbers, 230
- Network Services properties dialog box (Windows 2000), 394
- network transport protocols, NetBEUI, 227–228
- Network+ certification program, 570
- network/transport protocols
 - IPX/SPX, 229–230
 - NetBIOS, 227–228
- networking
 - accessibility, 432
 - AppleTalk, 53
 - architecture
 - AppleTalk, 68
 - ARCnet, 68–69
 - Ethernet, 62–67
 - Token Ring, 67–68
 - bandwidth, 112
 - capacity planning, 121
 - Ethernet frames, 82
 - hybrid, 51
 - IPX/SPX, 52
 - LAN characteristics, 34

- layered communication process, 82–84
- MANs, 35–36
- NetBEUI, 52
- neural, 590–591
- nodes, 44
- peer-to-peer, 44
 - centralized administration, 45
 - security, 45
- quantum physics, application of, 591
- segmentation, 214
- server-based, 47
 - administration, 48
 - security, 48–49
- sharing resources, 311, 313
- standards-setting bodies, 100
 - IEC, 101
 - IEEE, 102–104
 - IETF, 101–102
 - ISO, 100
 - ITU, 101
- subnets per address class, calculating, 237
- subnetting, 242–245
- TCP/IP, 53
- teamwork methodology, 83–84
- thin client, 532–533
 - advantages of, 534
 - BOOTP, 537–538
 - cost, 534
 - desktop computers, 540
 - DHCP, 537–538
 - handheld PCs, 541
 - hardware, 538–541
 - ICA, 536
 - Net PCs, 540
 - Network Computer, 539
 - RDP, 536
 - RFB, 537
 - security, 535
 - software, 541–542, 544–545
 - TFTP, 537–538
 - WBTs, 539
 - XDMCP, 536
- topologies
 - hybrid, 60
 - linear bus, 55–56
 - mesh, 59
 - ring, 56
 - star, 57–58
- transmission methods
 - baseband, 112–113
 - broadband, 113
- VPNs
 - comparing to dialup, 510–512
 - configuring, 522–525
 - extranets, 514–515
 - gateway configuration, 515
 - hardware-based, 522
 - operation, 506
 - performance, 512, 521
 - privacy, 506
 - remote access, 512–514
 - scenarios, 512–515
 - software-based, 522
 - tunneling, 507–509
- WANs, 37–38
- Networking and Information Technology Research and Development Act, 597
- networking models, 22, 84
 - DoD, 97–98
 - OSI, 85
 - application layer, 88–89
 - communication between layers, 86–96
 - data link layer, 93–94
 - encapsulation, 86
 - network layer, 92
 - physical layer, 94–96
 - presentation layer, 89
 - session layer, 90–91
 - structure, 85
 - transport layer, 91–92
 - standardization, 84
 - vendor-specific, 99
- network-level security, 314
- neural networking, 590–591
- newsgroups, 287
 - NNTP, 288
 - software, 288
- NFS file system, 377
- NFuse (Citrix), 543
- NICs (network interface cards), 22, 95, 134, 195
 - combo cards, 95, 198
 - configuring, 197
 - I/O port, configuring, 199

- IRQ, configuring, 198–199
 - MAC address, 93–94
 - memory address, configuring, 199
 - role in addressing, 195
 - selecting, 95, 196–198
 - transceivers, 196
 - NIS (Network Information System), 331
 - NLMs (NetWare loadable modules), 256–257, 327
 - NLSP (NetWare Link Services Protocol), 299
 - NNTP (Network News Protocol), 288
 - node numbers, 230
 - nodes, 43–44, 268
 - addresses, 68
 - capacity, 10BaseT Ethernet, 141
 - nonaxial light transfer, 207
 - noncontention methods, token passing, 123
 - nonroutable protocols, 216, 219
 - NOSs (network operating system), 23, 38
 - Banyan VINES, 334
 - hybrid, 51
 - LANtastic, 335
 - multiple per network, 412
 - NetWare, 50, 326–327
 - capture command, 329
 - clients, 328–329
 - network drives, mapping, 323
 - security, 317
 - selecting, 320
 - shared resources, managing, 317–319
 - terminal services, 310
 - UNIX, 50, 329–330
 - user accounts, creating, 315, 317
 - Windows 9.x, 50
 - printers, sharing, 324–326
 - wizards, 325
 - Windows 2000, 322–323
 - Windows NT 4.0, 321
 - Novell
 - Bindery, 326–327
 - IPX/SPX, 52
 - LANalyzer, 562
 - leaf objects, 327
 - ManageWise, 564
 - NDS, 349–350
 - NetWare, 50
 - tcpn NLM, 256–257
 - NSA security ratings, 460
 - NSF (National Science Foundation), development of
 - Internet backbone, 9, 268
 - nslookup, 255
 - ntbackup.exe command, 364
 - NTFS (New Technology File System), 372–373
 - NTFS 5, 374
 - nuke attacks, 436
 - null modem cable, 95
 - numbering systems, 76
 - binary, 78–80
 - decimal, 76
 - hexadecimal, 77–78
 - NWLink, 52, 229
-
- ## O
-
- OBI (Open Buying on the Internet), 515
 - object classes, 343
 - object-oriented systems, 341
 - objects
 - LDAP, naming conventions, 347–348
 - namespace, 344–345
 - obtaining IP addresses, 239–242
 - OC-SONET, 179
 - octets, 232–233, 437
 - on-demand VPN connections, 507
 - one-way cable, 180
 - online learning, 17, 20
 - online services, costs of, 15
 - Open Source Initiative, 329
 - operating systems, 50, 379
 - backward compatibility, 373
 - boot managers, 372
 - booting, 361
 - case sensitivity, 364
 - client operating systems, 44
 - command prompt, 362
 - commands, 364
 - arguments, 365–366
 - backslashes, 370
 - syntax, 364–365
 - configurations, troubleshooting, 576–578
 - DOS, commands, 366
 - file extensions, 368–370
 - file systems, 369
 - FAT, 371–372

- fragmentation, 373
- hard disk, 377
- HFS, 376–377
- HPFS, 376
- inverted tree structure, 370
- NFS, 377
- NTFS, 372–373
- recoverability, 376
- reliability, 376
- sector sparing, 373
- selecting, 377
- SMBF, 424
- tree structure, 370
- UNIX, 374–375
- VFAT, 372
- files, 367–368
 - boot.ini, 372
 - naming conventions, 370
 - pathnames, 370
- GUI-based, 363–364, 367
- kernel, 375
- Linux, 330–331, 396–397
 - connecting to Internet, 400
 - connecting to Microsoft network, 398
 - connecting to NetWare network, 399
 - connecting to UNIX/Linux network, 399–400
 - ifconfig command, 399–400
 - ipconfig command, 578
 - SNA, 422
- log files, 571–573
- Macintosh, 401
 - connecting to Internet, 402
 - connecting to Microsoft network, 401–402
 - connecting to NetWare network, 401–402
 - connecting to UNIX network, 401–402
 - connecting to workgroups, 401
 - zones, 401
- MS-DOS, 379, 381
- multiple client/server, 417
- multitasking, 92
- NetWare, 326–327
 - clients, 328–329
 - CSNW, 390–391
- NOSs, 38
 - hybrid, 51
 - managing shared resources, 317–319
 - security, 317
 - selecting, 320
 - UNIX, 50
 - Windows networks, 50
- NSA security ratings, 460
- OS/2, 335, 403
- security
 - blank passwords, 443
 - implementing, 441
- server operating systems, 47
- shells, 363
- text-based, 363
- thin client networking, 532–533
- thin clients, 533
 - advantages of, 534
 - BOOTP, 537–538
 - cost, 534
 - desktop computers, 540
 - DHCP, 537–538
 - handheld PCs, 541
 - hardware, 538–541
 - ICA, 536
 - Net PCs, 540
 - Network Computer, 539
 - RDP, 536
 - RFB, 537
 - security, 535
 - software, 541–545
 - TFTP, 537–538
 - WBTs, 539
 - XDMCP, 536
- UNIX, 329–330, 396–397
 - clients, 333
 - connecting to Internet, 400
 - connecting to Microsoft network, 398
 - connecting to NetWare network, 399
 - connecting to UNIX network, 399–400
 - forward slashes, 370
 - mapping network drives, 334
 - open source code, 330
- VPNs, 509
- Windows 2000 Professional, 322–323, 392–393
 - connecting to Microsoft network, 393–395
 - connecting to NetWare network, 395

- connecting to remote server, 396
- dynamic disks, 379
- NTFS 5, 374
- Windows 3.x, 379–381
- Windows 9.x, 381–382
 - connecting to Microsoft network, 382–386
 - connecting to NetWare network, 386
 - connecting to remote server, 388
 - mapping network drives, 323
 - Microsoft Plus! Pack, 388
 - peer configuration, 383–386
 - printers, sharing, 324–326
- Windows NT 4.0, 321
- Windows NT Workstation, 388–391
 - connecting to Microsoft network, 389
 - connecting to NetWare network, 390–391
 - connecting to remote server, 391
- operations masters, PDCs, 353
- operator error, troubleshooting, 570
- optical fiber, 206
 - dispersion, 207
 - FDDI, dual-ring topology, 147–148
- optimizing network performance, 552
- orange book, 459
- organizations, standards-setting bodies, 100–104
- OS/2 (IBM), 335, 403
 - HPFS, 376
 - Warp Server, 403
- OS/400 directory services, 355
- oscilloscopes, 569
- OSI (Open Systems Interconnection) reference model, 85
 - application layer, 88–89
 - communication between layers, 86–96
 - encapsulation, 86
 - data link layer, 93–94, 508
 - network layer, 92
 - physical layer, 94–96
 - presentation layer, 89
 - session layer, 90–91
 - structure, 85
 - transport layer, 91–92
- OSI protocol suite, 54
- OSPF (Open Shortest Path First), 301
- OTDR (optical time domain reflector), 464
- OUs (organizational units), 323

- oversampling, 116
- ownership of Internet, 301

P

- packet data network technologies, 181
- packet filtering, 462
- packet sniffers, 436
- packet switched networks, 7, 176
 - ARPAnet, 9
 - ATM, 178
 - clouds, 176
 - comparing to circuit-switching, 8
 - Frame Relay, 177–178
 - SMDS, 181
 - versus circuit switching, 170
 - X.25, 176–177
- packets, 80–81
 - ARCnet, 153
 - headers, 81, 248–249
 - structure, 82
 - tracing utilities, 575
 - trailers, 82
- PAD (packet assembler/disassembler), 166
- parallel processing, 160
 - neural networking, 591
- parameters, listing for commands, 366
- parent objects, 344–345
- parity, 470
- partial mesh topologies, 169
- partitions, 378
- passive detection, 461
- passive hubs, 58, 96, 213
- passive topologies, buses, 56
- passwd file, editing, 332–333
- passwords, 434, 436, 443–444
 - authentication, 451
 - Kerberos, 453–454
 - mutual authentication, 483
 - smart cards, 455–456
 - bypassing, 443
 - case-sensitivity, 570
 - login permissions, 442–444
 - share-level security, 46
- patch panels, 212–213
- pathnames, 370

- pathping, 574
- PBX (private branch exchange), 172
- PCI (Peripheral Component Interconnect), 197
- PCMCIA (Personal Computer Memory Card International Association), 197, 487
- PCs
 - domestic use, 16–18
 - dual-boot, 372
 - in the workplace, 19
 - standalone systems, 10
 - standard IRQ settings, 199
- PC-to-Macintosh communications, 418
- PC-to-mainframe communication, 418–419
- PDA-to-PC communication, 419
- PDCs (primary domain controllers), 321
 - operations masters, 353
 - SAM database, 321
- peer configuration, Windows 9.x, 383–386
- peering agreements, 268
- peer-to-peer networks, 22
 - centralized administration, 45
 - characteristics, 44
 - comparing to client/server networks, 38–39
 - NetWare Lite, 308
 - security, 45–46
- performance
 - baselining, 553
 - identifying high usage, 553
 - mapping utilization patterns, 554
 - monitoring protocol-specific traffic, 554
 - best practices, 554
 - connectivity testing utilities, 579
 - Internet connection speed, measuring, 554–556
 - logging, 571, 573
 - monitoring tools, 556–557
 - Novell LANalyzer, 562
 - Sniffer, 560
 - MSPs (management service providers), 568
 - software, 570
 - throughput, optimizing, 552
 - tracing utilities, 575
 - troubleshooting
 - configurations, 576–578
 - methodology, 569–571
 - VPNs, 512, 521
- Performance Monitor, 558
 - alerts, 558
 - counters, 559
- permissions, 48
 - Active Directory, 354
 - managing, 48
 - NTFS, 372
- phase, 110, 208
- Phase 1 (AppleTalk), 150
- Phase 2 (AppleTalk), 150
- physical layer (OSI reference model), 87, 94, 96
 - NICs, 195–196
- physical security, implementing, 464
- physical topology, 24, 54
- ping, 254–255, 573–574
- Ping of Death attacks, 437
- ping time, 574
- PKI (public key infrastructure), 349, 453
- Planck, Max, 592
- platform, 417–419
- plenum-grade cable, 23, 200
- PLP (Packet Layer Protocol), 177
- plugs, 212
- PnP (Plug and Play), 162, 487
- point-to-point dedicated connections, 481
- point-to-point videoconferencing software, 292
- point-to-point WANs, 166–167
- poison reverse, 300
- policies
 - remote access security, 498
 - security, 457
 - acceptable use, 458
 - auditing, 460–461
 - firewalls, 461–463
 - government ratings, 459–460
 - multiple protocols, 464
 - physical security, 464
 - termination, 459
- polynomials, 139
- POP (Post Office Protocol), 284–285
- PoPToP, 517
- port numbers, 92
- port switches, 220
- portals, 282, 543
- ports, 246–248
 - asynchronous communication ports, 485
 - well-known, 247

- power backups, 465
 - generators, 466
 - UPSs, 466
- PPP (Point-to-Point Protocol), 400
- PPTP (Point-to-Point Tunneling Protocol), 508, 517
- preamble, 139
- preemptive multitasking, 381
- presentation layer (OSI reference model), 89
- PRI (Primary Rate ISDN), 172
- primary domain controllers (PDCs), 50
- primary partitions, 378
- primary ring (FDDI), 147
- print servers, 42
- print spool, 326
- printers
 - sharing on Windows networks, 324–326
 - UNIX shares, 334
- privacy, 594–595
 - Children’s Online Privacy Protection Act, 595
 - e-mail, 284, 446–448
 - VPNs, 506
- private addresses (NAT), 183–184
- private data types, 433
- proactive network administration, 552
- problem-solving skills, troubleshooting
 - methodologies, 579–580
- production networks, 380

- profiles, hardware, 393
- programming languages, XML, 545
- programs
 - expert systems, 602
 - Trojan horses, 438
- protocol analyzers, 554, 557
- protocol stack, 228
- protocol suites, 231
 - layers, 85
 - TCP/IP, IP addressing, 231
- protocols, 23
 - application layer, 88, 261
 - binding order, 414
 - captured data, displaying, 559
 - encryption
 - Blowfish, 520
 - IPSec, 520
 - MPPE, 519
 - LAN, 520
 - remote access, 482
 - routing
 - distance-vector, 298
 - link-state, 299
 - session layer, 90
 - thin client
 - BOOTP, 537–538
 - DHCP, 537–538
 - ICA, 536
 - RDP, 536
 - RFB, 537
 - TFTP, 537–538
 - XCMCP, 536
 - transport layer, 245
 - ports, 247–248
 - sockets, 248
 - TCP, 246
 - UDP, 246
 - tunneling
 - CIPE, 519
 - IPSec, 518
 - L2F, 517
 - L2TP, 517
 - PPTP, 517
 - SSH, 519
- protocol-specific traffic patterns, monitoring, 554
- proxy servers, 43, 185–186, 461–463
 - reverse hosting, 463
 - reverse proxy, 463
 - software, 185
 - transparent proxies, 186
- PSDN (Public Switched Data Network), 176–177
- PSTNs (public switched telephone networks), 171
- public education, online learning, 17, 20
- public/private key encryption, 450–451
- published shared resources, 42
- publishing, 600–601
- put command (FTP), 290
- PVC (polyvinyl chloride), 23
- PVCs (permanent virtual circuits), 177
- PXE (Preboot Execution Environment)
 - standard, 538

Q-R

- Qbone, 269
- quantum physics, applying to networking, 591
- qubits, 592
- radio frequency interference, 119
- radio technology, 210
- RADIUS (Remote Authentication Dial-In User Service), 483, 498
- RAID (redundant array of inexpensive disks), 469–470
- Rainbow Technologies, I-key, 456
- RAM (random access memory), configuring memory address, 199
- RBOCs (regional Bell operating companies), 269
- RC (Rivest Cipher)-4, 450
- RDNs (relative distinguished names), 348
- RDP (Remote Desktop Protocol), 536
- reactive network administration, 551
- receptacles, 212
- recoverability of file systems, 376
- red book, 459
- redirectors, 89
 - Windows-to-NetWare, 420
- redundancy, 471
 - clustering technologies, 471
 - fault tolerance, 10
 - star WANs, single point of failure, 168
- redundant array of inexpensive disks (RAID), 469–470
- regional providers, 270
- relative distinguished names (RDNs), 348
- relative pathnames, 370
- reliability
 - of file systems, 376
 - of ring topologies, 57
- remote access, 478
 - after-hours connectivity, 478–479
 - authentication, 482–483
 - bandwidth aggregation, 483
 - branch offices, 478
 - clients, configuring, 495–496
 - dedicated connections, 481
 - devices, 484
 - cable modems, 493–494
 - CSUs/DSUs, 494
 - terminal adapters, 492–493
 - guest accounts, 481
 - IP addressing, 483
 - mobile users, 480
 - modems, 484–486
 - customizing, 488
 - external, 487
 - internal, 487
 - PCMCIA, 487
 - PnP, 487
 - troubleshooting, 489–491
 - protocols, 482
 - security, 496
 - account lockout, 499
 - callback, 497
 - hosts, 499
 - policies, 498
 - RADIUS, 498
 - telecommuting, 479
 - VPNs, 481, 505–506
 - authentication, 521
 - authorization, 521
 - Blowfish, 520
 - CIPE, 519
 - comparing to dialup networking, 510–512
 - configuring, 522–525
 - encapsulation, 508–509
 - encryption, 521
 - hardware-based, 522
 - IPSec, 518, 520
 - L2F, 517
 - L2TP, 517
 - LAN protocols, 520
 - MPPE, 519
 - need for, 510
 - operating system support, 509
 - operation, 506
 - performance, 512, 521
 - PPTP, 517
 - privacy, 506
 - scenarios, 512–515
 - software-based, 522
 - SSH, 519
 - tunneling, 507–509

- remote access servers, 43
- Remote Administration mode (Microsoft Terminal Services), 542
- Remote Authentication Dial-In User Service (RADIUS), 483, 498
- Remote Desktop Protocol (RDP), 536
- removable storage support, NTFS 5, 374
- repeaters, 56–58, 96, 120, 213–214
 - Token Ring, 145
- replication, Active Directory, 353
- requirements
 - for Internet connectivity, 270–271
 - for thin clients, 532
- research and development
 - AI (artificial intelligence), 602
 - ARPAnet, 597
 - cybernetics, 603
 - medical, 599
- resource forks, 377
- resources
 - browse list, 41
 - leaf objects, 327
 - printers, capturing a printer port, 319
 - shares, 40
- retinal scanners, 456
- reverse hosting, 463
- reverse proxy, 463
- RF (radio frequency) technologies, 181
- RFB (Remote Frame Buffer) protocol, 537
- RFCs (Requests for Comments), 102, 302
- RFI (radio frequency interference), 119
- RG (Registered Grade) specifications, 202–203
- RG-8 cabling, 62
- RG-11 cabling, 62
- RG-58 cabling, 201
- RG-58U cabling, 64
- RG-62 A/U cabling, 152
- ring topologies, 56–57
- rings (WAN), 167
- RIP (Routing Information Protocol), 299–300
- Rivest, Ron, 450, 452
- RJ connectors, 212
- RJ-45 connectors, 198
- RJ-62 cabling, 204
- rogue servers, 242
- role of NICs, 195
- root (UNIX), 330

- routable protocols, 219
- route print command, 297
- route tracing utilities, 260
- routed connections, 186–187
- routed networks, 38
- router-based VPNs, 522
- router-to-router VPNs, 515
 - configuring, 515–516
- routing, 92, 217–219, 294
 - ACLs, 464
 - default gateway, 187, 218, 294
 - dynamic, 219, 298
 - example, 294–295
 - gateway services, 419–420
 - cross-platform solutions, 420–421
 - firewalls, 462
 - Microsoft SNA, 422
 - Samba, 422–423
 - SNA, 421–422
- interfaces, 296
- poison reverse, 300
- split horizon, 299–300
- static, 219, 296
- triggered updates, 300

- routing protocols
 - distance-vector, 298–300
 - link-state, 299–301
- routing tables, 216
 - viewing, 297
- RPC (remote procedure calls), 377
- RSA public key encryption, 450
- RTS (request to send), 123

S

- SAINT (Security Administrator's Integrated Network Tool), 461
- SAM (security accounts manager) database, 50, 321
- Samba, 51, 422
- SAP (Service Advertising Protocol), 230
- SATAN (Security Administrator's Tool for Analyzing Networks), 461
- satellite technologies, 181
- SavvySearch, 282
- scattering, 120
- schemata, 343

- Schrödinger, Erwin, 592
- science fiction, cybernetics, 603
- scripts, 332
 - modem initialization strings, 486
- SDS (Sun Directory Services), 355
- SDSL (Symmetric DSL), 173–174
- search engines, 281–282
- search/retrieval mechanisms, 281
- secondary ring (FDDI), 147
- second-level domain names, 250
 - translating to IP addresses, 251–253
- secret key encryption, 453
- sectors
 - signatures, 376
 - sparing, 373
- SecurID modem, 499
- security, 431
 - access control lists, 312, 464
 - access control policies, 443–444
 - Active Directory, 354
 - assessing need for, 432
 - management philosophy, 433
 - type of business, 432
 - type of data, 433
 - attacks
 - brute force, 435
 - DDoS, 433
 - authentication, 451
 - biometrics, 458
 - Kerberos, 453–455
 - mutual authentication, 483
 - clustering technologies, 471
 - computer viruses, 438
 - crackers, 435
 - databases, 42
 - digital certificates, 452–453
 - digital signatures, 452
 - DoS attacks, 436
 - ICMP floods, 436
 - Ping of Death attacks, 437
 - smurf attacks, 437
 - SYN attacks, 438
 - e-mail, 446, 448
 - encryption
 - asymmetric, 451
 - Blowfish, 516, 520
 - IPSec, 520
 - laws governing, 449
 - MPPE, 519
 - public/private key, 450–451
 - secret key, 449–450
 - VPNs, 506
 - end-to-end, 445
 - file encryption, 445
 - hackers, 435
 - hash algorithms, 452
 - identification technologies
 - biometrics, 456–457
 - smart cards, 455–456
 - implementing, 441
 - SSL, 446
 - internal threats
 - accidental breaches, 440
 - corporate espionage, 439
 - disgruntled employees, 440
 - internal politics, 440
 - rebellious users, 441
 - IP spoofing, 438
 - IPSec, 445
 - tunneling, 509
 - IPv6, 589
 - keys, 435
 - multiple protocol networks, 412–413
 - NOSs, 317
 - Novell NDS, 350
 - nuke attacks, 436
 - operating systems, implementing, 441
 - passwords, 434–436
 - case-sensitivity, 570
 - peer-to-peer networks, 45–46
 - permissions, 442–444
 - PKI (public key infrastructure), 349, 453
 - policies, 457
 - acceptable use, 458
 - auditing, 460–461
 - firewalls, 461, 463
 - government ratings, 459–460
 - multiple protocols, 464
 - physical security, 464
 - termination, 459
 - remote access, 496
 - account lockout, 499
 - callback, 497
 - hosts, 499

- policies, 498
- RADIUS, 498
- server-based networks, 48–49
- share-level, 313
- social engineering attacks, 435
- thin clients, 535
- threats, 434
 - external, 434
 - internal, 439–441
- trade-offs, 432
- Trojan horses, 438
- user accounts, 312
 - creating, 315
 - managing, 313–317
- user-level, 312
- VPNs
 - authentication, 521
 - authorization, 521
 - encapsulation, 508–509
 - encryption, 521
 - need for, 510
 - operating system support, 509
- security groups, 316
- seek time, 378
- segmentation, 214
 - bridges, 214–216
 - routers, 217–219
 - switches, 220–221
- segments, 61, 81
- selecting
 - data backup media, 469
 - file systems, 377
 - NICs, 95, 196–198
 - NOSs, 320
 - WAN technologies, 160
- Sendmail, 285
- separate clock signal, 115
- serial devices, modems, 160, 163
- serial ports, UART chips, 163–164
- server farms, 311, 543
- Server Message Block (SMB) protocol, 398
- server-based networks, 22, 47
 - administration, 48
 - centralized computing, 308
 - client machines, operating systems, 361–404
 - permissions, 48–49
 - security, 48–49
 - user authentication, 48
- servers, 39, 43
 - Active Directory, 353
 - AppleShareIP, 335
 - application servers, 319
 - ASPs, 545
 - BOOTP, 538
 - dedicated servers, 42–43
 - DHCP, 538
 - Microsoft, displaying, 365
 - multiple client operating systems, 417
 - multiple server operating systems, 415–417
 - rogue (DHCP), 242
 - shares, 40
 - SMTP, 284–285
 - thin clients, 532–533
 - advantages of, 534
 - BOOTP, 537–538
 - cost, 534
 - desktop computers, 540
 - DHCP, 537–538
 - handheld PCs, 541
 - hardware, 538–541
 - ICA, 536
 - Net PCs, 540
 - Network Computer, 539
 - RDP, 536
 - RFB, 537
 - security, 535
 - software, 541–542, 544–545
 - TFTP, 537–538
 - WBTs, 539
 - XDMCP, 536
 - Web, 277
- services, WWW, 282
- Services for UNIX, 398
- session layer (OSI reference model), 90–91
- SHA (Secure Hashing Algorithm), 452
- share names, 317
- share permissions, 372
- shared network technologies, 148
- shared resources
 - application servers, 319
 - browse list, 41
 - directory services, 343
 - home directories, 318

- managing, 317–319
- mapping to (Windows networks), 324
- shared secret encryption, 449–450
- shared-bandwidth technologies, CATV, 180
- share-level security, 46, 312–313
- shares, 40
 - leaf objects, 327
 - Linux, remote access, 424
 - printers, capturing a printer port, 319
 - publishing, 42
- shareware, 279
- sharing network resources, 12, 311–313
- shell account, 400
- shells, 363
 - SSH, 519
- shielding, 119, 206
- shortage of IP addresses, 588–589
- signal bounce, 55
- signaling
 - analog, 109
 - attenuation, 120
 - baseband, 112
 - broadband, 113
 - crosstalk, 119
 - digital, 110–111
 - EMI, 119
 - physical layer, 94–95
 - RFI, 119
- silver satin, 212
- simple connectivity devices, 211–213
- simple connectors, 211
 - BNC connectors, 211
 - fiber-optic connectors, 212
 - patch panels, 212
 - RJ connectors, 212
- Simple Mail Transfer Protocol (SMTP), 88, 284–285
- Simple Network Management Protocol (SNMP), 88, 567
- simplex communication, 90, 116–117
- single point of failure, 10, 168
- single-master operations, 353
- single-mode fiber-optic cable, 206
- “slash x” networks, 238
- smart appliances, 17–18
- smart bombs, 597
- smart cards, 455–456
- smart sets, Tivoli Enterprise, 566
- SMB (Server Message Block), 398, 415
- SMBF (SMB File System), 424
- SMDS (Switched Multimegabit Data Service), 181
- smileys, 284
- SMSAU (smart MSAU), 144
- SMTP (Simple Mail Transfer Protocol), 88, 284–285
- smurf attacks, 437
- SNA (Systems Network Architecture), 51, 89, 421–422
- snap-ins, 322
- Sniffer network analyzer, 560
- sniffers, 557
- SNMP (Simple Network Management Protocol), 88, 567
- social engineering attacks, 435
- sockets, 246, 248
- software
 - active detection, 461
 - ASPs, 545
 - backup programs, 469
 - Citrix, 536
 - drivers, 164
 - e-mail, 89, 284–286, 447
 - gateway services, 419
 - cross-platform solutions, 420–421
 - Microsoft SNA, 422
 - Samba, 422–424
 - SNA, 421–422
 - Windows-to-NetWare redirectors, 420
 - NAT, 185
 - network management, 562
 - CMIP, 567
 - Hewlett Packard OpenView, 566
 - IBM Tivoli Enterprise, 566
 - Microsoft SMS, 563–564
 - Novell ManageWise, 564
 - SNMP, 567
 - newsgroups, 288
 - Open Source Initiative, 329
 - performance monitoring, 556–557
 - proxy servers, 185–186
 - terminal services, 310
 - thin clients
 - Citrix Winframe/MetaFrame, 542
 - JVM, 544–545

- Microsoft Terminal Services, 541
 - Web-based solutions, 544
 - X Window, 543
- troubleshooting, 570
- videoconferencing, 292
- Web authoring, 277
- software-based VPNs, 522
- SOHO (small office/home office), home networking, 588–589
- SONET (Synchronous Optical Network), 179
- source code, HTML, 277
- source route bridging, 216
- Space and Naval Warfare Center, 597
- spams, 283–284
- sparse files (NTFS 5), 374
- specifications
 - AppleTalk, 150
 - FDDI, 148
 - Net PCs, 540
- spiders, 281
- SPIDs (service profile identifiers), 165, 492
- split horizon, 299–300
- spread spectrum radio, 210
- SPX (Sequenced Packet Exchange), 230
- SQL (Structured Query Language), 310
- SSH (Secure Shell), 519
- SSL (Secure Sockets Layer), 446
- STA (Spanning-Tree Algorithm), 217
- standalone systems, 10
- standard encryption, 449
- standard Ethernet, 134–135
- standards, 84
 - directory services, 346
 - DAP, 347
 - LDAP, 347–348
 - X.500, 346
 - Internet, 301
 - IR, 209
 - RFCs, 102
 - RG specifications, 202–203
- standards-setting bodies, 100
 - IEC, 101
 - IEEE, 102–104
 - IETF, 101–102
 - ISO, 100
 - ITU, 101
- star topologies, 57, 168
 - bus, 140
 - fault tolerance, 58
- start delimiter (Token Ring frames), 146
- starting User Manager for domains, 321
- star-wired ring topology, 143
- static routing, 219, 296
- storage devices, sharing, 12
- store-and-forward switching, 220
- STP (shielded twisted-pair), 22, 204–205)
- strategic weapons, smart bombs, 597
- streaming media, 291
 - telemedicine, 599
- strong encryption, 449
- structure
 - of ARCnet packets, 153
 - of DNS domains, 346
 - of Ethernet frames, 138
 - of FDDI frames, 149
 - of OSI model, 85
 - of packets, 82
 - of Token Ring frames, 146
- sublayers of data link layer, 93
- subnets, 214, 217, 242–245
 - ANDing, 244–245
 - bridges, 214, 216
 - brouters, 220
 - default gateway address, 218, 244
 - masks, 242–244
 - per address class, calculating, 237
 - quick reference chart, 244
 - routing, 217, 219
 - switching, 220–221
- Sun Microsystems
 - Network Computer, 539
 - NFS, 377
 - NIS, 331
- supercomputer centers, 269
- supernetting, 239
- Supervisor account (NetWare 3.x), 327
- surge protection, 465–466
- SVCs (switched virtual circuits), 178
- switched 56, 175–176
- switched routers, 221

- switches (commands)
 - ARP command, 256
 - netstat command, 256
 - text-based operating systems, 365
 - switching, 170
 - circuit-switching, 6–7, 170
 - DDS, 174
 - DSL, 172
 - ISDN, 171–172
 - leased lines, 174
 - PSTN, 171
 - switched 56, 175–176
 - T-carriers, 174–175
 - hubs, 220
 - Layer 2, 220–221
 - Layer 3, 93
 - Layer 4, 221
 - packet-switching, 7–8, 176
 - ATM, 178
 - Frame Relay, 177–178
 - X.25, 176–177
 - symmetric encryption, 449
 - SYN attacks, 438
 - synchronous transmission, 115–116
 - syntax
 - commands, 364–365
 - UNIX file systems, 375
 - sys (UNIX), 330
 - System Monitor (Windows 2000), 558
 - system requirements, thin client, 532
 - Systems Network Architecture. *See* SNA
 - Sysvol (Shared System Volume), Active Directory, 351
-
- T**
-
- T-carriers, 174–175
 - T-connectors, 63, 211
 - TCP (Transport Control Protocol), 91, 246
 - three-way handshakes, 437
 - TCP/IP, 53
 - application layer protocols, 261
 - configuration information, viewing, 366
 - connectivity testing utilities, 579
 - FTP, 289–290
 - IP addresses
 - address classes, 232–239
 - APIPA, 239
 - automatic address allocation, 239–242
 - bits, 232
 - CIDR, 238–239
 - classful, 235–237
 - classless addressing, 238
 - dotted-decimal notation, 232
 - IANA, 233
 - logical addresses, 239
 - name resolution, 251–253
 - octets, 232–233
 - packet headers, 248–249
 - subnetting, 242–245
 - supernetting, 239
 - routing, 294
 - dynamic, 298
 - example, 294–295
 - interfaces, 296
 - static, 296
 - Telnet protocol, 290
 - utilities, 254–255, 573
 - ARP, 255
 - configuration, 259
 - nbstat command, 258
 - netstat command, 256–257
 - route tracing, 260
 - tcpn.nlm, 256–257
 - TCSEC (Trusted Computer System Evaluation Criteria), 459–460
 - TDM (time-division multiplexing), 114
 - TDRs (time domain reflectometers), 568
 - teamwork methodology of networking, 83–84
 - technology, effect on military strategy, 597
 - telcos, 18
 - telecommuting
 - distance-learning, 601
 - remote access, 479
 - tele-examinations, 20
 - telegraph cables, development of, 6
 - telemedicine, 599
 - telephony applications, 274, 292–293
 - acoustic couplers, 486
 - development of, 6–7
 - servers, 43
 - Telnet, 88, 290
 - Telus.net High Speed Internet, 556

- terminal adapters, 165, 492–493
 - SPIDs, 165
- terminal servers, 43, 531
- terminal services, 310
- terminals, 9
- termination policies, 459
- terminators, 55, 211
- terrorists, cyber terrorists, 597
- text-based operating systems, 363
 - case sensitivity, 364
 - commands, 364
 - arguments, 365–366
 - backslashes, 370
 - syntax, 364–365
 - files, 367–368
 - extensions, 368–370
 - pathnames, 370
 - machine language, 364
- TFTP (Trivial File Transfer Protocol), 537–538
- thicknet, 62–63, 134–135, 201–203
- thin client networking, 43, 532–533
 - advantages of, 534
 - BOOTP, 537–538
 - cost, 534
 - DHCP, 537–538
 - hardware, 538–541
 - desktop computers, 540
 - handheld PCs, 541
 - Net PCs, 540
 - Network Computers, 539
 - WBTs, 539
 - ICA, 536
 - PXE cards, 538
 - RDP, 536
 - RFB, 537
 - security, 535
 - software
 - Citrix Winframe/MetaFrame, 542
 - JVM, 544–545
 - Microsoft Terminal Services, 541
 - Web-based solutions, 544
 - X Window, 543
 - system requirements, 532
 - TFTP, 537–538
 - XDMCP, 536
- thin coax cable, 201–202
- thinnet, 132–133, 201–202
- third-party boot management utilities, 372
- threads, 377
- threats to security
 - external attacks, 434
 - computer viruses, 438
 - DoS attacks, 436–438
 - IP spoofing, 438
 - worms, 438
 - internal, 439–441
- three-way combo cards, 198
- three-way handshakes (TCP), 437
- throughput
 - bottlenecks, 552
 - Internet connection speed, measuring, 554–556
- TIDs (two-digit terminal identifiers), 165
- time slicing, 380
- Tivoli Enterprise (IBM), 566
- TNI (Trusted Network Interpretation of the TCSEC), 459–460
- Toast.net Internet Service, 556
- token passing, 123–124, 152
- Token Ring, 67–68
 - beaconing, 143
 - cable types, 144–145
 - communication process, 143
 - frames, 146
 - limitations on implementing, 147
 - MICs, 145
 - MSAU, 143
 - MSAUs, 144
 - repeaters, 145
 - topology, 142
- TokenTalk, 53
- tone generators/locators, 568
- tools
 - LANalyzer, 562
 - protocol analyzers, 554
- top-level domain names, translating to IP addresses, 250–253
- topologies
 - active, 56, 143
 - AppleTalk, 150
 - addressing, 150
 - data transfer, 151
 - ARCnet, 151
 - data transfer, 151
 - packets, 153

- combined, 60
- comparing, 154
- FDDI, 147
 - data transfer, 147–148
 - frames, 149
- hybrid, 60
- linear bus, 55–56
- mesh, 59, 169
- multitiered WANs, 169
- passive, buses, 56
- point-to-point WANs, 166–167
- ring, 56
- star, 57–58, 168
- star bus, 140
- Token Ring, 142
 - beaconing, 143
 - cable types, 144–145
 - frames, 146
 - limitations on implementing, 147
 - MICs, 145
 - MSAUs, 144
 - repeaters, 145
 - WAN rings, 167
- tping command, 573–574
- tracert utility, 260
- tracert utility, 260
- tracing utilities, 575
- tracks, 377–378
- traffic
 - bursty, 181
 - captured, displaying, 559
 - FDDI, data transfer, 148
 - protocol-specific, monitoring, 554
 - sniffers, 557, 560
- trailers, 82
- transceivers, 63, 95, 196
 - access points, 207
 - cables, 134
- transitive trusts, Active Directory, 352
- translated connections, 182–185
- translation
 - IPv6, 590
 - names to numbers, 251–253
 - NAT, 183–184
- translation bridges, 216
- translation tables, 183
- transmission technologies
 - full-duplex, 118
 - half-duplex, 117–118
 - simplex, 116–117
- transparent bridges, 216
- transparent proxies, 186
- Transport Control Protocol. *See* TCP
- transport layer (OSI reference model), 91–92, 245
 - ports, 247–248
 - sockets, 248
 - SPX, 230
 - TCP, 246
 - UDP, 246
- transport mode (IPSec), 445, 509
- transport protocols
 - IPX/SPX, 229
 - network numbers, 230
 - node numbers, 230
 - NetBEUI, 227–228
 - NetBIOS, 227–228
- tree structure, 370
 - directory services, 344–345
- triggered updates, 300
- Trojan horses, 438
- troubleshooting
 - configurations, 576–578
 - hardware, 570
 - layered methodology, 84
 - methodology, 569–571, 579–580
 - modems, 489–491
 - COM port, 489
 - incompatibility, 491
 - Network+ certification program, 570
 - operator error, 570
 - performance, 571–573
 - software, 570
 - terminal adapters, 493
- troubleshooting utilities, 568–569
 - connectivity, 573
 - pathping, 574
 - ping, 573–574
 - TCP/IP, 573
- trust relationships, 352
- tunnel mode (IPSec), 445, 509
- tunneling protocols
 - CIPE, 519
 - IPSec, 518

- IPv6, 590
- L2F, 517
- L2TP, 517
- PPTP, 517
- SSH, 519
- VPNs, 507–509
 - wrappers, 509
- twisted-pair cable, 22, 136, 204–205
- two-way cable, 180
- Type A connectors, 145

U

- U.S. Department of Defense model, 13, 97–98
- U.S. federal government Web site, 596
- UART (Universal Asynchronous Receiver/Transmitter), 163–164, 486
- ubiquitous computing, 587–588
 - effect on healthcare, 599–600
 - effect on legal system, 598
 - effect on medicine, 599
 - home networking, 588–589
 - modern technologies, in warfare, 597
 - quantum physics, applying to networking, 591
 - universal connectivity, 592–593
 - user friendly appliances, 593
- UDP (User Datagram Protocol), 91, 246, 538
- UNC (Universal naming Convention) path, 324
- underscore character (`_`), in filenames, 375
- Unicode characters, 347, 373
- unidirectional transmission, 90, 116
- universal connectivity, 20, 592–593
 - effect on family life, 594
 - effect on government, 596
 - effect on healthcare, 599–600
 - effect on legal system, 598
 - effect on legislation, 598
 - effect on medicine, 599
 - effect on publishing, 600
 - entertainment, 594
 - privacy issues, 594–595
- universal group accounts, 316
- UNIX, 50, 329–330, 396–397
 - case-sensitivity, 331
 - clients, 333
 - connecting
 - to Microsoft network, 398
 - to NetWare network, 399
 - to UNIX network, 399–400
 - to Internet, 400
 - file system, 374–375
 - flat files, 376
 - forward slashes, 370
 - hard links, 376
 - I-node mapping, 375
 - mapping network drives, 334
 - open source code, 330
 - passwd file, editing, 332–333
 - printer shares, 334
 - scripts, 332
- unreachable destinations, poison reverse, 300
- unsolicited e-mail, 283–284
- upgradability
 - capacity planning, 121
 - of 10BaseT, 136
- UPSs (uninterruptible power supplies), 465–466
- upstream neighbors, 56
- user accounts, 312
 - creating, 315
 - default groups, 316
 - distribution groups, 316
 - LINUX, 331–333
 - managing, 313–317
 - nesting, 317
 - NetWare, 327
 - permissions, 442–444
 - security groups, 48, 316
 - universal groups, 316
 - UNIX, 331–333
- user authentication, server-based networks, 48
- user friendly appliances, 593
- user interfaces
 - GUIs, 363–364
 - text-based, 362–363
- User Manager for Domains, 321
- user-level security, 46, 312

utilities

- ARP, 255
 - connectivity-testing, 573
 - pathping, 574
 - ping, 573–574
 - defragmenters, 373
 - nbstat command, 258
 - netstat command, 256–257
 - network management, 562
 - CMIP, 567
 - Hewlett Packard OpenView, 566
 - IBM Tivoli Enterprise, 566
 - Novell ManageWise, 564
 - SNMP, 567
 - performance monitoring, 556–557
 - ping, 254–255
 - protocol analyzers, 554, 557
 - route tracing, 260
 - sniffers, 557, 560
 - TCP/IP configuration, 259, 579, 573
 - utilization patterns, mapping, 554
 - UTP (unshielded twisted pair), 22, 64–67, 204–205
 - 10BaseT, 136
 - 5-4-3 rule, 140
 - node capacity, 141
 - 100BaseX Ethernet, 137
 - categories of, 65
 - crossover cables, 136
- UUCP (UNIX-to-UNIX Copy Protocol), 400

V

- vampire taps, 63, 134, 203
- vBNS (Very High-Speed Backbone Network Service), 268–269
- VCs (virtual circuits), 178
- VDSL (Very-High Data Rate DSL), 173–174
- vendor-specific mode (networking), 99
- VFAT (Virtual FAT), 372
- VG-AnyLAN, demand priority, 125–126
- videoconferencing, 292
 - telemedicine, 599
- viewing
 - captured data, 559
 - command parameters, 366
 - Microsoft servers on network, 365

- routing tables, 297
 - TCP/IP configuration information, 366
- VINES (Virtual Networking System), 334
- virtual com port, 161
- virtual private networks. *See* VPNs
- viruses (computer), 438
- VLANs (virtual LANs), 221
- Voice over IP, 292
- voiceprint verification, 457
- volt-ohm meters, 569
- volume mount points, NTFS 5, 374
- VPNs, 481, 505–506, 293, 480
 - authentication, 521
 - authorization, 521
 - circuit-level, 521
 - comparing to dialup networking, 510–512
 - configuring, 522, 524–525
 - encryption protocols, 521
 - Blowfish, 520
 - IPSec, 520
 - MPPE, 519
 - hardware-based, 522
 - LAN protocols, 520
 - need for, 510
 - operating system support, 509
 - operation, 506
 - performance, 512, 521
 - privacy, 506
 - router-to-router, configuring, 515–516
 - software-based, 522
 - tunneling, 507–509
 - CIPE, 519
 - encapsulation, 508–509
 - IPSec, 518
 - L2F, 517
 - L2TP, 517
 - PPTP, 517
 - SSH, 519
 - wrappers, 509

W

- W3C (World Wide Web Consortium), 302
- WANs (wide-area networks), 24, 37–38
 - ARPAnet, 9
 - backbone, 268

- BISDN, 179
- CATV, 179–180
- circuit-switched, 170
 - DDS, 174
 - DSL, 173
 - ISDN, 171–172
 - leased lines, 174
 - PSTN, 171
 - switched 56, 175–176
 - T-carriers, 174–175
- CPE, 165
- designing, 160
- interfaces, 296
- mesh topologies, 169
- modems, 160
 - banks, 164–165
 - configuration, 164
 - drivers, 164
 - external, 163–164
 - half-duplex transmission, 118
 - internal, 161–162
 - internal configuration parameters, 161–162
 - PnP, 162
- multitiered, 169
- OC-SONET, 179
- packet-switched, 176
 - ATM, 178
 - Frame Relay, 177–178
 - X.25, 176–177
- point-to-point, 166–167
- proxy servers, 185–186
- ring topology, 167
- routed connections, 186–187
- SMDS, 181
- star topology, 168
- terminal adapters, 165
- translated connections, 182–185
- wireless, 181
- X.25, dialup connections, 481
- Warp Server (OS/2), 403
- wavelength,
 - laser light, 209
 - phase, 208
- weapons, smart bombs, 597
- Web authoring software, 277
- Web browsers, 278–279
- Web designers, 275
- Web servers, 42, 277
- Web sites
 - ISO, 100–101
 - U.S. federal government, 596
- Web-based computing, 544
- Web-based list servers, 287
- WebNFS, 377
- well-known ports, 247–248
- white papers, High-Speed Token Ring Alliance, 68
- wideband technologies, 210
- Windows 3.x, 379, 381
- Windows 9.x, 381–382
 - connecting
 - to Microsoft network, 382–386
 - to NetWare network, 386
 - to remote server, 388
 - folders, 371
 - peer configuration, 383–386
 - backup programs, 469
- Windows 95, Microsoft Plus! Pack, 388
- Windows 2000 Professional, 322–323, 392–393
 - Active Directory, 322
 - connecting
 - to Microsoft network, 393–395
 - to NetWare network, 395
 - to remote server, 396
 - dialing properties, configuring, 489
 - dynamic disks, 379
 - NTFS 5, 374
 - System Monitor, 558
 - VPNs, configuring, 523–525
- Windows ME, 381
- Windows networks, 50
 - mapping network drives, 323
 - printers, sharing, 324, 326
- Windows NT 4.0, 321, 577–578
- Windows NT Workstation, 388–391
- Winframe (Citrix), 542
- winipcfg utility, 259
- WINS (Windows Internet Name Service), name resolution, 253
- Winsock interface, 91, 248
- wireless media, 22, 181, 207
 - IR, 209
 - laser, 208
 - radio, 210

- wizards, 325
- workgroups, 34, 44
 - share-level security, 46
 - Windows 9.x, peer configuration, 383–386
- workstations, 44
- worms, 438
- wrapped state (FDDI), 148
- wrappers, tunneling, 509
- WWW (World Wide Web)
 - content, 279
 - DNS, 278
 - HTML, 275–277
 - HTTP, 274
 - metasearch engines, 282
 - metatags, 281
 - portals, 282
 - search engines, 281
 - services, 282
 - spiders, 281
 - users, 279–280
 - Web browsers, 278–279
 - Web servers, 277
- Wyse Technology, 539

X-Z

- X Window system, 329, 543
- X.25, 176–177
 - dialup connections, 481
- X.500, 346
- XDMCP (XDM Communication Protocol), 536
- XML (Extensible Markup Language), 514, 545

- ZIP (Zone Information Protocol), 68
- zones, 401
 - AppleTalk, 150
 - DNS, 252