

Index

A

- absolute URLs, 51
- accessibility, 278
 - assistive technology, 280
 - case study, 296–297
 - for disabled users
 - table axis, 292
 - table captions, 291
 - table summaries, 292
 - enhancing with HTML 4.01, 285
 - forms, 287–289
 - link tag, 285–286
 - title attribute, 286
 - for visually impaired users, 284
 - color, 282
 - graphics, 282
 - text, 281
 - implementing, 279, 293
 - legislation, ADA, 294–296
 - W3C compliance, 294
 - WAI, 278–279
- accessing Internet
 - connection speed, 9
 - dialup, 11
 - high-speed access, 11
 - ISPs, 10
 - online database information, 377
- activity tracking, websites, 411
- ADA (Americans with Disabilities Act), 294–296
- adding
 - animation, 340
 - animated GIFs, 341–342
 - Dynamic HTML, 341
 - SWF animation, 342
 - captions to tables, 291
 - summaries to tables, 292
- additive synthesis, 65
- adherence
 - to corporate style guides, 234
 - to design principles, 232
- adjusting focus, 333
- Adobe Acrobat Reader, 27
- Adobe Atmosphere, 369
- Adobe GoLive, 108–110
- Adobe Illustrator, 121
- Adobe LiveMotion, 126–127
- Adobe Photoshop, 116
- Adobe Premiere, 130
- advertising, 209, 449
 - banner ads, 450–452
 - co-branding, 458
 - e-mail marketing, 453–454
 - interactivity, 371
 - link exchanges, 456
 - newsgroups, 454–455
 - offline strategies, 456
 - targeting the audience, 449–450
 - web rings, 456
- AIFF (Audio Interchange File Format) files, 81
- algorithms, 70
- align attribute (table tag), 55
- align="x" attribute (image tag), 52
- align="x" attribute (table tag), 55
- aligning text, 207–208
- allowZoomAndPan attribute, 74
- analog multimedia formats versus digital, 76
- Anchor tag, 53–54
- angle brackets, 49
- animated GIFs, 341–342
- animation
 - animated GIFs, 341–342
 - applications, 125
 - Adobe LiveMotion, 126–127

- Macromedia Flash, 127
 - digital, 77
 - Dynamic HTML, 341
 - interactivity, 368
 - reducing download
 - time, 340
 - streaming, 340
 - SWF animation, 342
 - versus interactivity, 364
- animators
 - portfolios, job-specific
 - content, 476
 - role of, 156
- anonymous FTP sites, 15
- The Ant, 105
- anti-aliasing, 204
- anti-dilution laws, 434
 - Apple Final Cut Pro, 132
- Apple QuickTime, 27, 132
- applets, 93
 - interactivity, 375
 - Java, 375
- applications
 - animation, 125
 - Adobe LiveMotion, 126–127
 - Macromedia Flash, 127
 - audio/video
 - Adobe Premiere, 130
 - Apple Final Cut
 - Pro, 132
 - Apple QuickTime, 132
 - RealProducer, 133
 - Windows Media Player, 133–134
 - bitmap graphics, 114
 - Adobe Photoshop, 116
 - Corel Photo-Paint, 119
 - Macromedia Fireworks, 117
 - databases, dynamic web publishing, 437–438
 - digital video editing tools, 351
 - FTP, 443, 445
 - link management, 407
 - rippers, 81
 - scheduling tools, 172
 - search engines
 - listing site with, 446
 - website ranking, 447–449
 - vector graphics, 120
 - Adobe Illustrator, 121
 - CorelDRAW, 123, 125
 - Macromedia Freehand, 122
 - web browsers, 18
 - bookmarks/favorites, 23
 - future capabilities, 20
 - Internet Explorer, 20
 - media support, 23
 - plug-ins, 26–29
 - rules, 49
 - source code view, 22
 - WYSIWYG editors, transferring files, 445
- applying
 - attributes to tags, 51
 - style to HTML documents
 - embedded style, 47–48
 - imported style, 49
 - linked style, 48
- approval process for web design, 151–152
- ARPA (Advanced Research Projects Agency),
 - development of Internet, 4
- artifacts, 72
- ASP (Active Server Page),
 - 89–92
- ASPs (Application Service Providers), 436–437
- assembling HTML sites,
 - 383–384
- assigning tab order for
 - links, 290
- assistive technology, 280
- Assistive Technology Act, accessibility
 - requirements, 295

- attributes, 50
 - frame tag, 60
 - frameset tag, 59
 - HTML, 491
 - image tag, 52–53
 - table tag, 54, 56
 - XHTML, 574
 - core attributes, 574
 - event attributes, 574–576
 - keyboard attributes, 574
 - language attributes, 574
- audience
 - defining, 145–147
 - targeting, 449–450
- audio
 - digital, 80–81, 344
 - editing, 346
 - embedding, 347
 - recording, 345–346
 - streaming, 344–345
 - streaming, 82
 - multicast, 83
 - QuickTime, 83
 - RealAudio, 83
 - unicast, 82
 - Windows Media Server, 83
- audio designers, role of, 156
- audio/video applications
 - Adobe Premiere, 130
 - Apple Final Cut Pro, 132
 - Apple QuickTime, 132
 - RealProducer, 133
 - Windows Media Player, 133–134
- AudioTrack, 347
- auditory disabilities,
 - designing for, 284
- aural style sheets, properties, 603–608
- avatars, 369
- AVI (Audio Video Interleaved) files, 78
- awards, listing on resume, 475
- axis, creating for tables, 292
- background graphics, 201
- background properties (CSS), 215–216, 583
- background-attachment property (CSS), 583
- background-color property (CSS), 582
- background-image property (CSS), 582
- background-position property (CSS), 583
- backup process, 168
- bandwidth, 9
- banner ads, 209, 450
 - design guidelines, 451–452
 - placement, 452
 - rates, 451
- Berners-Lee, Tim, 4, 8
- best practices
 - for designing interfaces, 244–245
 - for incorporating interactivity, 366–367
 - for interface usability, 250
 - for navigational usability, 268
- Bezier curve, 69
- billing clients, 150
- binary language, 11
- bitmap graphics, 69
 - applications, 114
 - Adobe Photoshop, 116
 - Corel Photo-Paint, 119
 - Macromedia Fireworks, 117
 - BMP, 75
 - GIFs, 72
 - JPEGs, 72
 - PNG, 74
 - SVG, 74
 - TIFFs, 75
 - WMF, 75
- bitmap-based software, 328
- Bitnet, 4
- Blaxxun3D, 26
- BMP images, 75
- body section, HTML documents, 45–46
 - lists, 56–57
- body tag, 45
- bookmarks, 23
- border property (CSS), 590
- border="x" attribute (frameset tag), 59
- border="x" attribute (image tag), 52

border="x" attribute (table tag), 55
border-collapse property (CSS), 600
border-color property (CSS), 587–588
border-style property (CSS), 589
border-width property (CSS), 587–588
brainstorming sessions, 145
brand bar, 240–242
branding, 232
 adherence to corporate style guide, 234
breadcrumb trails, 266–267
brightness, adjusting, 333
browsers, 18
 bookmarks/favorites, 23
 development, 18–19
 display inconsistencies, 199
 frames, 203
 future capabilities, 20
 Internet Explorer, 20
 media support, 23
 Mosaic, 5, 18
 plug-ins, 26
 Acrobat Reader, 27
 Flash Player, 28
 installing, 29
 QuickTime, 27
 RealPlayer, 28
 SVG, 28
 VRML, 29
 rules, 49
 source code view, 22
 testing websites, 396
 text, readability, 187–188
 XML-capable, 41–42
BrowserWatch, 18–19
budgeting web projects, 149–150
building websites, 383–384
buttons as navigation scheme, 257

C

cable Internet access, 11
caching images, 404
calibration, display colors, 329–330
canvas size, changing, 338
captions, creating for tables, 291
capturing digital video, 349–351
career development
 education, 474–475
 interviewing, 479
 portfolios
 career summary, 473
 CD-ROM-based, 468
 contact information, 473
 cover letter, 471
 creating, 467
 development process, 470
 formats, 467
 job-specific content, 475, 477
 objective statement, 473–474
 paper version, 469
 presentation-based, 469
 references, 477–478
 résumé, 472
 web-based, 468
 work samples, 475
carrier technologies, connection speeds, 436
case studies, interview with David Oberhard, 296–297
CCDs (charge-coupled devices), 327
CD-ROM-based portfolios, 468
cellpadding="x" attribute (table tag), 55
cellspacing="x" attribute (table tag), 55
CGI (Common Gateway Interface), 90–91
changing canvas size, 338
characteristics
 of HTML, 5
 of World Wide Web, 6
chat, 381, 383
choosing domain names, 442
chunking, 162
ciphertext, 379
clarity, as design principle, 194, 231

- class selectors, 577–578
- clear property (CSS), 594
- clear writing, elements of, 308–309
- client list (portfolios), 477–478
- client/server model, 12
 - TCP/IP, 13
 - thin client, 20
- clients
 - billing, 150
 - contact information, 143
 - design approval process, 151–152
 - feedback, 427
 - initial meeting, 143–145
 - interviewing, 144–145
 - obtaining, 142
 - presenting with completed project, 429
 - review form, 428
 - sign-off, obtaining, 429
 - working with, 142–143
- client-side image maps, 254
- client-side scripting, 88
 - JavaScript, 89
 - VBScript, 89
- clip property (CSS), 595
- closed captioning, 284
- CMOS (complementary metal-oxide semiconductor) chips, 327
- CMYK (Cyan, Magenta, Yellow, Black), 66
- co-branding, 458
- code validators, 398–399
- codec (compression/decompression) schemes, 78, 352
- coding HTML
 - conversion utilities, 104–105
 - editors
 - simple editors, 105–106
 - WYSIWYG editors, 106–112
 - hand-coding, 104
- cognitive disabilities, designing for, 285
- ColdFusion, 92
- colocating, 439
- color
 - additive synthesis, 65
 - calibration, tips, 329
 - delivery, 65
 - designing for visually impaired users, 282
 - dithering, 68
 - gamma, 329
 - hexadecimal, 67
 - opacity, 74
 - Pantone, 235
 - selecting, 201, 236
 - subtractive, 64
 - symbolism, 303
 - web-safe, 68
- color property (CSS), 582
- color spaces, 66
- cols="x" attribute (frameset tag), 59
- commands, Telnet, 16
- competition
 - surveying, 148
 - site monitoring, 410
- complementary colors, 65
- completion of projects, 429
- compliance to W3C accessibility, recommendations, 294
- compression, 70
 - artifacts, 72
 - digital video, 352
 - lossless, 71
- computer-generated
 - images, 328
- conceptual model of World Wide Web, 6
- connection speed, Internet, 9
 - comparing, 435–436
- connectivity
 - client/server model, 12
 - Internet, 9
 - dialup, 11
 - high-speed access, 11
 - ISPs, 10
- consistency, as design principle, 194, 231
- consistency checks, performing, 394
- contrast, as design
 - principle, 195
- contact information
 - for clients, 143
 - for portfolio, 473
- content

- dating, 409
- OCR, 322
- organizing, 158–159
- originality of, 322
- proofreading, 323
- relevance of, 321
- static versus dynamic, 159–160
- surfacing, 203
- timeliness of, 321
- update plans, 164
- updating, 411
- writing
 - tips, 320–321
 - voice, 320
- content attribute (meta tag), 45
- content property (CSS), 596–597
- contracts, 410
 - negotiating, 153–155
 - signing off, 427, 429
- contrast
 - adjusting, 333
 - as design principle, 231
- controlling typographical elements, 237–238
- controls (HTML forms), 87–88
 - labeling, 536
- controls conventions
 - typography, 207
 - versus standards, 21
- converting HTML to XHTML
 - HTML-Tidy, 64
 - utilities, 104–105
 - validators, 64
- cookies, 377, 431
- COPPA (Children’s Online Privacy Protection Act), 430
- copy
 - OCR, 322
 - proofreading, 323
 - typography, 323
 - writing, 319
 - originality of content, 322
 - relevance of content, 321
 - timeliness of content, 321
 - tips, 320–321
 - voice, 320
- copyrights, 434
 - ownership establishment, 433
- core attributes, XHTML, 574
- Corel Photo-Paint, 119
- CorelDRAW, 123–125
- corporate identity, creating, 232
- corporate style guides, adherence to, 234
- cost of hosting services, 440
- counter-increment property (CSS), 596
- counter-reset property (CSS), 598
- cover letter for portfolio, 471
- creating
 - accessible sites with HTML 4.01, 285
 - forms, 287–289
 - link tag, 285–286
 - title attribute, 286
 - animations
 - Adobe LiveMotion, 126–127
 - Macromedia Flash, 127
 - corporate identity, 232
 - home pages, guidelines, 243–244
 - images, 323
 - from stock photo-graphy, 327
 - links, 259
 - with digital cameras, 326–327
 - with scanners, 324–325
 - interfaces, best practices, 244–245
 - portfolios, 467
 - career summary, 473
 - CD-ROM-based, 468
 - contact information, 473
 - cover letter, 471
 - development process, 470
 - formats, 467
 - job-specific content, 475–477
 - objectives statement, 473

- paper version, 469
- presentation-based, 469
- references, 477–478
- résumé, 472
- skill set summary, 473–474
- web-based, 468
- work samples, 475
- privacy statements, 430
- prototypes, 242
- requirements document, 164
- search features, 255
- text, 204–205
- creative director, role of, 156
- cropping images, 336
- cross-navigational systems, 252
- CSS (Cascading Style Sheets), 46, 209–211
 - background properties, 215–216
 - border properties, 218
 - classification
 - properties, 220
 - dimension properties, 219
 - embedded style, 47–48, 214
 - font properties, 217
 - imported style, 49, 213
 - inheritance, 212–213
 - inline styles, 214
 - linked style, 48, 215
 - list properties, 219
 - margin properties, 218–219
 - positioning properties, 221
 - properties, 579
 - background, 583
 - background-attachment, 583
 - background-color, 582
 - background-image, 582
 - background-position, 583
 - border, 590
 - border-collapse, 600
 - border-color, 587–588
 - border-style, 589
 - border-width, 587–588
 - clear, 594
 - clip, 595
 - color, 582
 - content, 596–597
 - counter-increment, 596
 - counter-reset, 598
 - cue, 605
 - cue-after, 605
 - cue-before, 605
 - cursor, 596
 - direction, 596
 - display, 591
 - elevation, 606
 - empty-cells, 600
 - float, 594
 - font, 586
 - font-family, 584
 - font-size, 585
 - font-size-adjust, 585
 - font-stretch, 585
 - font-style, 584
 - font-variant, 584
 - font-weight, 584
 - height, 593
 - line-height, 593
 - list-style, 599
 - list-style-position, 599
 - list-style-type, 598–599
 - margin, 586
 - marker-offset, 598
 - marks, 601
 - max-height, 593
 - min-height, 593
 - outline, 591
 - outline-color, 591
 - outline-style, 590
 - outline-width, 590
 - overflow, 595
 - padding, 587
 - page, 602–603
 - page-break-after, 602
 - page-break-before, 602
 - page-break-inside, 602
 - pause, 604
 - pause-after, 604
 - pause-before, 604

- pitch, 607
 - pitch-range, 608
 - play-during, 605–606
 - position, 592
 - richness, 608
 - row-span, 601
 - size, 601
 - speak, 604
 - speak-header, 600–601
 - speak-numeral, 608
 - speak-punctuation, 608
 - speech-rate, 607
 - table-layout, 600
 - text-align, 580
 - text-decoration, 580
 - text-indent, 579
 - text-shadow, 581
 - text-transform, 580
 - vertical-align, 594
 - visibility, 595
 - voice-family, 607
 - volume, 603
 - white-space, 581
 - widows, 603
 - width, 592
 - word-spacing, 581
 - z-index, 595
 - rules, 578
 - selectors, 577–578
 - syntax, 211–212
 - text properties, 216–217)
 - CSS2 (Cascading Style Sheets 2), pseudo classes, 578
 - cubicle testing, 415
 - cue property (CSS), 605
 - cue-after property (CSS), 605
 - cue-before property (CSS), 605
 - cursor property (CSS), 596
 - customer support, 411
 - CuteFTP, 444
- D**
- data types of HTML elements, 492–495
 - databases
 - accessing online, 376
 - dynamic web publishing, 437–438
 - interactivity, 375–377
 - e-commerce, 378–379
 - personalized websites, 377
 - security, 379
 - public-key cryptography, 379–380
 - SSL, 380
 - WHOIS, 442
 - dedicated FTP packages, 443
 - deep site structure, 233
 - defining
 - scope of project, 147
 - target audience, 145–147
 - definition lists, adding to HTML documents, 57
 - deliverables, reviewing against outcome, 428
 - demographic research, 450
 - deprecated tags, 60
 - description, keywords, 45
 - design principles, 191
 - clarity, 194
 - consistency, 194
 - contrast, 195
 - emphasis, 198
 - information architecture, 162–163
 - simplicity, 196–197
 - structure, 197
 - style sheets, 210
 - team structure, 157
 - terminology, 192–193
 - unity, 195
 - de-skewing images, 330
 - developing
 - content update plans, 164
 - help system, 250
 - interfaces, best practices, 244–245
 - navigation schemes, 239–240, 251–252
 - portfolios, 470
 - prototypes, 242
 - time line, 165–166

- development
 - of Internet, ARPA, 4
 - of web browsers, 18–19
- devices
 - capturing video, 349, 351
 - CCDs, 327
 - digital cameras, 326–327
 - for disabled users, 280
 - modems, 11
 - scanners, 324–325
- DHTML (Dynamic HTML), 42
- dialup, 11
- digital animation, 77
- digital audio, 80–81, 344
 - editing, 346
 - embedding, 347
 - recording, 345–346
 - streaming, 344–345
- digital cameras, creating images, 326–327
- digital multimedia formats, versus analog, 76
- digital video, 78, 80–81, 347
 - capturing, 349
 - compression, 352
 - editing, 351
 - embedding, 352
 - multicasting, 348
 - streaming, 348
- digitizing, 77
- dimensions of images, adjusting, 52
- direction property (CSS), 596
- disabled users
 - accessibility, 278–279
 - enhancing with HTML 4.01, 285–289
 - implementing, 293
 - setting tab sequences, 290
 - table axis, 292
 - table captions, 291
 - table summaries, 292
 - W3C compliance, 294
 - WAI, 278–279
 - ADA, 294–296
 - assistive technology, 280
 - cognitive disabilities, designing for, 285
 - motor disabilities, designing for, 284
 - speech disabilities, designing for, 285
 - visually impaired users, designing for, 281–284
- Discrete Cosine Transformation, 73
- display property (CSS), 591
- dithering, 68
- DNS (Domain Name Server), 441
- documents, HTML
 - body section, 46
 - lists, 56–57
 - body tags, 45
 - frameset, 58
 - head section, 45
 - head tags, 45
 - inserting images, 51–53
 - keywords, 45
 - rules, 49
 - structure, 45
 - style, 46–49
- DOM, hierarchical structure, 42
- Domain Name System, 4
- domain names, selecting, 441–442
- downloading files
 - animations, 340
 - optimal sizes, 246, 365–366
 - plug-ins, 29
 - reducing time for, 208, 405–406
- DPI (dots per inch), 326
- drum scanners, 325
- DSL (Digital Subscriber Line), 11
- DTD (Document Type Definitions), XHTML, 63
 - frameset, 63
 - strict, 63
 - transitional, 63
- dynamic content, 159–160
- Dynamic HTML, animations, 341
- dynamic URLs, 54
- dynamic websites, 375, 437

E

- e-commerce, 378–379
- editing
 - applications
 - Adobe GoLive, 108–110
 - Macromedia Dreamweaver, 112
 - Microsoft FrontPage, 110
 - simple editors, 105–106
 - WYSIWYG editors, 106–108
 - digital audio, 346
 - digital video, 351
 - images, 335
 - text error checking, 394–395
- educational background
 - job searching, 474–475
 - listing on resume, 474–475
- elements
 - of clear writing, 308–309
 - of interfaces, 235
- elements (HTML), 495–498, 503–504, 510, 514–515, 526, 529, 532–535, 541, 547–548
 - data types, 492–495
- elevation property (CSS), 606
- e-mail, 17, 23
 - marketing techniques, 453–454
 - versus instant messaging, 24
- embedded styles, 47–48, 214
- embedding
 - digital audio, 347
 - digital video, 352
- emphasis, as design principle, 198, 231
- empty-cells property (CSS), 600
- encryption, SSL, 432
- enforceable contracts, 155
- engaging the audience, interactivity, 365
- enhancing accessibility with HTML 4.01, 285
 - forms, 287–288
 - link tag, 285–286
 - title attribute, 286
- EPS (Encapsulated PostScript), 75
- error checking websites, 394–395

- establishing tab order in
 - links, 290
- events, HTML, 491
- evolution of WWW, 184
- examples of clear writing, 308–309
- experience, listing on
 - resume, 474
- external conventions, 240
- external style sheets, 48

F

- facilitating usability tests, 416–417
- fair use issues, 433
- FAQs, 412
- favorites list, web browsers, 23
- feedback, 427
 - interactivity, 185
- Fetch, 444
- fieldset, 287
- file management, 167
 - backup process, 168
 - media assets conversion, 169–170
- File Transfer Protocol (FTP), 13
- files
 - downloading time, 208
 - graphics
 - BMP, 75
 - compression schemes, 70
 - EPS, 75
 - GIFs, 72
 - JPEGs, 72
 - PCX, 76
 - PICT, 76
 - PNG, 74
 - SVG, 74
 - TIFF, 75
 - WMF, 75
 - QuickTime, 79
 - SWF, 78
 - usability, 246
- Flash Player, 28
- flatbed scanners, 324

- float property (CSS), 594
 - flow charting, 233
 - flow charts, 163
 - focus, adjusting, 333=
 - following-up website submission to search engines, 449
 - font property (CSS), 586
 - font-family property (CSS), 584
 - fonts
 - limitations, 205
 - selecting, 206, 237–238
 - font-size property (CSS), 585
 - font-size-adjust property (CSS), 585
 - font-stretch property (CSS), 585
 - font-style property (CSS), 584
 - font-variant property (CSS), 584
 - font-weight property (CSS), 584
 - formatting
 - border properties, 218
 - classification properties, 220
 - dimension properties, 219
 - font properties, 217
 - internationalization
 - tables, 306
 - text expansion, 304–306
 - text in images, 307–308
 - list properties, 219
 - margin properties, 218–219
 - multimedia
 - digital audio, 80–81
 - digital video, 78, 80–81
 - SWF, 78
 - positioning properties, 221
 - text properties, 216–217
 - forms (HTML), 84–85
 - client, 428
 - controls, 87–88
 - enhancing site accessibility, 287–288
 - form tag, 86
 - input tag, 86
 - label element, 289
 - optgroup element, 288
 - PCRs, 151
 - select tag, 87
 - tab order, setting, 290
 - textarea tag, 86
 - forums, 381
 - frame tag, 59–60
 - frameborder="x" attribute (frame tag), 60
 - frameborder="x" attribute (frameset tag), 59
 - frames, 58, 203
 - as navigation scheme, 255, 257
 - HTML markup, 530, 542
 - frameset tag, 58–59
 - framesets, 256
 - DTD, 63
 - framespacing="x" attribute (frameset tag), 59
 - freshness, 409
 - FTP (File Transfer Protocol), 13–15, 24
 - applications, 443–445
 - functional interactivity, 185
 - future capabilities of web browsers, 20
- G**
- gamma, 329
 - generating
 - HTML pages
 - conversion utilities, 104–105
 - hand-coding, 104
 - simple editors, 105–106
 - WYSIWYG editors, 106, 108, 110, 112
 - type, 204–205
 - get it testing, 415
 - GIF (Graphic Interchange Format), 72
 - global audience, adjusting to, 310–311
 - global navigation, 261
 - goals of W3C, 8–9
 - Gopher, 25
 - graphical browsers, 18
 - graphics , 114

- animations, 77
- background, 201
- bitmap, 69
- bitmap applications , 114
 - Adobe Photoshop, 116
 - Corel Photo-Paint, 119
 - Macromedia Fireworks, 117
- designing for visually impaired users, 282–284
- files, compression schemes, 70
- logos, trademarks, 433
- vector, 69
- vector applications, 120
 - Adobe Illustrator, 121
 - CorelDRAW, 123–125
 - Macromedia Freehand, 122
- grid structure, 240–242
- guidelines
 - for creating accessible sites, 279
 - for creating home pages, 243–244
 - for tags, 50
- GUIs (Graphical User Interfaces), 230
 - color scheme
 - selecting, 236
 - designing, 231
 - elements of, 235
 - help system, 250
 - typeface, selecting, 237–238

H

- hand-coding HTML, 104
- hardware, capturing video, 349–351
- head section (HTML documents), 45
- head tag, 45
- hearing disabled users, designing for, 284
- height property (CSS), 593
- height="x" attribute (image tag), 52
- help system, designing, 250
- hexadecimal colors, 67
- hierarchical design
 - implementing, 162–163
 - of navigation schemes, 262
 - of markup languages, 42
- high-level usability tests, 418
- high-speed Internet access, 11
- history
 - of HTML, 40
 - of Internet, 4
- home pages, 190, 243–244
- hooking the audience, 190
- hosting services, 440
 - rollout, 443–445
- housing web pages, 439
- HTML (HyperText Markup Language), 5, 40
 - accessible features, creating 285
 - forms, 287–289
 - link tag, 285–286
 - title attribute, 286
- applets, 93
- attributes, 491
- body tags, 45
- code
 - testing, 397–398
 - validating, 398–399
- conversion utilities, 104–105
 - validators, 64
- CSS
 - embedded style, 47–48
 - imported style, 49
 - linked style, 48
- documents
 - frameset, 58
 - rules, 49
- DTD, 63
 - frameset, 63
 - strict, 63
 - transitional, 63
- editors
 - simple editors, 105–106
 - WYSIWYG editors, 106, 108
- elements, 495–498, 503–504, 510, 514–515, 526, 529, 532–535, 541, 547–548
 - data types, 492–495
- events, 491
- forms, 84–85
 - controls, 87–88
 - form tag, 86

- input tag, 86
- interactivity, 372–373
 - select tag, 87
 - textarea tag, 86
- hand-coding, 104
- head tags, 45
- hexadecimal color, 67
- history of, 40
- infrastructure, 21
- mailto tag, interactivity, 374–375
- meta tags, 447
- source code view, 22
- structure
 - body section, 46
 - head section, 45
- style, 46
- tags, 40, 44–45
 - Anchor tag, 53–54
 - attributes, 50
 - form tag, 86
 - frame, 59–60
 - frameset, 59
 - guidelines for use, 50
 - image tag, 51–53
 - input tag, 86
 - list tag, 56
 - noframes, 59
 - select tag, 87
 - table tag, 54, 56
 - textarea tag, 86
- versus XHTML, 61–63
- WYSIWYG editors, transferring files, 445
- HTML-Tidy, 64
- HTTP (Hypertext Transfer Protocol), 4, 13
 - daemons, 14
- HyperGopher, 25
- hyperlinks, 14, 21, 186
 - metaphors, 238–239
- hypertext, 14, 186
- Hypertext Transfer Protocol. *See* HTTP
- IAB (Internet Advertising Bureau), 209
- IAB (Internet Advisory Board), 8
- IANA (Internet Assigned Numbers Authority), 8
- ICANN (Internet Corporation for Assigned Names and Numbers), 8
- IETF (Internet Engineering Task Force), 8
- Illustrator, 121
- image links
 - as navigation scheme, 254
 - creating, 259
- image maps, versus image links, 254
- image tag, 51–53
 - images, 323
 - animations
 - animated GIFs, 341–342
 - Dynamic HTML, 341
 - SWF animation, 342
 - bitmap graphics, 69
 - caching, 404
 - color
 - additive synthesis, 65
 - dithering, 68
 - subtractive color, 64
 - color palette, speed optimization, 403
 - compression schemes, 70
 - computer-generated, 328
 - creating
 - from stock photo-graphy, 327
 - with digital cameras, 326–327
 - with scanners, 324–325
 - file format, speed optimization, 402
- file formats
 - BMP, 75
 - EPS, 75
 - GIFs, 72
 - JPEGs, 72
 - PCX, 76
 - PICT, 76
 - PNG, 74
 - SVG, 74
 - TIFFs, 75
 - WMF, 75
- file size optimization, 401–402
- formats, 68

- hyperlinks, 186
 - interlacing, 404
 - linking to websites, 53–54
 - manipulating
 - changing canvas size, 338
 - cropping, 336
 - editing, 335
 - inputting, 329
 - optimization,
 - 330–331, 333
 - rotating, 337
 - saving, 338–339
 - slicing, 337–338, 402
 - vector graphics, 69
- IMAP (Internet Message Access Protocol), 17
- implementing accessible interface features,
279, 293–294
- imported style (CSS), 49
- importing
 - scanned images, 325
 - style sheets, 213
- inconsistencies
 - of browser display, 199
 - of monitor display, 200
- information architecture,
161–163
 - organizing, 233
 - site diagrams, 233
 - site flow charts, 163
- infrastructure of HTML, 21
- inheritance, 212–213
- initial client meetings, 143–145
- inline frames, HTML markup, 530
- inline styles, 214
- inputting images, 329
- inserting images in HTML documents, 51–53
- installing plug-ins, 29
- instant messaging, 24
- intefaces, prototype creation, 242
- interactive elements, 84
 - HTML forms, 84–85
 - controls, 87–88
 - form tag, 86
 - input tag, 86
 - select tag, 87
 - textarea tag, 86
 - testing, 397
- interactive media positions, job-specific portfolio
content, 476–477
- interactive panoramas, 370
- interactive PDFs, 85
- interactivity, 6, 184, 364.
See also user-to-user interactivity
- advertisements, 371
 - best practices, 366–367
 - database-driven, 375, 377
 - e-commerce, 378–379
 - personalized websites, 377
 - security, 379–380
 - download time versus effect, 365–366
 - engaging the audience, 365
 - justifying components of, 365
 - multimedia
 - animations, 368
 - virtual reality,
 - 369–370
 - XML-based, 370
 - of World Wide Web, 6
 - programming, 371–372
 - HTML forms,
 - 372–373
 - HTML mailto tag, 374–375
 - Java applets, 375
 - rollover buttons, 367–368
- interfaces
 - color scheme, selecting, 236
 - designing, 231
 - best practices,
 - 244–245
 - elements of, 235
 - help system, 250
 - legibility, 247
 - page layout, 240–242
 - readability, 248
 - scannability, 248
 - typeface, selecting,
 - 237–238
 - usability, 245–246, 250
- interlaced images, 404
- Interleaf, 105

- internal style, 47-48, 214
 - internationalization, 298
 - adjusting to global audience, 310-311
 - color symbolism, 303
 - design considerations, 301-302
 - formatting issues, 304, 306
 - tables, 306
 - text in images, 307-308
 - localization, 301
 - translation, 308-309
 - Unicode standard, 298, 300
 - web-specific issues, 304
 - Internet
 - client/server model, 12
 - connection speed, 9
 - connectivity, 9
 - dialup, 11
 - high-speed access, 11
 - ISPs, 10
 - e-mail, 17, 23
 - FTP, 15, 24
 - Gopher, 25
 - history of, 4
 - instant messaging, 24
 - ISPs, 9
 - newsgroups, 26
 - protocols, 13
 - search engines, 22
 - TCP/IP, 13
 - Telnet, 16
 - URLs, 14-15
 - versus World Wide Web, 3
 - WAIS, 26
 - web browsers, 13
 - source code view, 22
 - Internet Advisory Board (IAB), 8
 - Internet Assigned Numbers Authority (IANA), 8
 - Internet Corporation for Assigned Names and Numbers (ICANN), 8
 - Internet Engineering Task Force (IETF), 8
 - Internet Explorer, 20
 - Internet Protocol (IP), 13
 - Internet Research Task Force (IRTF), 8
 - Internet Society (ISOC), 7
 - interstitial ads, 453
 - interviewing, 479
 - clients, 144-145
 - stakeholders, 160
 - intuitiveness of navigation schemes, 264
 - IP (Internet Protocol), 13
 - IP addressing
 - domain names
 - registering, 441-442
 - selecting, 442
 - resolution, 442
 - IRC (Internet Relay Chat), 381
 - IRTF (Internet Research Task Force), 8
 - ISDN (Integrated Services Digital Network), 11
 - ISO (International Organization for Standardization), 79
 - ISOC (Internet Society), 7
 - ISPs (Internet service providers), 9-10, 435-436
 - dialup, 11
 - high-speed dialup, 11
 - web hosting, 440
 - rollout, 443-445
 - IT (Information Technology), ASPs, 436-437
- ## J-K
- Java
 - applets, 93, 375
 - versus JavaScript, 93
 - Java Virtual Machine (JVM), 375
 - JavaScript, 89
 - interactivity, 371-372
 - job searching
 - experience, listing, 474
 - interview process, 479
 - listing awards, 475
 - listing education, 474-475
 - portfolios
 - career summary, 473
 - CD-ROM-based, 468
 - contact information, 473
 - cover letter, 471
 - creating, 467
 - development process, 470
 - formats, 467

- mailto forms, 374
- maintenance
 - content dating, 409
 - websites, 408
- management systems, color spaces, 66
- managing files, 167
 - backup process, 168
 - media assets conversion, 169–170
- manipulating images
 - changing canvas size, 338
 - cropping, 336
 - editing, 335
 - inputting, 329
 - optimization, 330–331, 333
 - rotating, 337
 - saving, 338–339
 - slicing, 337–338
- manual link management, 407
- margin property (CSS), 586
- marginheight="x" attribute (frame tag), 60
- marginwidth="x" attribute (frame tag), 60
- marker-offset property (CSS), 598
- marketing
 - branding, 232
 - web-based portfolios, 478
- marks property (CSS), 601
- markup, 20
- markup languages, 41
 - DHTML, 42
 - animations, 341
 - hierarchical structure, 42
 - HTML, 503–504, 510, 514–515, 526, 529, 532–535, 541, 547–548
 - Anchor tag, 53–54
 - attributes, 50
 - body tags, 45
 - deprecated tags, 60
 - elements, 495–497
 - form tag, 86
 - forms, 372–373
 - frames, 58
 - frame tag, 59–60
 - frameset tag, 59
 - head tags, 45
 - history of, 40
 - image tag, 51–53
 - infrastructure, 21
 - input tag, 86
 - list tag, 56
 - mailto tag, 374–375
 - noframes tag, 59
 - select tag, 87
 - table tag, 54, 56
 - tags, 40, 44–45, 50
 - textarea tag, 86
 - MathML, 284
 - SGML, 41
 - XHTML, 61
 - core attributes, 574
 - DTD, 63
 - event attributes, 574–576
 - frameset, 63
 - keyboard attributes, 574
 - language attributes, 574
 - tags, 569–573
 - versus HTML, 61–63
- masthead, 240, 242
- MathML (Mathematical Markup Language), 284
- max-height property (CSS), 593
- media
 - assets conversion, 169–170
 - testing, 397
- media messaging software, 17
- meta elements, HTML documents, 45
- meta tags, 447
 - content attribute, 45
- metaphors, 238–239
- Microsoft FrontPage, 110
- Microsoft Internet Assistant, 105
- Microsoft Internet Explorer, 20
- MIDI (Musical Instrument Digital Interface), 81
- min-height property (CSS), 593
- model of web development, 6
- modems, 11
- monitor profiles, ICC (International Color Consortium) profiles, 329–330

- monitoring competitor sites, 410
 - monitors
 - calibration, 329
 - display inconsistencies, 200
 - Mosaic, 5, 18
 - motor disabilities, designing for, 284
 - MOV files, 79
 - MP3 (MPEG-1 Audio Layer-3), 81, 345
 - MPEG (Moving Pictures Experts Group), 79–80
 - multicast streaming, 83
 - digital video, 348
 - Multicast Media Servers, 83
 - QuickTime, 83
 - RealAudio/Video, 83
 - multimedia
 - analog versus digital formats, 76
 - animations, interactivity, 368
 - digital audio, 80–81
 - digital video, 78, 80–81
 - elements of websites, 159
 - streaming media, 82
 - multicast, 83
 - QuickTime, 83
 - RealAudio/Video, 83
 - unicast, 82
 - Windows Media Server, 83
 - SWF, 78
 - virtual reality, interactivity, 369–370
 - XML-based interactivity, 370
 - music, digital audio, 344
 - editing, 346
 - embedding, 347
 - recording, 345–346
 - streaming, 344–345
- N**
- NAGS (Netizens Against Gratuitous Spamming), 453
 - name attribute (meta tag), 45
 - name="x" attribute (frame tag), 60
 - naming conventions of files, 170
 - National Center for Supercomputing Applications (NCSA), 18
 - nation-centric terms, avoiding, 310–311
 - navigation schemes, 230, 239–240
 - breadcrumb trails, 266–267
 - buttons, 257
 - developing, 251–252
 - external conventions, 240
 - frames, 255, 257
 - hierarchical design, 262
 - image links, 254
 - creating, 259
 - intuitiveness, 264
 - links, establishing tab order, 290
 - pop-up menus, 258
 - pull-down menus, 259
 - rollovers, 258
 - buttons, 367–368
 - search features, 255
 - selecting, 252–253
 - tables
 - axis, 292
 - captions, 291
 - summaries, 292
 - text links, 253
 - usability, 265–266
 - URLs, 263–264
 - usability, 261
 - NCAM (National Center for Accessible Media), 284
 - NCSA (National Center for Supercomputing Applications), 18
 - negotiating contracts, 153–155
 - network servers, 438
 - newsgroups, 26
 - website advertising, 454–455
 - noframes tag, 59
 - noise, removing from images, 331
 - nonlinear brightness values, 329
 - non-linearity of World Wide Web, 6
 - noresize attribute (frame tag), 60
 - Notepad, 104

O

- Oberhard, David, accessibility case study, 296–297
 - objectives statement for portfolio, 473
 - objects, DOM hierarchy, 43
 - obtaining
 - client feedback, 427
 - web projects, 142–145
 - OCR (Optical Character Recognition), 322
 - offline advertising strategies, 456
 - off site server housing, 439
 - online customer support, 411
 - onmouseover=switch(), 372
 - opacity, 74
 - operating systems, color capabilities, 65
 - optgroup element (forms), 288
 - optimizing
 - images, 330
 - brightness/contrast adjustment, 333
 - deskewing, 330
 - focus adjustment, 333
 - Levels command, 333
 - noise removal, 331
 - speed
 - image caching, 404
 - image file format, 402
 - image file size, 401–402
 - interlaced images, 404
 - reducing color palette, 403
 - ordered lists, adding to HTML documents, 56
 - organization
 - content, 158–159
 - grid structure, 240, 242
 - navigation schemes
 - best practices, 251–253, 268
 - breadcrumb trails, 266–267
 - buttons, 257
 - frames, 255, 257
 - hierarchical design, 262
 - image link, creating, 259
 - image links, 254
 - intuitiveness, 264
 - pop-up menus, 258
 - pull-down menus, 259
 - rollovers, 258
 - search features, 255
 - text links, 253, 265–266
 - URLs, 263–264
 - usability, 261
 - page layout, 240, 242
 - site diagrams, 233
 - storyboards, 240, 242
 - organizations affiliated with World Wide Web, 7–9
 - originality of content, 322
 - outline property (CSS), 591
 - outline-color property (CSS), 591
 - outline-style property (CSS), 590
 - outline-width property (CSS), 590
 - outsourcing, 437
 - overflow property (CSS), 595
- P**
- padding property (CSS), 587
 - page layout, 240–242
 - page property (CSS), 602–603
 - page-break-after property (CSS), 602
 - page-break-before property (CSS), 602
 - page-break-inside property (CSS), 602
 - palettes, web safe, 68
 - Pantone, 235
 - paper-based portfolios, 469
 - parallel navigation, 261
 - patents, 434–435
 - pause property (CSS), 604
 - pause-after property (CSS), 604
 - pause-before property (CSS), 604
 - PCR (Project Change Request) forms, 151
 - PCs, color delivery, 65
 - PCX images, 76
 - PDF (Portable Document Format) files, 27, 85
 - Perl, 91
 - persistent cookies, 432

- personalized websites, 377
- phases of production, 173
- phosphors, 329
- Photoshop, 116
- PHP, 92
- PICT images, 76
- pigment, 64
- PIMs (personal information managers), 382
- pitch property (CSS), 607
- pitch-range property (CSS), 608
- pixels, 69
 - DPI, 326
- PKI (Public Key Infrastructure), 380
- placement of banner ads, 452
- plain text, 104, 379
- play-during property (CSS), 605–606
- plug-ins, 18, 26
 - Acrobat Reader, 27
 - Flash Player, 28
 - installing, 29
 - QuickTime, 27
 - RealPlayer, 28
 - SVG, 28
 - VRML, 29
- PNG (Portable Network Graphic), 74
- POP3 (Post Office Protocol 3), 17
- pop-up menus, as navigation scheme, 258
- portfolios
 - CD-ROM-based, 468
 - creating, 467
 - development process, 470
 - elements
 - career summary, 473
 - contact information, 473
 - cover letter, 471
 - job-specific content, 475, 477
 - objectives statement, 473
 - references, 477–478
 - résumé, 472
 - skill sets, 473–474
 - work samples, 475
 - formats, 467
 - paper version, 469
 - presentation-based, 469
 - web-based, 468
 - marketing, 478
- position property (CSS), 592
- positioning properties, 221
- PPI (pixels per inch), 326
- preproduction phase
 - audience definition, 145, 147
 - brainstorming sessions, 145
 - budgeting the project, 149–150
 - competition survey, 148
 - contract negotiation, 153–155
 - media assets, 158–160
 - initial meeting, 143–145
 - proposal development, 152–155
 - requirements document, development, 164
 - scope definition, 147
 - stakeholder interviews, 160
 - time line development, 165–166
- pre-rendering, 369
- presentation-based portfolios, 469
- presenting the completed project, 429
- pricing web-hosting services, 440
- primary colors, 65
- principles of web design, 191
 - adherence to, 232
 - applying to interfaces, 231
 - clarity, 194
 - consistency, 194
 - contrast, 195
 - emphasis, 198
 - simplicity, 196–197
 - structure, 197
 - terminology, 192–193
 - unity, 195
- privacy, cookies, 431
- privacy statements, creating, 430
- private FTP sites, 15
- Pro Tools, 347
- production phases, 173
 - animators, 156
 - audio designers, 156
 - creative director, 156
 - media assets, 158–160

- programmers, 156
- project managers, 157
- structure of design team, 157
- usability experts, 156
- video designers, 156
- web designers, 155
- web masters, 156
- programmers, role of, 156
- programming language, Perl, 91
- project management terminology, 170
- project managers, role of, 157
- projects
 - completion of, 429
 - legal issues
 - cookies, 431
 - discussing with client, 430
 - privacy statement, 430
 - security, 432
 - signing off, 427
- proofreading text, 323
- properties
 - of borders, 218
 - of classifications, 220
 - of CSS, 579
 - background, 583
 - background-attachment, 583
 - background-color, 582
 - background-image, 582
 - background-position, 583
 - border, 590
 - border-collapse, 600
 - border-color, 587–588
 - border-style, 589
 - border-width,
 - 587–588
 - clear, 594
 - clip, 595
 - color, 582
 - content, 596–597
 - counter-increment, 596
 - counter-reset, 598
 - cue, 605
 - cue-after, 605
 - cue-before, 605
 - cursor, 596
 - direction, 596
 - display, 591
 - elevation, 606
 - empty-cells, 600
 - float, 594
 - font, 586
 - font-family, 584
 - font-size, 585
 - font-size-adjust, 585
 - font-stretch, 585
 - font-style, 584
 - font-variant, 584
 - font-weight, 584
 - height, 593
 - line-height, 593
 - list-style, 599
 - list-style-position, 599
 - list-style-type,
 - 598–599
 - margin, 586
 - marker-offset, 598
 - marks, 601
 - max-height, 593
 - min-height, 593
 - outline, 591
 - outline-color, 591
 - outline-style, 590
 - outline-width, 590
 - overflow, 595
 - padding, 587
 - page, 602–603
 - page-break-after, 602
 - page-break-before, 602
 - page-break-inside, 602
 - pause, 604
 - pause-after, 604
 - pause-before, 604
 - pitch, 607
 - pitch-range, 608
 - play-during, 605–606
 - position, 592
 - richness, 608
 - row-span, 601
 - size, 601
 - speak, 604

- speak-header, 600–601
 - speak-numeral, 608
 - speak-punctuation, 608
 - speech-rate, 607
 - table-layout, 600
 - text-align, 580
 - text-decoration, 580
 - text-indent, 579
 - text-shadow, 581
 - text-transform, 580
 - vertical-align, 594
 - visibility, 595
 - voice-family, 607
 - volume, 603
 - white-space, 581
 - widows, 603
 - width, 592
 - word-spacing, 581
 - z-index, 595
 - of dimensions, 219
 - of DOM hierarchy, 43
 - of fonts, 217
 - of lists, 219
 - of margins, 218–219
 - of style sheet positioning, 221
 - of text, 216–217
 - proposal development, 152–155
 - protocols, 4, 13
 - prototypes, creating, 242
 - pseudo classes, 578
 - public-key cryptography, 379–380
 - pull-down menus, as navigation scheme, 259
- Q-R**
- questions, FAQs, 412
 - QuickTime VR plug-in, 27, 368
 - movies, 79, 352
 - streaming, 83
 - ranking websites with search engines, 447–449
 - rates for banner ads, 451
 - readability, 246, 248
 - of web text, 187–188
 - text alignment, 207–208
 - RealAudio/Video, 83, 345
 - embedding, 353
 - RealFlash, 343
 - RealPlayer, 28
 - RealProducer, 133
 - RealSystem Producer, 347
 - real-time interactivity, 185
 - recording digital audio, 345–346
 - reducing download times, 340, 405–406
 - references for portfolio, 477–478
 - relevance of content, 321
 - remote hosting, 440
 - render-on-the-fly method, 369
 - requirements for accessibility, legislation, 295–296
 - requirements document, creating, 164
 - reseller accounts, 440
 - resizing images, 401
 - cropping, 336
 - rotating, 337
 - slicing, 337–338
 - resolution, 200, 442
 - DPI, 326
 - effect on video quality, 349
 - résumé
 - awards, listing, 475
 - educational background, 474–475
 - experience, listing, 474
 - for portfolio, 472
 - review forms, obtaining from client, 428
 - RGB (Red, Green, and Blue), 65
 - rich media, 452
 - richness property (CSS), 608
 - RIFF (Resource Interchange File Format) specification, 78
 - rippers, 81
 - roles involved in web development

- animators, 156
 - audio designers, 156
 - creative director, 156
 - programmers, 156
 - project managers, 157
 - usability experts, 156
 - video designers, 156
 - web designers, 155
 - web masters, 156
 - rollout, 443, 445
 - rollovers, 254
 - as navigation scheme, 258
 - buttons, 367–368
 - rotating images, 337
 - rows="x" attribute (frameset tag), 59
 - row-span property (CSS), 601
 - rules, 49, 578
- S**
- sample projects
 - design approval process, 151–152
 - Gecko Designs, 151
 - usability tests, 416
 - saving images, 338–339
 - scannability, 246–248
 - scanners
 - creating images, 324–325
 - OCR, 322
 - TWAIN, 325
 - scheduling tools, 172
 - SCML (Standard Centralized Markup Language), 5
 - scope of project, defining, 147
 - scripting
 - client-side, 88
 - HTML documents, 45
 - server-side, 88
 - scripting languages
 - client-side
 - JavaScript, 89
 - VBScript, 89
 - JavaScript
 - interactivity, 371–372
 - versus Java, 93
 - server-side
 - ASP, 91–92
 - CGI, 90–91
 - ColdFusion, 92
 - JSPs, 92
 - PHP, 92
 - SSI, 93
 - VRMLScript, 369
 - scrolling="x" attribute (frame tag), 60
 - seaming, 370
 - search and replace feature
 - simple HTML editors, 106
 - search engines, 5, 22
 - keywords, 45, 447
 - listing site with, 446
 - meta tags, 447
 - submission follow-up, 449
 - website ranking, 447–449
 - search features, as navigation scheme, 255
 - security
 - database-driven interactivity, 379
 - public-key cryptography, 379–380
 - SSL, 380
 - discussing with client, 432
 - selecting
 - color schemes, 201, 236
 - domain names, 441–442
 - fonts, 206
 - navigation schemes, 252–253
 - buttons, 257
 - frames, 255, 257
 - image links, 254, 259
 - pop-up menus, 258
 - pull-down menus, 259
 - rollovers, 258
 - search feature, 255
 - text links, 253
 - typeface, 237–238
 - URLs, 263
 - selectors (CSS), 577–578
 - servers
 - colocating, 439
 - farms, 440
 - housing web pages, 439

- server-side image maps, 254
- server-side scripting, 88
 - ASP, 91–92
 - CGI, 90–91
 - ColdFusion, 92
 - JSPs, 92
 - PHP, 92
 - SSI, 93
- session cookies, 432
- SGML (Standard Generalized Markup Language), 41
- sharpening images, 333
- Shockwave, 28
- sign-off, 427
 - obtaining from client, 429
- simple HTML editors, 105–106
- SimpleText, 104
- simplicity, as design principle, 196–197, 231
- site branding, 232
- site diagrams, 233
- site flow chart, 163
- size
 - of images, adjusting, 52
 - of web project, determining, 159
- size property (CSS), 601
- skill set summary for portfolio, 473–474
- slicing images, 337–338, 402
- SMIL (Synchronized Multimedia Integration Language), 28
- SMS (short messaging systems), 382
- SMTP (Simple Mail Transfer Protocol), 17
- sniffers, 384
- software
 - FTP, 444–445
 - generating images, 328
 - messaging, 17
 - scheduling tools, 172
- sound, digital audio
 - editing, 346
 - embedding, 347
 - recording, 345–346
 - streaming, 344–345
- Sound Forge, 347
- SoundEdit, 347
- source code view, 22
- spam, 453
- spammers, 375
- speak property (CSS), 604
- speak-header property (CSS), 600–601
- speak-numeral property (CSS), 608
- speak-punctuation property (CSS), 608
- speech disabilities, designing for, 285
- speech-rate property (CSS), 607
- speed optimization
 - color palette, 403
 - image caching, 404
 - image file format, 402
 - image file size, 401–402
 - interlaced images, 404
- spiders, 282
- sprites, 341
- src="x" attribute (frame tag), 60
- SSI (Server-Side Includes), 93
- SSL (Secure Sockets Layer), 380, 432
- stakeholder interviews, 160
- standards versus conventions, 21
- static content, 159–160
- static PDFs, 85
- static URLs, 54
- static websites, 375, 437
- stickiness, 191, 321, 410
- stock photography, creating images, 327
- storyboards, 240, 242
- streaming media, 82
 - animations, 340
 - digital audio, 344–345
 - digital video, 348
 - multicast, 83
 - QuickTime, 83
 - RealAudio/Video, 83
 - unicast, 82
 - Windows Media Server, 83
- strict DTD, 63
- structure
 - as design principle, 197, 231
 - HTML tags, 44–45
 - layout grid, 240, 242
 - navigation schemes, 239–240

- best practices, 268
 - breadcrumb trails, 266–267
 - buttons, 257
 - developing, 251–252
 - frames, 255, 257
 - hierarchical design, 262
 - image links, 254, 259
 - intuitiveness, 264
 - pop-up menus, 258
 - pull-down menus, 259
 - rollovers, 258
 - search feature, 255
 - selecting, 252–253
 - text links, 253,
265–266
 - URLs, 263–264
 - usability, 261
 - of design team, 157
 - site diagrams, 233
 - style
 - conventions, 207
 - adherence to, 234
 - CSS, syntax, 211–212
 - HTML, 45–46
 - embedded style, 47–48
 - imported style, 49
 - linked style, 48
 - style sheets, 209–210
 - background properties, 215–216
 - embedded, 214
 - importing, 213
 - inheritance, 212–213
 - inline, 214
 - linking, 215
 - submitting sites for search engine listing, 447
 - subtractive color, 64
 - summaries, creating for tables, 292
 - surveying the competition, 148
 - SVG (Scalable Vector Graphics), 28, 74, 370
 - SWF (Shockwave Flash), 78
 - animation, 342
 - file format, 368
 - Synchronized Multimedia Integration Language (SMIL), 28
 - syntax, CSS, 211–212
 - Syntrillium Cool Edit, 346
- T**
- tab order, establishing in links, 290
 - table tag attributes, 54, 56
 - table-layout property (CSS), 600
 - tables
 - axis, creating, 292
 - captions, creating, 291
 - internationalization, 306
 - summaries, creating, 292
 - tags, 40
 - HTML
 - anchor, 53–54
 - angle brackets, 49
 - attributes, 50
 - body tags, 45
 - colorization, 106
 - deprecated, 60
 - embedded style, 47–48
 - form tag, 86
 - frame, 59–60
 - frameset, 59
 - guidelines for use, 50
 - head tags, 45
 - HTML, 44–45
 - image, 51
 - attributes, 52–53
 - imported style, 49
 - input, 86
 - linked style, 48
 - list, 56
 - meta tags
 - content attribute, 45
 - name attribute, 45
 - noframes, 59
 - select, 87
 - selectors, 577–578
 - table, attributes,
54–56
 - textarea tag, 86
 - XHTML, 569–573
 - core attributes, 574
 - event attributes,
574–576

- keyboard attributes, 574
- language attributes, 574
- target audience, defining, 147
- targeting website audience, 449–450
- T-carrier systems, 11
- TCP (Transmission Control Protocol), 13
- TCP/IP (Transmission Control Protocol/Internet Protocol), 13
- telcos, 11
- Telecommunications Act, accessibility requirements, 295
- Telnet, 16
- templates, 383
- terminology, project management-related, 170
- testing
 - color display, 396
 - HTML code, 397–398
 - interactive elements, 397
 - media, 397
 - usability, 413
 - environment, 414–415
 - facilitating, 416–417
 - low-level versus high-level, 418
 - recruiting for, 413
 - sample tests, 416
 - websites on different platforms, 395–396
- text
 - aligning, 207–208
 - designing for visually impaired users, 281–282
 - error checking, 394–395
 - fonts
 - limitations, 205
 - selecting, 206
 - internationalization, 307–308
 - legibility, 246–247
 - links, 53–54
 - as navigation scheme, 253
 - usability, 265–266
 - OCR, 322
 - proofreading, 323
 - readability, 187–188, 246–248
 - scannability, 246, 248
 - style conventions, 207
 - translating, 308–309
 - typography, 204–205
 - conventions, 207
 - fonts
 - limitations, 205
 - selecting, 206
 - legibility, 247
 - readability, 248
 - scannability, 248
 - Unicode standard, 298–300
 - writing, 319
 - originality of content, 322
 - relevance of content, 321
 - timeliness of content, 321
 - tips, 320–321
 - voice, 320
- text-align property (CSS), 216, 580
- text-decoration property (CSS), 216, 580
- text-indent property (CSS), 216, 579
- text-shadow property (CSS), 581
- text-transform property (CSS), 217, 580
- themes, 238–239
- thin clients, 20
- thumbnails, 402
- TIFF (Tag Image File Format), 75
- time line development, 165–166
- timeliness of content, 321
- title attribute, enhancing site accessibility, 286
- tools for disabled users, 280
- tracking website activity, 411
- trademarks, 433
- transactions, security, 432
- transferring files
 - FTP applications, 443–445
 - WYSIWYG editors, 445
- transitional DTD, 63
- translating text, 308–309
- Transmission Control Protocol (TCP), 13
- transparency scanners, 324
- TWAIN, 325
- typography, 204–205, 323
 - conventions, 207
 - fonts
 - limitations, 205
 - selecting, 206
 - legibility, 247
 - readability, 248
 - scannability, 248

U

- unicast streaming, 82
- Unicode standard, 298, 300
- unity of web design, 195
- unordered lists, adding to HTML documents, 57
- updating content, 411
- URLs (Uniform Resource Locators), 14–15
 - absolute, 51
 - advertising, 457–458
 - bookmarks, 23
 - navigation scheme, usability, 263–264
 - static URLs, 54
- usability, 229–230, 245, 250
 - of navigation schemes, 261
 - best practices, 268
 - hierarchical design, 262
 - intuitiveness, 264
 - of text links, developing, 265–266
 - testing, 412–413
 - facilitating, 416–417
 - low-level versus high-level, 418
 - recruiting for, 413
 - sample tests, 416
 - testing environment, 414–415
- usability experts, role of, 156
- user-to-user interactivity, 382
 - chat, 381, 383
 - forums, 381
 - video conferencing, 382
- utilities
 - HTML-Tidy, 64
 - rippers, 81

V

- validation services for accessibility, 294
- validators, 64, 398–399
- valign="x" attribute (table tag), 55
- values of tag attributes, 51
- VBScript, 89
- vector graphics, 69
 - applications, 120
 - Adobe Illustrator, 121
 - CorelDRAW, 123, 125
 - Macromedia Freehand, 122
 - EPS, 75
 - WMF, 75
- vector-based software, 328
- verifying
 - color display, 396
 - HTML code, 397–398
- versions of HTML, 40
- vertical-align property (CSS), 217, 594
- video
 - capturing, hardware, 349, 351
 - digital, 78, 80–81
 - digital video, 347
 - capturing, 349
 - compression, 352
 - editing, 351
 - embedding, 352
 - multicasting, 348
 - streaming, 348
 - live video, web cams, 348
 - streaming, 82
 - multicast, 83
 - QuickTime, 83
 - RealAudio/Video, 83
 - unicast, 82
 - Windows Media Server, 83
- video conferencing, 382
- video designers, role of, 156
- video editors
 - Adobe Premiere, 130
 - Apple Final Cut Pro, 132
 - Apple QuickTime, 132
 - RealProducer, 133
 - Windows Media Player, 133–134
- virtual reality, interactivity, 369–370
- visibility property (CSS), 595
- visual editors, WYSIWYG, 103
- visually impaired users
 - accessibility, 278
 - implementing, 279, 293
 - W3C compliance, 294
 - WAI, 278–279
 - designing for, 281–284
- voice, 320

voice-family property (CSS), 607
 volume property (CSS), 603
 VRML (Virtual Reality Modeling Language), 29
 VRMLScript, 369

W-Z

W3C (World Wide Web Consortium), 8–9
 accessibility, compliance, 294
 goals of, 8–9
 HTML-Tidy, 64
 internationalization, 298
 adjusting to global audience, 310–311
 color symbolism, 303
 design considerations, 301–302
 formatting issues, 304, 306–308
 localization, 301
 translation, 308–309
 Unicode standard, 298, 300
 web-specific issues, 304
 Validation Service, 64
 WAI, 278–279
 WAI (Web Accessibility Initiative), 278–279
 WAIS (Wide-Area Information Servers), 26

WAV files, 81

web browsers, 13, 18
 bookmarks/favorites, 23
 development, 18–19
 future capabilities, 20
 media support, 23
 Microsoft Internet Explorer, 20
 Mosaic, 18
 plug-ins, 26
 Acrobat Reader, 27
 Flash Player, 28
 installing, 29
 QuickTime, 27
 RealPlayer, 28
 SVG, 28
 VRML, 29
 rules, 49
 source code view, 22
 XML-capable, 41–42

web cams, live video capability, 348

web designers, role of, 155

web hosting, 440
 rollout, 443–445

web pages, 6
 housing on server, 439

web projects
 budgeting, 149–150
 file management, 167
 backup process, 168
 media assets conversion,
 169–170
 multimedia elements, 159
 obtaining, 142
 PCRs, 151
 pre-production phase
 audience definition, 145–147
 brainstorming sessions, 145
 competition survey, 148
 contract negotiation, 153–155
 initial meeting,
 143–145
 scope definition, 147
 production phases, 173
 proposal development, 152–155
 resources, 158–160
 size of, determining, 159
 team structure, 157
 time line development, 165–166

web publishing, dynamic, 437–438

web rings, website advertising, 456

web-safe color palettes, 68

web servers, 438

websites
 activity tracking, 411
 advertising, 209
 audience, targeting, 449–450
 banner ads, 450–452
 co-branding, 458
 e-mail marketing, 453–454
 link exchanges, 456
 newsgroups, 454–455
 offline strategies, 456
 URLs advertising, 457–458
 web rings, 456
 building, 383–384
 color, testing, 396

- consistency checks, 394
- content, updating, 411
- error checking, 394–395
- home pages, 190
- information architecture, 161–163
- link management, 407
- maintenance, 408–409
- platform compatibility, 395–396
- search engines, 22
- stickiness, 191, 410
- usability testing, 412–413
 - facilitating, 416–417
 - low-level versus high-level, 418
 - recruiting for, 413
 - sample tests, 416
 - testing environment, 414–415
- validating, 399
- web-based portfolios, 468
 - marketing, 478
- webcrawlers, 282
- webDAV (web-based Distributed Authoring and Versioning), 445
- web masters, role of, 156
- WFM (Windows Metafile Format) images, 75
- white point, 329
- white-space property (CSS), 581
- WHOIS database, 442
- wide site structure, 233
- Wide-Area Information Servers (WAIS), 26
- widows property (CSS), 603
- width property (CSS), 592
- width="x" attribute (image tag), 52
- width="x%" attribute (table tag), 55
- Windows, RIFF specification, 78
- Windows Media Player,
 - 133–134
- Windows Media Server, 83
- word-spacing property (CSS), 581
- work samples for
 - portfolio, 475
- working groups of WAI,
 - 278–279
- World Wide Web. *See* WWW
- writing, 319
 - originality of content, 322
 - relevance of content, 321
 - timeliness of content, 321
 - tips, 320–321
 - voice, 320
- WS_FTP, 444
- WWW (World Wide Web)
 - affect on commerce, 184
 - characteristics, 6
 - conceptual model, 6
 - evolution, 184
 - HTTP, 4
 - interactivity, 184
 - model of development, 6
 - Mosaic, 5
 - organizations, 7–8
 - W3C, 8–9
 - goals of, 8–9
 - versus Internet, 3
- WYSIWYG (What-You-See-Is-What-You-Get)
 - editors, 103
 - Adobe GoLive, 108, 110
 - link management, 406
 - Macromedia Dreamweaver, 112
 - Microsoft FrontPage, 110
 - transferring files, 445
- WYSIWYG HTML editors, 106–108
- XHTML, 39, 61
 - core attributes, 574
 - DTD, 63
 - frameset, 63
 - strict, 63
 - transitional, 63
 - event attributes, 574–576
 - keyboard attributes, 574
 - language attributes, 574
 - tags, 569–573
 - validators, 64
 - versus HTML, 61–63
- XML-based interactivity, 370
- z-index property (CSS), 595