

# INDEX

## A

### **access controllers, 40–42**

- authentication, 42
- bandwidth management, 42
- benefits of, 41
- encryption, 42
- subnet roaming, 42

### **access points, 38**

- association, wireless LANs, 122
- bridges, compared, 139
- configuring, 107
- rogue access points, 173
- SSID (service set identifier), 107
- wireless LANs, 106–107

### **ad hoc wireless LANs, 117**

### **air medium, 37–38**

- interfacing with, 59–64
- signals, 31

### **AirMagnet, 172**

### **AiroPeek, 172**

### **alerts (SMS), 160**

### **amplification, wireless transceivers, 69**

### **analog signals, 56–57**

### **antennas**

- directional antennas, wireless MANs, 140–142
- polarization, 142
- wireless LANs, 110
- wireless transceivers, 69
- wireless WANs, 155–156

### **application connectivity software, 42–45**

- direct database connectivity, 44
- terminal emulation, 43
- wireless middleware, 44–45

### **application integration (SMS), 160**

### **Application layer (Layer 7), OSI Reference Model, 52**

### **applications, wireless applications, 14–21**

### **architectures, networks, 52–54**

### **association, wireless LANs, 122**

### **attacks**


- DoS (denial of service) attacks, 176–178
- man-in-the-middle attacks, 174–176

### **attenuation, light signals, 79**

### **attributes, RF signals, 70–72**

### **authentication, 171, 185**

- access controllers, 42
- digital certificates, 41
- IEEE 802.11 authentication, vulnerabilities, 185–186
- IEEE 802.1x, 188–190
- MAC filters, 187
- public key cryptography, 187–188
- RADIUS (Remote Authentication Dial-In User Service), 42
- wireless LANs, 121–122



## B

**bandwidth, 55**

**bandwidth management, access controllers, 42**

**base stations, 31, 38–42**

- access points, 38
- configurations, monitoring, 198
- gateways, 39
- passwords, assigning, 197
- physically securing, 196–197
- rogue base stations, identifying, 193
- routers, 39
- wireless WANs, 154–155

**Bluetooth**

- wireless LANs, 97
- wireless PANs, 96–98
  - interference, 98–101*
  - specifications, 7*

**Bluetooth Special Interest Group (SIG), 96**

**bridges**

- access points, compared, 139
- wireless MANs, 138–140
  - Ethernet-to-wireless bridges, 139*
  - workgroup bridges, 140*

## C

**carrier sense access, DoS (denial of service) attacks, 176**

**carrier signals, 80**

**CDMA (code division multiple access), 166**

**CDPD (Cellular Digital Packet Data)**

**cellular-based wireless WANs, 157–160**

- first generation cellular (1G cellular), 158
- second generation cellular (2G cellular), 158
- third generation cellular (3G cellular), 159–161

**CF (Compact Flash) cards, 36**

**CF (Compact Flash) form factors, wireless PANs, 90**

**client devices, 42**

**code division multiple access (CDMA), 166**

**colleges, wireless LANs, application of, 18**

**CF (Compact Flash) cards, 36**


**Compact Flash (CF) form factors, wireless PANs, 90**

**computer devices, 32**

- air mediums, 37–38
- infrastructures, 38–48
- management systems, 48–51
- wireless networks, 31, 33–34
  - NICs (network interface cards), 34–37*

**configuration**

- access points, 107
- base stations, monitoring, 198
- basic configurations, 14
- management, management systems, 49
- wireless devices, verifying, 192–193



**connections, 65–66**

bridges, wireless MANs, 138–140

**content delivery (SMS), 160****cryptography, 179**

See also *encryption*, 179

public key cryptography, 187–188

**CSMA/CA (carrier sense multiple access with collision avoidance) protocol, 118**

## D

**data bundling, middleware, 45****data link layer (Layer 2), OSI Reference Model, 53****data rates**

digital signals, 55

wireless PANs, 5

**data signals, transferring, 65****data transmissions, air medium, interfacing with, 59–61****DCF (distributed coordination function), 118****Denial of Service (dos) threats, 171, 176–178****deployment control, 198****DHCP (Dynamic Host Configuration Protocol), 108****digital certificates, 41****digital signals, 54–56**

data rates, 55

throughput, 56

**direct database connectivity, 44****direct sequence spread spectrum (DSSS) physical layers, 124****directional antennas, 140–142**

polarization, 142

**displaying information, 58****distributed coordination function (DCF), 118****distribution systems, 46–48, 106****doctors' offices, wireless LANs, 113****DoS (denial of service) threats, 171, 176–178****DSSS (direct sequence spread spectrum) physical layers, 124****Dynamic Host Configuration Protocol (DHCP), 108**

## E

**educational institutions, wireless LANs, application of, 18****encryption, 171, 178–180**

access controllers, 42

policies, 195

public key encryption,  
179–180, 187–188


symmetric encryption, 179

VPNs (virtual private networks), 185

WEP (Wired Equivalent Privacy), 178,  
181–183

*TKIP (Temporal Key Integrity Protocol), 183–184*

WPA (Wi-Fi Protected Access), 184



**end points, information flow, 57–58**  
**end system support, middleware, 45**  
**engineering, management systems, 51**  
**enterprise systems, wireless PANs, 94**  
**enterprise wireless LANs, 112–114**  
**Ethernet, 106**  
**Ethernet LANs, wireless LANs,**  
**compared, 8**  
**Ethernet-to-wireless bridges, 139**

## F

**FDMA (frequency division multiple access), 165**  
**FHSS (frequency hopping spread spectrum) physical layers, 124**  
**field services, wireless WANs,**  
**application of, 20-21**  
**filters, MAC filters, 187**  
**firewalls, 173**  
 personal firewalls, implementing, 198  
 updating, 196  
 users, placing outside of, 195  
**first generation cellular (1G cellular),**  
**wireless WANs, 158**  
**flow of information, wireless networks,**  
**57**  
 air medium, 59–64  
 connections, 65–66  
 data signal transference, 65  
 end points, 57–58  
**form factors, NICs (network interface**  
**cards), 35-37**

CF (CompactFlash) cards, 36  
 ISA (Industry-Standard Architecture),  
 35  
 Mini-PCI cards, 35  
 PC Card, 35  
 PCI (Peripheral Component In-  
 terconnect), 35  
**fragmentation, wireless LANs, 123**  
**frequencies, RF signals, 72**  
**frequency bands, wireless LANs,**  
**choosing, 128**  
**frequency division multiple access**  
**(FDMA), 165**  
**frequency hopping spread spectrum**  
**(FHSS) physical layers, 124**  
**FSK (frequency shift-keying), 81**  
**full-duplex lines, 64**

## G-H

**gateways, 39**  
  
**hackers, 171**  
**half-duplex lines, 64**  
**health care industry, wireless LANs,**  
**application of, 17**  
**help desks, management systems, 49**  
**Hertz, 57**  
**highly directional antennas, wireless**  
**MANs, 141–142**  
**HiperLAN/2 (High Performance Radio**  
**LAN), wireless LANs, 131–133**



**home and small office systems**

- wireless LANs, 111-112
- wireless PANs, 92
  - control*, 93
  - Internet connections*, 94
  - printing*, 93-94
  - streaming multimedia*, 92-93
  - synchronization*, 92

**hospitals, wireless LANs, 113****hotels, wireless LANs, 116****hotspots, public wireless LANs, 114****I****IEEE 802.11 standard**

- authentication, 185-186
- wireless LANs, 9, 118-120
  - association*, 122
  - authentication*, 121-122
  - fragmentation*, 123
  - MAC layer*, 118-124
  - physical layers*, 124-129
  - power save mode*, 123
  - RTS/CTS*, 122
  - scanning*, 120
  - WEP*, 122
- wireless MANs, 145

**IEEE 802.15 standard, wireless PANs, 7, 95****IEEE 802.16, wireless MANs, 146-147****IEEE 802.1x, authentication, 188-190****impairments**

- light signals, 78
  - attenuation*, 79
  - interference*, 79

- RF signals
  - interference*, 73-74
  - multipath propagation*, 74-76

**Industry-Standard Architecture (ISA).**

*See* **ISA (Industry-Standard Architecture)**

**information flow, 57**

- air medium, interfacing with, 59-64
- connections, 65-66
- data signals, transferring, 65
- end points, 57-58

**information signals, 54**


- analog signals, 56-57
- digital signals, 54-56

**Infrared Data Association (IrDA). *See* IrDA (Infrared Data Association)****infrastructure, wireless networks, 31****infrastructures, 38-48**

- access controllers, 40-42
- application connectivity software, 42-45
- base stations, 38-42
- distribution systems, 46-48

**inputting information, 58****intelligent restarts, middleware, 45****interactivity (SMS), 160****interfacing with air medium, 59-64****interference**

- Bluetooth, minimizing, 98-101
- light signals, 79
- RF signals, 73-74



**Internet connections, wireless PANs, home and small office systems, 94**

**Internet Protocol (IP) packet headers, routers, 108**

**interoperability, radio NICs, wireless LANs, 106**

**interviewing users, 192**

**inventory control, wireless LANs, 17**

**IP (Internet Protocol) packet headers, 108**

**IPSec, 42**

**IrDA (Infrared Data Association), wireless PANs, 101–102**

**ISA (Industry-Standard Architecture), NICs (network interface cards), 35**

## L

**LDAP (Lightweight Directory Access Protocol), 42**

**light signals, 69, 76**

attributes, 76–77

benefits, 78

detriments, 78

impairments, 78

*attenuation, 79*

*interference, 79*

modulation, 80–83

*FSK (frequency shift-keying), 81*

*OFDM (Orthogonal Frequency Division Multiplexing), 85*

*PSK (phase shift-keying), 82*

*QAM (quadrature amplitude modulation), 82–83*

*spread spectrum process, 83–85*

*UWB (ultrawideband) modulation, 86*

propagation, preparing for, 80–86

**Lightweight Directory Access Protocol (LDAP), 42**

**local-area networks (LANs). See wireless LANs (local-area networks)**

**location-based services, wireless WANs, applications, 23**

## M

**MAC filters, authentication, 187**

**MAC Layer (IEEE 802.11), wireless LANs, 118–124**

**maintenance, management systems, 51**

**management systems, 48–51**

configuration management, 49

engineering, 51

help desk, 49

maintenance, 51

network monitoring, 50

reporting, 50

security, 48

**man-in-the-middle attacks, 174– 176**

**medium access, 59**

CSMA/CA (carrier sense multiple access with collision avoidance)

protocol, 118



DCF (distributed coordination function),  
118  
wireless LANs, 118–124

**meteor burst communications, wireless  
WANs, 164**

**metropolitan-area networks (MANs).**  
*See* wireless MANs (metropolitan-area  
networks)

**middleware, 44–45**

**Mini-PCI cards, 35**

**mobile phones, multiple technology  
support, 167**

**modulation**  
signal propagation, preparing for, 80–86  
wireless transceiver transmitters, 69

**multipath propagation, 65**  
RF signals, 74–76

**multiplexing, OFDM (Orthogonal  
Frequency Division Multiplexing), 146**

## N

**NAT (Network Address Translation)  
protocol, 108**

**network architectures, 52–54**

**network interface cards (NICs).** *See*  
NICs (network interface cards)

**network layer (Layer 3), OSI Reference  
Model, 53**

**network monitoring, management  
systems, 50**

**NICs (network interface cards), 34–37**  
form factors, 35, 37

*CF (Compact Flash) cards, 36*

*ISA (Industry-Standard Architec-  
ture), 35*

*Mini-PCI cards, 35*

*PC Card, 35*

*PCI (Peripheral Component In-  
terconnect), 35*

radio NICs, wireless LANs, 106

**nodes, data transmissions, 60**

**noise floors, 61**

## O-P

**obstructions, light signals, 79**

**OFDM (Orthogonal Frequency Division  
Multiplexing), 146**

**Open System Interconnect (OSI)  
Reference Model, 52**

**optimization techniques, middleware, 45**

**OSI (Open System Interconnect)  
Reference Model, 52**

**packet radio systems, wireless MANs,  
144–145**

**passive monitoring threats, 171**


**passwords, base stations, assigning to,  
197**

**PC Cards, 35**

**PCI (Peripheral Component  
Interconnect) cards, 35**

**PCMCIA (Personal Computer Memory  
Card International Association), PC  
Cards, 35**

**penetration tests, performing, 194**



**personal firewalls, implementing, 198**  
**personal-area networks (PANs). See**  
 wireless PANs (personal-area networks)  
**physical layer (Layer 1), OSI Reference Model, 53**  
**Physical Layers (IEEE 802.11), wireless LANs, 124–129**  
**point-to-multipoint systems, wireless MANs, 143–144**  
**point-to-point systems, wireless MANs, 142–143**  
**polarization, antennas, 142**  
**policies (security), 190–191**  
 assessments, 191–194  
 base stations, 196–197  
*configuration monitoring, 198*  
*password assignments, 197*  
 deployment control, 198  
 encryption, 195  
 firewalls, 195  
*updating, 196*  
 improvements, recommending, 194  
 penetration tests, 194  
 personal firewalls, implementing, 198  
 radio wave propagation, reducing, 197  
 reviewing, 191  
 rogue base stations, identifying, 193  
 security gaps, analyzing, 194  
 SSIDs, 197  
 system reviews, 192  
 users, interviewing, 192  
 wireless devices, configuration verifications, 192–193  
 wireless DMZs (demilitarized zones), 195

**propagation, multipath propagation, 65**  
**power save mode, wireless LANs, 123**  
**presentation layer (Layer 6), OSI Reference Model, 52**  
**printing over wireless PANs, home and small office systems, 93–94**  
**propagation, radio waves, reducing, 197**  
**protocols, 41**  
**PSK (phase shift-keying), 82**  
**public key encryption, 179–180, 187–188**  
**public networks, wireless networks, application of, 21**  
**public wireless LANs, 114–116**

## Q-R

**QAM (quadrature amplitude modulation), 82–83**


**radio frequency (RF) signals. See RF (radio frequency) signals**

**radio NICs**  
 wireless LANs, 106  
 wireless PANs, 90  
 wireless WANs, 153–154

**radio waves**  
 propagation, reducing, 197  
 wireless PANs, 7

**RADIUS (Remote Authentication Dial-In User Service), 42**

**real estate offices, wireless networks, application of, 19**





**receivers**

- transmitters, 69
- wireless transceivers, 69

**Remote Authentication Dial-In User Service (RADIUS), 42****repeaters, wireless LANs, 109–110****reporting, management systems, 50****residential gateways, 39****residential routers, 39****RF (radio frequency) signals, 69–70**

- attributes, 70–72
- benefits, 72
- detriments, 72
- frequencies, 72
- impairments
  - interference, 73–74*
  - multipath propagation, 74–76*
- modulation, 80–83
  - FSK (frequency shift-keying), 81*
  - OFDM (Orthogonal Frequency Division Multiplexing), 85*
  - PSK (phase shift-keying), 82*
  - QAM (quadrature amplitude modulation), 82–83*
  - spread spectrum process, 83–85*
  - UWB (ultrawideband), 86*
- Propagation, preparing for, 80–86

**RF site surveys, enterprise wireless LANs, 113****rogue access points, 173****rogue base stations, identifying, 193****routers, 39**

- IP packet headers, 108
- routing tables, 108

wireless LANs, 108–109

wireless PANs, 91

**routing tables, 108****RTS/CTS, wireless LANs, 122****S****SanDisk Corporation, CF (Compact-Flash) cards, 36****satellites**


- base stations, wireless WANs, 154–155
- wireless WANs, 161–163

**scanning wireless LANs, 120****screen shaping, middleware, 45****SDMA (spatial division multiple access), 167****second generation cellular (2G cellular), wireless WANs, 158****security**

- authentication, 171, 185
  - access controllers, 42*
  - digital certificates, 41*
  - IEEE 802.11 authentication vulnerabilities, 185–186*
  - IEEE 802.1x, 188–190*
  - MAC filters, 187*
  - public key cryptography, 187–188*
- encryption, 171, 178–180
  - access, 42*
  - public key encryption, 179–180*
  - symmetric encryption, 179*
  - VPNs (virtual private networks), 185*

- WEP*, 183–184
- WEP (Wired Equivalent Privacy)*, 178, 181–183
- WPA (Wi-Fi Protected Access)*, 184
- firewalls, 173
- management systems, 48
- policies, 190–191
  - assessments*, 191–194
  - base stations*, 196–198
  - deployment control*, 198
  - encryption*, 195
  - firewalls*, 195–196
  - improvement recommendations*, 194
  - penetration tests*, 194
  - personal firewalls*, 198
  - radio wave propagation*, 197
  - reviewing*, 191
  - rogue base station identification*, 193
  - security gap analysis*, 194
  - SSIDs*, 197
  - system reviews*, 192
  - user interviews*, 192
  - wireless device configuration verification*, 192–193
  - wireless DMZs (demilitarized zones)*, 195
- subnet roaming, access controllers, 42
- threats, 171
  - DoS (denial of service)*, 171, 176–178
  - hackers*, 171
  - man-in-the-middle attacks*, 174–176
  - passive monitoring*, 171
  - snoopers*, 172
  - traffic monitoring*, 172
  - unauthorized access*, 171–174
- semidirectional antennas, wireless MANs, 141**
- service set identifier (SSID), access points, 107**
- session layer (Layer 5), OSI Reference Model, 53**
- short message service (SMS), 160**
- signals**
  - air medium, 31
  - air mediums, 37–38
  - carrier signals, 80
  - information signals, 54
    - analog signals*, 56–57
    - digital signals*, 54–56
  - light, 69, 76
    - attenuation*, 79
    - attributes*, 76–77
    - benefits*, 78
    - detriments*, 78
    - impairments*, 78
    - interference*, 79
- modulation, 80–83
  - FSK (frequency shift-keying)*, 81
  - OFDM (Orthogonal Frequency Division Multiplexing)*, 85
  - PSK (phase shift-keying)*, 82
  - QAM (quadrature amplitude modulation)*, 82–83
  - spread spectrum process*, 83–85
  - UWB (ultrawideband)*, 86
- propagation
  - preparing for*, 80–86

- RF (radio frequency), 69-70
    - attributes*, 70-72
    - benefits*, 72
    - detriments*, 72
    - frequencies*, 72
    - interference*, 73-74
    - multipath propagation*, 74-76
  - transferring, 65
  - simplex links, 64**
  - small office systems**
    - wireless LANs, 111-112
    - wireless PANs, 92
      - control*, 93
      - Internet connections*, 94
      - printing*, 93-94
      - streaming multimedia*, 92-93
      - synchronization*, 92
  - SMS (short message service), 160**
  - snoopers, 172**
  - space-based wireless WANs, 161**
    - meteor burst communications, 164
    - satellites, 161-163
  - spatial division multiple access (SDMA).**  
*See SDMA (spatial division multiple access)*
  - spread spectrum process, modulation, 83-85**
  - SSIDs (service set identifiers)**
    - access points, 107
    - broadcasting, turning off, 197
  - storing information, 58**
  - streaming multimedia, wireless PANs, home and small office systems, 92-93**
  - subnet roaming, access controllers, 42**
  - symmetric encryption, 179**
  - synchronization, wireless PANs, home and small office systems, 92**
- T**
- TCP (Transmission Control Protocol), 53**
  - TDMA (time division multiple access), 147, 166**
  - telephone systems, 16**
  - Temporal Key Integrity Protocol (TKIP), 183-184**
  - terminal emulation, 43**
  - third generation cellular (3G cellular), wireless WANs, 159-161**
  - threats, 171**
    - DoS (denial of service), 171, 176-178
    - hackers, 171
    - man-in-the-middle attacks, 174-176
    - passive monitoring, 171
    - snoopers, 172
    - traffic monitoring, 172
    - unauthorized access, 171-174
  - throughput, digital signals, 56**
  - time-division multiple access (TDMA), 147, 166**
  - TKIP (Temporal Key Integrity Protocol), 183-184**
  - traffic monitoring threats, 172**
  - transceivers (wireless), 69-70**
    - amplification, 69



- antennas, 69
- transmitters, 69
- wireless PANs, 6

**transferring signals, 65**

**Transmission Control Protocol (TCP), 53**

**transmissions, air medium, 31**

**transmitters, wireless transceivers, 69**

**transport layer (Layer 4), OSI Reference Model, 53**

## U

**UMTSs (Universal Mobile Telecommunications Systems), 159**

**unauthorized access threats, 171–174**

**universities, wireless LANs, application of, 18**

**USB adapters, wireless PANs, 90–91**

**user devices**

- wireless LANs, 105
- wireless PANs, 89–90
- wireless WANs, 152
  - antennas, 155–156*
  - base stations, 154–155*
  - multiple technology support, 167*
  - radio NICs, 153–154*

**users**

- interviewing, 192
- wireless networks, 32

**utility companies, wireless WANs, application of, 20**

## V-Z

**vending companies, wireless WANs, application of, 21**

**voice over wireless, 16**

**VPNs (virtual private networks), 185**

**WEP (Wired Equivalent Privacy), 178, 181–183**

TKIP (Temporal Key Integrity Protocol), 183–184

wireless LANs, 122

**wide-area networks (WANs). *See***

**wireless WANs (wide-area networks)**

**Wi-Fi (Wireless Fidelity)**

wireless LANs, 9, 130–131

wireless MANs, 145

**Wi-Fi Alliance, 130**

**Wi-Fi Protected Access (WPA), 130**

**Wired Equivalent Privacy (WEP). *See* WEP (Wired Equivalent Privacy)**

**wireless devices, configurations, verifying, 192–193**

**wireless DMZs (demilitarized zones), 195**

**Wireless Fidelity (Wi-Fi). *See* Wi-Fi (Wireless Fidelity)**

**wireless LANs (local-area networks), 5, 7–8, 105**

access points, 106–107

ad hoc wireless LANs, 117



antennas, 110

applications, 14–21

*educational institutions, 18*

*health care industry, 17*

*inventory control, 17*



- benefits of, 24–27
- Bluetooth, 97
- enterprise LANs, 112–114
- Ethernet LANs, compared, 8
- frequency bands, choosing, 128
- HiperLAN/2 (High Performance Radio LAN), 131–133
- home and small office LANs, 111–112
- hospitals, 113
- hotels, 116
- IEEE 802.11 standard, 9, 118–120
  - association, 122*
  - authentication, 121–122*
  - fragmentation, 123*
  - MAC layer, 118–124*
  - physical layers, 124–129*
  - power save mode, 123*
  - RTS/CTS, 122*
  - scanning, 120*
  - WEP, 122*
- public wireless LANs, 114–116
- radio NICs, 106
- repeaters, 109–110
- routers, 108–109
- user devices, 105
- Wi-Fi, 130–131
- Wi-Fi (Wireless Fidelity), 9
- wireless network types, compared, 13–14
- wireless MANs (metropolitan-area networks), 5, 9–11**
  - applications, 14–21
  - benefits of, 24–27, 137
  - bridges, 138–140
    - access points, 139*
    - Ethernet-to-wireless bridges, 139*
    - workgroup bridges, 140*
  - directional antennas, 140–142
  - IEEE 802.11 standard, 145
  - IEEE 802.16 standard, 146–147
  - packet radio systems, 144–145
  - point-to-multipoint systems, 143–144
  - point-to-point systems, 142–143
  - technologies, 145
  - Wi-Fi, 145
  - wireless network types, compared, 13–14
  - WISPs (Wireless Internet Service Providers), 10
- wireless middleware, 44–45**
- wireless networks, 3–10**
  - base stations, 31
  - benefits of, 24–27
  - computer devices, 31–34
    - air mediums, 37–38*
    - infrastructures, 38–48*
    - management systems, 48–51*
  - computer devicesNICs (network interface cards), 34–37
  - information flow, 57
    - air medium, 59–64*
    - connections, 65–66*
    - data signal transference, 65*
    - end points, 57–58*
  - types, compared, 13–14
  - users, 32

**wireless PANs (personal-area networks), 5-7, 89**

- applications, 14–21
- benefits of, 24–27
- Bluetooth, 96–98
  - interference, 98–101*
  - specifications, 7*
- data rates, 5
- Enterprise systems, 94
- home and small office systems, 92
  - control, 93*
  - Internet connections, 94*
  - printing, 93–94*
  - streaming multimedia, 92–93*
  - synchronization, 92*
- IEEE 802.15 standard, 7, 95
- IrDA (infrared Data Association), 101–102
- radio NICs, 90
- radio waves, 7
- routers, 91
- tranceivers, 6
- USB adapters, 90–91
- user devices, 89–90
- wireless network types, compared, 13–14

**wireless transceivers, 69–70****wireless WANs (wide-area networks), 5, 11-13, 151**

- applications, 14–21
  - field services, 20*
  - location-based services, 23*
  - utility companies, 20*
  - vending companies, 21*

benefits of, 24–27

CDMA (code division multiple access), 166

CDPD (Cellular Digital Packet Data), 13

cellular-based wireless WANs, 157–160

*first generation cellular*

*(1G cellular), 158*

*second generation cellular*

*(2G cellular), 158*

*third generation cellular*

*(3G cellular), 159–161*

FDMA (frequency division multiple access), 165

SDMA (spatial division multiple access), 167

space-based wireless WANs, 161

*meteor burst communications, 164*

*satellites, 161–163*

TDMA (time division multiple access), 166

technologies, 165

user devices, 152

*antennas, 155–156*

*base stations, 154–155*

*multiple technology support, 167*

*radio NICs, 153–154*

wireless network types, compared, 13–14

**WISPs (wireless Internet service providers), 10, 39****workgroup bridges, 140****WPA (Wi-Fi Protected Access), 130, 184**