

Index

A

AAA (Authentication, Authorization, Accounting), 61

abstractions, real resources, 82

access

control rules, 174

object types, 195

access control lists. See ACLs

accountability, 353

accounting

data-collection capabilities, 414

management, 151–155, 306

services, 153–154

ACLs (access control lists), 61

actions, 215, 230–232

active measurements, 398

activities, 8

addressing, 29

administration. See management

administrators

integrated management, 332

responsibilities

Internet data centers, 60–62

medium-sized businesses, 54–59

admission controls, imposing, 394

agents, 77–80, 87, 110

function viewpoint, 110

functionality, 108

interactions, 236–246

management information, 215–216

establishing communication, 171–173

layers of, 209–210

Remote, 214

transport layer, 211

MIBs, 173

categories of information, 175–177

comparing to databases, 177–178

data stores, 173–175

definitions, 180–181

instantiation, 199–201

metaschemata/schemata, 181–186

MIB-2, 193–199

modeling management information, 202–205

models, 186–189

overview of, 189

protocols, 178–180

SMI, 190–193

SNMP deficits, 202

requests

get, 251

get-next, 251–253

set, 254–255

responses, 256

SNMP

messages, 257–258

SNMPv1, 250–258

SNMPv2/SNMPv2c, 258–260

SNMPv3, 260–261

standards, 111–114

testing, 108

traps, 257

aggregation, Netflow, 305

agreements. See SLAs

alarms, 237–239

clearing, 136

correlation, 15

functions, 133–137

correlating, 140–141

filtering, 138–140

troubleshooting, 141–142

management, 68

metrics, 426

monitoring, 25

tracking, 357

types, 238

alerts, TCAs, 237, 312, 241–242, 299, 400

alternatives to dedicated management networks, 92

amortization, 12. *See also costs*

analysis

- bottlenecks, 13
- call samples, 382
- historical alarm data, 135
- management information, 397
- performance, 68
- trends, 15, 399

analyzers, networks, 65

anomaly detection, 399

APIs (application programming interfaces), 346, 357

appliances, management, 302

application programming interfaces. *See APIs*

applications

- architecture, 345–348
- characteristics, 23
- concurrency, 415
- distribution, 416
- effectiveness, 411, 416–418
- event manageability, 413
- historical data, 224–226
- information modeling, 30
- integration, 35, 333
- introspection, 413
- management, 56, 83, 114
 - complexity, 294–298*
 - port configuration, 61*
- modularizing, 296
- multiple, 348
- platforms, 355, 359
- registries, 357
- requirements, 345–346
- scalability, 27, 416
- synchronization, 426
- synchronizing, 148–150
- task benchmarks, 424–425
- third-party vendors, 20
- transactions, 232–235
- versions, 81

applying events, 237–242

approaches to management integration, 351–352

architecture

- Netconf, 278–281
- SNMP, 260
- software, 345–348

assessment

- business impact, 408–411
- effectiveness, 411–412, 416–430
- failures, 390
- manageability, 412–415
- oversubscriptions, 395
- state of management, 428–429

association control, 212

assurance, 163

Asynchronous Transfer Mode, 232

attacks, 159. *See also security*

auditing, 146–147

- analysis. *See analysis*
- collecting trails, 96
- logs, 418

authentication, 106, 260–261. *See also security*

Authentication, Authorization, Accounting (AAA), 61

autocompletion, CLI, 262

autoconfiguration, backups, 306

autodiscovery, 146–147

automation

- collection, 226
- provisioning, 13–14
- snapshots, 223
- tasks, 63

auxiliary objects, 201
availability, 14–15, 380
 get-bulk requests (SNMPv2), 260
 increasing, 417
 integrated management, 333
 metrics, 419, 421
 MTBF, 421
 networks, 410
 statistics, 417
average link utilization, 299
avoiding
 outages, 415
 revenue loss, 409
axes of metrics, 428

B

background noise, 377
backlogs, orders, 421
backups, 151
 autoconfiguration, 306
 functions, 418
 procedures, 96
Balanced Scorecard, 418
bandwidth
 dimensioning, 393
 monitoring, 10
base applications, 359. See also applications
BEEP (Block Extensible Exchange Protocol), 278
benchmarks
 management, 427
 tasks, 424
benefits of integrated management, 332–334
BHCA (busy hour call attempts), 380
billing
 accounting, 152–153
 FAB, 163–164
 services, 339
 systems, 72
blacklist ports, 160
Block Extensible Exchange Protocol (BEEP), 278
bottlenecks
 analyzing, 13
 detecting, 15
buffers, dejitter, 379
build complexity, 295–297

bulk requests, 223–224
business challenges, 39–43
business impact
 assessment, 408–411
 tracking, 419–422
business management layers, 121
busy hour call attempts (BHCA), 380

C

caches, 357
calibration, polling, 225
call detail records (CDRs), 153, 306
calls
 BHCA, 380
 completion rates, 380
 costs, 420
 samples, analyzing, 382
capacity
 ports, 81
 synchronization, 30
categories
 events, 237–242
 management information (MIBs), 175–177
CDRs (call detail records), 153, 306
Central Offices, 97
chain of command, top-down solution design, 363
checkpointing, 418
checksums, integrity, 415
CIM (Common Information Model), 183
circular log files, 273
Cisco Packet Telephony Center, 56
Cisco WAN Manager 15.1, 61
classes
 metaschemata, 184
 MIBs, 182
clear roles, 125
clearing alarms, 136
CLI (command-line interface), 81
 overview of, 261–265
 protocols, 265–267
 Show command, 109
close-session operation, Netconf, 283
CMIP (Common Management Information Protocol), 183
coarse polling, 221

collections

- audit trails, 96
- automated snapshots, 223
- automatic devices, 226
- Netflow, 305
- performance data, 157
- skewing intervals, 226

collectors, 67**columnar objects, 200****command-line interface. See CLI****commands**

- CLI, 81
- config, 264
- configure terminal, 262
- interface, 262
- Show, 109, 263–264, 266

Common Information Model (CIM), 183**Common Management Information Protocol (CMIP), 183****common platform infrastructure, 356–359****communication**

- agents, 171–173
- devices, 366
- management
 - agent-initiated interactions, 236–246*
 - configuration operations, 226–232*
 - layers of, 209–210*
 - Management Operations layer, 215*
 - Management Services layer, 216*
 - manager-initiated interactions, 217*
 - polling, 218–226*
 - Remote Operations layer, 214*
 - transactions, 232–235*
 - transport layer, 211*
- Netconf, 278–281
- protocols, 32
- service-level agreements, 375
- services, 377–379
- viewpoints (interoperability), 105–107

community strings (SNMP messages), 257**comparisons, metrics, 428****competition, 42****completion rates, calls, 380****complexity**

- architecture, 346
- domains, 368–369
- functions, 350
- heterogeneity, 349–350, 368
- integration, 340–342

network management, 21–22, 294–298

- business challenges, 39–43*
- integration, 34–36*
- organization/operation challenges, 36–39*
- technical challenges, 22–34*

quantifying, 348–350

scale, 349

tasks (metrics), 423–425

components, 76

devices, 76

*agents, 77–80**MOs, 80–82*

integration, 365–367

management integration customization, 361

concurrency, 27, 415**conditions, alarms, 137****config command, 264****configuration**

actions, 230–232

backup/restore, 151

configuration-change events, 237–240

Fast Ethernet, 262–265

files, 229–230

information requests, 218–219

logical information, 176

management, 143–151, 306

messages, 257–258

Netconf, 275

*architecture, 278–281**data stores, 275–277**operations, 281–284**XML, 277*

operations, 226–232

physical information, 176

ports, 61

requests, 228

resources, 145–146

running config, 229

set requests, 254–255

startup config, 229

synchronization, 148–150

transactions, 232–235

configure terminal command, 262**confirmation, notification (SNMPv2), 259****conformance statements, MIBs, 191****connections**

craft terminals, 64, 88

DSL, 232

- endpoints, 174
- interconnections (management networks), 86–87
 - applying dedicated*, 93
 - NEs*, 90
- multiple devices, 88
- consistency**
 - interfaces, 413
 - management (human) interfaces, 414
- containing complexity of managed domains, 368–369**
- content layer, Netconf architecture, 279**
- contingency planning, 38**
- control**
 - association, 212
 - management, 245–246
- convergence, 344**
- conversion, management mediation, 318–322**
- cookie cutters, 124, 369**
- copy-config operation, Netconf, 283**
- core agent logic, 79**
- correlation**
 - alarms, 15, 140–141
 - events, 305
- costs, 43**
 - accounting. *See* accounting
 - dedicated management networks, 92
 - devices, 420
 - equipment, 40
 - investments, 410–411
 - lowering, 414–416
 - management, 12–14, 412
 - operating systems, 416
 - ports, 420
 - quality, 15
 - ROI, 407
 - services
 - instances*, 420
 - providers*, 40
 - SLAs, 383
 - TCO, 408–409
 - tools, 408
 - total costs of operations, 420
 - users, 420
- counters, packets, 81**
- coverage, 125**
- craft terminals, 64, 87–88**
- crashes, 151. *See also* troubleshooting**
- current alarm conditions, 136**

- customers**
 - billing for services, 339
 - expectations, 43
 - loss rates, 421
 - SLA violations, 386–388
- customization. *See also* configuration**
 - integration approaches, 360–368
 - of management functions, 417
 - semantic mediation, 323

D

- data stores**
 - MIBs, 173–175
 - Netconf, 275–277
- data types**
 - TcpConnEntry, 197
 - TcpConnState, 198
- databases, 31**
 - common platform infrastructure, 356
 - configuration-change events, 239–240
 - costs, 416
 - craft terminals, 64
 - integration, 366
 - management systems, 85
 - MIBs, 177–178
- data-collection capabilities, 414**
- DDOS (distributed denial-of-service) attacks, 160**
- decommissioning networks, 118**
- decomposing service-level parameters, 389–392**
- deduplication**
 - of alarms, 139–140
 - of events, 305
- deficits, SNMP, 202**
- defining**
 - management, 5–10
 - MIBs, 180–181
 - models, 110
 - object types, 195
 - SLAs, 382–388
 - syslog protocol extensions, 271
- degradation, performance, 414**
- dejitter buffers, 379**
- delay**
 - end-to-end voice, 379
 - measuring, 402
 - service-level management, 390

- delegation, management by, 304–307**
- delete-config operation, Netconf, 283**
- delivery, SLAs, 388–402**
- denial-of-service (DOS) attacks, 160**
- dependencies, 354. *See also* interdependencies**
- deployment**
 - lifecycles, 117
 - management
 - complexity, 294–298*
 - hierarchies, 301–303*
 - syslog, 272–274
- design. *See also* configuration**
 - bottom-up solution, 365–367
 - service level management, 390
 - top-down solution, 362–365
- Desktop Management Taskforce (DMTF), 113**
- detection**
 - anomaly, 399
 - bottlenecks, 15
 - early warning systems, 397–400
 - security. *See* security
- devices, 76**
 - actions, 230–232
 - agents, 77–80
 - automatic collection, 226
 - common platform infrastructure, 357
 - communication, 366
 - concurrency, 415
 - configuration
 - files, 229–230*
 - operations, 226–232*
 - costs, 420
 - data-collection capabilities, 414
 - drivers, 358
 - failure recovery, 227–228
 - get responses (SNMPv1), 256
 - management hierarchies, 303
 - managers, 64
 - messages, 267–270
 - MIBs, 173
 - categories of information, 175–177*
 - comparing to databases, 177–178*
 - data stores, 173–175*
 - definitions, 180–181*
 - instantiation, 199–201*
 - metaschemata/schemata, 181–186*
 - MIB-2, 193–199*
 - modeling management information, 202–205*
 - models, 186–189*
 - overview of, 189*
 - protocols, 178–180*
 - SMI, 190–193*
 - SNMP deficits, 202*
 - MOs, 80–82
 - multiple, 88
 - Netconf, 275
 - architecture, 278–281*
 - data stores, 275–277*
 - operations, 281–284*
 - XML, 277*
 - querying, 146
 - requests
 - configuration information, 218–219*
 - set (SNMPv1), 254–255*
 - state information, 219–223*
 - statistics, 305
 - support, 426
 - types of, 111
 - viewing, 220
- diagnostics, 220, 414. *See also* troubleshooting**
- dial tone (time to hear), 379**
- Digital Signal Processing (DSP), 345**
- digital subscriber line. *See* DSL**
- dimensions**
 - costs, 408
 - management, 104
 - communication viewpoint, 106–107*
 - function viewpoint, 110*
 - information viewpoint, 110*
 - interoperability, 104–106*
 - standards, 111–114*
 - networks, 393–394
- directing management investments, 430**
- directories, 357**
- discovery, 146–147**
- discrepancy reporting, synchronization, 150**
- distributed denial-of-service (DDOS) attacks, 160**
- distributed deployment, management hierarchies, 302**
- distributed systems, 31**
- distribution, 29, 38, 306**
 - applications, 416
 - events, 357
- division of tasks, 37**
- DMTF (Desktop Management Taskforce), 113**

documentation, 95
 lack of, 124
 XML (Netconf), 277

domains, management integration, 343–345

DOS (denial-of-service) attacks, 160

drivers, 358

dropped calls, 377

DSL (digital subscriber line). *See also*
connections
 connecting, 232
 Forum, 113
 importance of management, 11

DSL access multiplexer. *See* DSLAM

DSLAM (DSL access multiplexer), 232

DSP (Digital Signal Processing), 345

E

early warning systems, configuring, 397–400

echo requests, 398

economies of scale, 410

edit-config operation, Netconf, 282

effectiveness, 126
 assessment, 411–412, 418–430
applications, 416–418
management organization, 418
 maintenance, 422
 metrics for scale, 425–426
 tracking, 423–427

efficiency, 13, 126

element management systems (EMSs), 338–339

elements, 23. *See also* NEs
 management, 65–66, 119
 SDEs, 271

EMSs (element management systems), 338–339

enabling of revenues, 409

encoding
 management information, 189
 messages, 107

encryption, 260–261. *See also* security

end users, 18–19. *See also* users

endpoints, connections, 174

end-to-end provisioning, 14

end-to-end response times, 390

end-to-end voice delay, 379

engines, workflow, 70

enterprise IT departments, 17–18

enterprises, integrated management, 338–339

environmental data, monitoring, 81

equipment

costs, 40
 providers, 19–20
 rack-mounted, 53
 vendors, 336–337

errors, get responses (SNMPv1), 256

eTOM, 163–164

events

application manageability, 413
 applying, 237–242
 configuration-change, 237–240
 control, 245–246
 correlating, 140–141, 305
 deduplication of, 305
 distribution, 357
 event-reporting primitives, 215
 filtering, 138–140
 informational, 237
 logging, 237, 305
 management, 236–246
 messages (syslog), 267–270
 propagating, 28
 reliable, 244–245
 subscriptions, 108
 sustaining, 426
 throughput, 30
 traps, 257

exceptions, management by, 304, 312

execution complexity, 423

expenses. *See* costs

Extensible Markup Language. *See* XML

extensions, defining syslog protocols, 271

F

FAB (Fulfillment, Assurance, Billing), 144, 163–164

facilities, syslog messages, 272

failures, 10. *See also* troubleshooting

assessing, 390
 identifying, 15
 metrics, 426
 MTBF, 421
 MTTR, 421
 recovery, 227–228

fans, monitoring, 81
Fast Ethernets, configuring, 262–265
fault management, 132, 141–143, 305
FCAPS (Fault, Configuration, Accounting, Performance, Security), 123, 130–131

- accounting management, 151–155
- configuration management, 143–151
- fault management, 132
- limitations of, 161
- performance management, 155–158
- security management, 158–161

feasibility of services, 16
files

- configuration, 229–230
- log, 273

filtering, 417

- alarms, 137–140
- subtrees, 276

fine polling, 221
finite state machines, 70
firewall rules, 81
flat-fee models, 154
flexibility, 126
flows, IP, 284–286
footprints, MIBs, 177
forwarding syslog messages, 274
fragmentation

- large responses, 214
- PDU, 213

frameworks, GUIs, 357
frequency of polling, 221
fulfillment, 163
Fulfillment, Assurance, Billing. See FAB
functionality

- agents, 108
- platform applications, 359

functions. See also commands

- alarms, 133–137
 - correlating, 140–141*
 - filtering, 138–140*
 - troubleshooting, 141–142*
- backup/restore, 418
- complexity, 350
- customizing, 417
- management, 122–123
- self management, 413–415
- value-added configuration management, 306
- viewpoint (interoperability), 105–110

G

gateway management, 307, 314

- SNMP-to-OO, 319–321
- syslog-to-SNMP, 318–319

GDMO (Guidelines for the Definition of Managed Objects), 183
geographical distribution of networks, 38
get operation, Netconf, 282
get requests (SNMPv1), 251
get responses (SNMPv1), 256
get-bulk requests (SNMPv2), 259
get-config operation, Netconf, 282
get-next requests (SNMPv1), 251–253
global long-distance voice services, 389, 392
global service providers, 48–54
goals

- management policies, 309
- software architecture, 346–348

golden stores, synchronization, 148
graphical user interfaces. See GUIs
graphs, 125
Guidelines for the Definition of Managed Objects (GDMO), 183
GUIs (graphical user interfaces), 357.
See also interfaces

H

hackers, 159
hardware costs, 416
headers, syslog messages, 270
help. See also troubleshooting

- CLI, 262
- integrated management, 333
- systems, 357

heterogeneity, 343

- complexity, 349–350, 368
- services, 344

hierarchies

- CLI commands, 265
- interfaces, 312–326
- management, 84, 298–303
- Netconf data stores, 276
- TMN, 118, 121–122

histories

- alarm data, 135
- polling, 222
- snapshots, 177, 224–226

honey pots, 161
hosts, logging (syslog messages), 273
hot spot polling, 220

I

ICMP (Internet Control Message Protocol), 255, 398
identification of failures, 15
identifiers, get responses, 256
IDSs (intrusion-detection systems), 67
IEEE (Institute for Electrical and Electronics Engineers), 113
IETF (Internet Engineering Task Force), 113, 270
image management, 151
impact, tracking, 419–422
importance of management, 10–11
imposing admission control, 394
increasing
 availability, 417
 efficiency, 13
 productivity, 417
 revenues, 409
 robustness, 417
incremental operations, 223–224
indexes, OID, 200
inform requests (SNMPv2), 259
information models, 30
 integration, 367–368
 viewpoints (interoperability), 105, 110
informational events, 237
infrastructure
 costs, 420
 effectiveness, 411
 integrated management, 332. *See also*
 integration
 platforms, 356–359
inheritance, 184
input validation syntax, 415
instances
 MIBs, 182
 provisioning, 426
 services, 420
instantiation, MIBs, 199–201
Institute for Electrical and Electronics Engineers (IEEE), 113

integration
 components, 365–367
 databases, 366
 information models, 367–368
 management, 34–36, 332, 413
 approaches to, 351–352
 benefits of, 332–334
 complexity/scope, 340–342
 containing complexity of managed domains, 368–369
 customizing approaches, 360–368
 domains, 343–345
 need for, 336–340
 network provider organizations, 352–354
 nontechnical considerations for, 334–336
 platforms, 355–359
 quantifying complexity, 348–350
 software architecture, 345–348
 operations support environments, 416
 standardization, 367–368
 tools, 63
integrators (systems), 20–21
integrity checksums, 415
interactions, 353
 actions, 230–232
 agents, 236–246
 CLI, 262
 manager-initiated, 217
 polling, 218–226
 splitting, 232
interarrival intervals, packets, 379
interconnections (management networks), 86–87
 applying dedicated, 93
 connecting NEs, 90
interdependencies, minimizing, 353
interfaces, 125
 agents, 77–80
 APIs, 346
 CLI, 81
 applying as management protocols, 265–267
 overview of, 261–265
 Show command, 109
 commands, 262
 common platform infrastructure, 357
 consistency, 413

- craft terminals, 64
- element managers, 66
- Fast Ethernets, 262–265
- GUIs, 357
- management, 179, 312–326, 412–415
- MOs, 174
- productivity, 417
- source, 314
- target, 314
- users, 32–33, 366

interference avoidance, 91

internal directories, 357

International Standardization Organization (ISO), 113

International Telecommunications Union (ITU-T), 113

Internet Control Message Protocol (ICMP), 255, 398

Internet Data Center, 60–62

Internet Engineering Task Force (IETF), 113

Internet Protocol (IP), 284–286, 352

Internet service providers (ISPs), 11

interoperability, 104–106

- communication viewpoint, 106–107
- function viewpoint, 110
- information viewpoint, 110

interrupt-drive system characteristics, 25

intervals

- packet interarrival, 379
- synchronization, 226

introspection

- agents, 108
- applications, 413
- services, 216

intrusion detection, 160. *See also* security

intrusion-detection systems (IDSs), 67

inventory management, 70

investments, 40. *See also* costs

- benefits, 410–411
- metrics, 430
- revenues, 409

IP (Internet Protocol), 284–286, 352

IP Flow Information Export. *See* IPFIX

IPFIX (IP Flow Information Report), 284

ISO (International Standardization Organization), 113

ISPs (Internet service providers), 11

ITU-T (International Telecommunications Union), 113

J

jitter, 377, 398

- dejitter buffers, 379

K

Keller, 423

kill-session operations, Netconf, 283

L

LAN (local area network), 301

large responses, fragmentation, 214

layers

- communication services, 377–379
- content, 279
- management, 118
 - business, 121*
 - elements, 119*
 - NEs, 121*
 - network, 120*
 - services, 120–121*
- operations, 279
- transport, 278

LEDs (light emitting diodes), 136. *See also*

alarms

levels of management effectiveness, 411

lifecycles

- management, 115–116
 - decommissioning, 118*
 - deploying, 117*
 - operations, 117*
 - planning, 116*
- TOM, 163

light emitting diodes. *See* LEDs

limitations

- of FCAPS, 161
- of syntactic information mediation, 321–322

links, polling, 299

lists, get requests (SNMPv1), 251

load, integrated management, 333

local area network (LAN), 301

lock operations, Netconf, 283

logging

- events, 237, 305
- files, 273

logical configuration information, 176

long-running requests, 230

lowering costs, 416

M

macros, MIBs, 191

maintenance, 8. *See also* troubleshooting

costs (SLAs), 383

effectiveness, 422

networks, 396

OAM&P, 161–162

service-level agreements, 374

Managed Object Format (MOF), 183

managed objects. *See* MOs

managed service provider (MSP), 54

management, 411

accounting, 151–155, 306

agents, 77–80

alarms, 133–137

correlating, 140–141

filtering, 138–140

troubleshooting, 141–142

analyzing, 397

appliances, 302

applications, 56, 83, 114

benchmark tasks, 424–425

port configuration, 61

synchronization, 426

assessment, 412–415

benchmarks, 427

business impact, 408–411

complexities, 21–22, 294–298

business challenges, 39–43

integration, 34–36

organization/operation challenges, 36–39

technical challenges, 22–34

configuration, 143–151, 306. *See also*

configuration

control, 245–246

costs, 12–14

defining, 5–10

dimensions, 104

communication viewpoints, 106–107

function viewpoints, 110

information viewpoints, 110

interoperability, 104–106

standards, 111–114

effectiveness

applications, 416–418

assessment, 411–412, 418–430

management organization, 418

events, 236–246

exceptions, 312

fault, 132, 305

trouble tickets, 143

troubleshooting, 141–142

functions, 122–123, 417

gateways, 307, 314

SNMP-to-OO, 319–321

syslog-to-SNMP, 318–319

hierarchies, 298–303

images, 151

importance of, 10–11

information, 185

agent-initiated interactions, 236–246

configuration operations, 226–232

encoding, 189

layers of, 209–210

Management Operations layer, 215

Management Services layer, 216

manager-initiated interactions, 217

modeling, 202–205

polling, 218–226

Remote Operations layer, 214

transactions, 232–235

transport layer, 211

integration, 332

approaches to, 351–352

benefits of, 332–334

complexity/scope, 340–342

containing complexity of managed domains, 368–369

customizing approaches, 360–368

domains, 343–345

need for, 336–340

network provider approaches, 352–354

nontechnical considerations for, 334–336

platform approaches, 355–359

quantifying complexity, 348–350

software architecture, 345–348

interfaces, 312–326

investment metrics, 430

- layers, 118
 - business*, 121
 - elements*, 119
 - NEs*, 121
 - network*, 120
 - services*, 120–121
 - lifecycles, 115–116
 - decommissioning*, 118
 - deploying*, 117
 - operations*, 117
 - planning*, 116
 - metrics, 428–429
 - MIB requirements, 178
 - networks, 86–87, 114, 294–312.
 - See also* networks
 - applying dedicated*, 93
 - connecting NEs*, 90
 - OAM&P, 161–162
 - objectives, 308–312
 - operations (SNMPv1), 250–257
 - oversubscription, 394–396
 - performance, 155–158, 305
 - policies, 308–312, 414
 - primitives, 215
 - protocols, 265–267
 - providers
 - equipment*, 19–20
 - systems integrators*, 20–21
 - third-party applications*, 20
 - quality, 14–15
 - resources, 145–146, 175
 - revenue, 15–16
 - security, 158–161
 - service-level agreements, 388–402
 - defining*, 382–388
 - measurability parameters*, 381–382
 - overview of*, 374–376
 - parameters*, 376
 - relevance parameters*, 381
 - significance parameters*, 377–380
 - sessions, 106–107
 - styles, 62, 304–312
 - support organizations, 93–97
 - systems, 83, 114, 416–418
 - manager roles*, 84–86
 - purpose of*, 86
 - tools, 62–64
 - alarm management systems*, 68
 - billing systems*, 72
 - collectors*, 67
 - craft terminals*, 64
 - device managers*, 64
 - element managers*, 65–66
 - IDSs*, 67
 - inventory systems*, 70
 - network analyzers*, 65
 - performance-analysis systems*, 68
 - platforms*, 66–67
 - probes*, 67
 - service order systems*, 71
 - service provisioning systems*, 71
 - trouble ticket systems*, 69
 - work order systems*, 69
 - workflow systems*, 70
 - troubleshooting, 123–126
 - types of, 114–115
 - users, 16
 - end users*, 18–19
 - enterprise IT departments*, 17–18
 - service providers*, 16
- Management Information Base (MIB), 78–82**
- managers**
- agents, 171–173
 - devices, 64
 - elements, 65–66
 - interactions, 217
 - management information
 - layers of*, 209–210
 - Management Operations layer*, 215
 - Management Services layer*, 216
 - Remote Operations layer*, 214
 - transport layer*, 211
 - management system roles, 84–86
 - multilingual, 314
 - Netconf, 283. *See also* Netconf
 - policy, 311
 - polling, 218–226
 - requests
 - get*, 251
 - get-next*, 251–253
 - set*, 254–255
 - responsibilities of, 48
 - global service providers*, 48–54
 - Internet Data Center administration*, 60–62
 - medium-sized business administration*, 54–59
 - overview of*, 62–63

- responses, 256
- SNMP messages, 257–258
- traps, 257
- manual tasks, 63**
- maps**
 - TOM, 163
 - topology alarms, 134
- masters, synchronization, 148**
- matching management information to metaschemata, 185**
- maximizing operation concurrency, 27**
- mean opinion score (MOS), 380, 382**
- mean time between failures (MTBF), 421**
- mean time to fill customer orders, 421**
- mean time to repair (MTTR), 421**
- measurements**
 - active, 398
 - delay, 402
 - passive, 397
 - SLA parameters, 381–382
- mediation**
 - management, 312–326
 - semantic, 323
 - stateful, 323–326
 - traps, 321
- medium-enterprises, 338–339**
- medium-sized businesses, 54–59**
- memory complexity, 424**
- messages**
 - alarms, 136
 - encoding, 107
 - management, 316–318
 - Netconf, 280
 - SNMP, 257–261
 - syslog, 267–270
 - deploying, 272–274*
 - protocols, 270–272*
- meta-data models, 204**
- metaschemata, 204**
 - management information, 185
 - MIBs, 181–186
- methodologies, 418**
- methods, 8**
- metrics. *See also* analysis; measurements**
 - axes of, 428
 - business impact, tracking, 419–422
 - comparisons, 428
 - complexity of tasks, 423–425
 - effectiveness, 423–427
 - investments, 430
 - management values, 428–429
 - MOS, 380–382
 - for scale, 425–426
- mgmt node, 191**
- MIB (Management Information Base), 78–82, 173**
 - categories of information, 175–177
 - data stores, 173–175
 - databases, 177–178
 - definitions, 180–181
 - instantiation, 199–201
 - metaschemata/schemata, 181–186
 - MIB-2, 193–199
 - models, 186–189, 202–205
 - MOs, 175
 - overview of, 189
 - ping operations, 255
 - protocols, 178–180
 - requests
 - get (SNMPv1), 251*
 - get-next (SNMPv1), 251–253*
 - set (SNMPv1), 254–255*
 - responses, 256
 - SMI, 190–193
 - SNMP deficits, 202
 - syslog mediation, 318
- middleware, 355**
- minimizing, 353**
- missed service-level objectives, diagnosing, 390**
- models**
 - defining, 110
 - FCAPS, 123
 - flat-fee, 154
 - information
 - integration, 367–368*
 - modeling, 30*
 - management information, 202–205
 - metaschemata, 184
 - MIBs, 181, 186–189
 - reference
 - accounting management, 151–155*
 - applying, 164–165*
 - configuration management, 143–151*
 - FAB, 163–164*
 - fault management, 132*
 - FCAPS, 131*
 - limitations of FCAPS, 161*

- OAM&P, 161–162*
- overview of, 129–131*
- performance management, 155–158*
- security management, 158–161*
- usage-based, 154
- modularizing applications, 296**
- modules, MIBs, 190**
- MOF (Managed Object Format), 183**
- monitoring**
 - alarms, 25
 - bandwidth, 10
 - costs, 409
 - environmental data, 81
 - fans, 81
 - fault management, 132
 - integrated management, 333
 - networks, 132
 - performance, 156
 - polling-based, 221
 - service-level, 339, 388–390, 397–404
 - threshold-crossing alerts, 241–242
 - topology maps, 134
- Moore’s law, 27**
- MOs (managed objects), 80–82**
 - interfaces, 174
 - MIBs, 175
- MOS (mean opinion score), 380, 382**
- MPLS (Multiprotocol Label Switching), 352**
- MSP (managed service provider), 54**
- MTBF (mean time between failures), 421**
- MTTR (mean time to repair), 421**
- multilingual managers, 314**
- multiple applications, 348**
- multiple devices, connecting, 88**
- multiple MIB modules, 190**
- Multiprotocol Label Switching (MPLS), 352**

N

- name-resolution services, common platform infrastructure, 357**
- naming structures, MIB-2, 194**
- native traps, 321**
- navigation, row-by-row (get-next requests), 253**
- need for integrated management, 336–340**
- NEs (network elements), 76**
 - agents, 77–80

- conn, 90
- MOS, 80–82
- Netconf, 275**
 - architecture, 278–281
 - data stores, 275–277
 - operations, 281–284
 - XML, 277
- Netflow, 284**
 - aggregation/collection, 305
 - IP flows, 284–286
 - protocols, 286–288
- network elements. See NEs**
- Network Operations Centers. See NOCs**
- network-discovery services, common platform infrastructure, 357**
- networks**
 - activity (logging events), 237
 - analyzers, 65
 - auditing, 146–147
 - availability, 410
 - costs, 408
 - dimensioning, 393–394
 - elements, 23
 - LAN, 301
 - maintenance, 396
 - management, 86–87, 114
 - applying dedicated, 93*
 - business challenges, 39–43*
 - complexities, 21–22*
 - connecting NEs, 90*
 - costs, 12–14*
 - defining, 5–10*
 - end users, 18–19*
 - enterprise IT departments, 17–18*
 - equipment providers, 19–20*
 - importance of, 10–11*
 - integration, 34–36*
 - layers, 120*
 - organization/operation challenges, 36–39*
 - provider organization integration, 352–354*
 - quality, 14–15*
 - revenue, 15–16*
 - scaling, 294–312*
 - service-level, 392–396*
 - service providers, 16*
 - systems integrators, 20–21*
 - technical challenges, 22–34*

third-party application providers, 20
users, 16

managers

global service providers, 48–54
Internet Data Center administration, 60–62
medium-sized business administration, 54–59
overview of responsibilities, 62–63
responsibilities of, 48

monitoring, 132

operators, 11, 94

production, 86

providers, 11, 48

provisioning, 24

TMN, 118, 121–122

WAN, 301

new users, provisioning, 380

NOCs (Network Operations Centers), 48, 96–97

nodes

mgmt, 191

MIBs, 190

nonintegrated management, 334–336. *See also* integration

normalizing total cost of operations, 420

notification

confirmation (SNMPv2), 259

MIBs, 190

number-crunching system characteristics, 26

O

OAM&P (Operations, Administration, Maintenance, and Provisioning), 131, 161–162

object identifiers. *See* OIDs

objectives

management, 304, 308–312

service-level, 376

costs, 408

defining, 382–384

diagnosing missed, 390

tracking, 384–386

object-oriented (OO), 319–321

objects

auxiliary, 201

columnar, 200

get-next requests (SNMPv1), 251–253

MIBs, 190

MOs, 80–82

set requests (SNMPv1), 254–255

types, 192, 195

off-hour availability, 380

OIDs (object identifiers), 191

get-next requests (SNMPv1), 251–253

SNMP MIB trees, 200

OO (object-oriented), 319–321

operating systems

architecture, 346

costs, 416

operational costs, lowering, 416

operational policies, 95

operational procedures, 63

operations, 8, 36, 38–39

concurrency, 27

configuration, 226–232

costs, 414. *See also* costs

effectiveness, 411

incremental, 223–224

integrated management, 340

lifecycles, 117

Netconf, 279, 281–284

OAM&P, 161–162

ping, 255

provisioning, 380

requests, 219–223, 229

rollback, 235

SNMPv1, 250–257

support, 416–418

task metrics, 423–425

total cost of, normalizing, 420

Operations, Administration, Maintenance, and Provisioning (OAM&P), 131, 161–162

operators, 11, 94

activity (logging events), 237

integrated management, 332

orders, 71

backlogs, 421

integrated management, 340

organizational challenges, 36–39

organizing management organizations, 124

orthogonal dimensions, 104–106

communication viewpoint, 106–107

function viewpoint, 110

information viewpoint, 110

standards, 111–114

oscillation, alarms, 139

outages

- avoiding, 415
- metrics, 426

overhead, dedicated management networks, 92

overload, polling, 225

oversubscriptions

- resources, 393
- risk, 394–396

ownership

- costs. *See* costs
- manageability, 412
- TCO, 408–409
- top-down solution design, 362–363

P

packets

- counters, 81
- interarrival intervals, 379
- Netflow structure, 287

parameters

- complexity, 423
- service-level, 375–376
 - decomposing, 389–392*
 - measurability, 381–382*
 - monitoring, 390*
 - relevance, 381*
 - setting up early warning systems, 397–400*
 - significance, 377–380*

partitioning resources, 414

passive measurements, 397

patches, distribution, 306

patterns, polling, 218

PDP (Policy Decision Point), 311

PDUs (protocol data units), 213, 257

peak hour availability, 380

PEP (Policy Enforcement Point), 311

performance, 13

- analysis, 68
- auditing, 146
- degradation, 414
- management, 155–158, 305
- monitoring, 156
- snapshots (histories), 224–226
- statistics, 62

tools, 13

trend analysis, 15

Performance Prism, 418

physical configuration information, 176

ping operations, 255, 398

planners, 60–62

planning

- contingency, 38
- integrated management, 333
- lifecycles, 116
- networks
 - dedicated management, 91*
 - service-level management, 392–396*
- ROI, 410–411
- service-level management, 390

platforms. *See also* operating systems

- application functionality, 359
- costs, 416
- management, 66–67, 355–359

policies, 95

- management, 308–312, 414
- security, 160

Policy Decision Point (PDP), 311

Policy Enforcement Point (PEP), 311

polling

- calibration, 225
- device statistics, 305
- hot spot, 220
- links, 299
- management, 218–226
- overload, 225
- robustness, 225

ports. *See also* connections

- blacklist, 160
- capacity, 81
- configuring, 61
- costs, 420
- MIBs, 174

positive competitive differentiators, 42

preprocessing alarms, 137

preprocessing statistics, 306

primitives, 109

- action, 215
- event-reporting, 215
- management, 215
- read, 215
- write, 215

probes, 67, 307

procedures, 8, 38, 95

production networks, 86, 91**productivity, 417**

increasing, 417

metrics, 420

programmability of management functions, 417**prompts, CLI, 262****propagation of events, 28****properties**

manageability, 412–415

transactions, 235

protocol data units (PDUs), 213, 257**protocols**

BEEP, 278

CLI, 265–267

CMIP, 183

communication, 32

ICMP, 255, 398

IP, 352

management, 316–318

MIBs, 178–180

Netconf, 275

*architecture, 278–281**data stores, 275–277**operations, 281–284**XML, 277*

Netflow, 284–288

SIP, 295

SNMP, 81, 106

*MIB deficits, 202**overview of, 249**SNMPv1, 250–258**SNMPv2/SNMPv2c, 258–260**SNMPv3, 260–261*

stacks, 209–211

standards, 112

syslog, 270–272

timeouts, 81

UDP, 269

providers, 11

costs, 409

global service, 48–54

integrated management, 339–340

MSP, 54

networks, 48, 352–354

services, 16, 40

service-level agreements

*defining, 382–388**managing, 388–402**measurability parameters, 381–382**overview of, 374–376**parameters, 376**relevance parameters, 381**significance parameters, 377–380**violations, 386–388***provisioning, 8, 24, 71, 145**

automating, 13–14

end-to-end, 14

instances, 426

integrated management, 333

management complexity, 295

OAM&P, 131, 161–162

operations, 380

reprovisioning, 394

services, 15

software architecture goals, 347

throughput, 426

users, 380

proxies, 299**purpose of management systems, 86****Q****quality**

management, 14–15

MOS, 380, 382

voice, 377

quantifying management integration complexity, 348–350**queries, devices, 146****R****rack-mounted equipment, 53****read primitives, 215****real resources, 80–82, 175****reassembly, PDUs, 213****receivers, syslog messages, 272****reconciliation, 149****records**

CDRs, 153, 306

Netflow, 305

recovery, 151, 227–228**reducing interdependencies, 353****redundancy**

alarms, 139

integrated management, 333

workflow, 416

reference models

- applying, 164–165
- FAB, 163–164
- FCAPS, 131
 - accounting management, 151–155*
 - configuration management, 143–151*
 - fault management, 132*
 - limitations, 161*
 - performance management, 155–158*
 - security management, 158–161*
- OAM&P, 161–162
- overview of, 129–131

regions, 369**registries, applications, 357****regulations, enterprise IT departments, 18****relationships between layered communication services, 377–379****relays, syslog messages, 274****relevance (SLA parameters), 381****reliability, 14–15, 40**

- dedicated management networks, 91
- events, 244–245
- metrics, 419

remote destination, ping, 398**Remote Monitor (RMON) probes, 307****remote scheduling services, 216****remote procedure calls (RPCs), 212****repairs, MTTR, 421****replies, Netconf, 281****reports**

- discrepancy, 150
- IPFIX, 284

reprovisioning, 150, 394**requests, 106, 228**

- bulk, 223–224
- configuration, 218–219, 229
- get (SNMPv1), 251
- get-bulk (SNMPv2), 259
- ID management, 212
- inform (SNMPv2), 259
- long-running, 230
- manager-initiated interactions, 217
- Netconf, 281
- operational data, 219–223
- polling, 218–226
- splitting, 232
- state information, 219–223

requirements

- applications, 345–346
- management, 178

resilience, 126**resources, 175**

- management, 145–146
- oversubscribing, 393
- partitioning, 414

responders, 398**responses, 107**

- end-to-end, 390
- ID management, 212
- large, 214
- manager-initiated interactions, 217
- polling, 218–226
- sizing, 228
- splitting, 232
- traps, 257

responsibilities, 125**restoring, 151**

- functions, 418
- procedures, 96

retrieval, information (polling), 218–226**return on investment. *See* ROI****revenues**

- enabling of, 409
- enterprise IT departments, 17
- management, 15–16, 414
- metrics, 421
- SLA penalties, 421

ring tones, length of time received, 380**risk, managing oversubscription, 394–396****RMON (Remote Monitor) probes, 307****robustness**

- increasing, 417
- polling, 225

ROI (return on investment), 407, 410–411**role of network management, 8, 353****rollback, 235, 415****rollouts, services, 409****round-trip response time, 398****routers. *See also* devices**

- IP flows, 284–286
- Netflow protocol, 286–288

row-by-row navigation of MIBs (get-next requests), 253**RPCs (remote procedure calls), 212, 279****rules**

- access control, 174
- ACLs, 61
- firewalls, 81
- management, 309

role of standards, 112
semantic mediation, 323

running config, 229

runtime, complexity, 297–298

S

savings. *See* costs

scalability, 26, 30, 40

applications, 416
complexity, 349
metrics for scale, 425–426
network management, 294–312

scalars, SNMP-to-OO management gateways, 321

schemata, MIBs, 181–186

scope, 28, 228

enterprises, 339
equipment vendors, 337
integration, 340–342
requests, 228

SDEs (structured data elements), 271

SDK (system development kit), 357

searching, 417

Secure Shell (SSH), 278

security

dedicated management networks, 92
IDSs, 67
management, 158–161
policies, 160
SNMP, 260–261
support organizations, 96

self management, 413–415. *See also* management

semantic checks, 415

semantic mediation, 323

senders, syslog messages, 272

servers, AAA, 61

service order management, 71

service-level agreements. *See* SLAs

service provisioning systems, 71

services, 153–154

activity (logging events), 237
billing for, 339
common platform infrastructure, 357
communication layers, 377–379
DSL connections, 232
feasibility of, 16

global long-distance voice, 389, 392

heterogeneity, 344

instance costs, 420

introspection, 216

management layers, 120–121

name-resolution, 357

network-discovery, 357

order system management, 71

pricing, 409

providers, 11, 16

costs, 40

integrated management, 339–340

provisioning, 15, 145, 333

quality, 14–15

remote scheduling, 216

rollouts, 409

statistics, 417

subscription, 216

turn-up, 13

VPN service-level agreements, 375

Session Initiation Protocol (SIP), 295

sessions

management, 106–107

termination, 283

set requests (SNMPv1), 254–255

severity of alarms, 238

shared networks, 91

Show command, 109, 263–266

significance (SLA parameters), 377–380

Simple Network Management Protocol.

See SNMP

SIP (Session Initiation Protocol), 295

sizing responses, 228

skewing collection intervals, 226

SLAs (service-level agreements)

defining, 382–388

managing, 388–402

monitoring, 339

overview of, 374–376

parameters, 376

measurability, 381–382

relevance, 381

significance, 377–380

penalties for violations, 421

statistics, 400–402

active measurements, 398

passive measurements, 397

violations, 386–388, 391

small enterprises, 338–339

- SMI (Structure of Management Information), 178, 183, 190–193**
- snapshots, 177, 220**
 - automated collection, 223
 - histories, 222–226
- SNMP (Simple Network Management Protocol), 81, 106**
 - MIB deficits, 202
 - overview of, 249
 - SNMP-to-OO management gateways, 319–321
 - SNMPv1, 250–258
 - SNMPv2/SNMPv2c, 258–260
 - SNMPv3, 260–261
 - syslog-to-SNMP management gateways, 318–319
- software architecture, 345–348. *See also* applications**
- solutions**
 - bottom-up design, 365–367
 - management integration customization, 360–362
 - top-down design, 362–365
- sorting, 417**
- source interfaces, 314**
- spam, 160**
- splitting request/responses interactions, 232**
- SSH (Secure Shell), 278**
- stack protocols, 209–210**
- standardization, integration, 367–368**
- standards**
 - dimensions, 111–114
 - manageability, 413
- standing alarm conditions, 136**
- startup config, 229**
- state**
 - information requests, 219–223
 - MIBs, 175–176
- stateful mediation, 323–326**
- statements, MIB conformance, 191**
- statistics**
 - availability, 417
 - devices, 305
 - IP flows, 284–286
 - performance, 62
 - preprocessing, 306
 - SLAs, 388, 400–402
 - active measurements, 398*
 - passive measurements, 397*
- status, object types, 195**
- strings, community (SNMP messages), 257**
- structure**
 - messages, 280
 - Netflow packets, 287
 - SNMP, 257–258
 - syslog, 270
- Structure of Management Information (SIM), 178, 183, 190–193**
- structured data elements (SDEs), 271**
- styles, management, 304–312**
- subclasses, 184**
- subcontracting management tasks, 299–300**
- subinterfaces, MOs, 174**
- subnetworks, 369**
- subscriptions**
 - events, 108
 - services, 216
- subtrees, filtering, 276**
- superclasses, 184**
- supply chains, integrated management, 340**
- support**
 - costs, 420
 - devices, 426
 - management complexity, 294–298
 - organizations, 93–97
 - remote operations, 212
 - transactions, 234
- sustaining events, 426**
- synchronization, 30, 148–150**
 - applications, 426
 - intervals, 226
- synonyms, MIBs, 191**
- syntax**
 - mediation, 318–322
 - object types, 195
- syslog**
 - deploying, 272–274
 - overview of, 267–270
 - protocols, 270–272
 - syslog-to-SNMP management gateways, 318–319
- System development kit (SDK), 357**
- systems**
 - activity (logging events), 237
 - distributed, 31
 - early warning, setting up, 397–400
 - EMSs, 338–339
 - integrators, 20–21

management, 114, 416–418
 number-crunching characteristics, 26

T

tables, SNMP-to-OO management gateways, 320

tags, XML, 277

target interfaces, 314

tasks. *See also* management

benchmarks, 424
 complexity metrics, 423–425
 division of, 37

TCAs (threshold-crossing alerts), 237, 241–242, 299, 312, 400

TCO (total cost of ownership), 408–409, 412. *See also* costs

TCP (Transmission Control Protocol), 196

TcpConnEntry data type, 197

tcpConnState data type, 198

TDM (time-division multiplexing), 352

teardown, management sessions, 107

technical challenges (of network management), 22–34

Telecommunications Management Network (TMN), 118, 121–122

Telecoms Operations Map (TOM), 163

TeleManagement Forum (TMF), 113, 163, 367

terminals, craft, 64

termination, Netconf sessions, 283

testing, 13, 108

third-party application providers, 20

threshold-crossing alerts (TCAs), 237, 241–242, 299, 312, 400

throughput

events, 30
 provisioning, 426

time stamps, 107

time-division multiplexing (TDM), 352

timeouts, protocols, 81

timing, competitive landscapes, 42

TMF (TeleManagement Forum), 113, 163, 367

TMN (Telecommunications Management Network), 118, 121–122

TOM (Telecoms Operations Map), 163

tools, 8, 13

Cisco WAN Manager 15.1, 61
 costs, 408

effectiveness, 411

efficiency, increasing, 13

integration, 63

management, 62–64

alarm management systems, 68

billing systems, 72

collectors, 67

craft terminals, 64

device managers, 64

element managers, 65–66

IDSs, 67

inventory systems, 70

network analyzers, 65

performance-analysis systems, 68

platforms, 66–67

probes, 67

service order management systems, 71

service provisioning systems, 71

trouble ticket systems, 69

work order systems, 69

workflow systems, 70

platforms, 355

top-down solution design, 362–367

topologies

alarms, 134

cookie-cutter, 369

total cost of operations, normalizing, 420

total cost of ownership. *See* TCO

tracking, 153–154. *See also* workflow

alarms, 357

business impact, 419–422

effectiveness, 423–427

service-level objectives, 384–386

services, 153–154

state of management, 428–429

traffic

ACLs, 61

IP flows, 284–286

training, 332

transactions

interactions, 216

management, 232–235

support, 108

transient alarms, 136

translation

protocols, 316–318

semantic mediation, 323

Transmission Control Protocol (TCP), 196

transport layer, Netconf architecture, 278

transports, management mediation between, 316

traps, 257

- mediation, 321
- native, 321

trees, SNMP MIB OID, 200

trends

- analyzing, 15, 399
- historical alarm data, 135

Trojan horses, 160

trouble tickets

- alarm functions, 136
- fault management, 143
- management, 69

troubleshooting, 10, 13, 123–126, 151, 220

- alarms, 141–142
- CLI, 262
- failure recovery, 227–228
- OAM&P, 161–162

truck rolls, 420

tuning performance, 156

turn-up of services, 13

types

- of alarms, 238
- of devices, 111
- of events, 237–242
- of management, 114–115
- of management information (MIBs), 175–177
- of objects, 192, 195
- of service providers, 17

U

UDP (User Datagram Protocol), 269

UML (Unified Modeling Language), 204

uniform resource identifier (URI), 62

universal serial bus. *See* USB

unlock operation, Netconf, 283

upgrades, SLAs, 383

URI (uniform resource identifier), 62

usage-based models, 154

USB (universal serial bus), 64

users

- costs, 420
- interfaces, 32
 - integration, 366*
 - productivity, 417*

management, 16

end users, 18–19

enterprise IT departments, 17–18

service providers, 16

provisioning, 380

service-level agreements, 376

SLA violations, 386–388

V

validation, 234

value of network management, 40–41

value-added configuration management functions, 306

values, management metrics, 428–429

variable bindings

- get requests (SNMPv1), 251
- get responses (SNMPv1), 256

vendors, equipment, 336–337

verification, 234

versions

- applications, 81
- Netflow, 288
- SNMP
 - SNMPv1, 250–258*
 - SNMPv2/SNMPv2c, 258–260*
 - SNMPv3, 260–261*

viewing

- devices, 220
- management protocols, 179

violations

- service-level, 386–388
- SLAs, 391, 421

Virtual Private Network. *See* VPN

viruses, 160

voice

- global long-distance services, 389, 392
- service-level parameters, 379

voice quality, 377

VPN (Virtual Private Network), 375

W

WAN (wide-area network), 301

work order management, 69

workflow, 63

- management, 70
- simplifying, 416
- troubleshooting, 125

510 worms

worms, 160

write primitives, 215

X

XML (Extensible Markup Language), 277

XSD (XML Schema Definition), 277