

Index

Symbols

<> (angle brackets), 840
* (asterisk), 316-317
@ (at symbol), 422
{ } (braces), 841
[] (brackets), 841
... (ellipses), 841
= (equal sign), 840
& operator, 121, 586
^ operator, 121
| operator, 120, 840
“ ” (quotation marks), 842
; (semicolon), 842

A

ABS function, 56, 903
access method, 605
ACOS function, 903
actions
 event actions, 768
 referencing actions, 550-553
ADDDATE function, 904
ADDDTIME function, 130, 904
Advanced Encryption Standard, 904
AES_DECRYPT function, 904
AES_ENCRYPT function, 904
AFTER keyword, 758
AGAIN stored procedure, 719
AGE stored procedure, 716
aggregate functions, 136-137, 349, 872
 AVG, 336-340
 BIT_AND, 343-344
 BIT_OR, 343-344
 BIT_XOR, 343-344
 COUNT, 327-331

 MAX, 332-340
 MIN, 332-336
 overview, 324-327
 STDDEV, 342
 STDDEV_SAMP, 343
 VARIANCE, 341-342
 VAR_SAMP, 343
ALGORITHM option (CREATE VIEW statement), 639
algorithms, Fibonacci, 714
aliases. *See* pseudonyms
ALL operator, 281-289, 320
 ALL database privilege, 668
 ALL table privilege, 664
ALLOW_INVALID_DATES setting
 (SQL_MODE system variable), 82, 958
ALL_TEAMS stored procedure, 736
alphanumeric data types, 219, 504-506, 872
alphanumeric expressions, 123-125, 876
alphanumeric literals, 77-79
ALTER DATABASE statement, 655-656, 849
ALTER EVENT statement, 778-779, 849
ALTER FUNCTION statement, 752-753, 849
ALTER privilege
 databases, 667
 tables, 664
ALTER PROCEDURE statement, 740, 849
ALTER ROUTINE database privilege, 668
ALTER TABLE statement
 changing columns, 595-599
 changing integrity constraints, 599-602
 changing table structure, 593-595
 CONVERT option, 595
 creating indexes, 616
 DISABLE KEYS option, 595
 ENABLE KEYS option, 595

ORDER BY option, 595
 syntax definition, 849

ALTER USER statement, 639

ALTER VIEW statement, 850

alternate keys, 10, 544-545, 873
 in tennis club sample database, 35
 indexes, 622

American National Standards Institute (ANSI), 21

American Standard Code for Information Interchange (ASCII), 390, 562

ANALYZE TABLE statement, 684-685, 850

analyzing tables, 684-685

AND operator, 121, 231-235, 586

angle brackets (<>), 840

ANSI (American National Standards Institute), 21

ANSI_QUOTES setting (SQL_MODE system variable), 521, 958

ANY operator, 281-289

application locks, 835-837

application logic, 19

architecture
 client/server, 19
 Internet, 19-21
 monolithic, 18

arithmetic averages, calculating, 336-339

AS keyword, 178

ASC (ascending), 389

ascending order, sorting with, 389-392

ASCII (American Standard Code for Information Interchange), 390, 562

ASCII function, 905

ASIN function, 905

assigning
 character sets to columns, 564-566
 collations to columns, 566-568
 names to result columns, 92-94
 values to local variables, 712

asterisk (*), 316-317

at symbol (@), 422

ATAN function, 905

ATAN2 function, 906

ATANH function, 906

atomic values, 7

attributes (XML), 472

AUTO_INCREMENT option, 530, 511-513

AUTO_INCREMENT_INCREMENT system variable, 513, 953

AUTO_INCREMENT_OFFSET system variable, 513, 953

AUTOCOMMIT system variable, 816-817, 953

averages, calculating, 336-339

AVG function, 137, 336-340

AVG_ROW_LENGTH table option, 531

Axmark, David, 26

B

B-tree indexes, 610

backing up tables, 690-691

BACKUP TABLE statement, 690-691, 850

Backus Naur Form (BNF), 839

Backus, John, 839

base tables, 631

BEFORE keyword, 758

BEGIN WORK statement, 822, 850

BEGIN...END block, 873

BENCHMARK function, 906

BETWEEN operator, 250-252

BIGINT data type, 499

BIN function, 120, 584, 906

BINARY data type, 506

binary representation, 119

binding styles, 14

BIT_AND function, 137, 343-344

BIT_COUNT function, 906

bit data type, 504

BIT_LENGTH function, 907

bit literals, 87-88

bit operators, 119, 873
 &, 121
 ^, 121
 |, 120
 AND, 121
 OR, 120
 XOR, 121

BIT_OR function, 137, 343-344

BIT_XOR function, 137, 343-344

blob data types, 506-507, 874

BNF (Backus Naur Form) notation, 839

BOOLEAN data type, 500

Boolean expressions, 134-136, 876

Boolean literals, 87, 874

Boolean searches, 271-274

Boyce, R. F., 16

braces ({}), 841

brackets ([]), 106-107, 841

browsing, 605

buffers, 829

C

calculate subtotal, 414

calculate total, 414

call level interface (CLI), 14-15

CALL statement, 704, 719-722, 850

calling stored procedures, 704-705, 719-722

candidate keys, 10, 623

- cardinality, 623, 684
- Cartesian product of tables, 175, 187
- CASCADE option (DROP TABLE statement), 592
- CASCADE referencing action, 551
- case expressions, 101-106, 874
- CASE statement, 716, 851
- cast expression, 111-114
- casting, 113
- catalog, 60, 653-654
 - character sets, 576
 - events, 780
 - integrity constraints and, 557
 - privileges, 675
 - querying, 803-804
 - showing information in. *See* informative statements
 - tables, 60
 - advantages of, 60
 - catalog views, 61-62, 64
 - CHARACTER_SETS, 563
 - COLLATIONS, 564
 - COLUMNS, 534-537
 - COLUMNS_IN_INDEX, 627-630
 - COLUMN_CONSTRAINTS, 675
 - EVENTS, 781
 - INDEXES, 627-630
 - KEY_COLUMN_USAGE, 557
 - queries, 64-68
 - ROUTINES, 740-741
 - structure of, 61
 - TABLE_CONSTRAINTS, 557
 - TABLES, 534
 - TABLE_AUTHS, 676-677
 - TRIGGERS, 765
 - USERS, 675
 - VIEWS, 640-641
 - triggers, 765
 - views, 61-64
- CEILING function, 907
- Chamberlin, D. D., 16
- CHANGES table, 756
- changing. *See* editing
- CHAR data type, 504
- CHAR function, 907
- CHAR_LENGTH function, 908
- CHAR VARYING data type, 506
- CHARACTER data type, 506
- CHARACTER_LENGTH function, 907
- CHARACTER_SET_CLIENT system variable, 575, 954
- CHARACTER_SET_CONNECTION system variable, 575, 954
- CHARACTER_SET_DATABASE system variable, 575, 954
- CHARACTER_SET_DIR system variable, 575
- CHARACTER_SET_RESULTS system variable, 575, 954
- CHARACTER_SET_SERVER system variable, 575, 954
- CHARACTER_SET_SYSTEM system variable, 575, 955
- character sets
 - ASCII character set, 562
 - assigning to columns, 564-566
 - catalog and, 576
 - collations, 562
 - assigning character sets to, 566-568
 - coercibility, 573-574
 - expressions, 568-571
 - grouping of rows, 572-573
 - showing available collations, 563-564
 - sorting of values, 571-572
 - EBCDIC character set, 562
 - encoding schemes, 561
 - expressions, 568-571
 - overview, 219, 390, 505, 561
 - showing available character sets, 563-564
 - system variables, 574-576
 - Unicode, 562
- Character_sets_dir system variable, 955
- CHARACTER VARYING data type, 506
- CHARSET function, 571, 907
- CHECK constraint, 874
- check integrity constraints, 553-556
- CHECK TABLE statement, 687-689, 851
- checking tables, 687-689
- CHECKSUM TABLE statement, 685-686, 851
- checksums, 685-686
- clauses. *See also* keywords; statements
 - FROM (SELECT statement), 882
 - accessing tables of different databases, 185
 - column specifications in, 173
 - cross joins, 199
 - examples of joins, 179-182
 - explicit joins, 185-189
 - join conditions, 196-199
 - left outer joins, 189-193
 - natural joins, 195-196
 - overview, 171
 - pseudonyms for table names, 178-179, 183-184
 - right outer joins, 193-195
 - table specifications in, 171-178
 - table subqueries, 200-207
 - USING keyword, 199-200

- GROUP BY (SELECT statement), 349, 882
 - examples, 363-369*
 - grouping by sorting, 358-359*
 - grouping of null values, 357-358*
 - grouping on expressions, 356-357*
 - grouping on one column, 350-353*
 - grouping on two or more columns, 353-356*
 - processing, 152*
 - rules for, 359-362*
- HAVING (SELECT statement), 375-376, 883
 - column specifications, 379-380*
 - examples, 376-378*
 - grouping on zero expressions, 378-379*
 - processing, 153*
- INTO, 733, 885
- INTO FILE (SELECT statement), 461-465
- LIMIT, 886
 - HANDLER READ statement, 433*
 - SELECT statement, 395-4.6, 886*
- ORDER BY, 888
 - ALTER TABLE statement, 595, 886*
 - SELECT statement, 153, 383-392, 886*
 - UPDATE statement, 449*
- SELECT. *See* SELECT clause
- VALUES (INSERT statement), 438, 901
- WHERE (SELECT statement), 213-214, 902
 - comparison operators, 215-229*
 - conditions, 229-230*
 - logical operators, 231-235*
 - processing, 152*
- WITH GRANT OPTION (GRANT statement), 673-674
- CLI (call level interface), 14-15
- CLI95 standard, 23
- client applications, 19
- client/server architecture, 19
- CLOSE CURSOR statement, 733
- CLOSE statement, 851
- closing
 - cursors, 733
 - handlers, 435
- COALESCE function, 109, 908
- Codd, E. F., 6
- code character sets. *See* character sets
- coercibility, 573-574
- COERCIBILITY function, 574, 908
- COLLATE keyword, 569, 571
- COLLATION_CONNECTION system variable, 575, 955
- COLLATION_DATABASE system variable, 575, 955
- COLLATION function, 570, 909
- COLLATION_SERVER system variable, 575, 956
- collations, 561-562
 - assigning to columns, 566-568
 - coercibility, 573-574
 - defined, 216
 - expressions, 568-571
 - grouping of rows, 572-573
 - LIKE operator, 253
 - showing available collations, 563-564, 694
 - sorting of values, 571-572
 - system variables, 574-576
- COLUMN_AUTHS table (catalog), 64, 675
- column functions. *See* aggregate functions
- columns. *See also* aggregate functions
 - adding, 596
 - assigning character sets to, 564-566
 - changing, 595-599, 875
 - changing length of, 598
 - choosing for indexes, 622-627
 - candidate keys, 622*
 - columns included in selection criteria, 623-625*
 - columns used for sorting, 627*
 - combination of columns, 626-627*
 - foreign keys, 623*
 - data types
 - alphanumeric, 504-506*
 - AUTO_INCREMENT option, 511-513*
 - bit, 504*
 - blob, 506-507*
 - decimal, 500-501*
 - defining, 496-498*
 - float, 501-504*
 - geometric, 507*
 - integer, 499-500*
 - SERIAL DEFAULT VALUE option, 513*
 - temporal, 506*
 - UNSIGNED option, 508-509*
 - ZEROFILL option, 509-510*
 - definitions, 495, 875
 - grouping on one column, 350-353
 - grouping on two or more columns, 353-356
 - headings, 92
 - integrity constraints, 495, 554
 - names, sorting on, 383-385
 - naming, 521-522
 - NOT NULL columns, 48
 - null specifications, 495
 - options, 522-524
 - overview, 7
 - population, 7
 - privileges, 660, 664-667

- renaming, 598
- result columns, assigning names to, 92-94
- selecting all columns, 316-317
- showing column types, 694
- showing information about
 - DESCRIBE* statement, 699
 - SHOW COLUMNS* statement, 694
- specifications, 94-95, 173, 876
- subqueries, 163, 243, 289-294
- COLUMNS** catalog view, 64
- COLUMNS_IN_INDEX** table (catalog), 64, 627-630
- COLUMNS** table, 534-537
- COMMENT** characteristic (stored procedures), 740
- COMMENT** option
 - columns, 523
 - tables, 530-531
- COMMIT** statement, 818-821, 852
- COMMITTEE_MEMBERS** table, 32-34
- committing transactions, 818-821
- comparison operators
 - overview, 876
 - WHERE** clause, 215-221
 - correlated subqueries*, 227-229
 - scalar expressions*, 217
 - subqueries*, 222-227
- competition players, 29
- COMPLETION_TYPE**, 820
- complex data types, 876
- composite index, 610
- composite primary keys, 542
- compound expressions, 90, 115
 - alphanumeric expressions, 123-125, 876
 - Boolean expressions, 134-136, 876
 - date expressions, 125-129, 876
 - datetime expressions, 132-134, 877
 - numeric expressions, 116-123, 877
 - scalar expressions, 877
 - table expressions, 877
 - combining with UNION*, 410-415
 - combining with UNION ALL*, 416-417
 - overview*, 409
 - time expressions, 130-132, 877
 - timestamp expressions, 132-134, 877
- compound indexes, 610
- compound keys, 246
- compound statements, 708
- COMPRESS** function, 909
- CONCAT** function, 108, 909
- CONCAT_WS** function, 909
- concurrency, 828
- conditions**, 134, 214, 878
 - IN** operator
 - with expression lists*, 235-241
 - with subqueries*, 241-250
 - logical operators, 231-235
 - with negation, 299-302
 - without comparison operators, 229-230
 - XML expressions, 488-489
- conjoint populations**, 188
- CONNECTION_ID** function, 910
- connections
 - definition of, 44
 - multiple connections within one session, 791-793
- consistency of data, 5, 539
- constraints. *See* integrity constraints
- CONTAINS SQL** characteristic (stored procedures), 739
- CONTINUE** handler, 728
- CONV** function, 120, 910
- CONVERT** function, 910
- CONVERT** option (**ALTER TABLE** statement), 595
- CONVERT_TZ** function, 911
- Coordinated Universal Time, 949
- copying
 - rows, 442-444
 - tables, 516-520
- correctness of data, 539
- correlated subqueries, 227-229, 291, 294-299
- COS** function, 911
- COT** function, 911
- COUNT** function, 137, 327-331
- CRC32** function, 911
- CREATE DATABASE** statement, 45, 653-655, 852
- CREATE EVENT** statement, 768-776, 852
- CREATE FUNCTION** statement
 - RETURNS** specification, 745-746
 - syntax definition, 852
- CREATE INDEX** statement, 54, 614-617, 853
- CREATE** privilege
 - databases, 667
 - tables, 664
- CREATE PROCEDURE** statement, 704, 853
- CREATE ROUTINE** database privilege, 668
- CREATE TABLE** statement, 46-47
 - AUTO_INCREMENT** option, 530
 - AVG_ROW_LENGTH** option, 531
 - COMMENT** option, 530-531
 - copying tables, 516-520
 - creating new tables, 493-496
 - creating temporary tables, 514-515

- defining indexes, 617-618
 - ENGINE option, 525-530
 - IF NOT EXISTS option, 515-516
 - MAX_ROWS option, 531
 - MIN_ROWS option, 531
 - syntax definition, 853
 - CREATE TEMPORARY TABLE**
 - statement, 514-515
 - CREATE TEMPORARY TABLES** database
 - privilege, 668
 - CREATE TRIGGER** statement, 756-758
 - AFTER keyword, 758
 - BEFORE keyword, 758
 - NEW keyword, 758
 - OLD keyword, 759
 - syntax definition, 853
 - CREATE USER** privilege, 670
 - CREATE USER** statement, 44, 660-662, 854
 - CREATE VIEW** privilege, 668
 - CREATE VIEW** statement, 56, 631-635
 - ALGORITHM option, 639
 - DEFINER option, 638
 - SQL SECURITY option, 638
 - syntax definition, 854
 - WITH CASCADED CHECK OPTION, 637
 - WITH CHECK OPTION, 636-638
 - creating
 - cursors, 732
 - databases, 45, 654-655
 - integrity constraints, 539-541
 - local variables, 709-712
 - stored procedures, 704
 - tables, 46-48, 493-496
 - user variables
 - with *SELECT* statement, 423-425
 - with *SET* statement, 421-423
 - users, 660-662
 - views, 55-56, 631-635
 - cross joins, 199
 - cross-referential integrity, 601
 - CSV storage engine, 532-533
 - CURDATE function, 771, 911
 - current database, selecting, 45-46
 - CURRENT_DATE function, 912
 - CURRENT_DATE system variable, 100
 - CURRENT_TIME function, 912
 - CURRENT_TIME system variable, 100
 - CURRENT_TIMESTAMP function, 912
 - CURRENT_TIMESTAMP system
 - variable, 100
 - CURRENT_USER function, 913
 - CURRENT_USER system variable, 100
 - cursor stability isolation level, 832
 - cursors**
 - closing, 733
 - declaring, 732
 - fetching, 733
 - opening, 732
 - retrieving data with, 731-736
 - CURTIME** function, 913
- ## D
- data**
 - consistency, 5
 - independence, 5
 - integrity. *See* data integrity
 - loading
 - definition of, 461
 - LOAD* statement, 465-469
 - security. *See* data security
 - unloading
 - definition of, 461
 - INTO FILE* clause (*SELECT* statement), 461-465
 - Data Control Language (DCL)**, 60
 - Data Definition Language (DDL)**, 60, 846
 - Data Encryption Standard**, 918
 - data integrity**, 5
 - cross-referential integrity, 601
 - definition of, 539
 - integrity constraints
 - alternate keys, 544-545
 - catalog, 557
 - check integrity constraints, 553-556
 - defining, 539-541
 - definition of, 539
 - deleting, 557
 - foreign keys, 546-550
 - naming, 556-557
 - primary keys, 541-544
 - referencing actions, 550-553
 - Data Manipulation Language (DML)**, 60, 847
 - data pages**, 604-605
 - data security**, 57
 - overview, 659-660
 - passwords, changing, 663-664
 - privileges
 - database privileges, 667-670
 - passing on to other users, 673-674
 - recording in catalog, 675
 - restricting, 674
 - revoking, 6770680
 - table of, 672
 - table/column privileges, 664-667
 - user privileges, 670-672
 - views, 680-681

- users
 - creating*, 660-662
 - removing*, 662
 - renaming*, 662-663
- views, 650, 680-681
- data types**, 74, 879
 - alphanumeric, 77-79, 504-506, 872
 - AUTO_INCREMENT option, 511-513
 - bit, 87-88, 504
 - blob, 504-507, 874
 - Boolean, 87
 - complex data type, 876
 - date, 79-82
 - timestamp, 84-86
 - decimal, 77, 500-501, 880
 - defining, 496-498
 - ENUM
 - error value*, 579
 - examples*, 578-582
 - overview*, 577
 - permitted values*, 578, 581
 - sorting values*, 580-581
 - expressions, 111-114
 - float, 77, 501-504, 881
 - geometric, 507, 882
 - hexadecimal, 87
 - integer, 76, 499-500, 884
 - numeric, 887
 - options
 - AUTO_INCREMENT, 511-513
 - definition of*, 508
 - SERIAL_DEFAULT_VALUE, 513
 - UNSIGNED, 508-509
 - ZEROFILL, 509-510
 - row expressions, 139
 - SERIAL_DEFAULT_VALUE option, 513
 - SET
 - adding elements to*, 588-589
 - examples*, 582-589
 - overview*, 577
 - permitted values*, 582
 - temporal, 506, 899
 - time, 82-83
 - timestamp, 84-86
 - year, 86
- DATABASE** function, 913
- database languages, 4-6, 11
- database management system (DBMS), 4
- database privileges, 660
- database procedures. *See* stored procedures
- database servers
 - data independence, 5
 - definition of, 4
 - MySQL. *See* MySQL
- databases**
 - catalog. *See* catalog
 - changing, 655-656
 - creating, 45, 654-655
 - CSV storage engine, 532-533
 - current database, selecting, 45-46
 - data consistency, 5
 - data integrity, 5
 - database objects, 27, 57-58
 - definition of, 4
 - deleting, 58
 - dropping, 656-657
 - events
 - application areas*, 767-768
 - catalog and*, 780
 - changing*, 778-779
 - creating*, 768-776
 - event actions*, 768
 - event schedule*, 768
 - invoking*, 769
 - overview*, 767
 - privileges*, 779-780
 - properties*, 777-778
 - removing*, 779
 - indexes
 - B-tree indexes*, 610
 - on candidate keys*, 622
 - changing*, 883
 - choosing columns for*, 622-627
 - COLUMNS_IN_INDEX table (catalog), 627-630
 - on columns included in selection criteria*, 623-625
 - on columns used for sorting*, 627
 - on combination of columns*, 626-627
 - compound indexes*, 610
 - creating*, 614-617, 788-790
 - defining together with tables*, 617-618
 - definitions*, 884
 - deleting*, 58, 618-619
 - on foreign keys*, 623
 - FULLTEXT, 616
 - hash indexes*, 610
 - INDEXES table (catalog), 627-630
 - optimizing queries with*, 54-55
 - overview*, 605-610
 - PLAYERS_XXL table, 620-622
 - primary keys*, 619-620
 - SELECT statements, processing*, 610-614
 - showing*, 697
 - SPATIAL, 616
 - tree structure*, 606
 - UNIQUE, 615
 - unique indexes*, 55

- integrity constraints
 - alternate keys*, 544-545
 - catalog*, 557
 - changing*, 599-602
 - check integrity constraints*, 553-556
 - defining*, 539-541
 - definition of*, 539
 - deleting*, 557, 601
 - foreign keys*, 546-550
 - naming*, 556-557
 - primary keys*, 541-544
 - referencing actions*, 550-553
 - specifying*, 649-650
 - triggers as*, 763-764
- loading data
 - definition of*, 461
 - LOAD statement*, 465-469
- locking
 - application locks*, 835-837
 - deadlocks*, 830
 - exclusive locks*, 829
 - isolation levels*, 832-834
 - LOCK TABLE statement*, 830-831
 - named locks*, 835
 - overview*, 829-830
 - processing options*, 834-835
 - share locks*, 829
 - UNLOCK TABLE statement*, 831
 - waiting for locks*, 834
- multiuser usage, 815, 825
 - dirty/uncommitted reads*, 826
 - lost updates*, 828
 - nonrepeatable/nonreproducible reads*, 826-827
 - phantom reads*, 827
- persistence, 5
- privileges, 878
 - database privileges*, 667-670
 - passing on to other users*, 673-674
 - recording in catalog*, 675
 - restricting*, 674
 - revoking*, 677-680
 - table of*, 672
 - table/column privileges*, 664-667
 - user privileges*, 670-672
 - views*, 680-681
- querying. *See* queries
- removing, 656-657
- selecting, 787-788
- showing, 695
- single-user usage, 815
- tables. *See* tables
- tennis club sample database
 - COMMITTEE_MEMBERS table*, 32-34
 - contents*, 33-34
 - diagram*, 35
 - general description*, 29-32
 - integrity constraints*, 35-36
 - MATCHES table*, 34
 - PENALTIES table*, 34
 - PLAYERS table*, 31-33
 - TEAMS table*, 33
- transactions
 - autocommit*, 816-817
 - committing*, 818-821
 - definition of*, 815
 - isolation levels*, 832-834
 - rolling back*, 817-821
 - savepoints*, 822-824
 - starting*, 821-822
 - stored procedures*, 824-825
- triggers. *See* triggers
- unloading data
 - definition of*, 461
 - INTO FILE clause (SELECT statement)*, 461-465
- valid databases, 539
- values, 7-8
- views
 - column names*, 635-636
 - creating*, 55-56, 631-635
 - data integrity*, 650
 - deleting*, 58, 639-640
 - materialization*, 644-645
 - options*, 638-639
 - overview*, 631
 - privileges*, 680-681
 - processing*, 642-645
 - reorganizing tables with*, 647-648
 - restrictions on updates*, 641-642
 - simplifying routine statements with*, 645-647
 - specifying integrity constraints with*, 649-650
 - stepwise development of SELECT statements*, 648-649
 - substitution*, 643-644
 - updating*, 636-638, 641-642
 - VIEWS table (catalog)*, 640-641
- DATABASE_AUTHS table (catalog), 64, 676
- DATE_ADD function, 913
- date calculations, 125
- DATE data type, 506
- date expressions, 125-129, 876
- DATE_FORMAT function, 914

- DATE function, 913
- date intervals, 879
- date literals, 79-82, 879
- DATE_SUB function, 916
- Date, Chris J., 4
- DATEDIFF function, 111, 914
- timestamp literals, 84-86
- datetime expressions, 132-134, 877
- DAY function, 916
- DAYNAME function, 110, 771, 916
- DAYOFMONTH function, 917
- DAYOFWEEK function, 917
- DAYOFYEAR function, 110, 917
- DB2, 17
- DBMS (database management system), 4
- DCL (Data Control Language), 60, 847
- DDL (Data Definition Language), 60, 846
- deadlocks, 830
- DEALLOCATE PREPARE statement, 809, 854
- DEC data type, 501
- decimal data type, 500-501, 880
- decimal literals, 77, 880
- declarative languages, 12
- declarative statements, 846
- DECLARE CONDITION statement, 729, 854
- DECLARE CURSOR statement, 732, 855
- DECLARE HANDLER statement, 726, 855
- DECLARE VARIABLE statement, 855
- declaring. *See* creating
- DECODE function, 917
- default character sets, changing, 595
- DEFAULT column option, 522
- DEFAULT function, 523, 918
- DEFAULT keyword, 523
- default value, 522
- DEFAULT_WEEK_FORMAT system variable, 951, 956
- definer option
 - CREATE VIEW statement, 638
 - stored procedures, 738, 752
 - trigger, 759
- definers, 638
- defining. *See* creating
- definitions of SQL statements, 69
- degree of a row expression, 137
- degree of a table expression, 140
- DEGREES function, 918
- delayed processing, 834
- DELETE_MATCHES stored procedure, 704
- DELETE_OLDER_THAN_30 stored procedure, 734
- DELETE_PLAYER stored procedure, 725, 750
- DELETE privilege
 - databases, 667
 - tables, 664
- DELETE statement, 52-53
 - deleting rows from multiple tables, 456-457
 - deleting rows from single table, 454-456
 - IGNORE keyword, 455
 - syntax definition, 856
- deleting
 - database objects, 57-58
 - databases, 58, 656-657
 - events, 779
 - foreign keys, 601
 - indexes, 618-619
 - integrity constraints, 557, 601
 - primary keys, 601
 - rows, 52-54
 - all rows*, 458
 - from multiple tables*, 456-457
 - from single table*, 454-456
 - stored procedures, 741-742, 753
 - tables, 591-593
 - triggers, 765
 - users, 662
 - views, 639-640
- derived tables. *See* views
- DES_DECRYPT function, 918
- DES_ENCRYPT function, 918
- DESC (descending), 389
- descending order, sorting in, 389-392
- DESCRIBE statement, 699, 856
- DIFFERENCE stored procedure, 714
- dirty read isolation level, 832
- dirty reads, 826
- DISABLE KEYS option (ALTER TABLE statement), 595
- disjoint populations, 188
- DISTINCT keyword, 318-321, 361
- DISTINCTROW keyword, 323
- distribution, 341, 623
- DIV_PRECISION_INCREMENT system variable, 118
- DML (Data Manipulation Language), 60, 847
- DO statement, 428, 856
- documents (XML)
 - attributes, 472
 - changing, 489-490
 - elements, 472
 - overview, 471-473
 - querying
 - EXTRACTVALUE function, 476-483
 - with positions, 484-485
 - XPath, 486-489
 - replacing, 489

- storing, 473-475
 - tags, 472
 - DOLLARS stored function**, 747
 - DOUBLE data type**, 504
 - DOUBLE PRECISION data type**, 501, 504
 - downloading**
 - MySQL, 37
 - SQL statements, xiii, 38-39
 - DROP privilege**
 - databases, 667
 - tables, 664
 - DROP statement**, 57
 - DROP CONSTRAINT, 601
 - DROP DATABASE, 58, 656-657, 856
 - DROP EVENT, 779, 857
 - DROP FUNCTION, 753, 857
 - DROP INDEX, 58, 618-619, 857
 - DROP PRIMARY KEY, 601
 - DROP PROCEDURE, 741, 857
 - DROP TABLE, 57, 591-593, 857
 - DROP TRIGGER, 765, 857
 - DROP USER, 662, 858
 - DROP VIEW, 58, 639-640, 858
 - dropping**. *See* deleting
 - duplicate rows, removing**, 318-321
 - DUPLICATE stored procedure**, 726
 - duplicate tables, preventing**, 515-516
 - dynamic SQL**
 - DEALLOCATE PREPARE statement, 809
 - EXECUTE statement, 808-809
 - overview, 807
 - parameters, 810-811
 - placeholders, 810-811
 - PREPARE statement, 808-809
 - stored procedures, 811-813
 - user variables, 810
- E**
- EBCDIC (Extended Binary Coded Decimal Interchange Code)**, 390, 562
 - editing**
 - column names, 598
 - columns, 595-599
 - databases, 655-656
 - default character set, 595
 - events, 778-779
 - indexes, 883
 - integrity constraints, 599-602
 - passwords, 663-664
 - stored functions, 752-753
 - table names, 593
 - table structure, 593-595
 - tables, 896
 - user names, 662-663
 - XML documents, 489-490
 - elements (XML)**, 472
 - ellipses (...)**, 841
 - Elmasri, R.**, 4
 - ELT function**, 919
 - embedded SQL**, 14
 - ENABLE KEYS option (ALTER TABLE statement)**, 595
 - ENCODE function**, 919
 - encoding schemes**, 561
 - ENGINE table option**, 525-530
 - engines, showing**, 696
 - entity integrity constraint**, 543
 - entry SQL**, 22
 - ENUM data type**
 - error value, 579
 - examples, 578-582
 - overview, 577
 - permitted values, 578, 581
 - sorting values, 580-581
 - equal populations**, 188
 - equal rows, finding**, 321-323
 - ERROR-COUNT system variable**, 69
 - ERROR_FOR_DIVISION_BY_ZERO setting (SQL_MODE system variable)**, 958
 - escape symbol**, 255
 - error messages**, 68, 726-731, 790-791
 - error value (ENUM data type)**, 579
 - estimated values**, 501
 - events**
 - actions, 768
 - application areas, 767-768
 - catalog and, 780
 - changing, 778-779
 - creating, 768-776
 - event actions, 768
 - event schedule, 768
 - invoking, 769
 - overview, 767
 - privileges, 779-780
 - properties, 777-778
 - removing, 779
 - showing, 696
 - EVENTS table**, 781
 - exclusive lock**, 829
 - EXECUTE ROUTINE database privilege**, 668
 - EXECUTE statement**, 808-809, 858
 - execution time**, 603
 - existing dates**, 81
 - EXISTS operator**, 278-281
 - EXP function**, 919
 - explicit casting**, 113
 - explicit joins**, 185-189

EXPORT_SET function, 919**expressions**

- case expressions, 101-106, 874
- cast expressions, 111-114
- with character sets, 568-571
- with collations, 568-571
- compound expressions, 115
 - alphanumeric expressions, 876*
 - Boolean expressions, 876*
 - date expressions, 876*
 - datetime expressions, 877*
 - expressions, 90, 115*
 - numeric expressions, 877*
 - scalar expressions, 877*
 - table expressions, 877*
 - time expressions, 877*
 - timestamp expressions, 877*
- grouping on, 356-357
- expression lists, 235-241
- null values, 114-115
- overview, 88-91
- queries, 801-803
- row expressions, 89, 137-139, 438, 892-894
- scalar expressions, 89, 892
 - scalar expressions between brackets, 106-107*
 - singular scalar expressions, 894*
- in SELECT clause, 317-318
- singular expressions, 90
- sorting on, 385-387
- table expressions, 90, 139-140, 895-896
- XPath expressions, 488-489

Extended Binary Coded Decimal Interchange Code (EBCDIC), 390, 562**extended notation of XPath, 486-488****Extensible Markup Language. See XML documents****EXTRACT function, 920****EXTRACTVALUE function, 476-483****F****FETCH CURSOR statement, 733****FETCH statement, 858****fetching cursors, 733****Fibonacci algorithm, 714****FIBONACCI stored procedure, 714****FIBONACCI_GIVE stored procedure, 724****FIBONACCI_START stored procedure, 724****FIELD function, 920****files**

- data pages, 604-605
- input files, 461
- output files, 461

FIND_IN_SET function, 920**FireFox, 786****first integrity constraint, 543****FIXED data type, 501****float data type, 501-504, 881****float literals, 77, 881****FLOAT4 data type, 504****floating point, 77****FLOOR function, 921****flow-control statements**

- CASE, 716
- IF, 714-716
- ITERATE, 718-719
- LEAVE, 717
- list of, 848
- LOOP, 718
- overview, 712-713
- REPEAT, 717
- WHILE, 716-717

FLUSH TABLE statement, 533**FOREIGN KEY keyword, 546****Foreign_key_checks system variable, 956****foreign keys, 10, 546-550, 623, 882**

- deleting, 601
- indexes, 623
- referencing actions, 550-553
- in tennis club sample database, 35

FORMAT function, 921**founders of MySQL, 26****FOUND_ROWS function, 406, 921****FRAC_SECOND, 946****FROM clause (SELECT statement), 882**

- accessing tables of different databases, 185
- column specifications in, 173
- cross joins, 199
- examples of joins, 179-182
- explicit joins, 185-189
- join conditions, 196-199
- left outer joins, 189-193
- natural joins, 195-196
- pseudonyms for table names
 - examples, 178-179*
 - mandatory use of, 183-184*
- right outer joins, 193-195
- table specifications in, 171-178
- table subqueries, 200-207
- USING keyword, 199-200

FROM_DAYS function, 921**FROM_UNIXTIME function, 921****Ft_boolean_syntax system variable, 276, 956****Ft_max_word_len system variable, 956****Ft_min_word_len system variable, 276, 957****Ft_query_expansion_limit system variable, 276, 957**

FT_STOPWORD_FILE, 276

full SQL, 22

FULLTEXT indexes, 270, 616

functions

aggregate functions, 324-327, 872

AVG, 336-340

BIT_AND, 343-344

BIT_OR, 343-344

BIT_XOR, 343-344

COUNT, 327-331

MAX, 332-336

MIN, 332-336

STDDEV, 342

STDDEV_SAMP, 343

SUM, 336-340

table of, 136-137

VARIANCE, 341-342

VAR_SAMP, 343

MYSQL functions

MYSQL_FIELD_NAME, 803

MYSQL_AFFECTED_ROWS, 805

MYSQL_CLIENT_ENCODING, 805

MYSQL_CLOSE, 787

MYSQL_CONNECT, 787

MYSQL_DATA_SEEK, 798

MYSQL_ERROR, 790

MYSQL_FETCH_ARRAY, 797

MYSQL_FETCH_ASSOC, 794-795

MYSQL_FETCH_FIELDS, 801

MYSQL_FETCH_OBJECT, 799

MYSQL_FETCH_ROW, 797

MYSQL_FIELD_LEN, 803

MYSQL_FIELD_SEEK, 805

MYSQL_FIELD_TYPE, 803

MYSQL_FREE_RESULT, 797

MYSQL_GET_CLIENT_INFO, 805

MYSQL_GET_HOST_INFO, 805

MYSQL_GET_PROTO_INFO, 806

MYSQL_GET_SERVER_INFO, 806

MYSQL_INFO, 789

MYSQL_NUM_FIELDS, 806

MYSQL_NUM_ROWS, 797, 806

MYSQL_QUERY, 789

MYSQL_SELECT_DB, 787-788

nesting, 108

scalar functions, 107-111

ABS, 56, 903

ACOS, 903

ADDDATE, 904

ADDTIME, 130, 904

AES_DECRYPT, 904

AES_ENCRYPT, 904

ASCII, 905

ASIN, 905

ATAN, 905

ATAN2, 906

ATANH, 906

BENCHMARK, 906

BIN, 120, 906

BIT, 584

BIT_COUNT, 906

BIT_LENGTH, 907

CEILING, 907

CHAR, 907

CHARACTER_LENGTH, 907

CHARSET, 571, 907

CHAR_LENGTH, 908

COALESCE, 109, 908

COERCIBILITY, 574, 908

COLLATION, 570, 909

COMPRESS, 909

CONCAT, 108, 909

CONCAT_WS, 909

CONNECTION_ID, 910

CONV, 120, 910

CONVERT, 910

CONVERT_TZ, 911

COS, 911

COT, 911

CRC32, 911

CURDATE, 771, 911

CURRENT_DATE, 912

CURRENT_TIME, 912

CURRENT_TIMESTAMP, 912

CURRENT_USER, 913

CURTIME, 913

DATABASE, 913

DATE, 913

DATEDIFF, 111, 914

DATE_ADD, 913

DATE_FORMAT, 914

DATE_SUB, 916

DAY, 916

DAYNAME, 110, 771, 916

DAYOFMONTH, 917

DAYOFWEEK, 917

DAYOFYEAR, 110, 917

DECODE, 917

DEFAULT, 523, 918

DEGREES, 918

DES_DECRYPT, 918

DES_ENCRYPT, 918

ELT, 919

ENCODE, 919

EXP, 919

EXPORT_SET, 919

EXTRACT, 920

EXTRACTVALUE, 476-483

FIELD, 920

FIND_IN_SET, 920

FLOOR, 921
FORMAT, 921
FOUND_ROWS, 406, 921
FROM_DAYS, 921
FROM_UNIXTIME, 921
GET_FORMAT, 922
GET_LOCK, 835, 922
GREATEST, 923
GROUP_CONCAT, 362-363
HEX, 923
HOUR, 923
IF, 923
IFNULL, 924
INET_ATON, 924
INET_NTOA, 924
INSERT, 925
INSTR, 925
INTERVAL, 925
ISNULL, 926
IS_FREE_LOCK, 836, 925
IS_USED_LOCK, 836, 926
LAST_DAY, 926
LAST_INSERT_ID, 926
LCASE, 927
LEAST, 927
LEFT, 108
LENGTH, 587, 927
LN, 928
LOCALTIME, 928
LOCALTIMESTAMP, 928
LOCATE, 928
LOG, 929
LOG10, 929
LOG2, 929
LOWER, 929
LPAD, 930
LTRIM, 930
MAKEDATE, 930
MAKETIME, 930
MAKE_SET, 931
MD5, 931
MICROSECOND, 931
MID, 931
MINUTE, 932
MOD, 932
MONTH, 932
MONTHNAME, 110, 932
NOW, 771, 932
NULLIF, 933
OCT, 933
OCTET_LENGTH, 933
OLD_PASSWORD, 933
ORD, 934
PASSWORD, 934
PERIOD_ADD, 934
PERIOD_DIFF, 934
PI, 935
POSITION, 935
POW, 935
POWER, 586, 935
QUARTER, 936
QUOTE, 936
RADIANS, 936
RAND, 936
RELEASE_LOCK, 836, 937
REPEAT, 937
REPLACE, 587, 937
REVERSE, 937
RIGHT, 937
ROUND, 938
ROW_COUNT, 938
RPAD, 938
RTRIM, 938
SECOND, 939
SEC_TO_TIME, 939
SESSION_USER, 939
SHA, 939
SHA1, 939
SIGN, 940
SIN, 940
SOUNDEX, 940
SPACE, 941
SQRT, 941
STRCMP, 941
STR_TO_DATE, 941
SUBDATE, 942
SUBSTR, 258
SUBSTRING, 942
SUBSTRING_INDEX, 943
SUBTIME, 942
SYSDATE, 943
SYSTEM_USER, 943
TAN, 944
TIME, 944
TIMEDIFF, 944
TIMESTAMP, 772, 945
TIMESTAMPADD, 946
TIME_FORMAT, 944
TIME_TO_SEC, 946
TO_DAYS, 947
TRIM, 947
TRUNCATE, 947
UCASE, 107, 948
UNCOMPRESS, 948
UNCOMPRESS_LENGTH, 948
UNHEX, 948
UNIX_TIMESTAMP, 949
UPPER, 948
USER, 949
UTC_DATE, 949

- UTC_TIME, 949
 - UTC_TIMESTAMP, 949
 - UUID, 950
 - VERSION, 950
 - WEEK, 950
 - WEEKDAY, 951
 - WEEKOFYEAR, 951
 - YEAR, 108, 952
 - YEARWEEK, 952
 - showing status of, 696
 - stored functions, 895
 - compared to stored procedures, 745
 - creating, 745-746
 - DELETE_PLAYER, 750
 - DOLLARS, 747
 - examples, 746-752
 - GET_NUMBER_OF_PLAYERS, 750
 - modifying, 752-753
 - NUMBER_OF_DAYS, 749
 - NUMBER_OF_PENALTIES, 748
 - NUMBER_OF_PLAYERS, 747
 - OVERLAP_BETWEEN_PERIODS, 751
 - POSITION_IN_SET, 749
 - removing, 753
 - UPDATEXML, 489-490
- G**
- generate sequence numbers, 511
 - generate unique numbers, 511
 - geometric data types, 507, 882
 - GET_FORMAT function, 922
 - GET_LOCK function, 835, 922
 - GET_NUMBER_OF_PLAYERS stored function, 750
 - GIVE_ADDRESS stored procedure, 723
 - global system variables, 98
 - GPL (GNU General Public License), 25
 - GRANT option, 882
 - GRANT statement, 44, 57, 660, 742-743
 - granting database privileges, 668-669
 - granting table/column privileges, 665
 - granting user privileges, 671
 - syntax definition, 858
 - WITH GRANT OPTION clause, 673-674
 - granting privileges, 44
 - database privileges, 667-670
 - passing on to other users, 673-674
 - restrictions, 674
 - showing grants, 696
 - table of, 672
 - table/column privileges, 664-667
 - user privileges, 670-672
 - GREATEST function, 923
 - Greenwich Mean Time, 949
 - Gregorian calendar, 79, 125, 132
 - GROUP BY clause (SELECT statement), 349, 882
 - examples, 363-369
 - grouping by sorting, 358-359
 - grouping of null values, 357-358
 - grouping on expressions, 356-357
 - grouping on one column, 350-353
 - grouping on two or more columns, 353-356
 - processing, 152
 - rules for, 359-362
 - GROUP_CONCAT function, 137, 362-363
 - group functions. *See* aggregate functions
 - grouping
 - collations, 572-573
 - expressions, 356-357
 - null values, 357-358
 - on one column, 350-353
 - on two or more columns, 353-356
 - on zero expressions, 378-379
 - with sorting, 358-359
 - with WITH ROLLUP, 369-371
- H**
- HANDLER statement
 - example, 429-430
 - HANDLER CLOSE, 435, 859
 - HANDLER OPEN, 430-431, 859
 - HANDLER READ, 431-435, 859
 - overview, 429
 - handlers, 727
 - browsing rows of, 431-435
 - closing, 435
 - declaring, 430
 - opening, 430-431
 - hash indexes, 610
 - HAVING clause (SELECT statement), 375-376, 883
 - column specifications, 379-380
 - examples, 376-378
 - grouping on zero expressions, 378-379
 - processing, 153
 - HEAP storage engine, 527
 - HELP statement, 699-700, 860
 - Het SQL Leerboek*, xiv
 - HEX function, 923
 - hexadecimal characters, 883
 - hexadecimal literals, 87, 883
 - HIGH_NOT_PRECEDENCE setting (SQL_MODE system variable), 958
 - HIGH_PRIORITY option (SELECT clause), 323
 - high priority processing, 834

- history
 - of MySQL, 26-27
 - of SQL, 16-18
 - horizontal comparisons, 322
 - horizontal subsets, 315
 - host, 661
 - HOUR function, 923
 - Hughes Technologies, 26
- I**
- IBM, 6, 16
 - IF function, 923
 - IF NOT EXISTS option (CREATE TABLE statement), 515-516
 - IF statement, 714-716, 860
 - IFNULL function, 924
 - IGNORE keyword, 441, 519
 - DELETE statement, 455
 - UPDATE statement, 449
 - IGNORE_SPACE setting (SQL_MODE system variable), 958
 - implicit casting, 113
 - IN BOOLEAN MODE, 271
 - IN operator
 - with expressions list, 235-241
 - with subqueries, 241-250
 - inconsistent reads, 826-827
 - INDEX privilege
 - databases, 667
 - tables, 664
 - indexed access method, 606
 - indexes
 - B-tree indexes, 610
 - on candidate keys, 622
 - changing, 883
 - choosing columns for, 622-627
 - candidate keys*, 622
 - columns included in selection criteria*, 623-625
 - columns used for sorting*, 627
 - combination of columns*, 626-627
 - foreign keys*, 623
 - COLUMNS_IN_INDEX table (catalog), 627-630
 - on columns included in selection criteria, 623-625
 - on columns used for sorting, 627
 - on combination of columns, 626-627
 - compound indexes, 610
 - creating, 614-617, 788-790
 - defining together with tables, 617-618
 - definitions, 884
 - deleting, 58, 618-619
 - on foreign keys, 623
 - FULLTEXT, 616
 - hash indexes, 610
 - INDEXES table (catalog), 627-630
 - optimizing queries with, 54-55
 - overview, 605-610
 - PLAYERS XXL table, 620-622
 - primary keys, 619-620
 - SELECT statements, processing, 610-614
 - showing, 697
 - SPATIAL, 616
 - tree structure, 606
 - UNIQUE, 615
 - unique indexes, 55
 - INDEXES table (catalog) 64, 627-630
 - INET_ATON function, 924
 - INET_NTOA function, 924
 - information-bearing names, 521
 - INFORMATION_SCHEMA catalog. *See* catalogs
 - informative statements, 693
 - DESCRIBE, 699
 - HELP, 699-700
 - list of, 848
 - SHOW CHARACTER SET, 693
 - SHOW COLLATION, 694
 - SHOW COLUMN TYPES, 694
 - SHOW COLUMNS, 694
 - SHOW CREATE DATABASE, 694
 - SHOW CREATE EVENT, 694
 - SHOW CREATE FUNCTION, 695
 - SHOW CREATE PROCEDURE, 695
 - SHOW CREATE TABLE, 695
 - SHOW CREATE VIEW, 695
 - SHOW DATABASES, 695
 - SHOW ENGINE, 696
 - SHOW ENGINES, 696
 - SHOW EVENTS, 696
 - SHOW FUNCTION STATUS, 696
 - SHOW GRANTS, 696
 - SHOW INDEX, 697
 - SHOW PRIVILEGES, 697
 - SHOW PROCEDURE STATUS, 697
 - SHOW TABLE TYPES, 697
 - SHOW TABLES, 697
 - SHOW TRIGGERS, 698
 - SHOW VARIABLES, 698
 - initializing user variables, 96
 - inner select. *See* subqueries
 - InnoDB storage engine, 526
 - INNODB_LOCK_WAIT_TIMEOUT, 834
 - input files, 461
 - input parameters (stored procedures), 706
 - INSERT function, 925
 - INSERT_METHOD table option, 529

- INSERT privilege
 - databases, 667
 - tables, 664
 - INSERT statement, 48, 860
 - DEFAULT keyword, 523
 - IGNORE keyword, 441
 - inserting rows, 437-442
 - ON DUPLICATE KEY specification, 441
 - populating tables with rows from another table, 442-444
 - inserting
 - columns, 596
 - rows, 437-442
 - installing
 - MySQL, 38
 - query tools, 38
 - INSTR function, 925
 - INT data type, 499
 - INT1 data type, 499
 - INT2 data type, 499
 - INT3 data type, 499
 - INT4 data type, 499
 - INT8 data type, 499
 - integer data type, 499-500, 884
 - integer literals, 76, 884
 - integrity constraints, 6-8, 539
 - alternate keys, 544-545
 - catalog, 557
 - changing, 599-602
 - check integrity constraints, 553-556
 - defining, 539-541
 - definition of, 539
 - deleting, 557
 - foreign keys, 546-550
 - naming, 556-557
 - primary keys, 541-544
 - referencing actions, 550-553
 - specifying, 649-650
 - in tennis club sample database, 35-36
 - triggers as, 763-764
 - integrity of data. *See* data integrity
 - interactive SQL, 12
 - intermediate result, 150
 - intermediate SQL, 22
 - International Standardization Organization (ISO), 21
 - Internet architecture, 19-21
 - Internet Explorer, 786
 - interoperability, 24
 - INTERVAL function, 925
 - INTERVAL keyword, 126
 - intervals, 125
 - date intervals, 879
 - interval units, 126
 - length, 126
 - time intervals, 899
 - timestamp intervals, 899
 - INTO clause, 723, 885
 - FETCH CURSOR statement, 733
 - SELECT statement, 722-725
 - INTO FILE clause (SELECT statement), 461-465
 - Introduction to SQL*, xiv
 - invoking events, 769
 - IS_FREE_LOCK function, 836, 925
 - IS_USED_LOCK function, 836, 926
 - ISAM storage engine, 526
 - ISNULL function, 926
 - ISO (International Standardization Organization), 21
 - isolation levels, 832-834
 - ITERATE statement, 718-719, 860
- ## J-K
- joins, 885
 - accessing tables of different databases, 185
 - columns, 180
 - conditions, 180, 196-199
 - cross joins, 199
 - examples, 179-182
 - explicit joins, 185-189
 - left outer joins, 189-193
 - natural joins, 195-196
 - non-equi joins, 368
 - right outer joins, 193-195
 - USING keyword, 199-200
 - keys
 - alternate keys, 10, 35, 544-545, 873
 - candidate, 10
 - compound keys, 246
 - foreign keys, 10, 546-550, 882
 - deleting*, 601
 - in tennis club sample database*, 35
 - indexes, 622
 - primary keys, 9, 495, 541-544, 890
 - deleting*, 601
 - indexes*, 619-620
 - in tennis club sample database*, 35
 - referencing actions, 550-553
 - keywords. *See also* clauses; statements
 - AFTER, 758
 - ALL, 320
 - AS, 178
 - AUTO_INCREMENT, 530
 - BEFORE, 758
 - CASCADE, 592
 - COLLATE, 569, 571

- COMMENT, 530-531
 - CONVERT, 595
 - DEFAULT, 523
 - DISABLE KEYS, 595
 - DISTINCT, 318-321
 - DISTINCTROW, 323
 - ENABLE KEYS, 595
 - ENGINE, 525-530
 - FOREIGN KEY, 546
 - GRANT, 882
 - HIGH_PRIORITY, 323
 - IGNORE, 441, 519
 - DELETE statement, 455*
 - UPDATE statement, 449*
 - INTERVAL, 126
 - INTO, 722-725
 - list of, 843-845
 - NEW, 758
 - OLD, 759
 - PRIMARY KEY, 541
 - REFERENCES, 891
 - REPLACE, 519
 - RESTRICT, 592
 - RETURNS, 745-746
 - SQL_BIG_RESULT, 324
 - SQL_BUFFER_RESULT, 324
 - SQL_CACHE, 324
 - SQL_CALC_FOUND_ROWS, 324
 - SQL_NO_CACHE, 324
 - SQL_SMALL_RESULT, 324
 - TEMPTABLE, 645
 - UNIQUE, 495, 544
 - USING, 199-200
- L**
- labels, 709
 - LANGUAGE SQL characteristic (stored procedures), 738
 - LARGEST stored procedure, 715
 - Larsson, Allan, 26
 - LAST_DAY function, 926
 - LAST_INSERT_ID function, 926
 - LCASE function, 927
 - leaf pages, 606
 - league numbers, 30
 - LEAST function, 927
 - LEAVE statement, 717, 860
 - LEFT function, 108
 - left outer joins, 189-193
 - length
 - of alphanumeric data type, 505
 - of columns, 598
 - of float data type, 501
 - LENGTH function, 587, 927
 - levels of SQL92 standard, 22
 - life span of user variables, 426-427
 - LIKE operator, 252-255
 - LIMIT clause, 886
 - HANDLER READ statement, 433
 - SELECT statement, 395-398
 - getting top values, 398-401*
 - offsets, 404-405*
 - SQL_CALC_FOUND_ROWS, 405-406*
 - subqueries, 402-404*
 - literals, 74-76, 886
 - alphanumeric literals, 77-79
 - bit literals, 87-88
 - Boolean literals, 87, 874
 - date literals, 79-82, 879
 - timestamp literals, 84-86
 - decimal literals, 77, 880
 - float literals, 77, 881
 - hexadecimal literals, 87, 883
 - integer literals, 76, 884
 - numeric literals, 887
 - temporal literals, 899
 - time literals, 82-83, 899
 - timestamp literals, 84-86, 900
 - year literals, 86
 - live checksums, 685
 - LN function, 928
 - LOAD statement, 465-469, 861
 - loading data
 - definition of, 461
 - LOAD statement, 465-469
 - local variables
 - assigning values to, 712
 - declaring, 709-712
 - LOCALTIME function, 928
 - LOCALTIMESTAMP function, 928
 - LOCATE function, 928
 - LOCK TABLE statement, 830-831, 861
 - LOCK TABLES privilege, 668
 - locking
 - application locks, 835-837
 - deadlocks, 830
 - exclusive locks, 829
 - isolation levels, 832, 834
 - LOCK TABLE statement, 830-831
 - named locks, 835
 - overview, 829-830
 - processing options, 834-835
 - share locks, 829
 - UNLOCK TABLE statement, 831
 - waiting for locks, 834
 - LOG function, 929
 - LOG2 function, 929
 - LOG10 function, 929

logging onto MySQL, 41-42, 786-787
 logical operators
 conditions, 231-235
 truth table for, 231
 LONG VARBINARY data type, 506
 LONG VARCHAR data type, 504
 LONGTEXT data type, 504
 LOOP statement, 718, 861
 lost updates, 828
 low priority processing, 834
 LOWER function, 929
 LOW_PRIORITY option (LOAD statement), 469
 LPAD function, 930
 LTRIM function, 930

M

MAKE_SET function, 931
 MAKEDATE function, 930
 MAKETIME function, 930
 masks, 253
 MATCH operator, 264-267, 276
 Boolean search, 271-274
 fulltext index, 270
 natural language search, 267-269
 natural language search with query expansion, 275
 relevance value, 269-270
 search styles, 265
 system variables, 275
 MATCHES table, 34
 materialization of views, 644-645
 mathematical operators, 116, 886
 MAX function, 137, 332-336
 MAX_ROWS table option, 531
 MD5 function, 931
 measure of distribution, 342
 MEDIUMBLOB data type, 507
 MEDIUMINT data type, 499
 MEDIUMTEXT data type, 506
 MEMORY storage engine, 527, 610
 MERGE storage engine, 528
 Message-Digest Algorithm, 931
 metasymbols, 840-842
 MICROSECOND function, 931
 MID function, 931
 MIDDLEINT data type, 499
 MIN function, 137, 332-336
 MIN_ROWS table option, 531
 Mini SQL, 26
 minimality rule, 543
 MINUTE function, 932
 MOD function, 932
 MODIFIES SQL DATA characteristic (stored procedures), 739
 modifying. *See* editing
 monolithic architecture, 18
 MONTH function, 932
 MONTHNAME function, 110, 932
 mSQL, 26
 multiple connections within one session, 791-793
 multiple tables
 deleting rows from, 456-457
 updating values in, 450-452
 multiplication of tables, 175
 multiuser usage, 815, 825. *See also* locking
 dirty/uncommitted reads, 826
 lost updates, 828
 nonrepeatable/nonreproducible reads, 826-827
 phantom reads, 827
 MY.INI file, 99
 MyISAM storage engine, 527
 MySQL
 connections, 44
 databases. *See* databases
 downloading, 37
 errors/warnings, 68, 726
 event scheduler, 769
 functions
 MYSQL_AFFECTED_ROWS, 805
 MYSQL_CLIENT_ENCODING, 805
 MYSQL_CLOSE, 787
 MYSQL_CONNECT, 787
 MYSQL_DATA_SEEK, 798
 MYSQL_ERROR, 790
 MYSQL_FETCH_ARRAY, 797
 MYSQL_FETCH_ASSOC, 794-795
 MYSQL_FETCH_FIELDS, 801
 MYSQL_FETCH_OBJECT, 799
 MYSQL_FETCH_ROW, 797
 MYSQL_FIELD_LEN, 803
 MYSQL_FIELD_NAME, 803
 MYSQL_FIELD_SEEK, 805
 MYSQL_FIELD_TYPE, 803
 MYSQL_FREE_RESULT, 797
 MYSQL_GET_CLIENT_INFO, 805
 MYSQL_GET_HOST_INFO, 805
 MYSQL_GET_PROTO_INFO, 806
 MYSQL_GET_SERVER_INFO, 806
 MYSQL_INFO, 789
 MYSQL_NUM_FIELDS, 806
 MYSQL_NUM_ROWS, 797, 806
 MYSQL_QUERY, 789
 MYSQL_SELECT_DB, 787-788

- history of, 26-27
 - installation, 38
 - logging on, 41-42, 786-787
 - Query Browser, 13
 - SQL users
 - creating*, 44
 - and data security*, 57
 - privileges*, 44
 - system variables
 - ERROR_COUNT*, 69
 - overview*, 58
 - SQL_MODE*, 59
 - VERSION*, 58
 - WARNING_COUNT*, 69
 - version 5.0.18, xi
 - website, 37
 - MYSQL_AFFECTED_ROWS** function, 805
 - MYSQL_CLIENT_ENCODING** function, 805
 - MYSQL_CLOSE** function, 787
 - MYSQL_CONNECT** function, 787
 - MYSQL_DATA_SEEK** function, 798
 - MYSQL_ERROR** function, 790
 - MYSQL_FETCH_ARRAY** function, 797
 - MYSQL_FETCH_ASSOC** function, 794-795
 - MYSQL_FETCH_FIELDS** function, 801
 - MYSQL_FETCH_OBJECT** function, 799
 - MYSQL_FETCH_ROW** function, 797
 - MYSQL_FIELD_LEN** function, 803
 - MYSQL_FIELD_NAME** function, 803
 - MYSQL_FIELD_SEEK** function, 805
 - MYSQL_FIELD_TYPE** function, 803
 - MYSQL_FREE_RESULT** function, 797
 - MYSQL_GET_CLIENT_INFO** function, 805
 - MYSQL_GET_HOST_INFO** function, 805
 - MYSQL_GET_PROTO_INFO** function, 806
 - MYSQL_GET_SERVER_INFO** function, 806
 - MYSQL_INFO** function, 789
 - MYSQL_NUM_FIELDS** function, 806
 - MYSQL_NUM_ROWS** function, 797, 806
 - MYSQL_QUERY** function, 789
 - MYSQL_SELECT_DB** function, 787-788
- N**
- named locks, 835, 922
 - names
 - assigning to result columns, 92-94
 - column names, 521-522, 635-636
 - integrity constraints, 556-557
 - pseudonyms for table names
 - examples*, 178-179
 - mandatory use of*, 183-184
 - tables, 521-522
 - user names, 41
 - NATIONAL CHAR** data type, 506
 - NATIONAL CHAR VARYING** data type, 506
 - NATIONAL CHARACTER** data type, 506
 - NATIONAL CHARACTER VARYING** data type, 506
 - NATIONAL VARCHAR** data type, 506
 - natural joins, 195-196
 - natural language searches, 267-269, 275
 - Naur, Peter, 839
 - Navicat, 13
 - NCHAR** data type, 506
 - negation, conditions with, 299-302
 - nesting
 - functions, 108
 - subqueries, 161-162
 - NEW** keyword, 758
 - NEW_TEAM** stored procedure, 825
 - NO ACTION** referencing action, 551, 553
 - NO_AUTO_CREATE_USER** setting (SQL_MODE), 958
 - NO_AUTO_VALUE_ON_ZERO** setting (SQL_MODE), 958
 - NO_BACKSLASH_ESCAPES** setting (SQL_MODE), 958
 - NO_DIR_IN_CREATE** setting (SQL_MODE), 958
 - NO_ENGINE_SUBSTITUTION** setting (SQL_MODE), 958
 - NO_FIELD_OPTIONS** setting (SQL_MODE), 959
 - NO_KEY_OPTIONS** setting (SQL_MODE), 959
 - NO SQL** characteristic (stored procedures), 739
 - NO_TABLE_OPTIONS** setting (SQL_MODE), 959
 - NO_UNSIGNED_SUBTRACTION** setting (SQL_MODE), 959
 - NO_ZERO_DATE** setting (SQL_MODE), 81, 959
 - NO_ZERO_IN_DATE** setting (SQL_MODE), 81, 959
 - nodes in trees, 606
 - non-equi joins, 368
 - non-terminal symbols, 839
 - nonprocedural languages, 12
 - nonrepeatable reads, 826-827
 - nonreproducible reads, 826-827
 - NOT** conditions, 231-235
 - NOT FOUND** handler, 728
 - NOT NULL** integrity constraint, 48, 539
 - NOW** function, 771, 932
 - NULL** operator, 276-278
 - null specifications, 495, 887
 - null values, 8, 495

- as expressions, 114-115
 - grouping, 357-358
 - PHP, 800-801
 - set operators and, 417
 - sorting, 392-393
- NULLIF** function, 933
- NUMBER_OF_DAYS** stored function, 749
- NUMBER_OF_PENALTIES** stored function, 748
- NUMBER_OF_PLAYERS** stored function, 747
- NUMBER_PENALTIES** stored procedure, 735
- NUMBERS_OF_ROWS** stored procedure, 737
- numeric data types, 501, 887
- numeric expressions, 116-123, 877
- numeric literals, 887
 - alphanumeric literals, 77-79
 - decimal literals, 77
 - float literals, 77
 - integer literals, 76
- O**
- Object Query Language, 24
- objects (database), 27, 57-58
- OCT** function, 933
- OCTET_LENGTH** function, 933
- ODBC**, 24
- ODMG** (Object Database Management Group), 24
- offsets, 404-405
- OLB-98** standard, 23
- OLD** keyword, 759
- OLD_PASSWORD** function, 933
- ON COMPLETION** property (events), 777
- ON DELETE RESTRICT** referencing action, 551
- ON DUPLICATE KEY** specification, 441
- ON UPDATE RESTRICT** referencing action, 551
- ONLY_FULL_GROUP_BY** setting (SQL_MODE system variable), 959
- OPEN CURSOR** statement, 732
- Open DataBase Connectivity, 24
- The Open Group, 24
- open source software, 25
- OPEN** statement, 862
- opening
 - cursors, 732
 - handlers, 430-431
- Opera, 786
- operators, 122
 - ALL**, 281-289
 - AND**, 586
 - ANY**, 281-289
 - BETWEEN**, 250-252
 - bit operators, 119, 873
 - comparison, 876
 - EXISTS**, 278-281
 - IN** operator
 - with expressions list, 235-241
 - with subqueries, 241-250
 - LIKE**, 252-255
 - logical operators
 - conditions, 231-235
 - truth table for, 231
 - MATCH**, 264-267, 276
 - Boolean search, 271-274
 - fulltext index, 270
 - natural language search, 267-269
 - natural language search with query expansion, 275
 - relevance value, 269-270
 - system variables, 275
 - mathematical operators, 116, 886
 - NULL**, 276-278
 - REGEXP**, 255-264
 - RLIKE**, 256
 - set, 157
 - SOME**, 281
 - UNION**, 157
 - combining table expressions with, 410-413
 - null values, 417
 - rules for use, 413-415
 - UNION ALL**, 416-417
- OPTIMIZE** statement, 862
- OPTIMIZE TABLE** statement, 686-687
- optimized strategy, 610
- optimizer, 611
- optimizing
 - queries, 611
 - tables, 686-687
- option file, 99
- OQL**, 24
- OR** operator, 120, 231-235
- Oracle, 18
- ORD** function, 934
- ORDER BY** clause, 888
 - ALTER TABLE** statement, 595
 - SELECT** statement, 383
 - processing, 153
 - sorting, 383-393
 - UPDATE** statement, 449
- order of clauses, 148

outer joins

- left outer joins, 189-193
- overview, 189
- right outer joins, 193-195

output files, 461**output parameters (stored procedures), 706****OVERLAP_BETWEEN_PERIODS stored function, 751****P****pages, 604-605****parameters**

- parameter specifications, 888
- of a scalar function, 107
- of stored procedures, 706-707

passing privileges, 673-674**PASSWORD function, 934****passwords**

- changing, 663-664
- MySQL, 41

patterns, 253**PENALTIES table, 34****PERIOD_ADD function, 934****PERIOD_DIFF function, 934****permanent tables, 514****persistence, 5****Persistent Stored Modules, 23****phantom reads, 827****PHP programs**

- catalog queries, 803-804
- data queries about expressions, 801-803
- database selection, 787-788
- error message retrieval, 790-791
- index creation, 788-790
- multiple connections within one session, 791-793
- MySQL logon, 786-787
- overview, 785
- SELECT statement with multiple rows, 796-799
- SELECT statement with null values, 800-801
- SELECT statement with one row, 794-795
- SQL statements with parameters, 793-794

phpMyAdmin, 13**PI function, 935****pipe character (|), 840****PIPES_AS_CONCAT setting (SQL_MODE****system variable), 123, 959****placeholders, 810-811****PLAYERS table, 31-33****PLAYERS_XXL table, 620-622****populating tables, 48-49, 442-444****population**

- of a column, 7
- standard deviation, 341
- variance, 341

POSITION function, 935**POSITION_IN_SET stored function, 749****POW function, 935****POWER function, 586, 935****precision, 77, 500****predicates, 6, 214, 889-890****PREPARE statement, 808-809, 862****prepared SQL statements. *See also* dynamic SQL**

- DEALLOCATE PREPARE, 809
- EXECUTE, 808-809
- overview, 807
- parameters, 810-811
- placeholders, 810-811
- PREPARE, 808-809
- stored procedures, 811-813
- user variables, 810

preprogrammed SQL, 14**prerequisite knowledge, xiv****PRIMARY KEY keywords, 495, 541****primary keys, 9, 495, 541-544, 890****deleting, 601****indexes, 619-622****in tennis club sample database, 35****priorities when calculating, 117****privileges, 57, 878, 900**

- definition of, 43
- events, 779-780
- granting, 44
- showing, 697
- tables, 897

procedural languages, 12**procedural statements, 60**

- CASE, 716
- IF, 714-716
- ITERATE, 718-719
- LEAVE, 717
- list of, 848
- LOOP, 718
- overview, 712-713
- REPEAT, 717
- WHILE, 716-717

procedures, stored. *See* stored procedures**processing**

- SELECT statement, 150-156
- stored procedures, 705-706
- views, 642-645
 - materialization, 644-645*
 - substitution, 643-644*

processing options, 610, 834-835

production rules, 839
 proleptic, 125
 properties of events, 777-778
 pseudonyms, 92, 161
 examples, 178-179
 mandatory use of, 183-184
 PSM-96 standard, 23

Q

qualification

of columns, 95, 173
 of tables, 173

QUARTER function, 936

QUEL, 6

queries

catalog tables, 64-68, 803-804
 correlated subqueries, 294-299
 expressions, 801-803
 indexes, 54-55
 optimization, 611
 Query Browser, 13
 query cache, 324
 query expansion, 275
 query tools, 38
 SELECT statement
 examples, 49-52, 148-149
 GROUP BY clause, 152
 HAVING clause, 153
 ORDER BY clause, 153
 processing, 150-156
 select blocks, 146-147
 SELECT clause, 153-155
 SELECT INTO, 722-725
 structure of, 145-149
 subqueries, 160-165
 table expressions, 145-147, 156-160
 WHERE clause, 152
 subqueries
 scalar subqueries, 136-137
 table subqueries, 200-207
 XML documents
 EXTRACTVALUE function, 476-483
 with positions, 484-485
 XPath, 486-489

Query Browser, 13

quotation marks ("), 842

QUOTE function, 936

R

RADIANS function, 936

RAND function, 936

ranges of integer data type, 499

read committed isolation level, 832

READ LOCAL lock type, 831

READ lock type, 831

read locks, 829-831

read uncommitted isolation level, 832

reading data

dirty/uncommitted reads, 826
 handlers, 431-435
 nonrepeatable/nonreproducible
 reads, 826-827
 phantom reads, 827

READS SQL DATA characteristic (stored
 procedures), 739

REAL_AS_FLOAT setting (SQL_MODE
 system variable), 959

REAL data type, 504

recreational players, 29

recurring schedules, 772, 891

recursive call of stored procedures, 720

referenced tables, 547

REFERENCES keyword, 891

databases, 667
 tables, 664

referencing actions, 550-553

referencing specifications, 891

referencing tables, 547

referential integrity constraints, 546

referential keys. *See* foreign keys

REGEXP operator, 255-264

relational database languages, 5-6, 11

relational model, 6

relations. *See* tables

RELEASE_LOCK function, 836, 937

relevance value (MATCH operator), 269-270

remote database servers, 19

removing

application locks, 837
 databases, 656-657
 duplicate rows from results, 318-321
 events, 779
 indexes, 618-619
 stored functions, 753
 stored procedures, 741-742
 triggers, 765
 users, 662
 views, 639-640

RENAME TABLE statement, 593, 862

RENAME USER statement, 662-663, 862

renaming

columns, 598
 tables, 593
 users, 662-663

reorganizing

indexes, 610
 tables, 647-648

REPAIR TABLE statement, 689-690, 863
 repairing tables, 689-690
REPEAT function, 937
REPEAT statement, 717, 863
 repeatable read isolation level, 832
REPLACE function, 587, 937
REPLACE statement, 452-454, 519, 863
 replacing XML documents, 489
 reserved words. *See* clauses; keywords; statements
RESTORE TABLE statement, 691, 863
 restoring tables, 691
RESTRICT option (DROP TABLE statement), 592
RESTRICT referencing action, 551
 restricting privileges, 674
 results

- assigning names to columns, 92-94
- removing duplicate rows from, 318-321

 retrieving

- data with cursor, 731-734, 736
- error messages, 790-791

RETURN statement, 863
RETURNS specification (CREATE FUNCTION statement), 745-746
REVERSE function, 937
REVOKE statement, 677-680, 864
 revoking privileges, 677-680
RIGHT function, 937
 right outer joins, 193-195
RLIKE operator, 256
ROLLBACK statement, 817-823, 864
 rolling back transactions, 817-821
 root users, 41
 roots of trees, 606
ROUND function, 938
ROUTINES catalog table, 740-741
 row expressions, 89, 137-139, 438, 892

- singular row expressions, 894
- singular scalar expressions, 894
- singular table expressions, 895

ROW_COUNT function, 938
 rows

- copying between tables, 442-444
- deleting, 52-54
 - all rows*, 458
 - from multiple tables*, 456-457
 - from single table*, 454-456
- determining when rows are equal, 321-323
- identification, 605
- inserting into tables, 437-442
- overview, 7
- removing duplicate rows from
 - results, 318-321

- row expressions, 438, 892
- row identification, 605
- storing in files, 604-605
- subqueries, 163
- substituting, 452-454
- updating, 52-54
- updating values, 444-450
- values, 89

RPAD function, 938

RTRIM function, 938

S

sample database. *See* tennis club sample database

SAVEPOINT statement, 822-824, 864

savepoints, 822-824

scalar expressions, 89, 892

- between brackets, 106-107

- compound, 877

- alphanumeric expressions*, 123-125

- Boolean expressions*, 134-136

- date expressions*, 125-129

- datetime expressions*, 132-134

- numeric expressions*, 116-123

- time expressions*, 130-132

- timestamp expressions*, 132-134

- WHERE clause, 217

scalar functions, 107-111

- ABS, 56, 903

- ACOS, 903

- ADDDATE, 904

- ADDTIME, 130, 904

- AES_DECRYPT, 904

- AES_ENCRYPT, 904

- ASCII, 905

- ASIN, 905

- ATAN, 905

- ATAN2, 906

- ATANH, 906

- BENCHMARK, 906

- BIN, 120, 906

- BIT, 584

- BIT_COUNT, 906

- BIT_LENGTH, 907

- CEILING, 907

- CHAR, 907

- CHARACTER_LENGTH, 907

- CHARSET, 571, 907

- CHAR_LENGTH, 908

- COALESCE, 109, 908

- COERCIBILITY, 574, 908

- COLLATION, 570, 909

- COMPRESS, 909

- CONCAT, 108, 909

CONCAT_WS, 909
CONNECTION_ID, 910
CONV, 120, 910
CONVERT, 910
CONVERT_TZ, 911
COS, 911
COT, 911
CRC32, 911
CURDATE, 771, 911
CURRENT_DATE, 912
CURRENT_TIME, 912
CURRENT_TIMESTAMP, 912
CURRENT_USER, 913
CURTIME, 913
DATABASE, 913
DATE, 913
DATEDIFF, 111, 914
DATE_ADD, 913
DATE_FORMAT, 914
DATE_SUB, 916
DAY, 916
DAYNAME, 110, 771, 916
DAYOFMONTH, 917
DAYOFWEEK, 917
DAYOFYEAR, 110, 917
DECODE, 917
DEFAULT, 523, 918
DEGREES, 918
DES_DECRYPT, 918
DES_ENCRYPT, 918
ELT, 919
ENCODE, 919
EXP, 919
EXPORT_SET, 919
EXTRACT, 920
EXTRACTVALUE, 476-483
FIELD, 920
FIND_IN_SET, 920
FLOOR, 921
FORMAT, 921
FOUND_ROWS, 406, 921
FROM_DAYS, 921
FROM_UNIXTIME, 921
GET_FORMAT, 922
GET_LOCK, 835, 922
GREATEST, 923
GROUP_CONCAT, 362-363
HEX, 923
HOUR, 923
IF, 923
IFNULL, 924
INET_ATON, 924
INET_NTOA, 924
INSERT, 925
INSTR, 925
INTERVAL, 925
ISNULL, 926
IS_FREE_LOCK, 836, 925
IS_USED_LOCK, 836, 926
LAST_DAY, 926
LAST_INSERT_ID, 926
LCASE, 927
LEAST, 927
LEFT, 108
LENGTH, 587, 927
LN, 928
LOCALTIME, 928
LOCALTIMESTAMP, 928
LOCATE, 928
LOG, 929
LOG10, 929
LOG2, 929
LOWER, 929
LPAD, 930
LTRIM, 930
MAKEDATE, 930
MAKETIME, 930
MAKE_SET, 931
MD5, 931
MICROSECOND, 931
MID, 931
MINUTE, 932
MOD, 932
MONTH, 932
MONTHNAME, 110, 932
NOW, 771, 932
NULLIF, 933
OCT, 933
OCTET_LENGTH, 933
OLD_PASSWORD, 933
ORD, 934
PASSWORD, 934
PERIOD_ADD, 934
PERIOD_DIFF, 934
PI, 935
POSITION, 935
POW, 935
POWER, 586, 935
QUARTER, 936
QUOTE, 936
RADIANS, 936
RAND, 936
RELEASE_LOCK, 836, 937
REPEAT, 937
REPLACE, 587, 937
REVERSE, 937
RIGHT, 937
ROUND, 938

- ROW_COUNT, 938
- RPAD, 938
- RTRIM, 938
- SECOND, 939
- SEC_TO_TIME, 939
- SESSION_USER, 939
- SHA, 939
- SHA1, 939
- SIGN, 940
- SIN, 940
- SOUNDEX, 940
- SPACE, 941
- SQRT, 941
- STRCMP, 941
- STR_TO_DATE, 941
- SUBDATE, 942
- SUBSTR, 258
- SUBSTRING, 942
- SUBSTRING_INDEX, 943
- SUBTIME, 942
- SYSDATE, 943
- SYSTEM_USER, 943
- TAN, 944
- TIME, 944
- TIMEDIFF, 944
- TIMESTAMP, 772, 945
- TIMESTAMPADD, 946
- TIME_FORMAT, 944
- TIME_TO_SEC, 946
- TO_DAYS, 947
- TRIM, 947
- TRUNCATE, 947
- UCASE, 107, 948
- UNCOMPRESS, 948
- UNCOMPRESS_LENGTH, 948
- UNHEX, 948
- UNIX_TIMESTAMP, 949
- UPPER, 948
- USER, 949
- UTC_DATE, 949
- UTC_TIME, 949
- UTC_TIMESTAMP, 949
- UUID, 950
- VERSION, 950
- WEEK, 950
- WEEKDAY, 951
- WEEKOFYEAR, 951
- YEAR, 108, 952
- YEARWEEK, 952
- scalar subqueries, 136-137, 163-165, 222-227
- scalar values, 89
- scale, 77
 - of decimal data type, 500
 - of float data type, 503
- scanning, 605
- schedules, recurring, 891
- schemas (table), 495
- search styles, 265, 892
- SEC_TO_TIME function, 939
- SECOND function, 939
- Secure Hash Algorithm, 939
- security, 57
 - overview, 659-660
 - passwords, 663-664
 - privileges
 - database privileges, 667-670
 - passing on to other users, 673-674
 - recording in catalog, 675
 - restricting, 674
 - revoking, 677-680
 - table of, 672
 - table/column privileges, 664-667
 - user privileges, 670-672
 - views, 680-681
 - stored procedures, 742-743
 - users
 - creating, 660-662
 - removing, 662
 - renaming, 662-663
 - views, 650, 680-681
- select blocks (SELECT statement), 146-147, 150-156
- SELECT clause (SELECT statement)
 - aggregate functions
 - AVG, 336-340
 - BIT_AND, 343-344
 - BIT_OR, 343-344
 - BIT_XOR, 343-344
 - COUNT, 327-331
 - MAX, 332-336
 - MIN, 332-336
 - overview, 324-327
 - STDDEV, 342
 - STDDEV_SAMP, 343
 - SUM, 336-340
 - VARIANCE, 341-342
 - VAR_SAMP, 343
 - ALL keyword, 320
 - determining when rows are equal, 321-323
 - DISTINCT keyword, 318-321
 - DISTINCTROW option, 323
 - expressions in, 317-318
 - HIGH_PRIORITY option, 323
 - overview, 315-316
 - processing, 153-155
 - selecting all columns, 316-317
 - SQL_BIG_RESULT option, 324
 - SQL_BUFFER_RESULT option, 324

- SQL_CACHE option, 324
- SQL_CALC_FOUND_ROWS option, 324
- SQL_NO_CACHE option, 324
- SQL_SMALL_RESULT option, 324
- SELECT** privilege
 - databases, 667
 - tables, 664
- SELECT** statement
 - aggregate functions
 - AVG, 336-340
 - BIT_AND, 343-344
 - BIT_OR, 343-344
 - BIT_XOR, 343-344
 - COUNT, 327-331
 - MAX, 332-336
 - MIN, 332-336
 - overview, 324-327
 - STDDEV, 342
 - STDDEV_SAMP, 343
 - SUM, 336-340
 - table of, 136-137
 - VARIANCE, 341-342
 - VAR_SAMP, 343
 - case expression, 101-106
 - cast expression, 111-114
 - column specifications, 94-95
 - common elements, listing of, 872-902
 - compound expressions, 90
 - alphanumeric expressions, 123-125
 - Boolean expressions, 134-136
 - date expressions, 125-129
 - datetime expressions, 132-134
 - numeric expressions, 116-123
 - time expressions, 130-132
 - timestamp expressions, 132-134
 - examples, 49-52, 148-149
 - expressions
 - overview, 88-91
 - row expressions, 89
 - scalar expressions, 89
 - singular expressions, 30
 - table expressions, 90
- FROM** clause
 - accessing tables of different databases, 185
 - column specifications in, 173
 - cross joins, 199
 - examples of joins, 179-182
 - explicit joins, 185-189
 - join conditions, 196-199
 - left outer joins, 189-193
 - natural joins, 195-196
 - overview, 171
 - pseudonyms for table names, 178-179, 183-184
 - right outer joins, 193-195
 - table specifications in, 171-178
 - table subqueries, 200-207
 - USING keyword, 199-200
- GROUP BY**, 349, 882
 - examples, 363-369
 - grouping by sorting, 358-359
 - grouping of null values, 357-358
 - grouping on expressions, 356-357
 - grouping on one column, 350-353
 - grouping on two or more columns, 353-356
 - processing, 152
 - rules for, 359-362
- HAVING** clause
 - column specifications, 379-380
 - examples, 376-378
 - grouping on zero expressions, 378-379
 - overview, 375-376
 - processing, 153
- including **SELECT** statements without
 - cursors, 736-737
- INTO FILE** clause, 461-465
- LIMIT** clause, 395-398
 - offsets, 404-405
 - SQL_CALC_FOUND_ROWS, 405-406
 - subqueries, 402-404
- literals
 - alphanumeric literals, 77-79
 - bit literals, 87-88
 - Boolean literals, 87
 - date literals, 79-82
 - datestamp literals, 84-86
 - decimal literals, 77
 - float literals, 77
 - hexadecimal literals, 87
 - integer literals, 76
 - overview, 74-76
 - time literals, 82-83
 - timestamp literals, 84-86
 - year literals, 86
- null values, 114-115, 800-801
- ORDER BY** clause, 383
 - processing, 153
 - sorting, 383-393
- processing, 150-156, 610-614
- result columns, assigning names to, 92-94
- returning multiple rows, 796-799
- returning one row, 794-795
- row expressions, 137, 139

- scalar expressions between
 - brackets, 106-107
- scalar functions, 107-111
 - COALESCE*, 109
 - CONCAT*, 108
 - DATEDIFF*, 111
 - DAYNAME*, 110
 - DAYOFYEAR*, 110
 - LEFT*, 108
 - MONTHNAME*, 110
 - UCASE*, 107
 - YEAR*, 108
- scalar subqueries, 136-137
- select blocks, 146-147
- SELECT clause
 - ALL* keyword, 320
 - determining when rows are equal, 321-323
 - DISTINCT* keyword, 318-321
 - DISTINCTROW* option, 323
 - expressions in, 317-318
 - HIGH_PRIORITY* option, 323
 - overview, 315-316
 - processing, 153-155
 - selecting all columns, 316-317
 - SQL_BIG_RESULT* option, 324
 - SQL_BUFFER_RESULT* option, 324
 - SQL_CACHE* option, 324
 - SQL_CALC_FOUND_ROWS* option, 324
 - SQL_NO_CACHE* option, 324
 - SQL_SMALL_RESULT* option, 324
- SELECT INTO, 722-725, 865
- stepwise development, 648-649
- structure of, 145-149
- subqueries, 160-165
 - column subqueries, 163
 - in *FROM* clause, 161
 - nesting, 161-162
 - row subqueries, 163
 - scalar subqueries, 163-165
 - table subqueries, 163
- syntax definition, 865
- system variables, 97
 - examples, 100-101
 - global, 98
 - session, 98-99
 - setting value of, 99
- table expressions, 139-140, 145-147
 - comparison of, 159-160
 - possible forms of, 156-159
- user variables, 95-97, 423-425
- WHERE clause, 213-214, 902
 - comparison operators, 215-229
 - conditions, 229-230
 - logical operators, 231-235
 - processing, 152
- selecting
 - current database, 45-46
 - databases, 787-788
- self referential integrity, 550
- semicolon (;), 842
- Sequel, 16
- sequence numbers, sorting with, 387-389
- sequential access method, 605
- SERIAL DEFAULT VALUE data type
 - option, 513
- serializable isolation level, 832
- serializability, 829
- servers
 - database servers
 - data independence, 5
 - definition of, 4
 - MySQL database server. *See* MySQL
 - remote database servers, 19
 - server machines, 19
 - web servers, 20
- session system variables, 98-99
- SESSION_USER function, 939
- sessions, multiple connections
 - within, 791-793
- SET AUTOCOMMIT statement, 816
- SET data type
 - adding elements to, 588
 - deleting elements from, 589
 - examples, 582-589
 - overview, 577
 - permitted values, 582
- SET DEFAULT referencing action, 551-552
- set functions. *See* aggregate functions
- SET NULL referencing action, 551-552
- set operators, 157, 409, 894
 - null values, 417
 - UNION
 - combining table expressions with, 410-413
 - rules for use, 413-415
 - UNION ALL, 416-417
 - UNION DISTINCT, 415
- SET PASSWORD statement, 663-664, 866
- SET statement, 59, 96, 421-423, 712, 865
- set theory, 6
- SET TRANSACTION statement, 833, 866
- SHA function, 939
- SHA1 function, 939

- share locks, 829
- SHOW ACCOUNTS statement, 869
- SHOW CHARACTER SET statement, 563, 693, 866
- SHOW COLLATION statement, 564, 694, 866
- SHOW COLUMN TYPES
 - statement, 694, 866
- SHOW COLUMNS statement, 694, 867
- SHOW CREATE DATABASE
 - statement, 694, 867
- SHOW CREATE EVENT statement, 694, 780, 867
- SHOW CREATE FUNCTION
 - statement, 695, 867
- SHOW CREATE PROCEDURE
 - statement, 695, 867
- SHOW CREATE TABLE statement, 695, 867
- SHOW CREATE VIEW statement, 695, 868
- SHOW DATABASE user privilege, 670
- SHOW DATABASES statement, 695, 868
- SHOW ENGINE statement, 696, 868
- SHOW ENGINES statement, 696
- SHOW ERRORS statement, 69, 868
- SHOW EVENT statement, 780
- SHOW EVENTS statement, 696, 868
- SHOW FUNCTION statement, 869
- SHOW FUNCTION STATUS statement, 696
- SHOW GRANTS statement, 696
- SHOW INDEX statement, 629, 684, 697, 869
- SHOW PRIVILEGES statement, 697, 869
- SHOW PROCEDURE STATUS
 - statement, 697, 869
- SHOW statement, 67, 693
- SHOW TABLE TYPES statement, 697, 869
- SHOW TABLES statement, 697, 870
- SHOW TRIGGERS statement, 698, 870
- SHOW VARIABLES statement, 99, 698, 870
- SHOW VIEW database privilege, 668
- SHOW WARNINGS statement, 68, 870
- showing
 - catalog information. *See* informative statements
 - character sets, 563-564
 - collations, 563-564
- SIGN function, 940
- simplifying routine statements, 645-647
- SIN function, 940
- single precision float data type, 77, 501
- single schedule, 769
- single-user usage, 815
- singular expressions, 90
 - row expressions, 894
 - scalar expressions, 894
 - table expressions, 895
- SKIP_SHOW_DATABASE system
 - variable, 696, 957
- SMALL_EXIT stored procedure, 717
- SMALL_MISTAKE1 stored procedure, 727
- SMALL_MISTAKE2 stored procedure, 728
- SMALL_MISTAKE3 stored procedure, 729
- SMALL_MISTAKE4 stored procedure, 729
- SMALL_MISTAKE5 stored procedure, 730
- SMALL_MISTAKE6 stored procedure, 730
- SMALLINT data type, 499
- SOME operator, 281
- sorting
 - in ascending and descending order, 389-392
 - collations, 571-572
 - on column names, 383-385
 - ENUM values, 580-581
 - on expressions, 385-387
 - grouping with, 358-359
 - null values, 392-393
 - with sequence numbers, 387-389
 - sort direction, 359
 - sort specifications, 895
- SOUNDEX function, 940
- SPACE function, 941
- SPATIAL indexes, 616
- SQL (Structured Query Language)
 - CLI SQL, 14-15
 - definition of, 4
 - embedded SQL, 14
 - history of, 16-18
 - interactive SQL, 12
 - overview, 11-15
 - preprogrammed SQL, 14
 - relational model, 6
 - standardization, 21-25
 - SQL1 standard*, 21
 - SQL2 standard*, 22
 - SQL3 standard*, 23
 - SQL86 standard*, 21
 - SQL89 standard*, 22
 - SQL92 standard*, 22
 - SQL:1999 standard*, 23
 - SQL:2003 standard*, 23
 - statements. *See* statements
 - users. *See* users
- SQL Access Group, 24
- Sql_auto_is_null system variable, 957

- SQL_BIG_RESULT option (SELECT clause), 324
- SQL/Bindings, 23
- SQL_BUFFER_RESULT option (SELECT clause), 324
- SQL_CACHE options (SELECT clause), 324
- SQL_CALC_FOUND_ROWS option
 - LIMIT clause, 405-406
 - SELECT clause, 324
- SQL/DS, 17
- SQL/Foundation, 23
- SQL/Framework, 23
- SQL/JRT, 23
- SQL/MED, 23
- SQL/MM, 23
- SQL_MODE system variable, 59, 123, 781, 957-960
 - ALLOW_INVALID_DATES, 82
 - ANSI_QUOTES, 521
 - NO_ZERO_DATE, 81
 - NO_ZERO_IN_DATE, 81
 - PIPES_AS_CONCAT, 123
- SQL_NO_CACHE option (SELECT clause), 324
- SQL/OLAP, 23
- SQL/OLB (Object Language Bindings), 23
- SQL/PSM, 23
- Sql_quote_show_create system variable, 961
- SQL/Schemata, 23
- SQL SECURITY option (CREATE VIEW statement), 638, 739, 895
- Sql_select_limit system variable, 960
- SQL_SMALL_RESULT option (SELECT clause), 324
- SQL/XML, 23
- SQL1 standard, 21
- SQL2 standard, 22
- SQL3 standard, 23
- SQL86 standard, 21
- SQL89 standard, 22
- SQL92 standard, 22
- SQL:1999 standard, 23
- SQL:2003 standard, 23
- SQLEXCEPTION handler, 728
- SQLSTATE, 726-731
- SQLWARNING handler, 728
- SQLyog, 13
- SQRT function, 941
- SQUARE, 6
- standard deviation, 341-342
- standardization of SQL, 21-25
- START TRANSACTION
 - statement, 821-822, 870
 - starting transactions, 821-822
- statements (SQL), 846. *See also* clauses; keywords
 - ALTER DATABASE, 655-656, 849
 - ALTER EVENT, 778-779, 849
 - ALTER FUNCTION, 752-753, 849
 - ALTER PROCEDURE, 740, 849
 - ALTER TABLE, 616
 - changing columns*, 595-599
 - changing integrity constraints*, 599-602
 - changing table structure*, 593-595
 - CONVERT option*, 595
 - DISABLE KEYS option*, 595
 - ENABLE KEYS option*, 595
 - ORDER BY option*, 595
 - syntax definition*, 849
 - ALTER USER, 639
 - ALTER VIEW, 850
 - ANALYZE TABLE, 684-685, 850
 - BACKUP TABLE, 690-691, 850
 - BEGIN WORK, 822, 850
 - CALL, 704, 719-722, 850
 - CASE, 716, 851
 - CHECK TABLE, 687-689, 851
 - CHECKSUM TABLE, 685-686, 851
 - CLOSE, 851
 - CLOSE CURSOR, 733
 - COMMIT, 818-821
 - COMMIT, 852
 - common elements, summary of, 872-901
 - compound, 708
 - CREATE DATABASE, 45, 653-655, 852
 - CREATE EVENT, 768-776, 852
 - CREATE FUNCTION
 - RETURNS specification*, 745-746
 - syntax definition*, 852
 - CREATE INDEX, 54, 614-617, 853
 - CREATE PROCEDURE, 704, 853
 - CREATE TABLE, 46-47, 617-618
 - AUTO_INCREMENT option*, 530
 - AVG_ROW_LENGTH option*, 531
 - COMMENT option*, 530-531
 - copying tables*, 516-520
 - creating new tables*, 493-496
 - creating temporary tables*, 514-515
 - ENGINE option*, 525-530
 - IF NOT EXISTS option*, 515-516
 - MAX_ROWS option*, 531
 - MIN_ROWS option*, 531
 - syntax definition*, 853
 - CREATE TEMPORARY TABLE, 514-515

- CREATE TRIGGER, 756-758
 - AFTER* keyword, 758
 - BEFORE* keyword, 758
 - NEW* keyword, 758
 - OLD* keyword, 759
 - syntax definition, 853
- CREATE USER, 44, 660-662, 854
- CREATE VIEW, 56, 631-635
 - ALGORITHM* option, 639
 - DEFINER* option, 638
 - SQL SECURITY* option, 638
 - syntax definition, 854
 - WITH CASCADED CHECK OPTION*, 637
 - WITH CHECK OPTION*, 636-638
- DCL (Data Control Language), 60, 846
- DDL (Data Definition Language), 60, 847
- DEALLOCATE PREPARE, 809, 854
- DECLARE CONDITION, 729, 854
- DECLARE CURSOR, 732, 855
- DECLARE HANDLER, 726, 855
- DECLARE VARIABLE, 855
- definitions of, 69
- DELETE, 52-53
 - deleting rows from multiple tables*, 456-457
 - deleting rows from single table*, 454-456
 - IGNORE* keyword, 455
 - syntax definition, 856
- DESCRIBE, 699, 856
- DML (Data Manipulation Language), 60, 847
- DO, 428, 856
- downloading, xiii, 38-39
- DROP CONSTRAINT, 601
- DROP DATABASE, 58, 656-657, 856
- DROP EVENT, 779, 857
- DROP FUNCTION, 753, 857
- DROP INDEX, 58, 618-619, 857
- DROP PRIMARY KEY, 601
- DROP PROCEDURE, 741, 857
- DROP TABLE, 57, 591-593, 857
- DROP TRIGGER, 765, 857
- DROP USER, 662, 858
- DROP VIEW, 58, 639-640, 858
- EXECUTE, 808-809, 858
- execution time, 603
- FETCH, 858
- FETCH CURSOR, 733
- FLUSH TABLE, 533
- GRANT, 44, 57, 660, 742-743
 - granting database privileges*, 668-669
 - granting table/column privileges*, 665
 - granting user privileges*, 671
 - syntax definition, 858
 - WITH GRANT OPTION* clause, 673-674
- HANDLER
 - example*, 429-430
 - HANDLER CLOSE*, 435, 859
 - HANDLER OPEN*, 430-431, 859
 - HANDLER READ*, 431-435, 859
 - overview*, 429
- HELP, 699-700, 860
- IF, 714-716, 860
- INSERT, 48, 860
 - DEFAULT* keyword, 523
 - IGNORE* keyword, 441
 - inserting rows*, 437-442
 - ON DUPLICATE KEY* specification, 441
 - populating tables with rows from another table*, 442-444
- ITERATE, 718-719, 860
- LEAVE, 717, 860
- LOAD, 465-469, 861
- LOCK TABLE, 830-831, 861
- LOOP, 718, 861
- OPEN, 862
- OPEN CURSOR, 732
- OPTIMIZE, 862
- OPTIMIZE TABLE, 686-687
 - parameters, 793-794
- PREPARE, 808-809, 862
- prepared SQL statements
 - DEALLOCATE PREPARE*, 809
 - EXECUTE*, 808-809
 - overview*, 807
 - parameters*, 810-811
 - placeholders*, 810-811
 - PREPARE*, 808-809
 - stored procedures*, 811-813
 - user variables*, 810
- procedural statements, 60
- processing options, 834-835
- RENAME TABLE, 593, 862
- RENAME USER, 662-663, 862
- REPAIR TABLE, 689-690, 863
- REPEAT, 717, 863
- REPLACE, 452-454, 863
- RESTORE TABLE, 691, 863
- RETURN, 863
- REVOKE, 677-680, 864

- ROLLBACK, 817-823, 864
- SAVEPOINT, 822-824, 864
- SELECT. *See* SELECT statement
- SET, 59, 96, 421-423, 712, 865
- SET AUTOCOMMIT, 816
- SET PASSWORD, 663-664, 866
- SET TRANSACTION, 833, 866
- SHOW, 67, 693
- SHOW ACCOUNTS, 869
- SHOW CHARACTER SET, 563, 693, 866
- SHOW COLLATION, 564, 694, 866
- SHOW COLUMN TYPES, 694, 866
- SHOW COLUMNS, 694, 867
- SHOW CREATE DATABASE, 867
- SHOW CREATE EVENT, 694, 780, 867
- SHOW CREATE FUNCTION, 695, 867
- SHOW CREATE PROCEDURE, 695, 867
- SHOW CREATE TABLE, 695, 867
- SHOW CREATE VIEW, 695, 868
- SHOW DATABASE, 694
- SHOW DATABASES, 695, 868
- SHOW ENGINE, 696, 868
- SHOW ENGINES, 696
- SHOW ERRORS, 69, 868
- SHOW EVENT, 780
- SHOW EVENTS, 696, 868
- SHOW FUNCTION, 869
- SHOW FUNCTION STATUS, 696
- SHOW GRANTS, 696
- SHOW INDEX, 629, 684, 697, 869
- SHOW PRIVILEGES, 697, 869
- SHOW PROCEDURE STATUS, 697, 869
- SHOW TABLE TYPES, 697, 869
- SHOW TABLES, 697, 870
- SHOW TRIGGERS, 698, 870
- SHOW VARIABLES, 99, 698, 870
- SHOW WARNINGS, 68, 870
- simplifying routine statements, 645-647
- START TRANSACTION, 821-822, 870
- transactions
 - autocommit*, 816-817
 - committing*, 818-821
 - definition of*, 815
 - isolation levels*, 832-834
 - rolling back*, 817-821
 - savepoints*, 822-824
 - starting*, 821-822
 - stored procedures*, 824-825
- TRUNCATE, 458, 947
- TRUNCATE TABLE, 870
- UNLOCK TABLE, 831, 871
- UPDATE, 52-53
 - IGNORE keyword*, 449
 - ORDER BY clause*, 449
 - syntax definition*, 871
 - updating values in multiple tables*, 450-452
 - updating values in rows*, 444-450
- USE, 45-46
- WHILE, 716-717, 871
- statistical functions. *See* aggregate functions
- STD function, 137
- STDDEV function, 137, 342
- STDDEV_SAMP function, 137, 343
- step-by-step MySQL installation, 38
- stepwise development of SELECT statements, 648-649
- stopwords, 268
- STORAGE_ENGINE system variable, 529, 961
- storage engines
 - CSV, 532-533
 - HEAP, 527
 - InnoDB, 526
 - ISAM, 526
 - MEMORY, 527, 610
 - MERGE, 528
 - MyISAM, 527
 - specifying with ENGINE option, 525-530
- stored functions, 895
 - compared to stored procedures, 745
 - creating, 745-746
 - DELETE_PLAYER, 750
 - DOLLARS, 747
 - examples, 746-752
 - GET_NUMBER_OF_PLAYERS, 750
 - modifying, 752-753
 - NUMBER_OF_DAYS, 749
 - NUMBER_OF_PENALTIES, 748
 - NUMBER_OF_PLAYERS, 747
 - OVERLAP_BETWEEN_PERIODS, 751
 - POSITION_IN_SET, 749
 - removing, 753
- stored procedures, 12
 - advantages, 743-744
 - AGAIN, 719
 - AGE, 716
 - ALL_TEAMS, 736
 - body, 707-709
 - calling, 704-705, 719-722
 - characteristics of, 737-740
 - compared to stored functions, 745
 - compared to triggers, 755-756

- creating, 704
- definer option, 738
- definition of, 703
- DELETE_MATCHES, 704
- DELETE_OLDER_THAN_30, 734
- DELETE_PLAYER, 725
- DIFFERENCE, 714
- DUPLICATE, 726
- error messages, 726-731
- FIBONACCI, 714
- FIBONACCI_GIVE, 724
- FIBONACCI_START, 724
- flow-control statements
 - CASE, 716
 - IF, 714-716
 - ITERATE, 718-719
 - LEAVE, 717
 - LOOP, 718
 - overview, 712-713
 - REPEAT, 717
 - WHILE, 716-717
- GIVE_ADDRESS, 723
- LARGEST, 715
- local variables
 - assigning values to, 712
 - declaring, 709-712
- NEW_TEAM, 825
- NUMBERS_OF_ROWS, 737
- NUMBER_PENALTIES, 735
- parameters, 706-707
- prepared SQL statements, 811-813
- processing, 705-706
- querying with SELECT INTO, 722-725
- removing, 741-742
- retrieving data with cursors, 731-736
 - closing cursors, 733
 - fetching cursors, 733
 - opening cursors, 732
- ROUTINES catalog table, 740-741
- security, 742-743
- showing status of, 697
- SMALL_EXIT, 717
- SMALL_MISTAKE1, 727
- SMALL_MISTAKE2, 728
- SMALL_MISTAKE3, 729
- SMALL_MISTAKE4, 729
- SMALL_MISTAKE5, 730
- SMALL_MISTAKE6, 730
- SQL SECURITY characteristic, 739
- TEST, 711
- TOP_THREE, 734
- TOTAL_NUMBER_OF_PARENTS, 721
- TOTAL_PENALTIES_PLAYER, 723
- transactions, 824-825
- user variables, 737
 - USER_VARIABLE, 737
 - WAIT, 718
- storing XML documents, 473-475
- STR_TO_DATE function, 941
- STRCMP function, 941
- STRICT_ALL_TABLES setting (SQL_MODE system variable), 959
- STRICT_TRANS_TABLES setting (SQL_MODE system variable), 959
- string data types, 504-506
- structure of book, 27-28
- Structured Query Language. *See* SQL
- SUBDATE function, 942
- subqueries, 160-165
 - column subqueries, 163, 289-294
 - comparison operators, 222-227
 - correlated subqueries, 227-229, 291
 - in FROM clause, 161
 - IN operator, 241-250
 - LIMIT clause (SELECT statement), 402-404
 - nesting, 161-162
 - row subqueries, 163
 - scalar subqueries, 136-137, 163-165
 - table subqueries, 163, 200-207, 898
- subselects. *See* subqueries
- subsets, 188
- substitution
 - of rows, 452-454
 - of views, 643-644
 - substitution rules, 839
- SUBSTR function, 258
- SUBSTRING function, 942
- SUBSTRING_INDEX function, 943
- SUBTIME function, 942
- subtotal, 414
- SUM function, 137, 336-340
- symbols, 839
 - <> (angle brackets), 840
 - * (asterisk), 316-317
 - @ (at symbol), 422
 - { } (braces), 841
 - [] (brackets), 841
 - ... (ellipses), 841
 - = (equal sign), 840
 - & operator, 121, 586
 - ^ operator, 121
 - | operator, 120, 840
 - “ ” (quotation marks), 842
 - ; (semicolon), 842
- SYSDATE function, 943

System R, 16system tables. *See* catalog tables

System_time_zone system variable, 961

SYSTEM_USER function, 943

system variables, 58, 97, 101, 896

AUTOCOMMIT, 816, 953

AUTO_INCREMENT_INCREMENT,
513, 953

AUTO_INCREMENT_OFFSET, 513, 953

CHARACTER_SET_CLIENT, 575, 954

CHARACTER_SET_CONNECTION,
575, 954

CHARACTER_SET_DATABASE, 575, 954

CHARACTER_SET_DIR, 575

CHARACTER_SET_RESULTS, 575, 954

CHARACTER_SET_SERVER, 575, 954

CHARACTER_SET_SYSTEM, 575, 955

Character_sets_dir, 955

COLLATION_CONNECTION, 575, 955

COLLATION_DATABASE, 575, 955

COLLATION_SERVER, 575, 956

COMPLETION_TYPE, 820

Default_week_format, 956

DEFAULT_WEEK_FORMAT, 951

DIV_PRECISION_INCREMENT, 118

ERROR_COUNT, 69

examples, 100-101

Foreign_key_checks, 956

Ft_boolean_syntax, 956

Ft_max_word_len, 956

Ft_min_word_len, 957

Ft_query_expansion_limit, 957

global, 98

INNODB_LOCK_WAIT_TIMEOUT, 834

MATCH operator, 275

session, 98-99

setting value of, 99

SKIP_SHOW_DATABASE, 696, 957

Sql_auto_is_null, 957

SQL_MODE, 59, 123, 957-960

ALLOW_INVALID_DATES, 82

ANSI_QUOTES setting, 521

NO_ZERO_DATE, 81

NO_ZERO_IN_DATE, 81

Sql_quote_show_create, 961

Sql_select_limit, 960

STORAGE_ENGINE, 529, 961

System_time_zone, 961

TIME_ZONE, 85, 961

Unique_checks, 961

VERSION, 58

WARNING_COUNT, 69

T

table expressions, 90, 139-140, 145-147, 896

compared to SELECT statement, 159-160

compound table expressions, 877

combining with UNION, 410, 412-415

combining with UNION ALL, 416-417
overview, 409

possible forms of, 156-159

subqueries, 160-165

column subqueries, 163

in FROM clause, 161

nesting, 161-162

row subqueries, 163

scalar subqueries, 163-165

table subqueries, 163

table-maintenance statements, 683

ANALYZE TABLE, 684-685

BACKUP TABLE, 690-691

CHECK TABLE, 687-689

CHECKSUM TABLE, 685-686

list of, 848

OPTIMIZE TABLE, 686-687

REPAIR TABLE, 689-690

RESTORE TABLE, 691

tables, 7, 437. *See also* catalogs; views

alternate keys, 10

analyzing, 684-685

backing up, 690-691

base tables, 631

candidate keys, 10

changing, 593-595, 896

checking, 687-689

checksums, 685-686

columns

adding, 596

assigning character sets to, 564-566

changing, 595-599, 875

column definitions, 495

column specifications, 94-95, 173, 876

definitions, 875

integrity constraints, 495

length of, 598

NOT NULL columns, 48

null specifications, 495

options, 522-524

renaming, 598

result columns, assigning

names to, 92-94

selecting all columns, 316-317

showing information about, 694, 699

copying, 516-520

creating, 493-496

- data types
 - alphanumeric, 504-506
 - AUTO_INCREMENT* option, 511-513
 - bit, 504
 - blob, 506-507
 - decimal, 500-501
 - defining, 496-498
 - float, 501-504
 - geometric, 507
 - integer, 499-500
 - SERIAL DEFAULT VALUE* option, 513
 - temporal, 506
 - UNSIGNED* option, 508-509
 - ZEROFILL* option, 509-510
- deleting, 57, 591-593
- derived tables. *See* views
- duplicate tables, preventing, 515-516
- elements, 495
- expressions. *See* table expressions
- foreign keys, 10, 601, 882
- indexes. *See* indexes
- integrity constraints, 8, 554
 - alternate keys, 544-545
 - catalog, 557
 - changing, 599-602
 - check integrity constraints, 553-556
 - defining, 539-541
 - definition of, 539
 - deleting, 557, 601
 - foreign keys, 546-550
 - naming, 556-557
 - primary keys, 541-544
 - referencing actions, 550-553
 - specifying, 649-650
 - triggers as, 763-764
- integrity rules, 8
- joins, 885
 - accessing tables of different databases, 185
 - conditions, 196-199
 - cross joins, 199
 - examples, 179-182
 - explicit joins, 185-189
 - left outer joins, 189-193
 - natural joins, 195-196
 - right outer joins, 193-195
 - USING* keyword, 199-200
- locking
 - application locks, 835-837
 - deadlocks, 830
 - exclusive locks, 829
 - isolation levels, 832-834
 - LOCK TABLE* statement, 830-831
 - named locks, 835
 - overview, 829-830
 - processing options, 834-835
 - share locks, 829
 - UNLOCK TABLE* statement, 831
 - waiting for locks, 834
- naming, 521-522
- optimizing, 686-687
- options, 524, 897
 - AUTO_INCREMENT*, 530
 - AVG_ROW_LENGTH*, 531
 - COMMENT*, 530-531
 - ENGINE*, 525-530
 - MAX_ROWS*, 531
 - MIN_ROWS*, 531
- permanent tables, 514
- populating, 48-49, 442-444
- primary keys, 9, 601
- privileges, 660, 664-667, 897
- tennis club sample database
 - COMMITTEE_MEMBERS*, 32-34
 - MATCHES*, 34
 - PENALTIES*, 34
 - PLAYERS*, 31-33
 - PLAYERS_XXL*, 620-622
 - TEAMS*, 33
- pseudonyms for table names
 - examples, 178-179
 - mandatory use of, 183-184
- references, 171
- renaming, 593
- reorganizing, 647-648
- repairing, 689-690
- restoring, 691
- rows
 - deleting, 52-54, 454-458
 - determining when equal, 321-323
 - inserting rows into, 437-442
 - overview, 7
 - removing duplicate rows from results, 318-321
 - row identification, 605
 - substituting, 452-454
 - updating, 52-54, 444-450
- querying. *See* queries
- schemas, 495, 898
- showing information about, 697
- specifications, 171-178
- subqueries, 163, 898
- table maintenance statements, 683
 - ANALYZE TABLE*, 684-685
 - BACKUP TABLE*, 690-691
 - CHECK TABLE*, 687-689
 - CHECKSUM TABLE*, 685-686

- list of, 848*
 - OPTIMIZE TABLE, 686-687*
 - REPAIR TABLE, 689-690*
 - RESTORE TABLE, 691*
 - temporary tables, 514-515
 - triggering tables, 758
 - updating values in multiple tables, 450-452
 - values, 7-8, 90
 - virtual tables. *See* views
 - TABLES** table (catalog), 64, 534
 - TABLE_AUTHS** table (catalog), 64, 676
 - tags (XML), 472
 - TAN** function, 944
 - TEAMS** table, 33
 - temporal data types, 506, 899
 - temporal literals, 899
 - date literals, 79-82
 - datestamp literals, 84-86
 - time literals, 82-83
 - timestamp literals, 84-86
 - year literals, 86
 - temporal triggers, 767
 - temporary tables, 514-515
 - TEMPTABLE** keyword, 645
 - tennis club sample database
 - contents, 33-34
 - diagram, 35
 - general description, 29-32
 - integrity constraints, 35-36
 - tables
 - COMMITTEE_MEMBERS, 32-34*
 - MATCHES, 34*
 - PENALTIES, 34*
 - PLAYERS, 31-33*
 - PLAYERS_XXL, 620-622*
 - TEAMS, 33*
 - terminal symbols, 839
 - TEST** stored procedure, 711
 - TEXT** data type, 506
 - TIME** data type, 506
 - time expressions, 130-132, 877
 - TIME** function, 944
 - TIME_FORMAT** function, 944
 - time intervals, 125, 899
 - time literals, 82-83, 899
 - TIME_TO_SEC** function, 946
 - time zones, 84-85, 961
 - TIME_ZONE** system variable, 85, 961
 - TIMEDIFF** function, 944
 - TIMESTAMP** data type, 506
 - timestamp expressions, 132-134, 877
 - TIMESTAMP** function, 772, 945
 - timestamp intervals, 899
 - timestamp literals, 84-86, 900
 - TIMESTAMPADD** function, 946
 - TIMESTAMPDIFF** function, 946
 - TINYBLOB** data type, 507
 - TINYINT** data type, 499
 - TINYTEXT** data type, 506
 - TOP_THREE** stored procedure, 734
 - totals, 414
 - TOTAL_NUMBER_OF_PARENTS**
 - stored procedure, 721
 - TOTAL_PENALTIES_PLAYER** stored procedure, 723
 - TO_DAYS** function, 947
 - transactions
 - autocommit, 816-817
 - committing, 818-821
 - definition of, 815
 - isolation levels, 832-834
 - rolling back, 817-821
 - savepoints, 822-824
 - starting, 821-822
 - stored procedures, 824-825
 - tree structure of indexes, 606
 - triggering statements, 758
 - triggers, 12
 - actions, 756-758
 - catalog and, 765
 - compared to stored procedures, 755-756
 - complex examples, 759-763
 - creating, 756
 - definer option, 759
 - definition of, 755
 - events, 756
 - as integrity constraints, 763-764
 - moments, 756
 - removing, 765
 - showing information about, 698
 - simple example, 756-759
 - temporal, 767
 - TRIGGERS** table, 765
 - TRIM** function, 947
 - TRUNCATE** statement, 458, 947
 - TRUNCATE TABLE** statement, 870
 - truth table for logical operators, 231
 - TYPE** table option, 527
- ## U
- UCASE** function, 107, 948
 - uncommitted reads, 826
 - UNCOMPRESS** function, 948
 - UNCOMPRESS_LENGTH** function, 948
 - UNHEX** function, 948
 - Unicode, 390, 562

- union compatible, 413
 - UNION operator, 157
 - combining table expressions with, 410, 412-413
 - null values, 417
 - rules for use, 413-415
 - UNION ALL, 416-417
 - UNION DISTINCT, 415
 - UNION table option, 529
 - Unique_checks system variable, 961
 - unique indexes, 55, 615
 - UNIQUE keyword, 495, 544
 - uniqueness rule, 543
 - units of work. *See* transactions
 - Universal Coordinated Time (UTC), 84
 - Universal Unique Identifier, 950
 - UNIX_TIMESTAMP function, 949
 - unloading data
 - definition of, 461
 - INTO FILE clause (SELECT statement), 461-465
 - UNLOCK TABLE statement, 831, 871
 - UNSIGNED data type option, 508-509
 - UPDATE privilege
 - databases, 667
 - tables, 664
 - UPDATE statement, 52-53
 - IGNORE keyword, 449
 - ORDER BY clause, 449
 - syntax definition, 871
 - updating values in multiple tables, 450-452
 - updating values in rows, 444-450
 - UPDATEXML function, 489-490
 - updating
 - lost updates, 828
 - tables, 52-54, 437
 - deleting all rows, 458*
 - deleting rows from multiple tables, 456-457*
 - deleting rows from single table, 454-456*
 - inserting rows, 437-442*
 - populating tables with rows from another table, 442-444*
 - substituting rows, 452-454*
 - updating values in multiple tables, 450-452*
 - updating values in rows, 444-450*
 - views, 636-638, 641-642
 - XML documents, 489-490
 - UPPER function, 948
 - USE statement, 45-46
 - USER function, 949
 - user privileges, 660, 900
 - user variables, 95-97, 421, 901
 - application areas, 425-426
 - defining with SELECT statement, 423-425
 - defining with SET statement, 421-423
 - life span, 426-427
 - prepared statements, 810
 - in stored procedures, 737
 - users
 - compared to human users, 43
 - creating, 44, 660-662
 - and data security, 57
 - deleting, 662
 - names, 41, 900
 - passwords, 663-664
 - privileges
 - database privileges, 667-670*
 - definition of, 43*
 - granting, 44*
 - passing on to other users, 673-674*
 - recording in catalog, 675*
 - restricting, 674*
 - revoking, 677-680*
 - table of, 672*
 - table/column privileges, 664-667*
 - user privileges, 670-672*
 - views, 680-681*
 - removing, 662
 - renaming, 662-663
 - root users, 41
 - specifications, 901
 - user names, 41
 - USERS table (catalog), 64, 675
 - USER_AUTHS table (catalog), 676-677
 - USER_VARIABLE stored procedure, 737
 - UTC (Universal Coordinated Time), 84
 - UTC_DATE function, 949
 - UTC_TIME function, 949
 - UTC_TIMESTAMP function, 949
 - UTF-8, 562
 - UTF-16, 562
 - UTF-32, 562
 - UUID function, 950
- ## V
- valid databases, 539
 - values, 7
 - VALUES clause (INSERT statement), 438, 901
 - VAR function, 341-342
 - VAR_POP function, 137

VAR_SAMP function, 137, 343

VARBINARY data type, 506

VARCHAR data type, 504

variables

local variables

assigning values to, 712

declaring, 709-712

showing, 698

system variables, 58, 97, 101, 896

AUTOCOMMIT, 816, 953

AUTO_INCREMENT_INCREMENT,
513, 953

AUTO_INCREMENT_OFFSET,
513, 953

CHARACTER_SET_CLIENT, 575, 954

CHARACTER_SET_CONNECTION,
575, 954

CHARACTER_SET_DATABASE,
575, 954

CHARACTER_SET_DIR, 575

CHARACTER_SET_RESULTS,
575, 954

CHARACTER_SET_SERVER,
575, 954

CHARACTER_SET_SYSTEM,
575, 955

Character_sets_dir, 955

COLLATION_CONNECTION,
575, 955

COLLATION_DATABASE, 575, 955

COLLATION_SERVER, 575, 956

COMPLETION_TYPE, 820

Default_week_format, 956

DEFAULT_WEEK_FORMAT, 951

DIV_PRECISION_INCREMENT, 118

ERROR_COUNT, 69

examples, 100-101

Foreign_key_checks, 956

Ft_boolean_syntax, 956

Ft_max_word_len, 956

Ft_min_word_len, 957

Ft_query_expansion_limit, 957

global, 98

INNODB_LOCK_WAIT_
TIMEOUT, 834

MATCH operator, 275

session, 98-99

setting value of, 99

SKIP_SHOW_DATABASE, 696, 957

Sql_auto_is_null, 957

SQL_MODE, 59, 81-82, 123, 521,
957-960

Sql_quote_show_create, 961

Sql_select_limit, 960

STORAGE_ENGINE, 529, 961

System_time_zone, 961

TIME_ZONE, 85, 961

Unique_checks, 961

VERSION, 58

WARNING_COUNT, 69

user variables

application areas, 425-426

defining with SELECT
statement, 423-425

defining with SET statement, 421-423

in stored procedures, 737

life span, 426-427

overview, 95-97, 421, 901

prepared statements, 810

variance, 341

VARIANCE function, 137, 341-342

VERSION function, 950

VERSION system variable, 58

vertical comparisons, 322, 357

vertical subsets, 315

views

catalog views, 61-64

column names, 635-636

creating, 55-56, 631-635

data integrity, 650

deleting, 58, 639-640

materialization, 644-645

options, 638-639

overview, 631

privileges, 680-681

processing, 642-645

materialization, 644-645

substitution, 643-644

reorganizing tables with, 647-648

restrictions on updates, 641-642

security, 680-681

simplifying routine statements

with, 645-647

specifying integrity constraints

with, 649-650

stepwise development of SELECT

statements, 648-649

substitution, 643-644

updating, 636-638, 641-642

view formula, 631

VIEWS table (catalog), 64, 640-641

VIEWS table (catalog), 64, 640-641

virtual tables. *See* views

W

W3C (World Wide Web Consortium), 472
WAIT stored procedure, 718
 waiting for locks, 834
 warnings, 68
WARNING-COUNT system variable, 69
 web servers, 20
 websites

- MySQL, 37
- SQL for MySQL Developers* website, 38
- website to download SQL statements, xiii, 38-39
- www.r20.nl, 38, 52, 437, 591

WEEK function, 950
WEEKDAY function, 951
WEEKOFYEAR function, 951
 when definition, 102
WHERE clause, 213-214, 902

- comparison operators, 215-221
 - correlated subqueries*, 227-229
 - scalar expressions*, 217
 - subqueries*, 222-227
- conditions, 229-230
- logical operators, 231-235
- processing, 152

WHILE statement, 716-717, 871
Widenius, Michael “Monty,” 26
 width of float data type, 503
WinSQL, 13
WITH CASCADED CHECK OPTION (CREATE VIEW statement), 637
WITH CHECK OPTION (CREATE VIEW statement), 636-638
WITH GRANT OPTION clause (GRANT statement), 673-674
WITH ROLLUP option, 369-371
World Wide Web Consortium (W3C), 472
WRITE lock type, 831
 write locks, 829

X

X/Open Group, 24
XML (Extensible Markup Language)

- documents
 - attributes, 472
 - changing, 489-490
 - elements, 472
 - overview, 471-473
 - querying
 - EXTRACTVALUE function*, 476-483
 - with positions*, 484-485

- replacing, 489
- storing, 473-475
- tags, 472
- XPath, 476, 486-489

XOR operator, 121, 231-235
XPath, 476

- expressions with conditions, 488-489
- extended notation, 486-488

Y

YEAR data type, 506
YEAR function, 108, 952
 year literals, 86
YEARWEEK function, 952

Z

zero-date, 81
ZEROFILL data type option, 509-510