

# Index

Page numbers followed by *n*  
designate footnotes.

## A

abstract syntax, 113-114  
**Abstract Syntax Notation 1 (ASN.1)**, 114  
abstraction, levels of  
    importance of, 7  
    layers. *See also*  
        communications problem  
        *application layer*, 187  
        *data link layer*, 187-189  
        *development of layered model*,  
            7-9, 60-62, 186-192  
        as DIF (*distributed IPC facility*), 224  
        *early network architecture*,  
            187-188  
        *end-to-end transport layer*, 187  
        *LANs (local area networks)*,  
            189-191  
        *layer management*, 188-189  
        *network layer*, 187  
        *number of*, 229-231  
        *organizing*, 228-231  
        *OSI Reference Model*, 187  
        *physical layer*, 187  
        *political issues*, 189  
        *purpose of*, 223-224

*scope*, 187  
    *upper layers*. *See*  
        *upper-layer architecture*  
models, 10-11  
protocols  
    *definition*, 14-15  
    *Formal Description Techniques (FDTs)*, 16-19  
    *informal specifications*, 15-16  
services  
    *APIs (application programming interfaces)*, 15  
    *compared to interfaces*, 12  
    *definition*, 11-12  
    *protocols*, 15  
    *service definitions*, 12-14  
academia, 355  
access control, 52, 262  
ack aggregation, 337  
Ack implosion, 335  
acknowledgement, 50-51  
activation/deactivation, 54  
activity, 52  
ad hoc mobile networking, 346-347  
address spaces. *See* ASs  
addressing, 47. *See also* naming  
    address spaces (ASs)  
        *definition*, 288  
        *hierarchal topology*, 299-301  
        *melding address spaces and hierarchy of layers*, 304-306

- ARPANET, 143-145
- definition, 288
- early IP (Internet Protocol), 154-161
- hierarchical addressing architecture
  - address topology for hierarchy of layers*, 310-313
  - address topology for multiple hierarchies of layers*, 313-314
  - modeling the public Internet*, 314-316
  - overview*, 307-308
  - single-layer address topology*, 308
  - single-layer hierarchical address topology*, 308-310
- hierarchy, role in addressing
  - hierachal topology of address spaces*, 299-301
  - hierarchy of layers*, 298-299
  - hierarchy of networks*, 301-304
  - melding address spaces and hierarchy of layers*, 304-306
  - overview*, 297-298
  - rough hierarchy*, 301
- importance of, 142
- IPv6
  - address sizes*, 176
  - advantages*, 176
  - anycast addresses*, 169
  - endpoints*, 172
  - link-local addresses*, 170
  - loopback addresses*, 171
  - multicast addresses*, 169
  - overview*, 168
  - problems and lesson learned*, 174-178
  - site-local addresses*, 170
  - unicast addresses*, 169-174
  - unspecified address (0)*, 170
- Jerry Saltzer on, xx, 155-159
- MAC addresses, 295
- multicast addressing, 169, 327-329
- (N)-addresses
  - definition*, 249
  - description*, 273-275
- node addresses, 379
- On the Naming and Binding of Network Destinations (paper), 155-159
- in operating systems, 153
- origin of addressing problem, 143-145
- OSI application addressing, 178-182
- OSI NSAP addressing, 161-168
- PoA (point-of-attachment), 158
- point-of-attachment addresses, 379
- private addresses, 380
- public addresses, 380
- in telephony, 151-152
- topological addresses
  - aliases*, 287
  - bound/unbound names*, 286-287
  - connotative names*, 286
  - definition*, 288
  - denotative names*, 286
  - distance functions*, 292
  - free names*, 286
  - granularity*, 291-292
  - homeomorphism*, 289
  - homeomorphism of a topological space*, 290-291
- IPC addressing topologies, 293-297
- metrizable topological spaces, 292
- name assignment/*de-assignment*, 286
- name scope, 287
- name spaces, 286
- open sets, 289

- order relations*, 293
  - overview*, 283-285
  - relations*, 292
  - title spaces*, 288
  - titles*, 288
  - topological spaces*, 289
  - topological structure*, 289
  - topology*, 289
  - unambiguous names*, 287
  - underlying sets*, 289
  - unique names*, 287
  - upper-layer addressing in
    - Internet, 182-183
    - X.25, 154
  - XNS architecture, 159
  - adjoining error-control protocols, 80
  - adjoining relaying protocols, 80
  - advantages of IPC model, 381-382
  - AEs (application entities), 116
  - aggregation, ack aggregation, 337
  - aliases, 287
  - allocation of resources
    - connection/connectionless debate, 73-74
  - NIPCA (Network IPC Architecture), 261-262
  - Andreesen, Marc, 129
  - Animal House*, 60
  - anycast addresses (IPv6), 169
  - anycast names, 330
  - AP (application process), 116-117
  - AP-Mods (application protocol modules), 243
  - APIs (application programming interfaces)
    - API primitives, 238, 251-253
    - definition, 15, 29
  - APMs (application protocol machines)
    - application PM-ids, 245
    - definition, 194, 198, 238
    - description, 243-245
    - instances, 246
    - instance-ids, 246
  - IPC API
    - description*, 251
    - EFCP (*error and flow control protocol*), 248, 253-255
    - IPC API, 251-253
    - name spaces
      - definition*, 245
      - description*, 247
  - application addressing (OSI), 178-182
  - application entities (AEs), 116
  - application instance names, 379
  - application layer, 187
  - application name space, 198
  - application names, 196, 379
  - application PMs. *See* APMs
  - application processes. *See* APs
  - application programming interfaces.
    - See* APIs
  - application protocol machines.
    - See* APMs
  - application protocol modules (AP-Mods), 243
  - application protocols, 79-80, 198.
    - See also* APMs (application protocol machines)
      - data transfer phase, 242
      - definition, 238
      - stateless nature of, 242-243
      - synchronization phase, 242
  - application service elements (ASEs), 118
  - applications
    - embedding relaying and error-control protocols into, 81-82
    - naming, xvi, 246-248
  - APs (application processes)
    - definition, 194-197, 237
    - instance-ids, 245
    - instances, 245
    - name spaces
      - definition*, 245
      - structure*, 247

- names, 198
  - definition*, 245
  - description*, 273
  - scope*, 246
  - overview, 116-117
  - architecture. *See network architecture*
  - Aristotle, 57
  - ARPANET, 59, 64
    - beads-on-a-string design, xv
    - connection-oriented
      - packet-switching model, xvii
    - development of, xiv
    - diversity in connected systems, 99
    - early excitement over
      - resource-sharing possibilities, xivn
    - layers, xv
    - location dependence and, xvii
    - naming and addressing, 143-145
    - Network Working Group (NWG), 60
    - packet switching, 66
    - problems with, xv-xviii
    - upper-layer architecture
      - canonical (abstract) models*, 107-109
      - FTP (File Transfer Protocol)*, 102-105
      - lessons learned*, 105-109
      - overview*, 99-100
      - Telnet*, 100-102
  - ASEs (application service elements), 118
  - Ashby, Ross, 371
  - ASN.1 (Abstract Syntax Notation 1), 114
  - ASs (address spaces)
    - definition, 288
    - hierarchal topology of, 299-301
    - melding address spaces and hierarchy of layers, 304-306
  - ASs (autonomous systems), 320-321
  - assignment (names), 286
  - associations, 28
  - AT&T, 63
  - authentication, 51
  - NIPCA (Network IPC Architecture), 262-263
  - OSI model, 121
  - autonomous systems (ASs), 320-321
- ## B
- Bachman, Charles, 110
  - bandwidths, 222*n*
  - Baran, Paul, 66
  - Basic Encoding Rules (BER), 114
  - Basic Laws of Arithmetic*, 147
  - BBN, xxii, 123
  - BBN 1822 Host-IMP, xx
  - beads-on-a-string model, xv, 62-66, 189
  - BER (Basic Encoding Rules), 114
  - Berners-Lee, Tim, 129
  - BGP (Border Gateway Protocol), 320-321
  - binding, 37
    - definition, 28
    - names, 287
  - black box concept, 8
  - Border Gateway Protocol (BGP), 320-321
  - bound names, 286
  - boundary between group and other experts (groupthink), 363
  - broadcast, 323
- ## C
- canonical (abstract) models*, 107-109
  - Carnap, Rudolf, 147
  - carriage return, line feed (CRLF), 103
  - Carson, Johnny, 9*n*
  - CCITT (Comité Consultatif International Téléphonique et Télégraphique), 67
  - CCR (commitment, concurrency, and recovery), 115, 120

- cellular networks, 339-341  
Cerf, Vint, 357  
CERN, 129  
CFs (control functions), 118  
cheap communications with  $N$  systems,  
enabling, 214-219  
checksums, 49  
Chiappa, Noel, 185, 235  
China, stagnation of science in, 368-370  
Clark, David, 351  
Clausewitz, Carl von, 6  
Clearinghouse, 132  
CLNP, xxiv-xxv  
CMIP (Common Management  
Information Protocol), 115, 126  
combining SDUs, 48  
Comité Consultatif International  
Téléphonique et Télégraphique  
(CCITT), 67  
commercialization of networking, 362  
commitment, concurrency, and recovery  
(CCR), 115, 120  
Common Management Information  
Protocol (CMIP), 115, 126  
communications problem  
communications between  
two systems  
*DIF (distributed IPC  
facility)*, 204  
*drivers*, 205  
*EFCP (error and flow control  
protocol)*, 204  
*IAP (IPC access protocol)*, 204  
*invalidated assumptions*,  
203-204  
*IPC management tasks*, 205  
*IPC processes*, 204  
*operation of communication*,  
199-203  
*simultaneous communication*,  
205-209  
communications with  $N$  systems  
*cheap communication*,  
*enabling*, 214-219  
*DIF (distributed IPC  
facility)*, 212-213  
*directories*, 213  
*initial conclusions*, 219-223  
*operation of communication*,  
210-213  
*RIEP (Resource Information  
Exchange Protocol)*, 211-213  
communications within  
single system  
*application name space*, 198  
*application names*, 196  
*application process*, 197  
*application process name*, 198  
*application protocol*, 198  
*application protocol machine*,  
196-198  
*IPC facility*, 196-198  
*IPC mechanism*, 198  
*operating system*, 197  
*operation of communication*,  
194-196  
*port-ids*, 198  
*processing system*, 197  
overview, 192-193  
complex names, 147  
compression, 51  
computer science versus other  
scientific fields, 3  
computing systems  
definition, 237  
description, 239-240  
conceptual schemas  
definition, 5  
OSI model, 112-113  
concrete syntax, 113-114  
conditioned response, 87  
confidentiality, 52  
congestion avoidance, xxi-xxii

- congestion collapse**, xxi  
**connection identifiers**, 47, 209, 249  
**connection/connectionless debate**, 68-74
  - connectionless networks as
    - maximal shared state, 92-93, 378
    - dichotomy, 70-72
    - origins, 66-67, 355, 358-359
    - OSI model, 69-71
    - relationship with traffic
      - characteristics and QoS
      - desired, 72-74
    - role of CCITT, 67
    - shared state approach, 85-87
      - fate-sharing*, 87
      - hard state (hs)*, 89-90
      - limitations*, 90-92
      - pure soft-state (ss)*, 87-88
      - soft state with explicit removal (ss+er)*, 88
      - soft state with reliable trigger (ss+rt)*, 89
      - soft state with reliable trigger/removal (ss+rtr)*, 89
    - unifying model, 93-94
    - X.25, 67-68
  - connectionless networks
    - connection/connectionless debate, 69-74
      - connectionless networks as maximal shared state*, 92-93, 378
      - dichotomy*, 70-72
      - origins*, 66-67
      - OSI model, 69-71
      - relationship with traffic
        - characteristics and QoS
        - desired, 72-74
      - role of CCITT, 67
      - shared state approach, 85-92
        - unifying model*, 93-94
        - X.25, 67-68
    - lessons from ARPANET, xvii
  - connection-oriented packet-switching model, xvii
  - connections, 37
  - connotative names, 286
  - consolidation in network architecture, 352-362
  - constants, 147
  - control bits (PDUs), 77
  - control functions (CFs), 118
  - control plane, 62, 251
  - correspondence, 293
  - CRC (cyclic redundancy check), 32, 49
  - crisis in network architecture fundamentals, 351-352
  - CRLF (carriage return, line feed), 103
  - CYCLADES, xv-xviii, 59, 66-67
  - cyclic redundancy check (CRC), 32, 49

## D

- Dalal, Yogan, 329
- DANs (distributed application names), 246
- Data Communications Equipment (DCE), 189
- data corruption, 49
- data link layer, 187-189
- data plane, 62
- Data Terminating Equipment (DTEs), 65, 189
- data transfer mechanisms
  - access control, 52
  - activity, 52
  - addressing, 47
  - authentication, 51
  - combining/separation, 48
  - compression, 51
  - confidentiality, 52
  - data corruption, 49
  - data transfer protocols 82-85
    - data transfer phase*, 242
    - data transfer PMs*, 82-85
  - definition, 238

- description*, 241  
*error-control protocols*, 79-82  
*relaying protocols*, 79-82  
*state and*, 242  
*synchronization phase*, 242
- delimiting, 45
- DIF (distributed IPC facility), 269-271
- flow control, 50
- flow or connection identifiers, 47
- fragmentation/reassembly, 48
- initial state synchronization, 45-46
- integrity, 52
- lost and duplicate detection, 50
- multiplexing, 48
- nonrepudiation, 52
- ordering, 48
- policy selection, 46
- relaying, 47
- retransmission control or acknowledgement, 50-51
- data transfer phase (protocols)**, 55, 241
- data transfer protocols** 82-85
- data transfer phase, 242
  - data transfer PMs, 82-85
  - definition, 238
  - description, 241
  - error-control protocols, 79
    - adjoining protocols, arguments against*, 80
    - compared to relaying protocols*, 82
    - embedded into applications*, 81-82
  - relaying protocols, 79
    - adjoining protocols, arguments against*, 80
    - compared to error-control protocols*, 82
    - embedded into applications*, 81-82
  - state and, 242
  - synchronization phase, 242
- data units.** *See* PDUs (protocol data units)
- databases, 113
- Datacomputer, xivn
- datagram networks.** *See* connectionless networks
- DCE (Data Communications Equipment)**, 189
- de-assignment (names), 286
- de-enrollment, 54
- delimiters, 45
- delimiting, 45
- definition, 249
  - EFCP (error and flow control protocol), 253
- Delta-t, xviii, 377
- denotative names, 286
- deployment (TCP), xx
- deregistration, 54
- DHCP (Dynamic Host Configuration Protocol)**, 54
- diagrams, FSMs (finite state machines), 24
- DIF (distributed IPC facility), 204, 212-213
- adding members to, 266-268
  - application process names, 273
  - creating, 268
  - data transfer, 269-271
  - definition, 237
  - description, 240-241
  - IPC structures, 277-278
  - layers as, 224
  - multiple DIFs of same rank, 278-279
  - (N)-addresses, 273-275
  - naming concepts, 245-248
  - overview, 266
  - port IDs, 272-273
- Dijkstra, Edsger W., 61
- THE, 8

- directories, 213
  - lessons from ARPANET, xvi
  - NIPCA (Network IPC Architecture), 261
- disregard for and disinterest in the ideas of experts, 363
- distance functions, 292
- distinguished names, 133
- distributed application names (DANs), 246
- distributed applications, 238
- distributed IPC facility (DIF)
  - adding members to, 266-268
  - application process names, 273
  - creating, 268
  - data transfer, 269-271
  - definition, 237
  - description, 240-241
  - IPC structures, 277-278
  - layers as, 224
  - multiple DIFs of same rank, 278-279
  - (N)-addresses, 273-275
  - naming concepts, 245-248
  - overview, 204, 212-213, 266, 376
  - port IDs, 272-273
- distributed systems, 5
- distribution, multicast
  - problems, 329
  - in recursive architecture, 331-333
- DNS (Domain Name Server), xxi, 179
- drivers, 205
- DTEs (Data Terminating Equipment), 65, 189
- Dynamic Host Configuration Protocol (DHCP), 54
  
- E**
- early imprinting, effect on network architecture, 2
- early success, effect on network architecture, 2
- EFCP (error and flow control protocol)
  - definition, 204, 248
  - delimiting, 253
  - description, 253
  - IPC control protocol, 254-255
  - IPC data transfer PM, 254
  - multiple instances, 206-207
- EFCPM, 249
- Einstein, Albert, 371
- electro-political engineering, 355-356
- embedding relaying and error-control protocols into applications, 81-82
- encouraging theory and good research, 373-375
- end-to-end principle, 376
- end-to-end transport layer, 187
- endpoints (IPv6), 172
- engineering
  - compared to science, 235, 368
  - over-reliance on, 366-368
- Englebart, Doug, 129
- enrollment (IPC), 260
- enrollment phase (protocols), 53-55, 201
- entities, 162
- error and flow control protocol.
  - See EFCP*
- error-control protocols, 79
  - adjoining protocols, arguments against, 80
  - architecture, 82-85
  - compared to relaying protocols, 82
  - embedded into applications, 81-82
- error correcting code, 49
- establishment phase (protocols), 55
- Estelle (Extended Finite Stale Machine Language), 16
- Euclid, 369, 374
- Exchange Identification (XID), 55
- experimental method, 372
- explicit removal, soft state with, 88
- expressions, 147
- Extended Finite Stale Machine Language (Estelle), 16

**F**

Farber, David, 144

Fast Select, 68

fate-sharing, 87

FDTs (Formal Description

Techniques), 16-19

development of, 16

finite state machine methods, 18

guidelines, 17

lack of support by IETF (Internet Engineering Task Force), 18

mathematical or language-based techniques, 17

temporal logic approaches, 18

feedback mechanisms, 79

File Transfer Access Method (FTAM), 115

File Transfer Protocol. *See* FTP

finite state machines. *See* FSMs

first-order effectors, 7

flag sequences, 45

flow, 37

definition, 28

flow-control protocols. *See*

error-control protocols

flow-id, 47

Forester, Heinz von, 87

Formal Description Techniques.

*See* FDTs

fragmentation, 48

France Telecom, 111

free names, 286

Frege, Gottlieb, 147, 306

frictionless motion, 57

FSMs (finite state machines)

compared to threads, 28

definition, 24

diagrams, 24

methods, 18

modified state machine

approach, 25-26

protocol machines (PMs). *See also*

data transfer mechanisms

*associations*, 28

*bindings*, 28

*data transfer PMs*, 82-85

*definition*, 26

*flow*, 28

*interactions*, 30, 37

*interfaces*, 29-31

*model of*, 37

*(N)-PM relation to other*

*PMs*, 30

*as procedure calls*, 36

*protocol machine types*

*(PMTs)*, 27

*QoS (Quality of service)*, 43-44

*rankings*, 27

*state maintenance*, 37-38

state explosion problem, 25

FTAM (File Transfer Access

Method), 115

FTP (File Transfer Protocol), 102-105

ARPANET FTP model, 103

network virtual file system  
(NVFS), 103

Return Job Entry (RJE), 104-105

full addressing architecture, 358*n*

Fuller, Buckminster, 170

functions, 147

distance functions, 292

**G**

Galilei, Galileo, 57-58, 317, 369, 372

gedanken experiment on separating mechanism and policy (outline)

mechanism specifications, 387-388

protocol specifications, 386-387

results, 75

service definitions, 385-386

General Motors, 2*n*

Geographical Ecology, 1*n*

Gore, Al, 361

Gödel, Kurt, 147  
 granularity, 291-292  
 The Great Karnak, 9n  
 groupthink  
     characteristics, 363  
     definition, 364  
     description, 364-365  
     master craftsmen versus  
     theoreticians, 365-366

## H

half-duplex terminals, 36, 101  
 handshakes, 45  
 hard state (hs), 89-90  
 headers (PDUs), 32  
**HEMS (High-Level Entity Management System)**, xxiii, 126  
 hierarchies  
     hierarchical addressing architecture  
         *address topology for hierarchy of layers*, 310-313  
         *address topology for multiple hierarchies of layers*, 313-314  
         *modeling the public Internet*, 314-316  
         *overview*, 307-308  
         *single-layer address topology*, 308  
         *single-layer hierarchical address topology*, 308-310  
     role in addressing  
         *hierachal topology of address spaces*, 299-301  
         *hierarchy of layers*, 298-299  
         *hierarchy of networks*, 301-304  
         *melding address spaces and hierarchy of layers*, 304-306  
         *overview*, 297-298  
         *rough hierarchy*, 301  
**High-Level Entity Management System (HEMS)**, 126

**HIP (Host Identifier Protocol)**, 176  
**history of Internet**  
     addressing, xx  
     ARPANET  
         *applications*, xvi  
         *beads-on-a-string design*, xv  
         *connection-oriented packet-switching model*, xvii  
         *development of*, xiv  
         *early excitement over resource-sharing possibilities*, xivn  
         *layers*, xv  
         *location dependence and*, xvii  
         *naming and addressing*, 143-145  
         *problems with*, xv-xvi, xviii  
     CLNP, xxiv-xxv  
     congestion collapse, xxi  
     connection/connectionless debate, 355, 358-359  
     CYCLADES TS, xviii  
     Delta-t, xviii  
     DNS (Domain Name Service), xxi  
     electro-political engineering and power politics, 355-356  
     HEMS, xxiii  
     immaturity of participants, 359  
     IPng, xxiv-xxv  
     National Software Works, 144  
     OSI model  
         *IBM endorsement*, 358  
         *lessons learned*, 359  
     perceived success of Internet, 353, 361  
     policy of small incremental change, 354  
     self-similarity of Internet traffic, xxv  
     SNMP (Simple Network Management Protocol), xxii  
     stagnation in 1970s, 353-355

- TCP (Transmission Control Protocol)  
*congestion avoidance, xxi-xxii*  
*deployment, xx*  
*selection to replace NCP, xviii-xix*  
*single PDU format, xviii-xix*  
*splitting out IP from, xx*  
Web, xxiii-xxiv  
XNS - Sequence Packet, xviii
- homeomorphism  
definition, 289  
of topological space, 290-291
- Host Identifier Protocol (HIP), 176
- host-naming convention, 183
- Host-to-Host Protocol, 155
- hosts tables, xx
- hs (hard state), 89-90
- HTTP (Hypertext Transfer Protocol), 129-131
- hypothesis, 371
- I**
- I/O, 239*n*
- IAP (IPC access protocol), 201, 204, 250, 257-259
- IBM  
endorsement of seven-layer model, 358  
influence in European ISO delegations, 69*n*  
SNA (System Network Architecture), 68
- idempotent mode (PDUs), 34-35
- identification with group, 363
- identifiers  
application PM instance-ids, 246  
application PM-ids, 245  
application process instance-ids, 245  
connection identifiers, 47, 209, 249  
port-ids, 47, 198, 246-248, 272-273  
sentential identifiers, 379
- IETF (Internet Engineering Task Force), 59  
lack of support for FDTs (Formal Description Techniques), 18  
new architecture and, 360
- IFIP (International Federation for Information Processing), 69
- immaturity of Internet participants, 359
- IMP (Interface Message Processor), 64
- implementations, 15
- in-band, 55
- incomplete names, 147
- indirection, levels of, 166
- informal protocol specifications, 15-16
- initial state synchronization, 45-46
- instances  
application PM instances, 246  
application process instances, 245  
OSI instances, 163*n*
- integrity, 52
- interactions (PMs), 30, 37
- Interface Message Processor (IMP), 64
- interfaces. *See* APIs (application programming interfaces)
- Internal Organization of the Network Layer (IONL), 165
- International Federation for Information Processing (IFIP), 69
- Internet  
aversion to OSI model, 360-361  
compared to NIPCA (Network IPC Architecture), 276-277  
connection/connectionless debate, 355, 358-359  
electro-political engineering and power politics, 355-356  
history. *See* history of Internet  
policy of small incremental change, 354

topological addresses, 314-316  
 upper-layer addressing, 182-183

**Internet Engineering Task Force.** *See* IETF

**Internet Research Task Force (IRTF),** 175

interpreting evidence optimistically, 364

interprocess communication (IPC), 15

invalidating theory, 371

IONL (Internal Organization of the Network Layer), 165

**IP (Internet Protocol).** *See also* IPv6 addressing

- mobility, 339-341
- naming and addressing, 154-161
- splitting from TCP (Transmission Control Protocol), xx

IPC (interprocess communication), 15

IPC access protocol (IAP), 201, 204, 250, 257-259

IPC model. *See* NIPCA (Network IPC Architecture)

IPng, xxiv-xxv

**IPv6 addressing**

- address sizes, 176
- advantages, 176
- anycast addresses, 169
- endpoints, 172
- link-local addresses, 170
- loopback addresses, 171
- multicast addresses, 169
- overview, 168
- problems and lesson learned, 174-178
- site-local addresses, 170
- unicast addresses, 169-174
- unspecified address (0), 170

irrational numbers, 322n

IRTF (Internet Research Task Force), 175

ivory tower academics, 355

## J-K

Jacobson, Van, xxii

Janis, Irving, 364

JTM (Job Transfer and Manipulation), 115

keepalive, 52

Kettering, Charles, 2, 235

knowledge bases, 5

Kurt Gödel, 147

## L

lack of appreciation for risk, 364

Lakatos, Imre, 193

Language Temporal Ordering Specification (LOTOS), 17

LANs (local area networks), 189-191

Lawrence Livermore Lab, xviii

layers of network architecture

- application layer, 187
- ARPANET, xv
- as DIF (distributed IPC facility), 224
- communications between two systems
- DIF (distributed IPC facility),* 204
- drivers,* 205
- EFCP (error and flow control protocol),* 204
- IAP (IPC access protocol),* 204
- invalidated assumptions,* 203-204
- IPC management tasks,* 205
- IPC processes,* 204
- operation of communication,* 199-203
- simultaneous communication,* 205-209

- communications with  $N$  systems  
  *cheap communication, enabling, 214-219*  
  *DIF (distributed IPC facility), 212-213*  
  *directories, 213*  
  *initial conclusions, 219-223*  
  *operation of communication, 210-213*  
  *RIEP (Resource Information Exchange Protocol), 211-213*
- communications within  
  single system  
    *application name space, 198*  
    *application names, 196*  
    *application process, 197*  
    *application process name, 198*  
    *application protocol, 198*  
    *application protocol machine, 196-198*  
    *IPC facility, 196-198*  
    *IPC mechanism, 198*  
    *operating system, 197*  
    *operation of communication, 194-196*  
    *port-ids, 198*  
    *processing system, 197*  
  data link layer, 187-189  
  development of layered model, 7-9, 60-62, 186-192  
  early network architecture, 187-188  
  end-to-end transport layer, 187  
  hierarchy of layers, 298-299  
  LANs (local area networks), 189-191  
  layer management, 188-189  
  nature of layers, 264-266  
  network layer, 187  
  NIPCA (Network IPC Architecture), 237, 240, 375  
  number of, 229-231
- organizing, 228-231  
OSI Reference Model, 162, 187  
physical layer, 187  
political issues, 189  
purpose of, 223-224  
scope, 187  
upper layers  
  *canonical (abstract) models, 107-109*  
  *characteristics, 136*  
  *FTP (File Transfer Protocol), 102-105*  
  *HTTP and Web, 129-131*  
  *lessons from ARPANET, 105-109*  
  *location independence, 138-139*  
  *network management, 123, 126-129*  
  *NRSS (name-resolution systems), 132-135*  
  *OSI model, 110-123, 178-182 overview, 97-99*  
  *P2P (peer-to-peer), 135-136*  
  *semantic significance, 137-138*  
  *Telnet, 100-102*
- Lee, Stan, 353
- levels of abstraction. *See abstraction, levels of*
- levels of indirection, 166
- link-local addresses (IPv6), 170
- LLC (Logical Link Control), 189
- location dependence, xvii, xxvii, 284
- location independence, 138-139
- logic, symbolic, 146-148, 151
- Logical Link Control (LLC), 189
- loopback address (IPv6), 171
- lost and duplicate detection, 50
- LOTOS (Language Temporal Ordering Specification), 17

**M**

**MAC (Media Access Control)**, 189, 295  
**MacArthur, Robert**, 1*n*  
**Madison, James**, 177, 360  
**mainframes**, 99*n*  
**management agents (MAs)**, 263-264  
**Management Information Bases (MIBs)**, 109, 227  
**management tasks (IPC)**, 205  
**Mao Zhe Dong**, 7  
**MAP/TOP (Manufacturing Automation Protocol/Technical and Office Protocols)**, 124  
**MAs (management agents)**, 263-264  
**master craftsmen**, 365-366  
**mathematics**  
  mathematical techniques (FDTs), 17  
  naming and, 146-151  
**McKenzie, Alex**, 97  
**mechanism, separating from policy**  
  gedanken experiment (outline), 75, 385-388  
  protocols, 39-43, 75  
**mechanism specifications (gedanken experiment)**, 387-388  
**Media Access Control (MAC)**, 189, 295  
**Metcalfe, Robert**, 155, 185, 220, 383  
**metrizable topological spaces**, 292  
**MIBs (Management Information Bases)**, 109, 227  
**Minitel**, 111  
**mobile application processes**, 347-348  
**mobility**  
  ad hoc mobile networking, 346-347  
  IP and cellular networks, 339-341  
  mobile application processes, 347-348  
  NIPCA, 342-346  
  overview, 338-339  
**models**, definition of, 10-11  
**modified state machine approach (FSMs)**, 25-26  
**monolithic communities**, 363

**Moore's law**

effect on network architecture, 2  
  multihoming and, 319-321  
  overview, 159*n*  
  and perceived success of Internet, 353  
**moral philosophy**, 5  
**multicast architecture**  
  definition, 323  
  multicast addressing, 169, 327-329  
  multicast distribution in recursive architecture, 331-333  
  multicast distribution problem, 329  
  multicast model, 327  
  multicast names, 329  
  multiplexing multicast groups, 333-334  
  overview of multicast problem, 324-326  
  reliable multicast, 334-338  
  sentential naming operations and resolution, 330-331

**Multics**, 61

**multihoming**  
  BGP ASs (autonomous systems), 320-321  
  cost of supporting, 318  
  definition, 318  
  lessons from ARPANET, xvi  
  need for multihoming solution, 321-323  
  opportunity to fix in IPng, 319  
  redundant paths from same provider, 319  
  SCTP PoAs (points of attachment), 320  
  solution model, 322-323  
**multipeer architecture**, 323  
**multiple DIFs (distributed IPC facilities) of same rank**, 278-279  
**multiplexing**  
  definition, 48  
  multicast groups, 333-334

overview, xxvin  
relaying protocols, 79  
*adjoining protocols, arguments against*, 80  
*architecture*, 82-85  
*compared to error-control protocols*, 82  
*embedded into applications*, 81-82  
tasks, 209

## N

(N)-addresses, 164, 249, 273-275  
(N)-API-primitive, 238, 251-253  
(N)-associations, 163  
(N)-connections, 163  
(N)-data-transfer-protocol. *See data transfer protocols*  
(N)-DIF. *See DIF (distributed IPC facility)*  
(N)-entities, 162-164  
(N)-entity-titles, 164  
(N)-IPC-process, 204, 238, 250-251  
(N)-layers, 162, 219, 237, 240  
(N)-PCI. *See PCI (protocol control information)*  
(N)-PDUs. *See PDUs (protocol data units)*  
(N)-PM. *See PMs (protocol machines)*  
(N)-port-id, 246, 248, 272-273  
(N)-protocols. *See protocols*  
(N)-SDUs. *See SDUs (service data units)*  
(N)-subsystems, 162, 219  
(N)-user-data, 31, 238  
*N systems, communications with*  
cheap communication, enabling, 214-219  
DIF (distributed IPC facility), 212-213  
directories, 213  
initial conclusions, 219-223

operation of communication, 210-213  
RIEP (Resource Information Exchange Protocol), 211-213  
**n2 problem**, 107  
nack (negative acknowledgment), 50  
*Name Binding in Computer Systems*, 153  
name spaces, 245-247, 286  
name-resolution systems. *See NRSs*  
naming. *See also addressing*  
aliases, 287  
anycast names, 330  
application instance names, 379  
application names, 196, 379, 246-248  
application process names, 245-246, 273  
ARPANET, 143-145  
assignment/de-assignment, 286  
bound/unbound names, 286-287  
complex names, 147  
connotative names, 286  
DANs (distributed application names), 246  
definition of names, 286  
denotative names, 286  
DIF (distributed IPC facility)  
naming concepts, 245-248  
early IP (Internet Protocol), 154-161  
foundations of mathematics and symbolic logic, 146-151  
free names, 286  
importance of, 142  
incomplete names, 147  
IPC process names, 246-247  
multicast names, 329  
name spaces, 245-247, 286  
in operating systems, 153  
origin of naming problem, 143-145  
OSI application addressing, 178-182

- OSI NSAP addressing structure, 161-168  
 pathnames, 153, 164  
 primitive names, 148  
 scope, 287  
 sentential names, 330-331, 379  
 simple names, 147  
 in telephony, 151-152  
 unambiguous names, 287  
 unique names, 287  
 URN (Universal Resource Name), 183  
 X.25, 154
- NAT (network address translation), xxiv  
 National Center for Supercomputer Applications (NCSA), 129  
 National Research Council, 351  
 National Software Works, xivn, 144  
 natural history versus science, 1  
 nature of service (NoS), 44  
 NCP (Network Control Program), 143  
     problems with, xv  
     replacement with TCP (Transmission Control Protocol), xx
- NCSA (National Center for Supercomputer Applications), 129  
 Needham, Joseph, 322n, 369  
 negative acknowledgment (nack), 50  
 Net. *See Internet*  
 NETRJE, 104  
 network address translation (NAT), xxiv  
 network architecture  
     addressing. *See addressing*  
     ARPANET  
         *beads-on-a-string design*, xv  
         *development of*, xiv  
         *connection-oriented packet-switching model*, xvii  
         *layers*, xv  
         *location dependence and*, xvii  
         *problems with*, xv-xviii  
     beads-on-a-string model, xv, 62-66, 189
- commercialization of, 362  
 communications between two systems  
     *DIF (distributed IPC facility)*, 204  
     *drivers*, 205  
     *EFCP (error and flow control protocol)*, 204  
     *IAP (IPC access protocol)*, 204  
     *invalidated assumptions*, 203-204  
     *IPC management tasks*, 205  
     *IPC processes*, 204  
     *operation of communication*, 199-203  
     *simultaneous communication*, 205-209  
 communications with N systems  
     *cheap communication*,  
         *enabling*, 214-219  
     *DIF (distributed IPC facility)*, 212-213  
     *directories*, 213  
     *initial conclusions*, 219-223  
     *operation of communication*, 210-213  
     *RIEP (Resource Information Exchange Protocol)*, 211-213
- communications within single system  
     *application name space*, 198  
     *application names*, 196  
     *application process*, 197  
     *application process name*, 198  
     *application protocol*, 198  
     *application protocol machine*, 196-198  
     *IPC facility*, 196-198  
     *IPC mechanism*, 198  
     *operating system*, 197  
     *operation of communication*, 194-196  
     *port-ids*, 198  
     *processing system*, 197

- compared to design specs, 119  
connection/connectionless  
debate, 68-74  
*connectionless networks as maximal shared state*, 92-93, 378  
*dichotomy*, 70-72  
*origins*, 66-67  
*OSI model*, 69-71  
*relationship with traffic characteristics and QoS desired*, 72-74  
*role of CCITT*, 67  
*shared state approach*, 85-92  
*unifying model*, 93-94  
X.25, 67-68  
consolidation, 352-362  
controversy, 59-60  
crisis in fundamentals, 351-352  
definition, 9  
factors constraining early solutions, 2-3  
faulty rationales for, 363  
finding patterns in, 57-59  
groupthink  
*characteristics*, 363  
*definition*, 364  
*description*, 364-365  
*master craftsmen versus theoreticians*, 365-366  
indirection, levels of, 166  
IPC model  
*advantages*, 381-382  
*delta-t*, 377  
*distributed IPC facilities*, 376  
*layers*, 375  
*properties*, 381-382  
*protocols*, 376-377  
*security*, 376  
*summary of characteristics*, 375-380  
layers. *See* layers of network architecture  
levels of abstraction  
*APIs (application programming interfaces)*, 15  
*Formal Description Techniques (FDTs)*, 16-19  
*implementation*, 15  
*importance of*, 7  
*informal specifications*, 15-16  
*models*, 10-11  
*protocols*, 14-15  
*services*, 11-14  
location dependence, 284  
mobility  
*ad hoc mobile networking*, 346-347  
*IP and cellular networks*, 339-341  
*mobile application processes*, 347-348  
*NIPCA*, 342-346  
*overview*, 338-339  
multicast architecture  
*definition*, 323  
*multicast addressing*, 169, 327-329  
*multicast distribution in recursive architecture*, 331-333  
*multicast distribution problem*, 329  
*multicast model*, 327  
*multicast names*, 329  
*multiplexing multicast groups*, 333-334  
*overview of multicast problem*, 324-326  
*reliable multicast*, 334-338  
*sentential naming operations and resolution*, 330-331  
multihoming  
*BGP ASs (autonomous systems)*, 320-321  
*cost of supporting*, 318

- definition*, 318  
*need for multihoming solution*, 321-323  
*opportunity to fix in IPng*, 319  
*redundant paths from same provider*, 319  
SCTP PoAs (*points of attachment*), 320  
*solution model*, 322-323  
multipeer architecture, 323  
naming. *See* naming  
NIPCA (Network IPC Architecture). *See* NIPCA  
over-reliance on engineering, 366-368  
packet-switched networks, 66  
protocols. *See* protocols  
reflections on existing model, 382  
relevance of historical development, 63-64  
repeaters, 310  
routers, 310  
science versus engineering, 368  
SNA (System Network Architecture), 68, 143  
switches, 310  
theory  
    *encouraging theory and good research*, 373-375  
    *importance of*, 368-373  
transition from natural history to science, 1  
**Network Control Program (NCP)**, 143  
**Network Information Center (NIC)**, xx, 129  
**Network IPC Architecture**. *See* NIPCA  
**network layer**, 187  
**network management**, 123-129  
    CMIP (Common Management Information Protocol), 126  
    HEMS (High-Level Entity Management System), 126  
    NMP (Network Management Protocol), 259  
    NMS (network management system), 263-264  
    SNMP (Simple Network Management Protocol), 126-128  
**Network Management Protocol (NMP)**, 259  
**network management system (NMS)**, 263-264  
**network virtual file system (NVFS)**, 103  
**network virtual terminals (NVT)**, 100-101  
**Network Working Group (NWG)**, 60  
**NEWARCH project**, 352  
Newton, Isaac, 58, 236  
**NIC (Network Information Center)**, xx, 129  
**NIPCA (Network IPC Architecture)**, 225  
    addressing topologies, 249, 293-297  
    advantages, 381-382  
    API primitives, 238, 251-253  
    APMs (application protocol machines)  
        *application PM-ids*, 245  
        *definition*, 194, 198, 238  
        *description*, 243-245  
        *instances*, 246  
        *instance-ids*, 246  
        *IPC APM*, 248, 251-255  
        *name spaces*, 245-247  
    application naming, 246-248  
    application protocols  
        *data transfer phase*, 242  
        *definition*, 238  
        *stateless nature of*, 242-243  
        *synchronization phase*, 242  
    APs (application processes), 237  
    compared to Internet architecture, 276-277

- computing systems, 237-240  
connection-identifiers, 249  
data transfer protocols  
    *data transfer phase*, 242  
    *definition*, 238  
    *description*, 241  
    *state and*, 242  
    *synchronization phase*, 242  
delimiting, 249  
delta-t, 377  
description, 251  
DIF (distributed IPC facility),  
    204, 212-213  
        *adding members to*, 266-268  
        *application process names*, 273  
        *creating*, 268  
        *data transfer*, 269-271  
        *definition*, 237  
        *description*, 240-241  
        *IPC structures*, 277-278  
        *layers as*, 224  
        *multiple DIFs of same rank*, 278-279  
        *(N)-addresses*, 273-275  
        *naming concepts*, 245-248  
        *overview*, 266  
        *port IDs*, 272-273  
distributed applications, 238  
distributed IPC facilities, 376  
EFCP (error and flow control protocol)  
    *definition*, 248-249  
    *delimiting*, 253  
    *description*, 253  
    *IPC control protocol*, 254-255  
    *IPC data transfer PM*, 254  
IAP (IPC access protocol), 201,  
    204, 250, 257-259  
IPC API, 251-253  
IPC facility, 196-198  
IPC mechanism, 198  
IPC processes, 204, 238, 246-247,  
    250-251  
layers, 375  
MAs (management agents),  
    263-264  
management tasks, 205  
    *directory*, 261  
    *enrollment*, 260  
    *resource allocation*, 261-262  
    *routing*, 261  
    *security management*, 262-263  
mobility, 342-346  
(N)-layer, 237, 240  
NMS (network management system), 263-264  
overview, 225-227, 235-236  
PCI (protocol control information), 238  
PDUs (protocol data units), 238, 257  
PMs (protocol machines), 238  
processing systems, 237-240  
properties, 381-382  
protocols, 376-377  
    *data transfer phase*, 241  
    *definition*, 238  
    *synchronization phase*, 241  
Relaying PCI, 249  
RIB (Resource Information Base), 260  
RIEP (Resource Information Exchange Protocol), 250  
    *compared to NMP (Network Management Protocol)*, 259  
    *definition*, 249  
    *description*, 259-260  
RMT (relaying and multiplexing task), 249, 255-257  
SDU (service data unit) protection,  
    238, 249  
security, 279-281, 376

summary of characteristics, 375-380  
 user data, 238  
**NLS (oNLine System)**, 129  
**NMP (Network Management Protocol)**, 259  
**NMS (network management system)**, 263-264  
 node addresses, 379  
 nonrepudiation, 52  
 nonterminal domain identifiers, 299  
**NoS (nature of service)**, 44  
**NRSs (name-resolution systems)**  
     definition, 132  
     distinguished names, 133  
     structures, 133-135  
**NSAP addressing structure**, 161-168  
**numbers**  
     irrational numbers, 322n  
     of layers, 229-231  
     of PDUs (protocol data units), 76-77  
**NVTs (network virtual terminals)**, 100-101  
**NWG (Network Working Group)**, 60

## O

**O'Dell GSE proposal**, 309  
**OLTP (Online Transaction Processing)**, 82  
**On Sense and Meaning (essay)**, 147  
**On the Naming and Binding of Network Destinations (paper)**, 155-157  
 1 (loopback address), 171  
**oNLine System (NLS)**, 129  
**Online Transaction Processing (OLTP)**, 82  
 open sets, 289  
**operating systems**  
     definition, 197  
     naming and addressing, 153

**operation, phases of (protocols)**  
     data transfer phase, 55  
     enrollment phase, 53-55  
     overview, 53  
     synchronization phase, 55  
**order relations**, 293  
**ordering**, 48  
**organizing layers**, 228-231  
**orientations of address spaces**, 292  
**OSI Reference Model**  
     associations, 29  
     application addressing, 178-182  
     aversion to, 360-361  
     connection/connectionless debate, 69-71  
     connections, 29  
     founding of, 356  
     IBM endorsement, 358  
     layers, 187  
     lessons learned, 359  
     (N)-addresses, 164  
     (N)-associations, 163  
     (N)-connections, 163  
     (N)-entities, 162-164  
     (N)-entity-titles, 164  
     (N)-layers, 162  
     (N)-subsystems, 162  
     network management, 124-129  
     NSAP addressing structure, 161-168  
     TCP (Transmission Control Protocol) and, 357  
     types versus instances, 163n  
     upper-layer architecture  
         *application addressing*, 178-182  
         *application entities (AEs)*, 116  
         *application process (AP)*, 116-117  
         *application protocols*, 114-115  
         *application service elements (ASEs)*, 118

- conceptual schemas*, 112-113  
*control functions (CFs)*, 118  
*development*, 110-113  
*lessons learned*, 121-123  
*overview*, 110  
*presentation layer*, 113-114  
*problems with*, 120-121  
*PTT (post, telephone, and telegraph) input*, 110-112  
*session layer*, 110-112  
*single state machine implementation*, 119  
*syntax language*, 113-114  
X.400 relaying, 120
- out-of-band**, 55
- outline for gedanken experiment on separating mechanism and policy**  
mechanism specifications, 387-388  
protocol specifications, 386-387  
service definitions, 385-386
- P**
- P2P (peer-to-peer), 135-136  
PacBell, 123  
Pacific Bell, xxii<sup>n</sup>  
pacing schemes (flow control), 50  
Packet Assembler Disassembler (PAD), 65  
packet-switched networks  
development, 66  
politics and, 356  
PAD (Packet Assembler Disassembler), 65  
Papert, Seymour, xxviii  
pathnames, 153, 164  
patterns in network architecture,  
finding, 57-59  
PCI (protocol control information), 31  
definition, 238  
Relaying-PCI, 249
- PDUs (protocol data units). *See also data transfer mechanisms*  
control bits, 77  
definition, 238  
description, 257  
headers, 32  
idempotent mode, 34-35  
mechanism and policy, 39-43, 75  
number of, 76-77  
overview, 31-32  
PCI (protocol control information), 31  
PDU protection, 257  
record mode, 34-36  
SDUs (service data units), 33  
size, 38-39  
stream mode, 34-36  
trailers, 32-33  
Transfer PDU, 76  
user-data, 31
- peer-to-peer (P2P), 135-136
- Petit, John Louis, 235
- phases of operation (protocols)**  
data transfer phase, 55  
enrollment phase, 53-55  
overview, 53  
synchronization phase, 55
- philosophical triangulation, 7
- physical layer, 187
- Plain Old InterNet Service (POINS), 315
- PMs (protocol machines). *See also data transfer mechanisms*  
APMs (application protocol machines)  
*application PM-ids*, 245  
*definition*, 194, 198, 238  
*description*, 243-245  
*instances*, 246  
*instance-ids*, 246  
*IPC APM*, 248, 251-255  
*name spaces*, 245-247

- associations
  - (N)-PM relation to other PMs*, 30
  - definition*, 28
- bindings, 28
- data transfer PMs, 82-85
- definition, 26, 238
  - flow, 28
  - interactions, 30, 37
  - interfaces, 29-31
  - model of, 37
  - as procedure calls, 36
  - PMTs (protocol machine types), 27
  - protocol machine types (PMTs), 27
  - QoS (Quality of service), 43-44
  - rankings, 27
  - state maintenance, 37-38
- PMTs (protocol machine types), 27
- PoAs (points of attachment), 158, 320, 379
- POINS (Plain Old InterNet Service), 315
- points of attachment (PoAs), 158, 320, 379
- policy
  - PDUs (protocol data units), 39-43, 75
  - policy of small incremental change, 354
  - policy-selection mechanism, 46
  - separating from mechanism
    - gedanken experiment (outline)*, 75, 385-388
    - protocols*, 39-43, 75
- politics and Net development, 355-356
- polling, xxiii
- port-ids, 47, 198, 246-248, 272-273
- post, telephone, and telegraph. *See* PTT
- Pouzin, Louis, 66
- presentation context, 114
- presentation layer (OSI), 113-114
- primitive names, 148
- Principia* (Newton), 58
- private addresses, 380
- procedure calls, PMs (protocol machines) as, 36
- processes
  - APs (application processes)
    - definition*, 194-197, 237
    - names*, 198
  - IPC processes, 204
    - definition*, 238
    - description*, 250-251
- processing systems
  - definition*, 197, 237
  - description*, 239-240
- Proofs and Refutations*, 193
- properties of IPC model, 381-382
- protocol control information (PCI), 31, 238
- protocol converters, 247
- protocol data units. *See* PDUs
- protocol machine types (PMTs), 27
- protocol machines. *See* PMs
- protocols. *See also* data
  - transfer mechanisms
    - application protocols, 79-80
      - data transfer phase*, 242
      - definition*, 238
      - stateless nature of*, 242-243
      - synchronization phase*, 242
    - BGP (Border Gateway Protocol), 320-321
    - CCR (commitment, concurrency, and recovery), 115, 120
    - CLNP, xxiv-xxv
    - CMIP (Common Management Information Protocol), 115, 126
    - compared to design specs, 119
    - CYCLADES, xv-xviii, 59, 66-67
    - data transfer phase, 241
    - data transfer protocols
      - data transfer phase*, 242
      - data transfer PMs*, 82-85
      - definition*, 238
      - description*, 241

- error-control protocols*, 79-82  
*relaying protocols*, 79-82  
*state and*, 242  
*synchronization phase*, 242  
definition, 14-15, 26, 238  
Delta-t, xviii  
DHCP (Dynamic Host Configuration Protocol), 54  
DNS (Domain Name Server), xxi, 179  
EFCP (error and flow control protocol)  
    *definition*, 204, 248  
    *delimiting*, 253  
    *description*, 253  
    *IPC control protocol*, 254-255  
    *IPC data transfer PM*, 254  
    *multiple instances*, 206-207  
error-control protocols, 79  
    *adjoining protocols, arguments against*, 80  
    *architecture*, 82-85  
    *compared to relaying protocols*, 82  
    *embedded into applications*, 81-82  
FDTs (Formal Description Techniques), 16-19  
    *development of*, 16  
    *finite state machine methods*, 18  
    *guidelines*, 17  
    *lack of support by IETF (Internet Engineering Task Force)*, 18  
    *mathematical or language-based techniques*, 17  
    *temporal logic approaches*, 18  
feedback mechanisms, 79  
FTAM (File Transfer Access Method), 115  
FTP (File Transfer Protocol), 102-105  
    *ARPANET FTP model*, 103  
    *network virtual file system (NVFS)*, 103  
    *Return Job Entry (RJE)*, 104-105  
HEMS (High-Level Entity Management System), xxiii, 126  
HIP (Host Identifier Protocol), 176  
Host-to-Host Protocol, 155  
HTTP (Hypertext Transfer Protocol), 129-131  
IAP (IPC access protocol), 201, 204  
    *definition*, 250  
    *description*, 257-259  
informal specifications, 15-16  
interfaces, 29-31  
IONL (Internal Organization of the Network Layer), 165  
IP (Internet Protocol)  
    *ad hoc mobile networking*, 346-347  
    *mobile application processes*, 347-348  
    *mobility*, 339-341  
    *naming and addressing*, 154-161  
    *NIPCA*, 342, 344-346  
    *splitting from TCP (Transmission Control Protocol)*, xx  
IPC model, 376-377  
IPng, xxiv-xxv  
IPv6 addressing, 168-178  
JTM (Job Transfer and Manipulation), 115  
LLC (Logical Link Control), 189  
MAC (Media Access Control), 189  
MAP/TOP (Manufacturing Automation Protocol/Technical and Office Protocols), 124

- n2 problem, 107
- NCP (Network Control Program), 143  
*problems with, xv*  
*replacement with TCP (Transmission Control Protocol), xx*
- NMP (Network Management Protocol), 259
- NRSSs (name-resolution systems)  
*definition, 132*  
*distinguished names, 133*  
*structures, 133-135*
- OLTP (Online Transaction Processing), 82
- overview, 23
- P2P (peer-to-peer), 135-136
- PCI (protocol control information), 238
- PDUs (protocol data units). *See* PDUs
- phases of operation  
*data transfer phase, 55*  
*enrollment phase, 53-55*  
*overview, 53*  
*synchronization phase, 55*
- PMs (protocol machines). *See* PMs
- protocol converters, 247
- protocol specifications (gedanken experiment), 386-387
- RaMP (Relaying and Multiplexing Protocol), 215
- RDA (Remote Database Access), 115
- relaying protocols, 79  
*adjoining protocols, arguments against, 80*  
*architecture, 82-85*  
*compared to error-control protocols, 82*  
*embedded into applications, 81-82*
- RIEP (Resource Information Exchange Protocol), 250  
*compared to NMP (Network Management Protocol), 259*  
*definition, 249*  
*description, 259-260*
- RPC (Remote Procedure Call), 115
- RTSE (Reliable Transfer Session Element), 71*n*
- SCTP, 320
- SMTP (Simple Mail Transfer Protocol), 81
- SNACP (Subnetwork Access Protocol), 165
- SNDCP (Subnetwork Dependent Convergence Protocol), 165
- SNICP (Subnetwork Independent Protocol), 165
- SNMP (Simple Network Management Protocol), xxii, 126-128
- synchronization phase, 241
- TCP (Transmission Control Protocol)  
*congestion avoidance, xxii-xxii*  
*deployment, xx*  
*implementation, 354*  
*OSI and, 357*  
*selection to replace NCP, xviii-xix*  
*single PDU format, xviii-xix*  
*splitting out IP from, xx*
- Telnet  
*development, 100*  
*half-duplex terminals, 101*  
*importance of, 101*  
*network virtual terminals (NVTs), 100-101*  
*streams, 102*  
*symmetrical negotiation mechanism, 101*
- tightly coupled protocols, 79

- transport protocols, 81  
types of, 78-82  
UDP (User Datagram Protocol), 46  
VTP (Virtual Transfer Protocol), 115  
X.25, 189  
*connection/connectionless debate*, 67-68  
*naming and addressing*, 154  
XID (Exchange Identification), 55  
XNS - Sequence Packet, xviii  
PTT (post, telephone, and telegraph), 59  
OSI development, 110-112  
use of network architecture for competitive ends, 63-65, 189, 355-356  
public addresses, 380  
pure soft-state (ss), 87-88
- ## Q-R
- QoS (Quality of service), 43-44
- RaMP (Relaying and Multiplexing Protocol), 215  
RDA (Remote Database Access), 115  
re-addressing, 172  
reasembly, 48  
record mode (PDUs), 34-36  
recursive architecture, multicast distribution in, 331-333  
registration, 54  
*Regulae Philosophandi*, 58, 236  
relations  
    definition, 292  
    order relations, 293  
relaying, 47  
Relaying and Multiplexing Protocol (RaMP), 215  
relaying and multiplexing task (RMT), 249, 255-257  
Relaying PCI, 249  
relayng protocols, 79  
    adjoining protocols, arguments against, 80  
    architecture, 82-85  
    compared to error-control protocols, 82  
    embedded into applications, 81-82  
reliability  
    connection/connectionless debate, 74  
    reliable multicast, 334-338  
Reliable Transfer Session Element (RTSE), 71n  
reliable trigger, soft state with, 89  
reliable trigger/removal, soft state with, 89  
Remote Database Access (RDA), 115  
Remote Procedure Call (RPC), 115  
renumbering, 172  
repeaters, 310  
Reska, Al, 97  
resource allocation  
    connection/connectionless debate, 73-74  
    NIPCA (Network IPC Architecture), 261-262  
Resource Information Base (RIB), 260  
Resource Information Exchange Protocol. *See* RIEP  
retransmission control, 43, 50-51  
Return Job Entry (RJE), 104-105  
RIB (Resource Information Base), 260  
Ricci, Matteo, 370  
RIEP (Resource Information Exchange Protocol), 211, 213, 250  
    compared to NMP (Network Management Protocol), 259  
    definition, 249  
    description, 259-260  
risk, lack of appreciation for, 364  
RJE (Return Job Entry), 104-105

- RMT (relaying and multiplexing task), 249, 255-257  
 rough hierarchy, 301  
 routers, 310  
 routes, 157  
 routing  
     definition, 158  
     NIPCA (Network IPC Architecture), 261  
 RPC (Remote Procedure Call), 115  
 RTSE (Reliable Transfer Session Element), 71n  
 Russell, Bertrand, 4, 147  
 Russell paradox, 147
- S**
- Saint Exupery, Antoine de, 185  
 Saltzer, Jerry, xxvii, 153-157, 283  
     paper on addressing, xx  
 science  
     compared to engineering, 235, 368  
     computer science compared to other scientific fields, 3  
     experimental method, 372  
     hypothesis, 371  
     versus natural history, 1  
*Science and Civilization in China*, 369  
 scope  
     layers, 187, 219  
     names, 246, 287  
 SCTP, 320  
 SDL (Specification and Definition Language), 17  
 SDUs (service data units), 33  
     combining, 48  
     definition, 238  
     protection, 249  
 security  
     IPC model, 376  
     NIPCA (Network IPC Architecture), 262-263, 279-281  
     seers (theoreticians), 365-366  
     self-confidence, 363  
     self-similarity of Internet traffic, xxv  
     semantic significance of upper-layer architecture, 137-138  
     sentential identifiers, 379  
     sentential naming operations and resolution, 330-331, 379  
     separating mechanism and policy  
         gedanken experiment (outline)  
             mechanism specifications, 387-388  
             protocol specifications, 386-387  
             results, 75  
             service definitions, 385-386  
         protocols, 39-43, 75  
     service data units. *See* SDUs  
     services  
         compared to interfaces, 12  
         definition, 11-12  
         service definitions, 12-14  
             *gedanken experiment*, 385-386  
     session layer (OSI), 110-112  
 Dr. Seuss, *Too Many Daves*, 141  
 shared state approach, 85  
     connectionless networks as  
         maximal shared state, 92-93, 378  
         fate-sharing, 87  
         pure soft-state (ss), 87-88  
         soft state with explicit removal (ss+er), 88  
         soft state with reliable trigger (ss+rt), 89  
         soft state with reliable trigger/removal (ss+rtr), 89  
 Shoch, John, 155  
 Simple Mail Transfer Protocol (SMTP), 81  
 simple names, 147  
 Simple Network Management Protocol (SNMP), xxii, 126-128

- simultaneous communications between two systems**  
connection identifiers, 209  
management of single resource, 207-209  
multiple instances of EFCP (error and flow control protocol), 206-207  
multiple pairs of applications communicating, 206  
multiplexing tasks, 209  
operation of communication, 205  
**single-layer address topology**, 308  
**single-layer hierarchical address topology**, 308-310  
**single system, communications within**  
application name space, 198  
application names, 196  
application process, 197  
application process name, 198  
application protocol, 198  
application protocol machine, 196-198  
IPC facility, 196-198  
IPC mechanism, 198  
operating system, 197  
operation of communication, 194-196  
port-ids, 198  
processing system, 197  
**site-local addresses (IPv6)**, 170  
**size**  
of IPv6 addresses, 176  
of PDUs (protocol data units), 38-39  
**Skinner, B. F.**, 87  
**sliding-window mechanism**, 51  
**Sloan, Alfred P.**, 2n  
**small incremental change and stagnation of Internet**, 354  
**Smolin, Lee**, 363  
**SMTP (Simple Mail Transfer Protocol)**, 81  
**SNA (System Network Architecture)**, 68, 143  
**SNACP (Subnetwork Access Protocol)**, 165  
**SNDCP (Subnetwork Dependent Convergence Protocol)**, 165  
**SNICP (Subnetwork Independent Protocol)**, 165  
**SNMP (Simple Network Management Protocol)**, xxii, 126-128  
**socioeconomic forces, effect on network architecture**, 2  
**sockets, well-known**, 98, 115, 179  
**soft state**  
pure soft-state (ss), 87-88  
soft state with explicit removal (ss+er), 88  
soft state with reliable trigger (ss+rt), 89  
soft state with reliable trigger/removal (ss+rtr), 89  
**Specification and Definition Language (SDL)**, 17  
**specifications for protocols**  
Formal Description Techniques (FDTs), 16-19  
informal specifications, 15-16  
**speeding up standards process**, 110  
**ss (soft state)**, 87-88  
**ss+er (soft state with explicit removal)**, 88  
**ss+rt (soft state with reliable trigger)**, 89  
**ss+rtr (soft state with reliable trigger/removal)**, 89  
**standards process, speeding up**, 110  
**state**  
maintenance, 37-38  
shared state approach, 85-87  
*connectionless networks as maximal shared state*, 92-93, 378  
*fate-sharing*, 87  
*hard state (hs)*, 89-90

- limitations*, 90-92
  - pure soft-state (ss)*, 87-88
  - soft state with explicit removal (ss+er)*, 88
  - soft state with reliable trigger (ss+rt)*, 89
  - soft state with reliable trigger/removal (ss+rtr)*, 89
  - state explosion problem (FSMs), 25
  - state machines.** *See* **FSMs (finite state machines)**
  - stream mode (PDUs), 34-36
  - streams, Telnet, 102
  - Structure of Scientific Revolutions*, 365
  - subnets, hierarchy of, 301-302
  - Subnetwork Access Protocol (SNACP)**, 165
  - Subnetwork Dependent Convergence Protocol (SNDCP)**, 165
  - Subnetwork Independent Protocol (SNICP)**, 165
  - superficial insight, 366
  - switches, 310
  - symbolic logic, 146-148, 151
  - synchronization**
    - initial state synchronization, 45-46
    - synchronization phase (protocols), 55, 241
  - syntax language (OSI)**, 113-114
  - system calls, 29
  - System Network Architecture (SNA)**, 68, 143
- T**
- TCBs (traffic control blocks)**, 131
  - TCP (Transmission Control Protocol)**, xviii
    - congestion avoidance, xxi-xxii
    - deployment, xx
    - implementation, 354
    - OSI and, 357
    - selection to replace NCP, xviii-xix
  - single PDU format, xviii-xix
  - splitting out IP from, xx
  - TCP (Transport Control Protocol)**, 18
  - telephony, naming and addressing**, 151-152
  - Telnet**, 100-102
    - development, 100
    - half-duplex terminals, 101
    - importance of, 101
    - network virtual terminals (NVTs), 100-101
    - streams, 102
    - symmetrical negotiation mechanism, 101
  - temporal logic approaches (FDTs)**, 18
  - term inflation, 374*n*
  - Terminal Interface Processor (TIP)**, 64
  - THE (Dijkstra)**, 8
  - THE operating system**, 61
  - theoreticians, 365-366
  - theory**
    - encouraging theory and good research, 373-375
    - importance of, 368-373
    - invalidating, 371
    - theory of conditioned response, fallacy in, 87
  - threads, 28
  - three-way handshake**, 45
  - tightly coupled protocols, 79
  - TIP (Terminal Interface Processor)**, 64
  - title spaces, 288
  - titles, 164, 288
  - Too Many Daves*, 141
  - topological addresses**
    - addresses, definition of, 288
    - aliases, 287
    - ASs (address spaces), 288
    - binding/unbinding names, 287
    - bound/unbound names, 286
    - connotative names, 286
    - denotative names, 286
    - distance functions, 292

- free names, 286  
granularity  
    *definition*, 291-292  
    *metrizable topological spaces*, 292  
hierarchical addressing architecture  
    *address topology for hierarchy of layers*, 310-313  
    *address topology for multiple hierarchies of layers*, 313-314  
    *modeling the public Internet*, 314-316  
    *overview*, 307-308  
    *single-layer address topology*, 308  
    *single-layer hierarchical address topology*, 308-310  
hierarchy, role of  
    *hierarchal topology of address spaces*, 299-301  
    *hierarchy of layers*, 298-299  
    *hierarchy of networks*, 301-304  
    *melding address spaces and hierarchy of layers*, 304-306  
    *overview*, 297-298  
    *rough hierarchy*, 301  
homeomorphism  
    *definition*, 289  
    *homeomorphism of a topological space*, 290-291  
IPC addressing topologies, 293-297  
name assignment/  
    de-assignment, 286  
name scope, 287  
name spaces, 286  
open sets, 289  
order relations, 293  
overview, 283-285  
relations, 292  
title spaces, 288  
titles, 288  
topological spaces, 289  
topological structure, 289  
topology, definition of, 289  
unambiguous names, 287  
underlying sets, 289  
unique names, 287  
topological spaces, 289  
topological structure, 289  
topology, 284-285, 289  
TP (transaction processing), 115  
*Tractatus Logico-Philosophicus*, 4-6, 147-149  
traffic  
    self-similarity of, xxv  
    TCBs (traffic control blocks), 131  
    traffic characteristics,  
        connection/connectionless debate  
        and, 72-74  
trailers (PDUs), 32-33  
transaction processing (TP), 115  
transfer mechanisms. *See* data transfer mechanisms  
Transfer PDU (protocol data unit), 76  
translation (ARPANET), 108  
Transmission Control Protocol. *See* TCP  
transport protocols, limitations in designing, 81  
*The Trouble with Physics*, 363  
Twain, Mark, xiii  
two systems, communications between  
    DIF (distributed IPC facility), 204  
    drivers, 205  
    EFCP (error and flow control protocol), 204  
    IAP (IPC access protocol), 204  
    invalidated assumptions, 203-204  
    IPC management tasks, 205  
    IPC processes, 204  
    operation of communication, 199-203  
    simultaneous communication  
        *connection identifiers*, 209  
        *management of single resource*, 207-209

- multiple instances of EFCP (error and flow control protocol),* 206-207
- multiple pairs of applications communicating,* 206
- multiplexing tasks,* 209
- operation of communication,* 205
- two-way handshake,** 45
- types (OSI),** 163*n*
  
- U**
- UDP (User Datagram Protocol),** 46
- unambiguous names,** 287
- unbinding names,** 287
- unbound names,** 286
- underlying sets,** 289
- unicast,** 326*n*, 331
  - unicast addresses (IPv6),* 169-174
- unique names,** 287
- Universal Resource Locators (URLs),** 130
- Universal Resource Name (URN),** 183
- unspecified address (IPv6),** 170
- upper-layer architecture**
  - canonical (abstract) models,* 107-109
  - characteristics,* 136
  - FTP (File Transfer Protocol),** 102-105
    - ARPANET FTP model,* 103
    - network virtual file system (NVFS),* 103
    - Return Job Entry (RJE),* 104-105
  - HTTP and Web,** 129-131
  - lessons from ARPANET,** 105-109
  - location independence,** 138-139
- network management,** 123, 126-129
- CMIP (Common Management Information Protocol),** 126
- HEMS (High-Level Entity Management System),** 126
- SNMP (Simple Network Management Protocol),** 126-128
- NRSSs (name-resolution systems)**
  - definition,* 132
  - distinguished names,* 133
  - structures,* 133-135
- OSI model**
  - application addressing,* 178-182
  - application entities (AEs),* 116
  - application process (AP),* 116-117
  - application protocols,* 114-115
  - application service elements (ASEs),* 118
  - conceptual schemas,* 112-113
  - control functions (CFs),* 118
  - development,* 110-113
  - lessons learned,* 121-123
  - overview,* 110
  - presentation layer,* 113-114
  - problems with,* 120-121
  - PTT (post, telephone, and telegraph) input,* 110-112
  - session layer,* 110, 112
  - single state machine implementation,* 119
  - syntax language,* 113-114
  - X.400 relaying,* 120
- overview,** 97-99
- P2P (peer-to-peer),** 135-136
- semantic significance,** 137-138
- Telnet,** 100-102
  - development,* 100
  - half-duplex terminals,* 101
  - importance of,* 101

- network virtual terminals*
    - (NVTs), 100-101
  - streams*, 102
  - symmetrical negotiation mechanism*, 101
  - upper-layer addressing in Internet, 182-183
  - URLs (Universal Resource Locators)**, 130
  - URN (Universal Resource Name)**, 183
  - user data, 31, 238
  - User Datagram Protocol (UDP), 46
  - USING (Users Interest Group)**, 106
- 
- V**
  - Videotex, 111
  - Vienna Circle, 147
  - Virtual Transfer Protocol (VTP), 115
  - VLR (Visitor Locator Register), 341
  - VNFS (network virtual file system), 103
  - VTP (Virtual Transfer Protocol), 115
- 
- W**
  - Web**
    - development, 129
    - effect on Internet
      - requirements, 129-131
      - history of, xxiii-xxiv
  - Weiner, Norbert, 8
  - well-known sockets, 98, 115, 179
  - Where Wizard's Stay Up Late*, 383
  - Whitehead, Alfred North, 147
  - Wittgenstein, Ludwig, 4-6, 147-150
  - workarounds for lack of multihoming solution
    - BGP ASs (autonomous systems), 320-321
    - need for multihoming solution, 323
    - SCTP PoAs (points of attachment), 320


## X-Y-Z

- X.25**, 189
  - connection/connectionless debate, 67-68
  - naming and addressing, 154
- X.400**, 120
- X.500**, 133
- XID (Exchange Identification)**, 55
- XNS architecture**
  - addressing, 159
  - XNS Grapevine system, 132
  - XNS - Sequence Packet, xviii

- Zipf's law**, 131
- 0 (unspecified address)**, 170

# LearnIT at InformIT

## Go Beyond the Book



**11 WAYS TO LEARN IT** at [www.informIT.com/learn](http://www.informIT.com/learn)

The online portal of the information technology  
publishing imprints of Pearson Education



**Cisco Press**

**EXAM CRAM**

**IBM  
Press**

**QUE**



**SAMS**



# Safari Library

## Subscribe Now!

<http://safari.informit.com/library>

**Safari's entire technology collection is now available with no restrictions. Imagine the value of being able to search and access thousands of books, videos and articles from leading technology authors whenever you wish.**

### EXPLORE TOPICS MORE FULLY

Gain a more robust understanding of related issues by using Safari as your research tool. With Safari Library you can leverage the knowledge of the world's technology gurus. For one flat monthly fee, you'll have unrestricted access to a reference collection offered nowhere else in the world -- all at your fingertips.

With a Safari Library subscription you'll get the following premium services:

- > Immediate access to the newest, cutting-edge books - Approximately 80 new titles are added per month in conjunction with, or in advance of, their print publication.
- > Chapter downloads - Download five chapters per month so you can work offline when you need to.
- > Rough Cuts - A service that provides online access to pre-published information on advanced technologies updated as the author writes the book. You can also download Rough Cuts for offline reference.
- > Videos - Premier design and development videos from training and e-learning expert lynda.com and other publishers you trust.
- > Cut and paste code - Cut and paste code directly from Safari. Save time. Eliminate errors.
- > Save up to 35% on print books - Safari Subscribers receive a discount of up to 35% on publishers' print books.



**Safari**  
Books Online

Addison  
Wesley

Adobe Press

ALPHA

Cisco Press

FT Press  
FINANCIAL TIMES

lynda.com

Microsoft  
Press

New  
Riders

O'REILLY

Peachpit  
Press

PRENTICE  
HALL

Wharton School  
Publishing

QUE®

Redbooks

SAMS

IBM  
Press™



# THIS BOOK IS SAFARI ENABLED

## **INCLUDES FREE 45-DAY ACCESS TO THE ONLINE EDITION**

The Safari® Enabled icon on the cover of your favorite technology book means the book is available through Safari Bookshelf. When you buy this book, you get free access to the online edition for 45 days.

Safari Bookshelf is an electronic reference library that lets you easily search thousands of technical books, find code samples, download chapters, and access technical information whenever and wherever you need it.

### **TO GAIN 45-DAY SAFARI ENABLED ACCESS TO THIS BOOK:**

- Go to <http://www.prenhallprofessional.com/safarienabled>
- Complete the brief registration form
- Enter the coupon code found in the front of this book on the "Copyright" page

If you have difficulty registering on Safari Bookshelf or accessing the online edition, please e-mail [customer-service@safaribooksonline.com](mailto:customer-service@safaribooksonline.com).

