

Symbols

`/*- { }-*/` (comments), 58
`<<` (depends on), 338
3-D button simulation (window bars), 229-230

A

absolute left position (widgets), 92
absolute panels (widgets)
 adding, 113, 163
 deleting, 181
 hovering, 162
absolute top position (widgets), 92
AbsolutePanel class, 5, 110
Abstract Window Toolkit (AWT), 32, 144
AbstractMouseDragger class, 188-191
acceptsDragSource() method, 188
accessing objects
 anonymous inner classes, 18
 document, 60
 window, 60
action bean (Struts application), 352-353
add() method, 34, 93
 root panels, 11
 SimplePanel class, 211
 widgets
 absolute panels, 113, 163
 horizontal panels, 176
 vertical panels, 176
addChangeListener() method, 90, 94
addClickListener() method, 18
addColumn() method, 242
addEventPreview() method, 114
addFormHandler() method, 293
addHistoryListener() method, 29
adding
 button click listeners, 14-15
 change listeners, 94
 Components JAR file, 42
 CSS styles
 applications, 12
 widgets, 113
 event previews, 114

History class, 27-29
history listeners, 27-29
iframes, 26-27
JAR files, 298
keyboard listeners, 16, 94
rows, 242, 245
table listeners, 257
widgets
 absolute panels, 113, 163
 flex tables, 238, 242, 246
 horizontal panels, 176
 root panel, 11
 vertical panels, 176
addKeyListener() method, 94
addRow() method, 242
addStyleName() method, 12-14, 113
addTab() method, 315
addTableListener() method, 257
Ajax, 53, 79
alignment of widgets, 228
animations
 drop-down lists, 73
 gestures (viewports), 117-130
 scrolling, 129-130, 137
anonymous inner classes
 event listeners, 15
 objects, accessing, 18
ant command, 331
Apache
 Ant build files, 330
 ant command, 331
 code listing, 333-339
 creating, 44-45
 environment variables, 333
 JAR files, 332
 Java compiler classpath, 338
 properties, 332, 337
 Solutions source code directory, 332
 Struts modification, 356-357
 targets, 333, 338-339
 Commons
 fileUpload, 297
 project dependencies, 301
 Jakarta HttpClient, 146

applications

- art gallery, 202-209
- CSS styles, 12-14, 172
- debugging deployed, 340-342
- directory structure, 7
- Drag-and-Drop. *See* Drag-and-Drop application
- external server deployment, 326-339
- flex table example, 239-244
- GWT/Struts hybrid. *See* GWT/Struts hybrid application
- history change notifications from browser, 30
- HTML pages, 7
- legacy integration, 345
- logging out, 26-29
- login. *See* login application
- Login Start, 7-8
- Map, 106
- modules, 8
- Rolodex. *See* Rolodex application
- Struts. *See* Struts application
- XML configuration files, 8
- YahooMaps. *See* YahooMaps application
- applyDataRowStyles() method, 243, 253**
- applyEffect() method, 58, 100**
- arrays, 269**
- art gallery application, 202-203**
 - flex tables, 203
 - SimpleWindow class, 204-209
- asyncGet() method, 367**
- asynchronous interfaces**
 - defining, 36
 - Rolodex application, 322-323
- AutoComplete class, 75-77**
- autocomplete widget, 72**
 - AutoComplete class, 75-77
 - AutoCompleteTextBox widget code listing, 78-88
 - blind down effect, 91-92
 - change events, firing, 90
 - drop-down list animation, 73
 - event handlers, 89-90
 - files/directories, 73
 - form completion, 72-73
 - HasName interface, 91
 - HasText interface, 91
 - SourcesChangeEvents interface, 90
 - text box tooltip, 78
- AutoCompleteTextBox class, 88**
- AutoCompleteTextBox widget code listing, 78-88**
- AWT (Abstract Window Toolkit), 32, 144**

B

- backing bean (Struts application), 351**
- beans**
 - action, 352-353
 - backing, 351
 - form, 352
- blind down effect (autocomplete widget), 91-92**
- bookmarks (history mechanism), 32**
- browsers**
 - Back/Forward buttons for history change notifications, 30
 - bookmarks, 32
 - event preview limitations, 235
 - unwanted effects, preventing, 222-225, 234-235
- build files (Ant), 330**
 - ant command, 331
 - code listing, 333-339
 - environment variables, 333
 - JAR files, 332
 - Java compiler classpath, 338
 - properties, 332, 337
 - Solutions source code directory, 332
 - Struts modification, 356-357
 - targets, 333, 338-339
- button click listeners, 14-15**
- Button widget, 5**

C

- Calendar class, 66-68**
- CanPage interface, 277-278**
- capturing events, 111-114**
 - clipping views, 111
 - DOM elements, 214
 - mouse events, 112, 191
 - releasing, 115
- cascading stylesheets. *See* CSS**
- CellPanel class, 229**
- cells**
 - counts (flex tables), 245
 - flex tables
 - editing, 253-256
 - resizable cell panels, 264-268
 - formatters, 245
- change events, firing, 90**
- change listeners**
 - adding, 94
 - autocomplete widget example, 90
 - deleting, 94
- ChangeListener interface, 17**
- characters (text boxes), 144**
- CheckBox widget, 5**

classes

AbsolutePanel, 5, 110
 AbstractMouseDragger, 188-191
 anonymous inner, 15, 18
 AutoComplete, 75-77
 AutoCompleteTextBox, 88
 Button, 5
 Calendar, 66-68
 CellPanel, 229
 CheckBox, 5
 ColumnResizeListener, 268-270
 Composite, 5
 Contact, 317-318
 DeleteButton, 253
 dnd module, 183-197
 DOM, 99
 DragSource, 177, 183-186
 DragSourceListener, 191-196
 DropTarget, 179, 187-188
 EasyFlexTable, 246-250
 EasyFlexTableResizable, 269-270
 EasyFlexTableResizablePageable, 275-277
 Event, 216
 FlexTable, 5
 FollowsMouseDragger, 191
 Grid, 5
 HibernateUtil, 321-322
 History, 27-29
 HorizontalPanel, 5
 HTMLTable, 238, 260-263
 HttpRequest, 361
 Hyperlink, 5
 Image, 5
 Label, 5
 ListBox, 5
 MapWindow, 142-143, 158-162
 MousePanel, 115-117
 MusicPlayer, 174-175
 MusicPlayerDrag Source, 176-177
 Pager, 279-281
 Popup, 211
 PopupPanel, 6
 RadioButton, 6
 ResizableCellPanel, 264-268
 ResizeListenerCollection, 265
 RootPanel, 6
 ScrollPanel, 6
 SimplePanel, 210
 SimpleWindow, 204-209
 SimpleWindowMover, 232-234
 SimpleWindowResizer, 220-221
 TabBar, 6
 TextArea, 6
 TextBox, 6
 UIObject, 68

UploadFile, 286-290

Viewport, 107-117, 120-128

WindowBar, 226-228

clean target (Ant build file), 339

clear() method, 25

clearCell() method, 278

click listeners

list boxes, 90

mortgage calculator, 361

ClickListener interface, 17, 259

clippings (viewport), 104, 111

Colorado Home Finder website, 344-345

columns

flex tables

resizable, 269-271

resizing, 258

spanning, 278

resize listeners, 268-271

spanning flex tables, 238

widgets, 144

commands

ant, 331

deferred, 32-34, 141

i18nCreator, 22

projectCreator, 44-46

comments, 58

compile target (Ant build file), 338

compile-time type checking, 21

Compile/Browser button (Google), 326

completing forms

Ajax, 79

autocomplete widget, 72-73

Components JAR file, 42

Components module

Ant build files, creating, 44-45

configuration file, creating, 46

files/directories, 43

components. See widgets

composite widgets, 5, 71

autocomplete widget, 72-88

blind down effect, 91-92

change events, firing, 90

change HasName interface, 91

change HasText interface, 91

event handlers, 89-90

low-level custom widgets, compared, 95

pass-through methods, 88-89

shopping cart, 175

constructors, 40

Contact class, 317-318

copy-hibernate target (Ant build file), 338

create() method, 21, 144

Create/Read/Update/Delete (CRUD)

implementation, 304

createAndPopulateTable() method, 210

createCellWidget() method, 242
createContact() method, 314
createContactPanel() method, 314
createContent() method, 214
createDIV() method, 100
createTopLeft() method, 214
CRUD (Create/Read/Update/Delete)
 implementations, 304, 314-315
CSS (cascading stylesheets), 12
 adding, 12
 applications, 12-14
 default styles, 14
 defining, 13
 deleting, 13
 DOM elements, 218
 Drag-and-Drop application, 172
 drag sources/drop targets, 181-182
 file upload widget, 295-296
 flex tables, 242-243
 login application, 12-14
 low-level custom widgets, 99
 moveCursor style, 112
 pointerCursor style, 112
 rows, 253
 widgets, 112-113, 181
customizing
 map zooming levels, 152
 mouse cursors, 112
 widgets, 163
 composite. See composite widgets
 intermediate, 71
 low-level, 71, 95-99
 message component, 41-43

D

debugging deployed applications, 340-342
deferred commands
 event handlers, 34
 giving focus, 32-34
 YahooMaps application, 141
defining
 asynchronous interfaces, 36
 CSS styles, 13
 Java interfaces, 20
 properties file, 19
 remote service interfaces, 36
DeleteButton class, 253
deleteContact() method, 314
deleting
 change listeners, 94
 CSS, 13, 181
 event previews, 114
 keyboard listeners, 94
 rows, flex tables, 251-253

 table listeners, 257
 widgets, 181
dependency (targets), 338
depends on symbol (<<), 338
deploy target (Ant build file), 338
deployment
 applications to external servers, 326
 Ant build file, 330-339
 debugging, 340-342
 deployment descriptors, 328-329
 directory structure, 327
 document base definition, 339
 descriptors, 328-329, 365-366
directories
 applications, 7
 autocomplete widget, 73
 Components module, 43
 dnd module, 182
 Drag-and-Drop application, 170
 GWT/Struts hybrid application, 355
 Map application, 106
 Rolodex application, 306
 Solutions source code, 332
 Struts application, 348
 WEB-INF/lib, 329
 YahooMaps application, 138
disabling components during RPC calls, 59
Discovermachine website, 103
dnd (drag and drop), 168
 classes
 AbstractMouseDragger, 188-191
 DragSource, 183-186
 DragSourceListener, 191-196
 DropTarget, 187-188
 FollowsMouseDragger, 191
 Point, 196-197
 configuration file, 183
 drag sources, 169
 CSS styles, 181-182
 implementing, 176-177
 DragSource class, 177
 drop targets, 169
 CSS styles, 181-182
 implementing, 178-179
 iPods, 180
 Zune, 180-181
 DropTarget class, 179
 example application, 168
 files/directories, 182
 mouse listeners, 188-196
 music player application
 CSS styles, 181-182
 drag sources, 176-177
 drop targets, 178-179
 iPod drop targets, 180

MediaPlayer class, 174-175
shopping cart panel composite widget, 175
Zune drop targets, 180-181

documents

JavaScript object, accessing, 60
 XML, web services, 150

DOM class, 99

DOM elements

AWT peer similarities, 144
 CSS styles, 218
 deferred commands, 32-34
 events, capturing, 214
 Z indexes, 217

drag and drop. *See* dnd

Drag and Drop application

CSS styles, 172
 drag-and-drop module, inheriting, 172
 drag sources, 176-177, 181-182
 drop targets, 178-179
 CSS styles, 181-182
 iPod, 180
 Zune, 180-181
 files/directories, 170
 implementing, 173-174
 MediaPlayer class, 174-175
 shopping cart panel composite widget, 175

dragging

drop targets, 169
 CSS styles, 181-182
 implementing, 178-179
 iPods, 180
 mouse listeners, 191-196
 Zune, 180-181
 gesture, 129-130
 simple windows, 201
 sources, 169
 CSS styles, 181-182
 implementing, 176-177
 mouse events, 196
 mouse listeners, 191-196
 views inside viewports, 110

DragSource class, 177, 183-186

dragSourceDropped() method, 180, 188

DragSourceListener class, 191-196

drop-down lists, animating, 73

drop targets, 169

CSS styles, 181-182
 implementing, 178-179
 iPods, 180
 mouse listeners, 191-196
 Zune, 180-181

droppedOutsideDropTarget() method, 177

DropTarget class, 179, 187-188

E

EasyFlexTable class

code listing, 246-249
 example application with, 249-250

EasyFlexTableResizable class, 269-270

EasyFlexTableResizablePageable class, 275-277

eclipse effect

login application, 59
 Rolodex application configuration, 323

editContact() method, 314

effects

applying, 99
 blind down, 91-92
 eclipse, 59, 323
 Pulsate, 54-58
 Script.aculo.us, 55
 Shake, 97-99, 285

elements

creating, 100
 DOM
 AWT peer similarities, 144
 CSS styles, 218
 events, capturing, 214
 Z indexes, 217
 HTML, 100

encapsulation (JavaScript), 74

entry points

GWT/Struts hybrid application, 360-361
 mapping, 38-39, 145

environment variables (Ant build file), 333

error messages

compile-time type checking, 21
 Eclipse, 59
 IDEA, 59
 pulsating, 54
 shaking, 95-99

Event class, 216

eventGetKeyCode() method, 214

eventGetType() method, 214

EventListener interface, 6

eventPreventDefault() method, 111

EventPreview interface, 211

events

capturing, 111-115, 214
 change events, firing, 90
 handling. *See* handling events
 keyboard, 214
 listeners, 14-17, 27-29
 mouse, 110-113
 capturing, 191
 drag sources, 196
 simple windows, 215-216
 sinking, 117

previews

- adding*, 114
- browser reactions*, 111, 235
- deleting*, 114
- pop-ups*, 211

programming, 14-16

sinking, 215-216

sources, 17

sourcing, 7

types, returning, 214

execute() method, 34**Extensible Markup Language. See XML****external servers (application deployment), 326**

Ant build file, 330-339

debugging, 340-342

deployment descriptors, 328-329

directory structure, 327

document base definition, 339

F**files**

Ant build, 330

ant command, 331*code listing*, 333-339*creating*, 44-45*environment variables*, 333*JAR files*, 332*Java compiler classpath*, 338*properties*, 332, 337*Solutions source code directory*, 332*Struts modification*, 356-357*targets*, 333, 338-339

autocomplete widget, 73

Components JAR, 42

Components module, 43

dnd module, 182-183

Drag-and-Drop application, 170

GWT configuration, 63-64

GWT/Struts hybrid application, 355

HTML, 61-62

JAR

Ant build file, 332*deployment, selecting*, 332*file upload widget*, 298*WEB-INF/lib directory requirements*, 329

JavaScript

calendar configuration, 68*GWT configuration files*, 63-64*HTML files*, 61-62*module configuration files*, 64

Map application, 106

module configuration, 64

Rolodex application, 306, 316-319

Struts application, 348

upload restrictions, 284

upload widget, 284

Apache Commons fileUpload, 297*CSS stylesheet*, 295-296*event handlers*, 291*files*, 284, 298-301*form panel settings*, 291*form submissions*, 300*JAR files, adding*, 298*JSON, parsing*, 291-292*module configuration*, 296*names*, 290*platform dependency*, 284*shake effect*, 285*UploadFile class*, 286-290*user interface, creating*, 290

WAR (web application archive), 339-340

XML configuration, 8, 172

YahooMaps application, 138

fireMouseEvent() method, 117**firing change events, 90****flex tables, 5, 203-204**

cells

counts, 245*editing*, 253-256*formatting*, 214, 245*spacing*, 243

columns

resizing, 258*spanning*, 238, 278

creating, 214

CSS styles, 242-243

EasyFlexTable base class, 246-249

event handling, 259-263

example application, 239-244, 249-250

header rows, 242

label widgets, 242

paging through data, 272-282

performance, 245

populating, 275

resizable cell panels, 264-270

resizable columns, 268-271

rows

adding, 242*CSS styles*, 253*deleting*, 251-253*formatters*, 245*spanning*, 278

widgets, adding, 238, 242, 246

focus

panels, 110

widgets, 32-34, 114

FocusListener interface, 17**FollowsMouseDragger class, 191****form bean (Struts application), 352**

formatting tables, 214, 245**forms**

- completing, 72-73, 79
- panels, settings, 291
- submissions, 300

G**Garrett, Jesse James, 53****gestures (animated)**

- animated scrolling, 129-130
- drag, 129
- Viewport class code listing, 120-128
- viewports, 117-120

get() method

- JSON, 294
- root panels, 11

getAbsoluteLeft() method, 92**getAbsoluteTop() method, 92****getCaptureElement() method, 214****getCellCount() method, 245****getCellFormatter() method, 215, 245****getData() method, 275****getElement() method, 61****getFilename() method, 291****getFlexCellFormatter() method, 278****getItemText() method, 94****getMap() method, 150****getMapDocumentFromWebService()
method, 150****getNextLeft() method, 191****getNextTop() method, 191****getOffsetHeight() method, 92, 222****getOffsetWidth() method, 222****getPageSize() method, 278****getParent() method, 196****getResults() method, 294****getRowFormatter() method, 245****getSelectedIndex() method, 93****getTabHTML() method, 315****getText() method, 79, 95****getVisibleLength() method, 94****getWidget() method, 253****getWidgetLeft() method, 114****getWidgetTop() method, 114****Google Compile/Browser button, 326****Grid widget, 5****GWT/Struts hybrid application, 353**

- Ant build file, 356-357
- configuration files, 63-64
- deployment descriptor, 365-366
- entry point class, 360-361
- event handling, 361
- files/directories, 355
- JSON servlet, 361-363

JSP page, 357-359**login page, 354****mortgage calculator, 355, 363-365****real-world example, 344-345****target (Ant build file), 339****unsuccessful logins, 367-368****H****handling events**

- browser Back/Forward buttons, 30
- circumventing, 115
- composite custom widgets, 89-90
- deferred commands, 34
- file upload widget, 291
- GWT/Struts hybrid application, 361
- pop-ups, 211-213
- table listeners, 259-263
- mouse events, 110-113, 215-216

HasName interface, 6, 91**HasResizableColumns interface, 271****HasText interface, 6, 91****header rows (flex tables), 242****height (widgets), 92, 222****Hibernate ORM tool, Rolodex example
application, 304**

- asynchronous interface, 322-323
- code listing, 306-314
- configuration file, 316-317
- contact management, 305, 314
- CRUD operations, 314-315
- deployment descriptors, 328-329
- Eclipse configuration, 323
- external server deployment, 326-339
- files/directories, 306
- grid, 314
- HibernateUtil class, 321-322
- mapping file, 319
- remote interface, 322
- RPC servlet, 320-321
- storing contacts, 317-318
- tab bar, 314
- user interface, creating, 314

HibernateUtil class, 321-322**hide() method, 93****hiding pop-ups, 93, 200****hierarchy**

- root panel, 10
- widgets, 4

History class, 27-29**history**

- iframe, 69
- listeners, 27-29
- mechanism, 26-32

HistoryListener interface, 28

horizontal panels

- adding, 176
- alignment, 228

HorizontalPanel widget, 5**hovering, 153, 162****HTML (Hypertext Markup Language)**

- applications, 7
- elements, 100
- iframes, adding, 26-27
- Script.aculo.us file, importing, 61-62
- replacing with GWT widgets, 368-369

HTMLTable class, 238

- event handling, 260-262
- TableListenerCollection collection, 262-263

HttpClient (Yahoo! Maps), 146**HttpRequest class, 361****hybrid application (GWT/Struts), 353**

- Ant build file, 356-357
- deployment descriptor, 365-366
- entry point class, 360-361
- event handling, 361
- files/directories, 355
- JSON servlet, 361-363
- JSP page, 357-359
- login page, 354
- mortgage calculator, 355, 363-365
- real-world example, 344-345
- unsuccessful logins, 367-368

Hyperlink widget, 5**hyperlinks, 69****Hypertext Markup Language. See HTML****I****i18nCreator command, 22****IDEA error messages, 59****iframes**

- adding, 26-27
- history, 69

Image widget, 5**images, loading, 145**

- failures, 145
- specific URLs, 146

implementing

- Drag-and-Drop application, 173-174
- drag sources, 176-177
- drop targets, 178-181
- HistoryListener interface, 28
- internationalization, 19-20
- MapService interface, 148-150
- RPCs, 35-39, 146-150
- YahooMaps application, 139-142

importing JavaScript files, 61-64**indexes, 93-94****indicators, loading, 164****inheritance, 43, 210****init target (Ant build file), 338****initWidget() method, 88, 93****inner text (HTML elements), 100****insertRow() method, 242, 245****integrating, JavaScript calendar, 64-68****interfaces**

- asynchronous, 36, 322-323
- CanPage, 277-278
- ClickListener, 259
- event listeners, 17
- EventListener, 6
- EventPreview, 211
- HasName, 6, 91
- HasResizableColumns, 271
- HasText, 6, 91
- HistoryListener, 28
- isSerializable, 319
- MapService, 147-150
- MapServiceAsync, 147
- MouseListener, 234
- PagerListener, 277
- PagerListenerCollection, 281-282
- remote, 36, 322
- ResizeListener, 265
- ServiceDefTarget, 38
- SourcesChangeEvents, 90
- SourcesMouseEvents, 116
- SourcesPagerEvents, 281
- SourcesResizeEvents, 265
- SourcesTableEvents, 259-260
- user, 314

intermediate custom widgets, 71**internationalization**

- compile-time type checking, 21
- i18nCreator command, 22
- implementing, 19
 - accessing values in properties file, 20*
 - configuration file, 19*
 - Java interface, defining, 20*
 - properties file, defining, 19*
- messages support, 23

iPod drop targets, 180**isAttached() method, 163****isCancelled() method, 294****isLastPage() method, 278****isObject() method, 292, 295****isorHasChild() method, 214****isSerializable interface, 319****isString() method, 295****isValidLogin() method, 37****J****JAR files**

- Ant build file, 332
- deployment, selecting, 332

file upload widget, adding, 298
 WEB-INF/lib directory requirements, 329

Java library restrictions, 21

JavaScript

calendar integration, 64-68
 document object, accessing, 60
 encapsulation, 74
 importing, 61-64
 Object Notation. *See* JSON
 Prototype library, 54, 60
 Script.aculo.us toolkit, 54-64
 window object, accessing, 60

JavaServer Faces website, 1

JSON (JavaScript Object Notation), 290, 295

GWT/Struts hybrid application servlet,
 361-363
 parsing, 291-292
 Struts/GWT hybrid application, 344

JSP (JavaServer Pages)

GWT/Struts hybrid application, 357-359
 replacing with GWT widgets, 368-369
 Struts application, 348-351

K

key codes (keyboard events), 214

keyboards

events, 214
 listeners
 adding, 16, 94
 deleting, 94
 list boxes, 90
 text boxes, 89

KeyListener interface, 17

keySet() method, 292-294

Kruse, Matt, 65

L

Label widget, 5, 242

left edge coordinates (widgets), 114

legacy application integration (GWT/Struts hybrid application), 353

Ant build file, 356-357
 configuration files, 63-64
 deployment descriptor, 365-366
 entry point class, 360-361
 event handling, 361
 files/directories, 355
 JSON servlet, 361-363
 JSP page, 357-359
 login page, 354
 mortgage calculator, 355, 363-365
 real-world example, 344-345
 target (Ant build file), 339
 unsuccessful logins, 367-368

libraries

Java, 21
 Prototype JavaScript, 54, 64
 user
 creating in Eclipse, 298
 multiple JAR files, 302

linking CSS styles, 13-14

list boxes

click listeners, 90
 hovering zoom-level, 162
 keyboard listeners, 90
 zoom-level, 162

ListBox widget, 5

listeners

button click, 14-15
 change, 90, 94
 click, 90, 361
 event sources, 17
 history, 27-29
 interfaces, 17
 keyboard. *See* keyboard, listeners
 load, 162, 164
 mouse. *See* mouse, listeners
 resize, 265-271
 table, 257-263

listings

Ant build file, 332-339
 art gallery application, 202-209
 AutoComplete class, 75-77
 autocomplete widget, 91-92
 AutoCompleteTextBox widget, 78-88
 CanPage interface, 277-278
 ClickListener interface, 259
 ColumnResizeListener class, 268-270
 Components module, 44-46
 CSS styles, defining, 13
 dnd module, 183-197
 Drag-and-Drop application, 172
 drop targets, implementing, 179
 EasyFlexTable class, 246-249
 EasyFlexTableResizable class, 269-270
 EasyFlexTableResizablePageable class,
 275-277
 file upload widget, 295-301
 flex table example application, 239-244,
 249-250
 GWT/Struts hybrid application, 357-366
 HasResizableColumns interface, 271
 HTMLTable class, 260-262
 JavaScript calendar, 66-68
 login application. *See* login application
 Login Start application, 7-8
 MapService interface, 147-150
 MapServiceAsync interface, 147
 MapWindow class, 142-143, 158-162
 Message component, 96-97

MousePanel class, 115-116
 music player application, 173-182
 Pager class, 279-281
 PagerListener interface, 277
 PagerListenerCollection interface, 281-282
 PreventDefaultDuringDragging, 224-225
 ResizableCellPanel class, 266-268
 ResizeListener interface, 265
 ResizeListenerCollection class, 265
 Rolodex application. *See* Rolodex application
 Shake effect applied to error message, 97-99
 SimpleWindowMover class, 232-234
 SimpleWindowResizer class, 220-221
 SourcesPagerEvents interface, 281
 SourcesResizeEvents interface, 265
 SourcesTableEvents interface, 259-260
 Struts application, 348-353
 TableListenerCollection collection, 262-263
 UploadFile class, 286-290
 viewport application scrolling animation, 119
 Viewport class, 107-109, 120-128
 viewport widget, 105-106
 WindowBar class, 226-228
 YahooMaps application, 139-142, 151, 154-158

loading

images, 145-146
 indicators, 164
 listeners, 162-164

loadRolodex method(), 314**loadWelcomeView() method, 25****logging out, applications, 26**

History class/history listeners, adding, 27-29
 iframe, adding, 26-27

login application, 9-10

button click listener, adding, 14-15
 code listing, 47
 CSS styles, 12-14
 eclipse effect, 59
 focus, giving, 33-34
 history change notifications from browser, 30
 IDEA error message, 59
 internationalization, 19-20
 keyboard listener, adding, 16
 logging out, 26-29
 message component, 41-43
 pulsate effect, 56-58
 root panel repopulation, 23-25
 RPCs, 36-39
 Script.aculo.us effects library, importing, 61-64

Login Start application

files/directories, 7
 HTML page, 7-8
 XML configuration file, 8

low-level custom widgets, 71

composite custom widgets, compared, 95
 CSS styles, 99
 DOM class, 99
 shaking error message, 95-99
 special effects, applying, 99

M**Map application, 106****mapping**

entry points, 145, 38-39
 Rolodex application file, 319
 viewports, 104-112

- animated gestures, 117-130*
- MousePanel class, 115-117*
- simple window, 137*

 zooming, 151-153

MapService interface, 147-150**MapServiceAsync interface, 147****MapWindow class, 142-143, 158-162****mashups, 133****messages**

embedding, 41-43
 error, 54, 59
 hovering loading, 162
 shaking error messages, 95-99
 support, 23

methods

acceptsDragSource(), 188
 add(). *See* add() method
 addChangeListener(), 90, 94
 addClickListener(), 18
 addColumn(), 242
 addEventPreview(), 114
 addFormHandler(), 293
 addHistoryListener(), 29
 addKeyboardListener(), 94
 addRow(), 242
 addStyleName(), 12-14, 113
 addTab(), 315
 addTableListener(), 257
 applyDataRowStyles(), 243, 253
 applyEffect(), 58, 100
 asyncGet(), 367
 clear(), 25
 clearCell(), 278
 create(), 21, 144
 createAndPopulateTable(), 210
 createCellWidget(), 242
 createContact(), 314
 createContactPanel(), 314
 createContent(), 214
 createDIV(), 100
 createTopLeft(), 214
 deleteContact(), 314

dragSourceDropped(), 180, 188
 droppedOutsideDropTarget(), 177
 editContact(), 314
 eventGetKeyCode(), 214
 eventGetType(), 214
 eventPreventDefault(), 111
 execute(), 34
 fireMouseEvent(), 117
 get(), 11, 294
 getAbsoluteLeft(), 92
 getAbsoluteTop(), 92
 getCaptureElement(), 214
 getCellCount(), 245
 getCellFormatter(), 215, 245
 getData(), 275
 getElement(), 61
 getFilename(), 291
 getFlexCellFormatter(), 278
 getItemText(), 94
 getMap(), 150
 getMapDocumentFromWebService(), 150
 getNextLeft(), 191
 getNextTop(), 191
 getOffsetHeight(), 92, 222
 getOffsetWidth(), 222
 getPageSize(), 278
 getParent(), 196
 getResults(), 294
 getRowFormatter(), 245
 getSelectedIndex(), 93
 getTabHTML(), 315
 getText(), 79, 95
 getVisibleLength(), 94
 getWidget(), 253
 getWidgetLeft(), 114
 getWidgetTop(), 114
 hide(), 93
 initWidget(), 88, 93
 insertRow(), 242, 245
 isAttached(), 163
 isCancelled(), 294
 isLastPage(), 278
 isObject(), 292, 295
 isOrHasChild(), 214
 isString(), 295
 isValidLogin(), 37
 keySet(), 292, 294
 loadRolodex(), 314
 loadWelcomeView(), 25
 newItem(), 31
 onBeforeTabSelected(), 315
 onBrowserEvent, 117
 onBrowserEvent(), 217
 onCellClicked(), 257
 onChange(), 79, 163
 onClick(), 18
 onCompletion(), 367
 onError(), 145
 onEventPreview(), 115, 213
 onFailure(), 38, 40, 145
 onHistoryChanged(), 28-29
 onLoad(), 145, 187
 onMouseDown(), 112, 196
 onMouseEnter(), 113, 196
 onMouseLeave(), 111-113
 onMouseMove(), 113, 196
 onMouseUp(), 112, 196
 onSubmit(), 291-293
 onSubmitComplete(), 291-293
 onSuccess(), 38-39, 145
 onTabSelected(), 315
 parse(), 292-294
 pass-through, 88-89
 popupCalendar(), 68
 releaseCapture(), 115, 191
 remove(), 181
 removeChangeListener(), 90, 94
 removeEventPreview(), 114
 removeKeyboardListener(), 94
 removePreTags(), 291
 removeRow(), 253
 removeStyleName(), 13, 181
 removeTableListener(), 257
 run(), 130
 saveContact(), 314
 schedule(), 130
 scheduleRepeating(), 130
 selectAll(), 257
 setAction(), 293
 setBorderWidth(), 215
 setCancelled(), 294
 setCapture(), 114, 191
 setCellHorizontalAlignment(), 229, 272
 setCellPadding(), 215
 setCellSpacing(), 215, 244
 setCellWidth(), 229
 setColSpan(), 278
 setContent(), 210
 setElement(), 100
 setEnabled(), 61
 setEncoding(), 293
 setGestureEnabled(), 119
 setHeight(), 215, 222
 setInnerText(), 100
 setIntStyleAttribute(), 218
 setMethod(), 293
 setName(), 95
 setPixelResize(), 221
 setPopupPosition(), 210-221
 setSelectedIndex(), 93
 setServiceEntryPoint(), 38-39, 145
 setStyleAttribute(), 100, 218

setStyleName(), 112-113
 setText(), 79
 setTitle(), 78
 setUrl(), 146
 setVerticalCellAlignment(), 229
 setVisible(), 43, 314
 setVisibleLength(), 78, 144
 setWidget(), 11, 114, 144, 210-211, 242, 245
 setWidgetPosition(), 114
 setWidth(), 215, 222, 272
 show(), 93, 210
 sinkEvents(), 216
 submit(), 293
 updateContact(), 314
 updateRolodex(), 314
 Widget(), 215
 windowResized(), 221
 wrapCellWidgetInResizableCellPanel(), 270
modifying. See customizing
modules
 applications, 8
 Components, 43-46
 configuration files, 64
 dnd. *See* dnd
 file upload widget, 296
 inheriting, 43
mouse
 cursors, 105, 112
 events
 capturing, 191
 drag sources, 196
 entering widgets, 113
 event previews, 111
 focus panel, 110
 leaving widgets, 113
 mouse down, 112
 mouse move, 113
 mouse up, 112
 simple windows, 215-216
 sinking, 117
 listeners
 3-D button simulation, 229-230
 AbstractMouseDragger class, 188-191
 drag sources/drop targets, 186
 DragSourceListener class, 191-196
 FollowsMouseDragger class, 191
 moving windows with window bars,
 231-234
 PreventDefaultDuringDragging, 224-225
MouseListener interface, 17, 234
MousePanel class, 115-117
moveCursor style, 112
moving pop-ups, 230-234

music player application
 composite widget, 174-175
 CSS styles, 181-182
 drag source, 176-177
 drop targets, 178-181
 implementing, 173-174
 shopping cart panel, 175
MediaPlayer class, 174-175
MediaPlayerDragSource class, 176-177

N-O

names

 file upload widget, 290
 widgets, 95, 112-113
navigating views, 23-25
newItem() method, 31
no-argument constructors, 40
-noserver option, 340-342

object-to-relational mapping (ORM) tools, 303

objects

 accessing, 18
 Element, 100
 JavaScript, 60
onBeforeTabSelected() method, 315
onBrowserEvent() method, 117, 217
onCellClicked() method, 257
onChange() method, 79, 163
onClick() method, 18
onCompletion() method, 367
onError() method, 145
onEventPreview() method, 115, 213
onFailure() method, 40
 asynchronous interface callback, 38
 RPCs, 145
onHistoryChanged() method, 28-29
onLoad() method
 dnd module, 187
 images, 145
onMouseDown() method, 112, 196
onMouseEnter() method, 113, 196
onMouseLeave() method, 111-113
onMouseMove() method, 113, 196
onMouseUp() method, 112, 196
onSubmit() method, 291-293
onSubmitComplete() method, 291-293
onSuccess() method, 39
 asynchronous interface callback, 38
 RPCs, 145
onTabSelected() method, 315
options
 -ant option, 44-45
 -noserver, 340-342
ORM (object-to-relational mapping) tools, 303
overriding event handling in pop-ups, 211-213

P

package-components target (Ant build file), 338

Pager class, 279-281

PagerListener interface, 277

PagerListenerCollection interface, 281-282

paging through data (flex tables), 272

CanPage interface, 277-278

EasyFlexTableResizableAndPageable class, 275-277

example application, 273-275

pager widget, 279-282

PagerListener interface, 277

panels

absolute

hovering widgets, 162
widgets, 113, 163, 181

AbsolutePanel widget, 5

focus, 110, 114

form, settings, 291

horizontal, 176, 228

HorizontalPanel widget, 5

pop-up. *See* pop-ups

PopupPanel widget, 6

root, 10-11, 23-25

RootPanel widget, 6

ScrollPanel widget, 6

simple, 210-211

vertical, 176

parent widgets

attachments, 163

returning, 196

parse() method, 292-294

pass-through methods (composite custom widgets), 88-89

performance

flex tables, 245

simple windows, 203

Point class, 196-197

pointerCursor style, 112

POJOs (plain old Java objects), 303, 317-318

pop-ups, 199. *See also* simple windows

attaching, 210

autohide feature, 200

contents, 210

event handling, overriding, 211-213

hiding, 93

inheritance, 210

modality, 200

moving, 230-234

positioning, 210-211

resizing, 219-221

viewing, 93

popupCalendar() method, 68

PopupListener interface, 17

PopupPanel class, 211

PopupPanel widget, 6

positioning

pop-ups, 210-211

widgets, 110, 114

prepare-www-dir target (Ant build file), 339

PreventDefaultDuringDragging mouse

listener, 224-225

projectCreator command

-ant option, 44-45

module configuration files, 46

Prototype JavaScript library (Script.aculo.us toolkit), 54

eclipse effect, directly incorporating, 59

effects, 55

IDEA error message, 59

importing, 61-64

Mac integration, 60

pulsate effect, directly incorporating, 56-58

Pulsate effect

error messages, 54

login application, 56-58

Q-R

RadioButton widget, 6

read scripts, 47

releaseCapture() method, 115, 191

releasing capture events, 115

remote interface (Rolodex application), 322

Remote Procedure Calls. *See* RPCs

remote service interfaces, defining, 36

remove() method, 181

removeChangeListener() method, 90, 94

removeEventPreview() method, 114

removeKeyboardListener() method, 94

removePreTags() method, 291

removeRow() method, 253

removeStyleName() method, 13, 181

removeTableListener(), 257

repopulating root panels, 23-25

ResizableCellPanel class, 264-268

resize listeners

columns, 268-271

ResizableCellPanel class, 266-268

ResizeListener interface, 265

ResizeListenerCollection class, 265

SourcesResizeEvents interface, 265

ResizeListener interface, 265

ResizeListenerCollection class, 265

resizing

columns, 258

simple windows, 201, 219-221

Rico website, 167

Rolodex example application, 304

- asynchronous interface, 322-323
- code listing, 306-314
- configuration file, 316-317
- contact management, 314
- contacts
 - creating*, 305, 314
 - editing*, 305
 - storing*, 317-318
- CRUD operations, 314-315
- debugging, 340-342
- Eclipse configuration, 323
- external server deployment, 326-339
- files/directories, 306
- grid, 314
- HibernateUtil class, 321-322
- mapping file, 319
- remote interface, 322
- RPC servlet, 320-321
- tab bar, 314
- user interface, creating, 314

root panels, 10

- hierarchy, 10
- multiple, 11
- repopulating, 23-25
- widgets, adding, 11

RootPanel widget, 6**rows**

- adding, 245
- flex tables
 - adding*, 242
 - cell counts*, 245
 - CSS styles*, 253
 - deleting*, 251-253
 - editing*, 253-256
 - formatters*, 245
 - spanning*, 278
- widgets, 144

RPCs (Remote Procedure Calls), 35

- disabling components during, 59
- failures, 145
- form submissions/file uploads, 301
- implementing, 35-38
- Rolodex application servlet, 320-321
- successful, 145
- synchronous requests, 40
- web services, 146-151
- YahooMaps application, 146

Ruby on Rails, 3

- `run()` method, 130

S

- `saveContact()` method, 314
- `schedule()` method, 130
- `scheduleRepeating()` method, 130

Script.aculo.us toolkit, 54

- blind down effect, 91-92
- eclipse effect, 59
- effects, 55
- IDEA error message, 59
- importing, 61-64
- Mac integration, 60
- pulsate effect, 56-58
- website, 167

<script> element, 62**scrolling animation (viewports), 119-120****ScrollPane widget, 6****selectAll() method, 257****selecting**

- JAR deployment files, 332
- text, text boxes, 257

ServiceDefTarget interface, 38**services (web), 133**

- client modification, 156-158
- hovering loading messages, 162
- RPCs, 146-151
- Yahoo! Maps, 134-143
- zoom levels, 151-156

servlets

- file upload, 298-301
- JSON, 361-363
- remote, creating, 36-37
- Rolodex application, 320-321

setAction() method, 293**setBorderWidth() method, 215****setCancelled() method, 294****setCapture() method, 114, 191****setCellHorizontalAlignment() method, 229, 272****setCellPadding() method, 215****setCellSpacing() method, 215, 244****setCellWidth() method, 229****setColSpan() method, 278****setContent() method, 210****setElement() method, 100****setEnabled() method, 61****setEncoding() method, 293****setGestureEnabled() method, 119****setHeight() method, 215, 222****setInnerText() method, 100****setIntStyleAttribute() method, 218****setMethod() method, 293****setName() method, 95****setPixelResize() method, 221****setPopupPosition() method, 210-211****setSelectedIndex() method, 93****setServiceEntryPoint() method, 38-39, 145****setStyleAttribute() method, 100, 218****setStyleName() method, 112-113****setText() method, 79**

setting

- HTML elements, 100
- indexes, 93
- loading indicators, 164
- simple panels, 211
- text, 79

setTitle() method, 78**setUrl() method, 146****setVerticalCellAlignment() method, 229****setVisible() method, 43, 314****setVisibleLength() method, 78, 144****setWidget() method, 11, 114, 144, 210-211, 242, 245****setWidgetPosition() method, 114****setWidth() method, 222**

- flex tables, 215
- table columns, 272

Shake effect

- error messages, 97-99
- file upload widget, 285

shaking error messages, 95

- CSS styles, 99
- DOM class, 99
- Message component listing, 96-97
- Shake effect, 97-99

shopping cart panel composite widget, 175**show() method, 93, 210****simple panels**

- inheritance, 210
- widgets, setting, 211

simple windows

- animated scrolling, 137
- art gallery application, 202-209
- bringing to front, 210, 217
- content, 210
- dragging/resizing, 201
- events, sinking, 215-216
- example, 201
- flex tables, 203-204, 214
- moving, 230-234
- performance issues, 203
- pop-up event handling, overriding, 211-213
- resizing, 219-221
- unwanted browser effects, preventing, 222-225
- window bars, 225
 - 3-D button simulation, 229-230*
 - moving pop-ups, 230-234*
 - title/Close button alignment, 228*
 - unwanted browser effects, preventing, 234-235*
- WindowBar class, 226-228*

SimplePanel class, 210**SimpleWindow class, 204-209****SimpleWindowMover class, 232-234****SimpleWindowResizer class, 220-221****sinkEvents() method, 216****sinking events, 117, 215-216****sizing**

- columns, 258
- simple windows, 201, 219-221
- text boxes, 78

slots, 11**SourceChangeEvent interface, 90****SourceMouseEvent interface, 116****SourcePagerEvents interface, 281****SourceResizeEvents interface, 265****SourceTableEvents interface, 259-260****sourcing events, 7, 17****spacing flex tables, 243****spanning columns/rows, 238, 278****speed, animated scrolling, 130****Struts**

- application, 345
 - action bean, 352-353*
 - backing bean, 351*
 - client-side/server-side validation, 346*
 - files/directories, 348*
 - form bean, 352*
 - JSP pages, 348-351*
- GWT hybrid application. *See* GWT/Struts hybrid application
- website, 1

styles (CSS). *See* CSS (Cascading Stylesheets)**submit() method, 293****synchronous requests, 40****T****tab bar (Rolodex application), 314****TabBar widget, 6****table listeners**

- adding, 257
- deleting, 257
- event handling, 259-263

TableListener interface, 17**TableListenerCollection collection, 262-263****tables, 203-204**

- cells
 - counts, 245*
 - editing, 253-256*
 - formatting, 214, 245*
 - resizing, 264-268*
 - spacing, 243*
- columns
 - resizing, 258, 269-271*
 - spanning, 238, 278*
- creating, 214
- CSS styles, 242-243
- EasyFlexTable base class, 246-249
- event handling, 259-263

example application, 239-244, 249-250

FlexTable widget, 5

Grid widget, 5

header rows, 242

horizontal alignment, 229

label widgets, 242

listeners. *See* table listeners

paging through data, 272-282

performance, 245

populating, 275

rows

adding, 242

CSS styles, 253

deleting, 251-253

formatting, 245

spanning, 278

vertical alignment, 229

widgets, adding, 238, 242, 246

TabListener interface, 17

targets

Ant build file, 333, 338-339

dependency, 338

text

HTML elements, 100

indexes, 94

widgets, 79, 95

text boxes

AutoCompleteTextBox widget code listing,
78-88

characters visible, 144

keyboard listeners, 89

selecting, 257

size, 78

text, selecting, 257

tooltip, 78

visible length, 94

TextArea widget, 6

TextBox widget, 6

timers, run methods, 130

top edge coordinates (widgets), 114

TreeListener interface, 17

troubleshooting

browser lock ups from event previews, 235

deployed applications, 340-342

flex tables performance, 245

simple window performance, 203

U-V

UIObject class, 68

updateContact() method, 314

updateRolodex() method, 314

UploadFile class, 286-290

user interfaces, 314

user libraries

creating in Eclipse, 298

multiple JAR files, 302

vectors, 269

vertical panels, 176

Viewport class, 107-109

animated gestures code listing, 120-128

browser reactions, restricting, 111

capturing events, 111-112

dragging views inside viewports, 110

mouse events, handling, 110

MousePanel class, 115-117

placing widgets at pixel locations, 110

viewports, 104

animated gestures, 117-130

browser reactions, restricting, 111

capturing events, 111-112

clipping, 104

mouse event handling, 110

MousePanel class, 115-117

placing widgets at pixel locations, 110

simple window, 137

Viewport class, 107-109

viewport widget, 105-106

views, 110-111

views

dragging inside viewports, 110

events, 114

JSP welcome view, 350-351

navigating, 23-25

pop-ups, 93

Struts application welcome view, 350-351

VisiCalc (Visible Calculator), 237

W

WAR (web application archive) files, 339-340

web application frameworks

(Ruby on Rails), 3

web services, 133

client modification, 156-158

hovering loading messages, 162

RPCs, 146-151

Yahoo! Maps, 134-142

zoom levels, 151-156

WEB-INF/lib directory, 329

websites, 344

Colorado Home Finder, 344-345

Discovermachine, 103

JavaServer Faces, 1

Kruse, Matt, 65

Rico, 167

Script.aculo.us, 167

Struts, 1

Widget() method, 215**widgets, 4**

- absolute left position, 92
- absolute top position, 92
- AbsolutePanel, 5
- adding
 - absolute panels, 113, 163*
 - flex tables, 238, 242, 246*
 - horizontal panels, 176*
 - root panel, 11*
 - vertical panels, 176*
- alignment, 228
- autocomplete. *See* autocomplete widget
- Button, 5
- capture events, releasing, 115
- CheckBox, 5
- composite. *See* composite widgets
- CSS styles, 113, 181
- default style, 112-113
- deleting, 181
- EventListener interface, 6
- events, 7, 114
- file upload. *See* files, upload widget
- FlexTable, 5
- focus, 32-34, 114
- Grid, 5
- height, 92, 222
- hierarchy, 4
- HorizontalPanel, 5
- hovering, 162
- HTML/JSP page replacements, 368-369
- Hyperlink, 5
- Image, 5
- intermediate, 71
- label, 5, 242
- left edge coordinates, 114
- ListBox, 5
- low-level, 71, 95-99
- message component, customizing, 41-43
- modifications, 163
- names, 95
- parent, 163, 196
- PopupPanel, 6
- positioning by pixels, 110, 114
- RadioButton, 6
- RootPanel, 6
- rows/columns, 144
- ScrollPanel, 6
- setting, 211
- shopping cart panel, 175
- simple panels, 210
- TabBar, 6
- text, 79, 95
- TextArea, 6
- TextBox, 6

- top edge coordinates, 114

- viewport, 105-106

- width, 222

width (widgets), 222**window object (JavaScript), 60****WindowBar class, 226-228****windowResized() method, 221****windows. *See* simple windows****wrapCellWidgetInResizableCellPanel() method, 270****X-Z****XML (Extensible Markup Language)**

- configuration files, 8, 172

- documents, 150

Yahoo! Maps web service, 134

- animated scrolling, 137

- client modification, 156-158

- example application, 134-135

- files/directories, 138

- implementing, 139-142

- loading maps, 135

- MapWindow class, 142-143, 158-162

- remote service interface modification, 154-156

- RPCs, 146-151

- servlet mapping, 151

- zooming, 151-153

Z indexes, 217**zoom-level list boxes, 162****zooming, maps**

- hovering, 153

- levels, 152

- parameters, 151

Zune drop targets, 180-181