

VISUAL QUICKSTART GUIDE

COVERS ADOBE BRIDGE
AND CAMERA RAW!



Photoshop CC

2015 release



ELAINE WEINMANN
PETER LOUREKAS

© LEARN THE QUICK AND EASY WAY!

VISUAL QUICKSTART GUIDE

Photoshop CC

2015 release

ELAINE WEINMANN

PETER LOUREKAS

For Alicia and Simona

Visual QuickStart Guide

Photoshop CC (2015 release)

Elaine Weinmann and Peter Lourekas

Peachpit Press

www.peachpit.com

To report errors, please send a note to errata@peachpit.com

Peachpit Press is a division of Pearson Education

Copyright © 2016 by Elaine Weinmann and Peter Lourekas

Cover Design: RHDG/Riezebos Holzbaur Design Group, Peachpit Press

Logo Design: MINE™ www.minesf.com

Interior Design: Elaine Weinmann

Production: Elaine Weinmann and Peter Lourekas

Illustrations: Elaine Weinmann and Peter Lourekas, except as noted

Notice of Rights

All rights reserved. No part of this book may be reproduced or transmitted in any form by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher. For information on getting permission for reprints and excerpts, contact permissions@peachpit.com.

Notice of Liability

The information in this book is distributed on an “As Is” basis, without warranty. While every precaution has been taken in the preparation of the book, neither the authors nor Peachpit shall have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the instructions contained in this book or by the computer software and hardware products described in it.

Trademarks

Visual QuickStart Guide is a registered trademark of Peachpit Press, a division of Pearson Education.

Adobe and Photoshop are registered trademarks of Adobe Systems Incorporated in the United States and/or other countries. All other trademarks are the property of their respective owners.

Many of the designations used by manufacturers and sellers to distinguish their products are claimed as trademarks. Where those designations appear in this book, and Peachpit was aware of a trademark claim, the designations appear as requested by the owner of the trademark. All other product names and services identified throughout this book are used in editorial fashion only and for the benefit of such companies with no intention of infringement of the trademark. No such use, or the use of any trade name, is intended to convey endorsement or other affiliation with this book.

ISBN-13: 978-0-134-30889-0

ISBN-10: 0-134-30889-1

9 8 7 6 5 4 3 2 1

Printed and bound in the United States of America

Acknowledgments

First and foremost, we owe an abundance of gratitude to the dynamic, intelligent leadership of Nancy Aldrich-Ruenzel, the former publisher of Peachpit Press. For nearly two decades, she steered Peachpit through a changing publishing landscape with steady, yet flexible, hands, while continuing to cultivate original and creative content. She accomplished these feats with boundless energy, sustained passion, and steadfast integrity. Not easy.

Paul Boger, the new publisher of Peachpit Press, is gracefully following in Nancy Ruenzel's footsteps.

Nancy Davis, editor-in-chief of Peachpit Press and consummate multitasker, has helped guide various facets of the company for nearly two decades.

Victor Gavenda, executive editor at Peachpit Press, has been instrumental to our work in more ways than we can recount, for as long as we have been writing books. Victor is exceedingly knowledgeable about computer book publishing and all things techie.

Susan Rimerman and Cliff Colby, our former editors at Peachpit Press, assisted us with everything from furnishing resources to noodging whoever needed to be noodged to keep the project on track.

It's one thing to produce good InDesign files and what looks like a handsome design onscreen; it's another thing to see our work come to fruition in print as we envision. Lisa Brazieal, senior production editor at Peachpit Press, worked her prepress magic on our InDesign files before sending them to RR Donnelley, who does a first-rate print job.

Sara Todd, marketing manager; Alison Serafini, contracts manager; and many other capable, hard-working people at Peachpit contribute their respective talents to making every step of the publishing process run smoothly, from contracts to distribution and promotion. It all matters.

Elaine Soares, photo research manager, and Lee Scher, photo research coordinator, of the Image Resource Center at Pearson Education (the parent company of Peachpit Press), procured the stock photos from Shutterstock.com that we feature in this book.

codeMantra converted our pages to ebook format. One book, two ways.

Adobe Systems, Inc. produces innovative software that is a pleasure to use and write about. For continuing to push the envelope of graphics software, and for helping product testers like ourselves untangle the mysteries and complexities of prerelease versions of Photoshop CC by way of the online forum, we thank the entire Photoshop team, especially Zorana Gee and Stephen Nielson, senior product managers; Vishal Rana, project lead, prerelease programs; and Steve Guilhamet, quality engineer (the oracle who replied to a slew of user questions on the prerelease forums).

In addition to writing and testing the instructional material in this book, we designed, illustrated, and composed (packaged) it in Adobe InDesign, which is as time consuming as it sounds. To help us clean, finish, and polish sections of this edition, we engaged the services of the following people.

A special shout-out to Rebecca Pepper, who has copy edited so many editions of this book she probably recalls some passages by heart. She did her usual meticulous job on portions of this iteration.

Over the years, we have also been blessed by the comprehensive (not to mention customized) indexing work of Steve Rath. When we need an industrial-grade index, we know who we're gonna call.

We were also assisted by Lisa Fridsma, Adobe software expert, who keystroked the new material, and by Liz Welch, proofreader, who scoured our final-final pages for errors.

Hey, and thanks to the college bookstores, online retailers, and other outlets that order and sell our titles, and to the drivers who transport buckets of our print books cross country. And to the people who build the trucks — okay, enough.

Speaking of country, after a long sojourn in the Northeast, we are now snugly nestled in Asheville, North Carolina. We can't express enough gratitude for the continued presence and love of our old friends and family (you know who you are — we got a lotta history), as well as to our newfound friends in Asheville who, with graciousness and warmth, have made us feel right at home.

— Elaine Weinmann and Peter Lourekas

In this table of contents and throughout this book, sections that cover new or improved features of Photoshop CC (2015 release) are identified by red stars. ★

Contents

1: Color Management

Launching Photoshop ★	1
Photoshop color	2
Introduction to color management	5
Calibrating your display	6
Choosing a color space for Photoshop	7
Synchronizing color settings among Adobe applications	9
Customizing the color policies for Photoshop	10
Installing and saving custom color settings	11
Acquiring printer profiles	11
Changing a document's color profile	12

2: Creating Files

Calculating the correct file resolution	13
Creating a new, blank document ★	15
Creating document presets	16
Editing 16-bit files in Photoshop	17
Saving your document	18
Using the Status bar	21
Ending a work session	22

3: Bridge

Launching Adobe Bridge ★	23
Downloading photos from a camera	24
Features of the Bridge window	26
Choosing a workspace for Bridge	28
Previewing images in Bridge	29
Opening files from Bridge into Photoshop ★	33
Customizing the Bridge window	36
Saving custom workspaces	38
Resetting the Bridge workspaces	38
Assigning keywords to files	38
Rating and labeling thumbnails	40
Rearranging and sorting thumbnails	41
Filtering thumbnails	41
Managing files using Bridge	42
Exporting the Bridge cache	42
Batch-renaming files	43
Searching for files	44
Creating and using collections	45

4: Camera Raw

Why use Camera Raw? ★	47
Opening photos into Camera Raw ★	50
The Camera Raw tools ★	53
Cropping and straightening photos	54
Choosing default workflow options	56
Using the Camera Raw tabs	59
Using the Basic tab	61
Using the Tone Curve tab	66
Using the Detail tab	68
Using the HSL/Grayscale tab	70
Using the Adjustment Brush tool ★	72
Using the Split Toning tab	77
Using the Lens Corrections tab ★	78
Using the Effects tab ★	82
Using the Graduated Filter tool ★	86
Using the Radial Filter tool ★	88
Using the Spot Removal tool	90
Saving and applying Camera Raw settings	92
Synchronizing Camera Raw settings ★	94
Converting, opening, and saving Camera Raw files	95

5: Workspaces

Using the Application frame ★	97
Tiling multiple documents	100
Changing the zoom level ★	101
Rotating the canvas view ★	103
Changing the screen mode	104
Choosing a workspace	104
Configuring the panels	105
Saving custom workspaces	108
Resetting workspaces ★	109
Using the Options bar	110

6: Panels & Presets

The Photoshop panel icons	112
The Photoshop panels that are used in this book ★	113
Choosing basic brush settings	130
Managing presets via the pickers and panels	132

- Exporting and importing presets 134
- Using the Preset Manager 135
- Creating tool presets 136

7: Pixel Basics

- Changing the document resolution and/or dimensions 137
- Changing the canvas size 142
- Cropping an image 143
- Cropping multiple images 146
- Straightening a crooked image 149
- Flipping or rotating an image 150

8: Layer Essentials

- Creating layers 152
- Selecting layers 155
- Restacking layers 156
- Creating layer groups ★ 156
- Deleting layers and groups 158
- Hiding and showing layers ★ 158
- Repositioning layer content 159
- Changing the layer opacity 160
- Using the lock options ★ 160
- Choosing Layers panel options 161
- Filtering listings on the Layers panel ★ 162
- Merging layers 166
- Flattening layers 168

9: Selections & Masks

- Creating layer-based selections 169
- Using the Rectangular and Elliptical Marquee tools 170
- Using two of the lasso tools 171
- Deselecting and reselecting selections 172
- Deleting or filling a selection 172
- Moving a selection border 173
- Moving selection contents 173
- Using the Quick Selection tool 174
- Using the Magic Wand tool 176
- Inverting a selection 177
- Using the Color Range command 178
- Hiding and showing the selection border 180
- Creating a frame-shaped selection 181

- Selecting in-focus areas of a photo 182
- Saving and loading selections 184
- Refining selection edges 184
- Using Quick Masks 190
- Creating layer masks 192
- Editing masks 193
- Working with masks 195

10: History

- Choosing History panel options 197
- Changing history states ★ 199
- Deleting, purging, and clearing history states . . . 200
- Using snapshots 201
- Creating documents from history states 204

11: Using Color

- Choosing colors in Photoshop 205
- Using the Color Picker 206
- Choosing colors from a library 207
- Using the Color panel ★ 208
- Using the Swatches panel ★ 209
- Working with Adobe color themes ★ 210
- Using the Eyedropper tool 213
- Copying colors as hexadecimals 213
- Choosing a blending mode 214
- Creating a Solid Color fill layer 216
- Creating a Gradient fill layer 217
- Creating and editing a gradient preset 219
- Using the Gradient tool 221
- Creating custom and scripted patterns ★ 222

12: Adjustments

- Creating adjustment layers 228
- Editing adjustment layer settings ★ 230
- Saving adjustment presets 232
- Merging and deleting adjustment layers 232
- Editing an adjustment layer mask 233
- Using the Histogram panel 234
- Applying a Levels adjustment 236
- Applying a Brightness/Contrast adjustment 238
- Applying a Photo Filter adjustment 239
- Applying a Color Balance adjustment 240
- Applying a Hue/Saturation adjustment 242

Applying a Vibrance adjustment	243
Applying a Curves adjustment.	246
Applying a Black & White adjustment	250
Tinting an image via a Gradient Map adjustment	252
Applying the Merge to HDR commands ★	254
Screening back a layer using Levels.	260

13: Combining Images

Using the Clipboard	261
Drag-copying a selection on a layer.	265
Drag-copying a selection or layer between files with the Move tool	266
Drag-copying layers between files via the Layers panel	268
Moving elements between files via Creative Cloud Libraries ★	270
Creating embedded Smart Objects ★	272
Editing embedded Smart Objects.	276
Replacing an embedded or linked Smart Object	279
Creating linked Smart Objects ★	280
Working with linked Smart Objects ★	281
Combining multiple “exposures”	284
Fading the edge of a layer via a gradient in a layer mask.	287
Aligning and distributing layers	289
Using the Clone Stamp tool and the Clone Source panel	290
Creating a panorama ★	292
Using Smart Guides, ruler guides, and column guide layout ★	294

14: Painting

Using the Brush tool	297
Customizing a brush	298
Managing brush presets.	303
Using the Mixer Brush tool.	304
Using the Eraser tool	308
Using the History Brush tool	309

15: Retouching

Using the Replace Color command.	312
Using the Color Replacement tool	314
Whitening teeth or eyes	316
Using the Red Eye tool	317

Using the Healing Brush tool ★	318
Using the Spot Healing Brush tool.	321
Healing areas with the Patch tool	322
Smoothing skin and other surfaces	323
Retouching by cloning	326
Applying a Content-Aware fill	329
Using the Content-Aware Move tool ★	330
Removing an image element with the Patch tool ★	332

16: Refocusing

Applying a filter in the Blur Gallery ★	333
Applying the Smart Sharpen filter	344
Applying the Unsharp Mask filter	347
Applying the Shake Reduction filter.	349
Using the Sharpen tool	352

17: More Layer Essentials

Using clipping masks	353
Blending layers	355
Applying transformations	358
Applying Content-Aware scaling	360
Creating artboards ★	362
Using the Liquify filter	366
Applying the Warp command	370

18: Filters

Applying filters	371
Creating and editing Smart Filters ★	374
Hiding, copying, and deleting Smart Filters ★	375
Working with the Smart Filters mask ★	376
More filter techniques ★	379

19: Type

Creating editable type ★	384
Selecting type ★	386
Recoloring type	387
Changing the font family and font style	387
Using Adobe Typekit ★	388
Converting type.	390
Changing the font size	390
Applying kerning and tracking	391
Adjusting the leading	392
Shifting type from the baseline	392
Inserting special characters ★	393

Applying paragraph settings	394	Deleting commands and actions	454
Formatting type with paragraph and character styles	395	Saving and loading action sets	454
Transforming the bounding box for paragraph type.	398	23: Preferences	
Screening back type	399	Opening the Preferences dialogs ★	455
Rasterizing a type layer.	400	General Preferences ★	456
Putting type in a spot color channel	402	Interface Preferences ★	457
20: Layer Styles		Workspace Preferences ★	458
Layer effect essentials	403	Tools Preferences ★	459
Applying a bevel or emboss effect.	406	History Log Preferences ★	460
Applying a shadow effect.	408	Sync Settings Preferences ★	461
Applying the Stroke effect	410	File Handling Preferences	462
Applying the Gradient and Pattern Overlay effects	410	Export Preferences ★	463
Applying multiple effect settings ★	412	Performance Preferences ★	464
Copying, moving, and removing layer effects ★	414	Scratch Disks Preferences ★	465
Changing the layer fill percentage.	415	Cursors Preferences	466
Applying layer styles ★	416	Transparency & Gamut Preferences	466
Creating layer styles ★	417	Units & Rulers Preferences	467
Applying multiple layer effects	418	Guides, Grid & Slices Preferences	468
21: Vector Drawing		Plug-ins Preferences	468
Creating shapes layers with a shape tool	422	Type Preferences ★	469
Changing the attributes of a shape layer	423	Technology Previews Preferences ★	469
Selecting shape layer paths	426	Preferences for Adobe Bridge CC	470
Isolating a shape layer	428	24: Print & Export	
Working with multiple shapes	429	Using the Package command	473
Creating vector masks.	430	Proofing document colors onscreen	474
Working with vector masks	433	Outputting a file to an inkjet printer	476
Drawing with the Freeform Pen tool.	434	Preparing a file for commercial printing	482
Saving, displaying, selecting, and repositioning paths	434	Saving a file in the PDF format	483
Drawing with the Pen tool	436	Getting Photoshop files into Adobe InDesign and Illustrator ★	484
More ways to create paths and shapes	439	Saving a file in the TIFF format.	486
Reshaping vector objects	440	Exporting image assets from Photoshop layers ★	487
Working with paths	441	Extracting image assets from Photoshop layers ★	490
22: Actions		Appendix:	
Recording an action	443	Syncing Photoshop settings via the Creative Cloud	495
Playing an action	445	Managing files via the Creative Cloud ★	496
Editing an action	449	Previewing the Design Space interface ★	499
		Index	501
		Bonus: Presentation	

Using the powerful and wide-ranging controls in the Adobe Camera Raw plug-in, you can apply corrections to your photos before opening them into Photoshop. In this comprehensive chapter, you'll learn about the Camera Raw tools and tabs; choose workflow options for Camera Raw; apply cropping and straightening; and correct photos for defects, such as poor contrast, under- or overexposure, color casts, blurriness, geometric distortion, and noise. You will also learn how to enhance your photos with special effects, such as a vignette, grain texture, or tint; retouch blemishes; access Camera Raw controls from Photoshop; save and synchronize Camera Raw settings among related photos; then finally, open your corrected photos into Photoshop.


Note: The Camera Raw plug-in, which we refer to simply as "Camera Raw," is included with Photoshop. Some users also refer to the plug-in as "ACR," short for Adobe Camera Raw.

Why use Camera Raw?

Amateur-level digital cameras store images in the JPEG or TIFF format, whereas advanced amateur and pro models offer the option to save images as raw data files, which offers substantial advantages. Cameras apply internal processing to photos that are captured as JPEG or TIFF, such as sharpening, automatic color adjustments, and a white balance setting. With raw files, you get only the original raw information that the lens captured onto the camera's digital sensor, leaving you with full control over subsequent image processing and correction.

These are some basic facts about Camera Raw:

- ▶ Camera Raw can process raw, TIFF, and JPEG photos from most digital camera models.
- ▶ Camera Raw offers powerful controls for correcting problems in your photos, such as over- and underexposure and color casts, and for applying enhancements, such as a vignette or a grain texture.
- ▶ Camera Raw saves edits to TIFF and JPEG files in the file itself, whereas edits to raw files are saved as instructions (in a separate "sidecar" file or in the Camera Raw database). When you open a photo from Camera Raw into Photoshop, the instructions are applied to a copy of the file, and the original raw file is preserved.
- ▶ To any image layer in Photoshop, you can apply some Camera Raw features via the Filter > Camera Raw Filter command.



CAMERA RAW

4

IN THIS CHAPTER

Why use Camera Raw?	47
Opening photos into Camera Raw.	50
The Camera Raw tools	53
Cropping and straightening photos	54
Choosing default workflow options	56
Using the Camera Raw tabs.	59
Using the Basic tab.	61
Using the Tone Curve tab.	66
Using the Detail tab	68
Using the HSL/Grayscale tab.	70
Using the Adjustment Brush tool.	72
Using the Split Toning tab	77
Using the Lens Corrections tab	78
Using the Effects tab.	82
Using the Graduated Filter tool.	86
Using the Radial Filter tool.	88
Using the Spot Removal tool.	90
Saving and applying Camera Raw settings.	92
Synchronizing Camera Raw settings.	94
Converting, opening, and saving Camera Raw files.	95

More reasons to use Camera Raw

In case you're not fully sold on the benefits of correcting your digital photos in Camera Raw before opening them into Photoshop, consider these points:

Ability to preview raw files: The only way to preview a raw photo is in Camera Raw (or other software that converts raw files). Note: The photo that you view on the LCD screen of your digital camera is merely a JPEG preview of the raw capture, not the "actual" raw capture.

Great correction features: Camera Raw offers many unique adjustment controls that you simply won't find in Photoshop.

Less destructive edits: When applying corrections to a photo, the goal is to preserve as much of the image quality as possible. Adjustments that you make to a photo in Camera Raw (and that are applied automatically when the photo is opened in Photoshop) cause less data loss than similar adjustment commands in Photoshop.

Preserves 16 bits per channel: To preserve more of the original pixel data in a raw photo, Camera Raw keeps the bit depth as 16 bits per channel. This helps offset the data loss from subsequent image edits in Photoshop, and results in a better-quality photo.

Tonal redistribution: The sensor in a digital camera captures and records the existing range of tonal values in a scene as is, in a linear fashion, without skewing the data toward a particular tonal range. **A** That sounds fine on paper, but the reality is that the human eye is more sensitive to lower light levels


than to higher light levels. In other words, we're more likely to notice if shadow areas lack detail and less likely to notice extra details in highlight areas. The result is that digital photos typically contain more data than necessary for the highlight values in a scene and insufficient data for the lower midtone and shadow values. In a Camera Raw conversion, data is shifted more into the midtone and shadow ranges of your photo. This not only helps compensate for the peculiarities of human vision, but also helps prepare your photos for subsequent image edits in Photoshop. **B** If you apply tonal adjustments in Photoshop to a photo that contains insufficient shadow data, the result is posterization and a noticeable loss of detail; if you apply the same edits to a good-quality photo that has been converted in Camera Raw, the destructive edits will be far less noticeable.

Superior noise reduction and sharpening: Not to knock Photoshop, but the noise reduction and sharpening features in Camera Raw cause less data loss than similar features in Photoshop.

Learning the Camera Raw features will give you a head start: The tonal and color controls in Camera Raw are similar to many of the adjustment controls in Photoshop (e.g., Levels, Curves, and Hue/Saturation) that are discussed in later chapters. As you proceed through the lessons in this book, you will apply and build on the skills you have mastered in this chapter.

CAPTURING TONAL VALUES: YOUR CAMERA VERSUS THE HUMAN EYE

50% light value



A The digital sensor in a camera captures tonal values in a linear fashion, from light to dark, without altering the incoming data. A light value of 50% is located at the midpoint of the tonal range.

50% light value



B Camera Raw redistributes some of the captured tonal values to the shadows and midtones, shifting the 50% light value past the midpoint. As a result, the lower tonal values — the range the human eye tends to be more sensitive to — contain more data.

Raw, JPEG, or TIFF?

Unfortunately, Camera Raw can't correct deficiencies in digital JPEG and TIFF photos as fully as it can in raw photos, for several reasons. First, cameras reduce digital JPEG and TIFF photos to a bit depth of 8 bits per channel, and in so doing discard some of the captured pixels. Cameras save raw photos at a bit depth of 16 bits per channel, and preserve all the captured pixels.

Second, cameras apply color and tonal corrections to JPEGs and TIFFs (called "in-camera" processing). Camera Raw must reinterpret this processed data, with less successful results than when it has access to the raw, unprocessed data.

All of the above notwithstanding, if your camera doesn't shoot raw photos or you acquire JPEG or TIFF photos from other sources, you can still use practically all of the outstanding correction and adjustment features in Camera Raw to process them.

Note: In this chapter, we focus only on processing raw and JPEG files in Camera Raw — not TIFF files. The JPEG format is mentioned only when a particular feature treats a JPEG differently than a raw file.

- ▶ **Factoid:** Each digital camera manufacturer creates its own version of a raw file and attaches a different extension to the names of its raw files, such as .nef for Nikon and .crw or .cr2 for Canon.

KEEPING CAMERA RAW UP TO DATE ★

The easiest way to ensure that you are using the latest version of Camera Raw is to click the [Creative Cloud](#) icon  on your taskbar/menu bar, click Apps, then click any **Update** that is posted for Photoshop CC (2015) or Bridge CC.

JPEG ...

JPEG advantages

- ▶ JPEG files have a smaller storage size than raw files, so your digital camera can store more of them.
- ▶ In sports, nature, and other fast-action photography, speed is a necessity. Photo sequences can be captured more rapidly as JPEG files (due to their smaller storage size) than as raw files.
- ▶ Most software programs can read JPEG files, but only a few programs can read raw files.

JPEG drawbacks

- ▶ The JPEG format discards some captured pixels due to its lower bit depth of 8 bits per channel.
- ▶ The JPEG compression methods destroy some image data and can produce defects, such as artifacts, banding, and loss of detail.
- ▶ The pixel data in JPEG photos is processed internally by the camera. Although Camera Raw can be used to improve your JPEG photos, it won't have access to the original pixel data (nor will you).

... COMPARED TO RAW

Raw advantages

- ▶ The raw compression methods are nondestructive.
- ▶ Raw files have a higher bit depth of 16 bits per channel.
- ▶ Raw files contain the original, unprocessed pixel data and full range of tonal levels that were captured by the camera. Camera Raw is given all that image data to work with, and the result is a higher-quality image—even after adjustments.
- ▶ Because the white point setting isn't applied to your raw photo (it's merely stored in the metadata of the file), you can adjust that setting at any time in Camera Raw.
- ▶ Camera Raw does a better job of redistributing tonal values in raw files than in JPEG files, making raw files better candidates for Photoshop edits.

Raw drawbacks

- ▶ Raw files have larger storage sizes than JPEG files.
- ▶ Digital cameras create and store raw files more slowly than JPEG files, a potential drawback in fast-action photography (although as camera technology improves, this may become less of an issue).

The bottom line

Despite the faster speed and smaller storage sizes of JPEG files, raw files have more advantages.

Opening photos into Camera Raw

For a smooth workflow, we recommend setting the proper preferences so your raw photos (and JPEG or TIFF photos, if any) will open directly into Camera Raw.

To set a preference so your raw photos open directly into Camera Raw:

1. In Photoshop, go to Edit/Photoshop CC > Preferences (Ctrl-K/Cmd-K) > **File Handling**.
2. Under File Compatibility, check **Prefer Adobe Camera Raw for Supported Raw Files**, then click OK. When you double-click a raw file, it will open into Camera Raw (as opposed to other software that can be used to convert raw files).

To set a preference so your JPEG or TIFF photos open directly into Camera Raw:

1. In Bridge, choose Edit/Adobe Bridge CC > **Camera Raw Preferences**.
2. At the bottom of the dialog, from the JPEG menu, choose **Automatically Open JPEGs with Settings**.
3. If you shoot digital TIFF photos, from the TIFF menu, choose **Automatically Open TIFFs with Settings**; or if you shoot only raw or JPEG photos (not TIFF photos), choose **Disable TIFF Support**.
4. Click OK.

When you want to open a JPEG or TIFF photo into Camera Raw that has *not* yet been edited (doesn't have Camera Raw settings), click the thumbnail in Bridge, then click the **Open in Camera Raw** button  or press Ctrl-R/Cmd-R.

To open a JPEG or TIFF photo that *has* been edited previously in Camera Raw (that is “with Settings”), double-click its thumbnail or press Ctrl-R/Cmd-R.

- ▶ If you enable both “Automatically Open” options (steps 2–3, above), but there is an occasion when you want to open a JPEG or TIFF photo directly into Photoshop instead of Camera Raw, click the thumbnail, then press Ctrl-O/Cmd-O. This shortcut will work only if the file hasn't yet been edited in Camera Raw.
- ▶ If the Open in Camera Raw button  is available when you click a thumbnail in Bridge, it's a sign that the file can be opened into Camera Raw.

You can set a preference to have either Bridge or Photoshop host the Camera Raw plug-in when you open a raw or JPEG photo. In the case of Photoshop, the program will launch, if it's not already running. Also, when Bridge is the host for Camera Raw, the default (highlighted) button for exiting that dialog is labeled Done, whereas when Photoshop is the host for Camera Raw, the default exit button is Open Image or Open Object, depending on a setting in the Workflow Options dialog (see step 10 on page 56).

To choose a host for Camera Raw:

1. In Bridge, choose Edit/Adobe Bridge CC > Preferences (Ctrl-K/Cmd-K), then show the **General** pane.
2. Check **Double-Click Edits Camera Raw Settings in Bridge** if you want Camera Raw to be hosted by Bridge when you double-click a thumbnail in Bridge (a raw photo or a JPEG that was previously edited in Camera Raw), or uncheck this option to have the file open into Camera Raw hosted by Photoshop. Click OK.

RECOGNIZING THE BADGE

In Bridge, the thumbnail for a file that has been opened and edited previously in Camera Raw will display this badge  in the upper-right corner, and the thumbnail and preview will reflect the current settings. Another clue: If the currently selected file has been edited in Camera Raw, you will see a Camera Raw category in the Metadata panel.

After setting the necessary preferences, and before learning the particulars of Camera Raw, you should familiarize yourself with this basic workflow.


To open a raw or JPEG digital photo into Camera Raw:

1. Launch Bridge, display the thumbnail for a raw or JPEG photo, then do either of the following:
For a raw photo, double-click the thumbnail.
For a raw or JPEG photo, click the thumbnail, then press Ctrl-R/Cmd-R or click the **Open in Camera Raw** button on the Bridge toolbar  (or right-click the photo and choose Open in Camera Raw).
2. The Camera Raw dialog opens.  An alert symbol  may display in the upper-right corner of the preview while Camera Raw reads in the image data, and will disappear when it's done. Information about your photo (taken from the metadata that was embedded into it by the camera) is listed in several locations: the camera

model in the title bar at the top of the dialog; the file name below the preview; and the camera settings used to take the photo (aperture, shutter speed, ISO, and focal length) below the histogram.

The adjustment features are located in 10 tabs: Basic, Tone Curve, Detail, HSL/Grayscale, Split Toning, Lens Corrections, Effects, Camera Calibration, Presets, and Snapshots. Switch among the tabs to correct your photo (we cover most of the tabs in depth in this chapter).

3. When you're done correcting the photo, you can either click Open Image to open the photo into Photoshop or click Done to close Camera Raw without opening the photo. In either case, the Camera Raw settings will stick to the photo, and the original data will be preserved. (Note: If you want to open the photo into Photoshop as a Smart Object, see the Note on page 95.)
- ▶ The Camera Raw preview and interface supports high-DPI displays. ★



Link to the Workflow Options dialog (see pages 56–58)

A file that you open from Camera Raw into Photoshop as a Smart Object can be reedited using the full array of features in Camera Raw at any time. A standard image layer in a Photoshop document can also be edited using most—but not all—of the Camera Raw features by way of the Camera Raw Filter, as described in the task below. If you convert the image layer to a Smart Object first (an optional step), you will be able to edit the filter settings at any time.

Note: To learn about layers, which are used in this task, see Chapter 8. To learn more about Smart Objects, see pages 272–283. See also the first Note on page 95.


Among the Camera Raw features that aren't available via the Camera Raw Filter are the Crop and Straighten tools, the rotate buttons, the Workflow Options dialog, the Snapshots tab, and some options on the Camera Raw Settings menu. Don't be dissuaded by this list of "nos," however—the filter gives you access to the essential Camera Raw features.

To open and edit a Photoshop image layer in Camera Raw:

1. In an RGB document in Photoshop, display the Layers panel.  Click the image layer (or the Background) that you want to edit in Camera Raw, then press Ctrl-J/Cmd-J to duplicate it. Keep the duplicate layer selected. **A**
 2. *Optional (but recommended):* To keep your Camera Raw settings editable, choose Filter > Convert for Smart Filters, or right-click the duplicate image layer and choose Convert to Smart Object. **B** If an alert dialog appears, click OK.
 3. With the image layer or Smart Object selected, choose Filter > **Camera Raw Filter** (Ctrl-Shift-A/Cmd-Shift-A).
 4. The image layer opens in Camera Raw. Apply the needed corrections.
 5. Click OK (a progress bar may display while the filter is processing).
 6. If you applied the filter to a Smart Object, on the Layers panel, you will see a Camera Raw Filter listing below a Smart Filters listing. **C** To edit the Camera Raw settings at any time, double-click the Camera Raw Filter listing. To learn more about Smart Filters, see pages 374–378.
- ▶ To create a document via the Merge to HDR Pro command, and adjust the new document via the Camera Raw Filter, see pages 254–258.

CAMERA RAW FILTER OR PHOTOSHOP?

Although we sing the praises of Camera Raw in the first two pages of this chapter and strongly recommend using it as a first step before opening a photo into Photoshop, Photoshop is no slouch when it comes to adjustment options. In fact, Photoshop has some commands and features that you won't find in Camera Raw, such as adjustment layers. You can easily hide, show, clip, or restack any adjustment layer; edit its layer mask; and change its opacity or blending mode (see Chapter 12). Fortunately, you don't have to decide between Camera Raw and Photoshop—you can use both!



The Camera Raw tools A

In the upper-left corner of the dialog, click the **Zoom** tool,  then click the image preview to zoom in or Alt-click/Option-click it to zoom out. Or right-click with the Zoom tool on the preview, check **Scrubby Zoom** on the context menu, then drag to the right to zoom in or to the left to zoom out. ★

Use the **Hand** tool  to move a magnified preview image in the window (if another tool is selected, hold down the Spacebar for a temporary Hand tool).

For the **White Balance** tool,  see the sidebar on page 60.

Choose the **Color Sampler** tool,  then click in the image preview to place up to nine samplers. A breakdown of the RGB components below each sampler in the photo displays in a readout below the toolbox; the readouts will update as you make color and tonal adjustments. To reposition a sampler, drag it with the Color Sampler tool. To remove a sampler, hold down Alt/Option and click it. To remove all samplers, click Clear Samplers.

For the **Targeted Adjustment** tool  (or TAT for short), see pages 66–67 and 71.

For the **Crop** tool,  see page 54.

For the **Straighten** tool,  see page 55.

For the **Spot Removal** tool,  see pages 90–91.

The **Red Eye Removal** tool  works like the Red Eye tool in Photoshop (see page 317).

For the **Adjustment Brush** tool,  see pages 72–76.

For the **Graduated Filter** tool,  see pages 86–87.

For the **Radial Filter** tool,  see pages 88–89.

Note: If tool settings are displaying on the right side of the Camera Raw dialog (if, say, you were using the Adjustment Brush tool) and you want to redisplay the row of tab icons, click one of the first seven tools.

- ▶ The tools in Camera Raw are “memory-loaded,” meaning that you can toggle them. Press a tool shortcut to select a different tool, then press the same key again to return to the original tool.

Other buttons at the top of the dialog:

- ▶ The **Open Preferences Dialog** button  (or press Ctrl-K/Cmd-K) opens the Camera Raw Preferences dialog.
- ▶ The **Rotate 90° Counterclockwise** button  and the **Rotate 90° Clockwise** button  rotate the image. The results preview in the dialog.

MORE WAYS TO ZOOM IN THE PREVIEW

- ▶ Hold down Alt/Option-Spacebar and click to zoom out, or hold down Ctrl/Cmd-Spacebar and click to zoom in.
- ▶ Press Ctrl-/Cmd- (hyphen) to zoom out or Ctrl+/Cmd+ to zoom in.
- ▶ Use the zoom buttons (– or +) or the Zoom Level menu, located below the image preview.
- ▶ Double-click the Zoom tool to set the zoom level to 100%.
- ▶ Double-click the Hand tool to fit the image in the preview window.

H Hand: Moves a magnified preview in the window	S Color Sampler: Places up to nine RGB color sampler points in the preview	A Straighten: Straightens the photo along a line you drag	E Red Eye Removal: Corrects red-eye in a portrait photo	Graduated Filter G and Radial Filter J tools: Apply edits gradually across an area that you designate	L Rotates the image 90° counterclockwise
					
					
					
Z Zoom: Reduces or magnifies the preview	I White Balance: Sets the white balance	T Targeted Adjustment: Applies adjustments where you drag in the preview	C Crop: Crops the photo based on a marquee you drag	B Spot Removal: Heals imperfections	K Adjustment Brush: Applies local edits to areas you have masked
					Opens the Camera Raw Preferences dialog
					R Rotates the image 90° clockwise

A The shortcuts for the Camera Raw tools are listed in boldface above.

Cropping and straightening photos

With the Crop and Straighten tools, you can control which portion of a photo opens into Photoshop. You can readjust the crop box at any time without losing any image data, and the outlying areas will remain available even after you click Save, Done, or Open.

To crop a photo:

1. Open a photo into Camera Raw **A** (see step 1 on page 51).
 2. Choose the **Crop** tool  (C).
 3. Drag in the preview to make a crop box appear. **B**
 4. *Optional:* To move the crop box, drag inside it. To resize the box, drag a handle.
 5. To preview the results of the Crop tool, press Enter/Return or click any tool except the Crop or Straighten tool. **C**
- ▶ To redisplay the current crop box after exiting crop mode, click the Crop tool. If you want to remove the box and redisplay the whole image, press Esc.



A This is the original photo, in Camera Raw.



B With the Crop tool, we drew a crop box in the preview window. Here, we are resizing the box.



C We pressed Enter/Return to preview the results.

To straighten a crooked photo automatically:

1. Open a photo into Camera Raw, then double-click the **Straighten** tool  (A); or choose the Straighten tool, then double-click anywhere in the image.
2. Press Enter/Return.
- ▶ To turn the Crop tool into a temporary Straighten tool, hold down Ctrl/Cmd.

To straighten a crooked photo manually:

1. Open a photo into Camera Raw, then choose the **Straighten** tool  (A).
2. Drag along an edge in the photo that you want to align to the horizontal or vertical axis. **A** A crop box will display, aligned to the angle you drew. **B**
3. To preview the straighten results, press Enter/Return. **C**
- ▶ To change the straighten results after exiting crop mode, choose the Straighten tool (A), then drag again.
- ▶ If you want to remove the crop box, choose the Crop tool (C), then press Esc.



A With the Straighten tool, we are dragging along an edge that we want to align to the vertical axis.



B A crop box displays.



C We pressed Enter/Return to preview the results.


Choosing default workflow options

Via the Workflow Options dialog, you can resize or sharpen a photo, or change its color space or bit depth, before opening it into Photoshop—the original raw or JPEG file isn't altered. Note that the choices that you make in this dialog become the new default settings, so they apply not only to the current photo, but also to subsequent photos that you open into Camera Raw. The dialog contains new Color Space and Preset options (see this page and the next), as well as Image Sizing options (see page 58).

To choose settings in the Workflow Options dialog:

1. Open a photo into Camera Raw, then below the large image preview, click the underlined link. The **Workflow Options** dialog opens (A, next page).
2. If you want to apply a user-saved preset, choose it from the **Preset** menu (B, next page). Next, either click OK to exit the dialog, or choose custom options, as in the remaining steps.
3. From the **Space** menu, choose a color profile to be used for converting the raw file to RGB: Adobe RGB (1998), ColorMatch RGB, ProPhoto RGB, or sRGB IEC61966-2.1 (or "sRGB," for short). The menu also lists preset RGB and CMYK output profiles for printers and displays, as well as any other profiles that you have installed in your system. In Chapter 1, you assigned Adobe RGB (1998) as the default color space for color management, so for optimal color consistency, we recommend also choosing that option here.
4. The **Intent** options control how colors will change in a photo when it is converted to the chosen profile. If you chose any profile from the Space menu except one of the first five, from the Intent menu, choose Perceptual or Relative. If your photos tend to contain many colors that are outside the gamut of the chosen color space, Perceptual is the best choice because it attempts to preserve the appearance of colors as it shifts them into gamut. If your photos contain few colors that are out of gamut, Relative is the best choice, as it preserves more of the original colors. Your photo will display as a soft proof (a simulation of print output from your target device).
5. To control the amount of color and tonal information in your photos, from the **Depth** menu, choose 8 Bits/Channel or 16 Bits/Channel. If you choose 16 Bits/Channel, more of the original capture information will be preserved in your photos as you edit them in Photoshop, but they will also have a larger file size and will require a large hard disk and a fast system with a lot of RAM for processing (see page 17).
6. If you chose a printer profile, check **Simulate Paper & Ink** to preview the photo using the range of black values that can be produced by that printer, on a simulation of white printing paper.
7. In a standard workflow, you can keep Resize to Fit unchecked. If, on the other hand, you need to resize the current photo and other photos that you open into Camera Raw, keep the dialog open after step 12, and follow the task on page 58.
8. Camera Raw applies a **Resolution** of 300 ppi to all photos as they are opened into Photoshop. If needed, you can choose a different value here.
9. *Optional:* Use options under Output Sharpening to apply predefined sharpening. Check Sharpen For, then from the Sharpen For menu, choose an output medium of Screen, Glossy Paper, or Matte Paper; and from the Amount menu, choose the desired level of sharpening (Standard is a good all-purpose choice).
 - ▶ The sharpening values that Camera Raw applies via this dialog aren't listed anywhere. If you want to control specific values when sharpening, uncheck Sharpen For and use the sliders in the Detail tab (see pages 68–69).
10. The **Open in Photoshop as Smart Objects** option converts the Open Image button in the main Camera Raw dialog to an Open Object button, which opens your photo into Photoshop as a Smart Object.
 - ▶ If you leave this workflow option unchecked, you can convert the Open Image button to Open Object in the main Camera Raw dialog (for any photo) by holding down Shift. Learn about Smart Objects on pages 272–283.
11. *Optional:* To save your current, custom Workflow Options settings as a preset that can be applied to any photo, from the Preset menu, choose New Workflow Preset. Enter a descriptive name for the preset, then click OK.

12. *Optional:* If you chose a preset and then changed any of the settings in the dialog, the word “(edited)” is now listed in the preset name. If you want to permanently update the current preset with your new custom settings, from the Preset menu, choose Update [preset name].
13. Click OK. Your chosen workflow settings will be applied to the current photo and to all photos that you subsequently open into Camera Raw.
 - ▶ To rename a user-saved Workflow Options preset, from the Preset menu in the dialog, choose the preset to be renamed, choose Rename [preset name], type the desired name, then click OK.




A Via the Workflow Options dialog, you can choose Preset, Color Space, Image Sizing, and Output Sharpening settings for the current and future photos.

USING THE GAMUT WARNING BUTTON IN THE CAMERA RAW HISTOGRAM

If you choose a printer profile from the Space menu in the Workflow Options dialog, instead of two clipping warning buttons on the histogram in the main Camera Raw dialog, you will see just one **Gamut Warning** button  (O). When this button is activated, areas of the photo that are outside the gamut of the chosen output device will display as red in the preview. If you need to bring those errant colors back into gamut, you can use either the Vibrance slider in the Basic tab or the Saturation sliders in the HSL/Grayscale tab.

QUICK AND EASY WAY TO APPLY A WORKFLOW OPTIONS PRESET

To apply a Workflow Options preset to a photo, instead of opening the Workflow Options dialog, right-click the link below the preview in the main Camera Raw dialog and choose a preset name from the context menu.



B From the Preset menu in the Workflow Options dialog, you can choose a user-saved workflow preset.

If you need to resize multiple photos according to a specific criterion, such as the dimension of a long or short side of one of the photos, use the Resize to Fit feature in the Workflow Options dialog. If you don't require the original high-megapixel count of your photos for image editing or output, shrinking them is an acceptable option. Enlarging photos, on the other hand, should be done only when necessary, as it diminishes their quality (preferably, don't enlarge your photos by more than 25% or 30%).

Note: To resize or change the resolution of an individual photo for a particular output medium, instead of using the options dialog in Camera Raw, we recommend using the Image Size dialog in Photoshop after you exit Camera Raw (see pages 138–141). The latter offers many image resizing options, including choices for resampling, with a document preview.

To resize images via the Workflow Options dialog:

1. Open one or more photos into Camera Raw, then click the Workflow Options link. Under Image Sizing, check **Resize to Fit**.
2. *Optional:* Check Don't Enlarge if you want to prevent your photos from being enlarged.
3. Under Image Sizing, from the **Resize to Fit** menu, **A** do one of the following (Camera Raw will resize all your photos proportionately, whether or not you enter proportionate values):
Choose **Width & Height**, then enter the desired maximum W and H values within which the current and future photos will be resized. For resizing to occur, both of these values must be either larger or smaller than the original dimensions of the current photo.

Choose **Dimensions**, **B** then enter the desired maximum values in the two fields within which Camera Raw will resize your photos. Camera Raw will fit the longer dimension of each photo to the larger of the two values (regardless of the orientation of the photo). You could use this option to resize a series of horizontal or vertical photos to the same long dimension.

- ▶ If the Width & Height or Dimensions option produces unexpected resizing results in your photos, try entering the same value in both fields, thereby providing a larger resizing area, or use the Long Side or Short Side option instead (see the next option).


Choose **Long Side** or **Short Side**, then enter the desired value for that dimension.

Choose **Megapixels**, then enter the desired total pixel count value. All photos will be resized to that value.


Choose **Percentage**, then enter a percentage by which you want your photos to be resized (preferably, less than 130%, and not more).

- ▶ When you use the Resize to Fit option, the new dimensions and megapixel (MP) count are listed in the right side of the Image Sizing area. If you want to learn the original dimensions of the current photo, uncheck Resize to Fit; the original dimensions will display in the dimmed W and H fields; now recheck the box.

4. Click OK. Note: Because the current settings in the Workflow Options dialog are applied to all photos that you open into Camera Raw, after using the dialog to resize the desired photos, exit Camera Raw. Upon reopening Camera Raw, be sure to open the Workflow Options dialog and uncheck Resize to Fit.




A From the Resize to Fit menu in the Workflow Options dialog, choose a criterion for resizing your photos.



B If you choose Dimensions as the Resize to Fit option, you must then enter pixel values in the two fields below the menu.

Using the Camera Raw tabs



The Camera Raw tabs

To access a panel of related settings in Camera Raw, click one of the tab icons (shown above). We perform most of our work in the first four tabs, and recommend that you do the same. Use the other tabs for specialty corrections or enhancements, as needed.

Basic: Adjust the white balance and exposure (see pages 61–65).

Tone Curve: Fine-tune a specific tonal range, such as the upper or lower midtones (see pages 66–67).

Detail: Apply capture sharpening and reduce unwanted noise (see pages 68–69).

HSL/Grayscale: Adjust the hue, saturation, and luminance of individual colors (see pages 70–71).

Split Toning: Apply one color tint to the highlight areas of a photo and a second tint to the shadow areas (see page 77).

Lens Corrections: Correct a photo for the effects of lens distortion, such as geometric distortion (e.g., a building that is tilted backward or isn't level), under- or overexposure at the edges (an unwanted vignette), chromatic aberration, and color fringes.

Effects: As a special effect, apply a grain texture, a vignette, or a dehaze correction (see pages 82–85).

Camera Calibration: The Process menu in this tab lets you update a file to the latest Camera Raw processing (see the sidebar on the next page). If the profile that Camera Raw provides for your camera model doesn't produce satisfactory color results, use the sliders in this tab to tweak the settings manually.

Presets: Create a custom preset of the current Camera Raw settings for future application to any other photos (see page 92).

Snapshots: For flexibility in editing, save interim versions of a photo as you make corrections. When necessary, you can restore the photo to any snapshot version (see the sidebar on page 92).

USING THE SCRUBBIES

To change a value quickly in a Camera Raw tab, instead of dragging a slider, drag to the left or right across the slider name (this is called a scrubby slider).



If you find a need to undo or reset your slider settings as you work in Camera Raw, you can use any of the methods below. (To learn about related options on the Camera Raw Settings menu, see the next page.)

To restore default settings to sliders in the Camera Raw tabs:

Do any of the following:

Double-click a slider to reset it to its default value (usually 0).

Shift-double-click a slider in the Basic tab to reset it to the **Auto** value.

Click **Default** in the Basic or HSL/Grayscale tab to reset all the sliders in just that tab to 0.

Hold down Alt/Option and click **Reset** at the bottom of the dialog (Cancel becomes Reset) to restore the settings, in all tabs, that were in effect when you opened the dialog.

USING THE PREVIEW BUTTONS

From the **Before/After Views** menu  below the preview, choose a preview option. For instance, **Before/After Left/Right** displays the original photo on the left (or displays the photo with the settings that were copied to the button, see below), and the photo with the current Camera Raw settings on the right. **Before/After Top/Bottom Split** displays the two versions in top and bottom halves of one image. Or if you prefer to cycle through the menu settings, click (and keep clicking) the **Before/After Views** button  (Q). To customize the views, choose **Preview Preferences** from the menu.

➤ To swap the positions of the previews, click the **Swap Before/After Settings** button  (P).

➤ To save the current Camera Raw settings as the Before state of the image, click the **Copy Current Settings to Before** button  (Alt-P/Option-P). Thereafter, when you choose a Before/After view, those settings will display in the top or left part of the preview.

When you open a photo into Camera Raw, by default, it's adjusted according to the built-in profile for your camera model, and all the sliders in the Basic tab are set to 0. At any time, you can assign a different collection of settings to your file, or restore the original settings.

To restore settings via the Camera Raw Settings menu:

From the Camera Raw Settings menu,  choose one of these options: **A**

Image Settings to restore the settings that were attached to the file during the initial photo shoot or, if the photo was previously edited in Camera Raw, from the last Camera Raw session. When a photo is opened for the first time into Camera Raw, these settings will match the Camera Raw Defaults settings.

Camera Raw Defaults to remove all custom settings and reapply the default settings for your camera model, your specific camera, or the ISO setting that was used to take the photo.


Previous Conversion to apply the settings from the prior image that was adjusted in Camera Raw.

Custom Settings to reapply the custom settings that you have chosen since opening the photo into Camera Raw.

If a **user-saved preset** is applied to the current photo, that preset will also be listed as an option on this menu (see page 92).

TOGGING THE DEFAULT SETTINGS FOR A TAB

To quickly toggle between any **custom** settings made via the current tab only and the **Camera Raw Default** settings for that tab, click the rightmost button below the preview  (Ctrl-Alt-P/Cmd-Option-P). If the photo is displayed in a divided preview, the default settings will display in just the "After" section.



A Use options on the Camera Raw Settings menu to restore default settings to your photo or to reapply the prior settings.

UPDATING LEGACY PHOTOS AND THE CAMERA RAW SLIDERS

When you bring an unprocessed photo into Camera Raw 9.x, the dialog uses its most up-to-date profiles for noise reduction, de-mosaicing, sharpening, color calibration, and other processing. If you want to update a raw photo that was already processed in Camera Raw 6 or earlier using the new profiles, and also update the sliders in the Basic and other tabs to the newest versions (as described in this chapter), before applying any custom adjustments, click the **Update to Current Process (2012)**  icon at the bottom right of the preview window. The Process menu in the **Camera Calibration** tab  changes to the setting of **2012 (Current)**. Note: If you want to preserve access to the older rendering of the photo, take a snapshot of it before you update it (see the sidebar on page 92).

SETTING THE WHITE BALANCE

The color temperature of the lighting in which a photo is shot, whether natural or artificial, influences the relative amounts of red, green, and blue that are recorded by the camera. A digital camera attempts to balance the three colors to produce an accurate white, which in turn makes other colors in the photo more accurate; this is called the "white balance."

There are a few ways to adjust the white balance of a photo in Camera Raw. Note: Before adjusting the white balance, make sure your display is properly calibrated.

► Our recommended method is to drag the **Temperature** and **Tint** sliders in the Basic tab, choosing settings based on how the photo looks to your eye (see the next page).

► For photos that are shot in controlled lighting, such as in a studio, another method is to use the **White Balance** tool  (I). Drag (don't click) to define a rectangle on a medium to light gray area of the photo—if you can find one. Camera Raw will set the White Balance based on pixel values in the sampled area. Note that although the White Balance tool is improved, sampling a larger area of "nearly gray" pixels than before, the resulting color temperature and tint correction may still not be adequate, and may need further adjustment.

► Here's an iffy, but quick, method: Shift-double-click the Temperature slider, and Shift-double-click the Tint slider. Camera Raw will apply auto settings for those controls.

Using the Basic tab


As its name implies, the Basic tab contains the most essential correction features of Camera Raw — and it displays first, by default, when you open the dialog. We have divided the use of this tab into several tasks, beginning with setting the White Balance, on this page, then proceeding through exposure, contrast, and saturation adjustments, on pages 62–65.

To apply white balance adjustments via the Basic tab:

1. With a photo open in Camera Raw, click the **Basic** tab. **A** If the whole photo isn't visible in the preview, double-click the Hand tool  in the toolbox.
2. Do either of the following:

From the **White Balance** menu, choose a preset that best describes the lighting conditions in which the photo was taken, such as Daylight or Shade. (Choose As Shot, if needed, to restore the original camera settings. Note that only As Shot and Custom are available for JPEG and TIFF files.)


Lower the **Temperature** value to add blue and make the image look cooler, **B** or raise it to add yellow and make the image look warmer. **C** To fine-tune the temperature correction, move the **Tint** slider slightly to the left to add a bit of green or to the right to add magenta. (The White Balance menu setting changes to Custom, to indicate that you have chosen manual settings.)



A When a photo is opened for the first time into Camera Raw, the White Balance menu in the Basic tab is set to As Shot. This photo has a high Temperature value and looks too warm (yellowish).



B We lowered the Temperature value too much. Now the photo looks too cool (has a bluish cast).



C A Temperature value of 5500 strikes a good balance between warm and cool.

On the histogram in the Camera Raw dialog, the red, green, and blue areas represent the three color channels in a photo, and the white areas represent the areas where those three colors overlap. Clipping, the shifting of tonal values to absolute black or white in a photo, occurs if the tonal range of a scene is wider than the range that can be captured by the camera. You can tell that pixels are clipped in a photo if the vertical bars are primarily clustered in taller peaks at one or both ends of the histogram (shadow pixels on the left, highlight pixels on the right). You can also drag in the histogram to apply tonal adjustments.

As you make slider adjustments in Camera Raw, your goal is to bring the pixels into the range of your chosen RGB color space and minimize clipping. When tonal values are redistributed, the histogram updates accordingly. Note: Remember, we recommended that you choose Adobe RGB as the color space both for your camera (see page 5) and for photos that you open into Camera Raw (see page 56).

To turn on the histogram clipping warnings for the preview:

In the top-left corner of the histogram, click the **Shadow Clipping Warning** button (U); **A** clipped shadows display in the preview as blue. In the top-right corner, click the **Highlight Clipping Warning** button (O); clipped highlights display in the preview as red. (When a button is activated, it has a white border.)

In the two tasks that follow this one, we show you how to use a number of sliders in the Basic tab. Once you learn the function of the sliders, remember that you can also make adjustments by dragging in the histogram, as described here.

To make tonal edits via the histogram:


1. In Camera Raw, display the Basic tab, , then roll over the histogram. **A** As you move the pointer, one of five vertical gray drag zones will appear. The drag zone, as well as the data in the info area below the histogram, corresponds to one of these five sliders: **Blacks**, **Shadows**, **Exposure**, **Highlights**, or **Whites**.
2. Drag horizontally in a drag zone to adjust that tonal range; the corresponding slider will shift accordingly. **B**

Use the middle batch of sliders in the Basic tab to apply tonal corrections to your photo, preferably in the order listed in the dialog (there's a logic to their sequence). At first, all the sliders are set to 0 and the underlined word "Default" is dimmed.


To apply exposure and contrast adjustments via the Basic tab:

1. Turn on the Clipping Warning buttons.
2. Use the **Exposure** slider to lighten or darken the entire photo, as needed.
3. Use the **Contrast** slider to increase or reduce the color intensity and tonal contrast (**A–B**, next page).

Instructions continue on page 64



A When we rolled over an area of the histogram, a drag zone appeared, and the corresponding Basic slider name and setting appeared in the info area.



B When we positioned our pointer within the drag zone for the Shadows range in the histogram, then dragged horizontally, the corresponding Shadows slider in the Basic tab shifted accordingly.



A This original photo was underexposed (too dark), causing the colors to look dull. The blue warning color in the preview indicates the shadow areas in the photo that are clipped.



	Auto	Default
Exposure		+0.60
Contrast		+25
Highlights		0
Shadows		0
Whites		0
Blacks		0
Clarity		0
Vibrance		0
Saturation		0

B Our first goal is to lighten the overall photo and recover details in the midtones and shadows without washing out the highlights. In the Basic tab, we increased the Exposure value,* then increased the Contrast value to intensify the highlights, shadows, and color saturation. We're not concerned that the photo is still too dark, as it can be lightened with further adjustments.

*We chose an Exposure value of +0.60 for the raw version of this photo. If you are working with the JPEG version that we have supplied for downloading, use an Exposure value of +0.80 instead.

4. If you increased the contrast, the highlights and shadows probably now need to be adjusted:

To restore details in the highlights, move the **Highlights** slider to the left until only a smidgen remains of the red highlight warning color.

To restore details in the shadows, move the **Shadows** slider to the right until only a smidgen remains of the blue shadow warning color. **A** Or if you need to darken the shadows, move this slider to the left.

5. Now that details have been restored to the mid-tones and highlights, you're ready to adjust the whites and blacks:

Increase the **Whites** value to brighten the white areas in the photo. This slider also has the effect of lightening the upper midtones and brightening the colors.


Use the **Blacks** slider to lighten or darken the black areas (**A**, next page). This slider may also affect the color brightness.

- ▶ If the colors are now washed out as a result of your increasing the Whites or Blacks value, you could try increasing the Contrast value.
- ▶ To further adjust the tonal values in the midtones, see pages 66–67.
- ▶ To have Camera Raw set the Whites or Blacks value automatically, hold down Shift while double-clicking one of those sliders.

REMOVE CLIPPING IN THRESHOLD PREVIEW


To remove shadow clipping a different way, Alt-drag/Option-drag the Shadows or Blacks slider. A **Threshold preview** displays (as shown below). Release the mouse when small amounts of color or black display in the white preview.

You can also Alt-drag/Option-drag the Exposure, Highlights, or Whites slider to display a Threshold preview for that adjustment. Release the mouse when only a smidgen of white displays in the black preview.



	Auto	Default
Exposure		+0.60
Contrast		+25
Highlights		-100
Shadows		+50
Whites		0
Blacks		0

A We reduced the Highlights value to recover details in the sky and increased the Shadows value to recover details in the shadows and lower midtones. The colors and detail in the midtones, and the overall balance of lights and darks, are improved. However, reducing the Highlights value caused the white areas to look dull.



A We increased the Whites value to lighten the upper midtones and brighten the whites, and increased the Blacks value to recover more details in the shadows. Overall, the brightness, as well as the colors, are much improved.

To apply edge contrast and color saturation adjustments using the Basic tab:

1. To add depth by intensifying the edge contrast in the midtones, increase the **Clarity** value; or for a deliberate soft-focus effect (such as in a portrait or landscape), reduce the Clarity value.
 2. Change the **Vibrance** value to adjust the color saturation. **B**
 3. Turn off both clipping warnings by pressing U, then O.
- ▶ We recommend using the Vibrance slider instead of the Saturation slider to adjust color saturation because the former is less likely to cause oversaturation (and it protects skin tones), whereas the latter is more likely to cause oversaturation and highlight clipping. To view the effect of this, drag the Saturation slider to the far right.



B Finally, we increased the Clarity value slightly to sharpen the details and increased the Vibrance value slightly to boost the color saturation (note the change on the car body). Our cumulative adjustments to this photo improved the contrast, clarified the details, and produced richer color. Vroom, vroom!

Using the Tone Curve tab

After using the Basic tab, a next logical step is to make a more refined adjustment of the upper and lower midtones, which we recommend doing individually via the Parametric sliders in the Tone Curve tab.

Note: We avoid manipulating the curve in the nested Point tab, because a misshapen curve can cause a photo to look posterized. The sliders in the Parametric tab don't cause this problem.

To apply tonal adjustments using the Parametric sliders in the Tone Curve tab:

1. With a photo open in Camera Raw, **A** click the **Tone Curve** tab,  then the nested **Parametric** tab. Behind the curve you'll see a static display of the current histogram.

2. Do either of the following:

If you have already adjusted the Highlights and Shadows sliders in the Basic tab, leave the Highlights or Shadows sliders in this tab alone and just tweak the upper and lower midtones using the **Lights** and **Darks** sliders. If you didn't adjust the Highlights and Shadows sliders in the Basic tab, you can use the sliders here to lighten or darken any individual tonal range: **Highlights**, **Lights** (upper midtones), **Darks** (lower midtones), or **Shadows**. As you move a slider, the

corresponding portion of the curve will be raised above or lowered below the diagonal line (**A–B**, next page).

Click the **Targeted Adjustment** tool  (T). Drag within a tonal range of the photo that needs adjustment (**C**, next page). As you do this, the slider and curve that correspond to the tonal range under the pointer will move accordingly.


- ▶ To boost the contrast in a photo, try moving the Lights slider to the right and the Darks slider to the left.

3. To control the range of tonal values that are affected by the slider adjustments you made in the preceding step, move any of the region controls (located below the graph). The left region control affects the Shadows slider, the right region control affects the Highlights slider, and the middle region control affects both the Lights and Darks sliders (**D–E**, next page). Move a control to the left to raise the curve and lighten adjacent tonal ranges, or move a control to the right to lower the curve and darken adjacent tonal ranges.

- ▶ To use one shortcut to get to the nested Parametric tab in the Tone Curve tab and select the Targeted Adjustment tool, press Ctrl-Alt-Shift-T/Cmd-Option-Shift-T.



A In this photo, the midtones are too dark—few details are visible in those areas.




A To lighten the lower midtones, we increased the Darks value. This adjustment raised the middle of the curve.



B More details are now visible in the lightened midtones, such as on the sides of the buildings and on the side and surface of the canal. However, the sky looks a bit dull.



C To lighten the upper midtones (and thereby brighten the clouds, sky, and trees), we dragged upward over a light midtone area with the Targeted Adjustment tool; the Lights value increased automatically.



D Finally, we moved the middle region control slightly to the right, which had the effect of increasing the contrast and lightening the sky.



E Now the tonal values in the image look just right.

Using the Detail tab


Via the Sharpening sliders in the Detail tab, you can adjust the sharpness of your photo (a process called “capture” sharpening), and via the Noise Reduction sliders, you can reduce any unwanted color noise.

To sharpen a photo using the Detail tab:

1. Click the **Detail** tab  **A** and choose a zoom level of 100%. In the preview, drag to reveal an area of the photo that has some detail (hold down the Spacebar for a temporary Hand tool).

Note: If the words “Sharpening (Preview Only)” display at the top of the Detail tab, click the Open Preferences Dialog button  in the toolbox. In the Camera Raw Preferences dialog, choose Apply Sharpening To: All Images, then click OK.

2. Under **Sharpening**, adjust the **Amount** value for the degree of edge definition. For subject matter that needs a lot of sharpening, such as hard-edged objects or buildings, try a value of 100; if less sharpening is needed, try a value of 50–60. (For a raw photo, the default Amount value is 25; for a JPEG photo, the default value is 0.)
 - ▶ To better evaluate the Amount value via a grayscale preview, Alt-drag/Option-drag the slider.
3. Use the **Radius** slider to control how many pixels surrounding each sharpened edge are modified. We keep this value between 1 and 1.3.
4. Alt-drag/Option-drag the **Detail** slider slightly to the right to emphasize edge details and textures.
5. Alt-drag/Option-drag the **Masking** slider to around 50 to protect low-contrast areas with a black mask, and thereby sharpen only high-contrast areas.



A These are the Sharpening controls in the Detail tab.

All digital cameras produce some luminance (gray-scale) noise and color artifacts (randomly colored pixels). Although budget cameras tend to produce the most noise, it can also be produced by a high-end camera if it’s used with a high ISO (light sensitivity) setting in a poorly lit scene. It’s a good practice to remove as much noise from your photos as possible in Camera Raw, because it can become accentuated by image editing in Photoshop.


As you follow these steps, you’ll discover that after you shift one slider, another slider will need adjusting.

To reduce luminance and color noise using the Detail tab:

1. With a photo open in Camera Raw (**A**, next page), click the **Detail** tab  and choose a zoom level of 200–300% for the preview.
2. To reduce grayscale noise (graininess), increase the **Luminance** value (**B**, next page). Try a value between 20 and 70.
3. Increasing the Luminance can cause high-contrast edges in a photo to lose definition. To resharpen edges, raise the **Luminance Detail** value — but not so much that you reintroduce noise (**C**, next page).
 - ▶ To move a different area of the photo into view, hold down the Spacebar and drag.
4. Raise the **Luminance Contrast** value to restore some edge contrast. The effect of this slider is most noticeable in photos that contain a lot of noise.
5. Color artifacts and random speckling tend to be most noticeable in solid-color areas of a photo (e.g., flat surfaces), especially in shadow areas. To reduce these defects in a raw photo, increase the **Color** value to around 40–50, depending on the subject matter (for a JPEG photo, which has a default Color value of 0, use a lower Color value).
6. Raising the Color value may lower the intensity of colors in areas of the photo that were poorly lit. To restore some saturation and intensity to those areas, increase the **Color Detail** value from the default value of 50 to around 75, or just until the color saturation looks good (**D**, next page).
7. To help reduce color mottling and artifacts in dark, low-contrast (low-frequency) areas of the photo, use the **Color Smoothness** slider.
8. Lower the zoom level for the preview to judge the overall effect of the Detail settings.



A This is a close-up of a photo of a shop window (viewed at a zoom level of 300%), with the Noise Reduction: Luminance and Color sliders in the Detail tab set to 0 (no noise reduction applied). Grayscale noise is evident in the signage, and color artifacts are evident on the poorly lit interior surfaces behind the letters.




B To remove noise from the letters, we increased the Luminance value to 69, but this also diminished the edge definition.

ANOTHER WAY TO REDUCE NOISE

To reduce noise in select areas via the Adjustment Brush tool and a mask, see pages 72–76.



C To sharpen the edges of the letters, we increased the Luminance Detail value to 65.



D To remove color artifacts from the dark areas, we increased the Color value to 40; this also had the effect of desaturating the colors. To revive the colors and produce the final version of the image (shown at left), we increased the Color Detail value to 60.

Using the HSL/Grayscale tab

Using the powerful sliders in the HSL/Grayscale tab, you can adjust the hue, saturation, and luminance of each color component of a photo individually.

To adjust individual colors via the HSL sliders:

1. Click the **HSL/Grayscale** tab,  and double-click the Hand tool  to fit the image in the preview. **A**
2. Click the nested **Hue** tab. Move any slider to shift that color into adjacent hues, as shown in the bar. For example, you could shift the Greens



A In the original photo, the sky lacks contrast and the reds on the car body are slightly undersaturated.




C The Saturation adjustments intensified the reds in the car (particularly in the upper midtones) and intensified the blues in the sky.

slider toward yellow to make a landscape look warmer, or toward aqua to make it look cooler.

3. Click the **Saturation** tab. Move any slider to the left to desaturate that color (add gray to it) or to the right to make it more vivid (pure). **B–C** Avoid oversaturating the photo, to keep it looking realistic and so it stays printable.

► To make a bluish sky more vivid, increase the saturation of the Blues and Aquas. To make a sunset look warmer, increase the saturation of the Oranges or Yellows.



B In the nested Saturation tab of the HSL/Grayscale tab, we reduced the saturation of the Yellows and increased the saturation of the Reds and Blues.

4. Click the **Luminance** tab. **A–B** Move a slider to the left to darken that color (add black) or to the right to lighten it (add white). Avoid lightening any of the colors too much, to prevent the highlights from being clipped.

- For a more accurate rendering of your adjusted pixels, choose a zoom level of 66% or 100% for the Camera Raw preview.



A In the nested Luminance tab, we lightened the Oranges and darkened the Reds, Yellows, Greens, and Blues. (Tip: Reducing the Blues value can make a photo look as if it was shot with a polarizing filter on the camera.)



B Decreasing the luminance of the Blues darkened the colors in the sky, while decreasing the luminance of the Reds and increasing the luminance of the Oranges produced a brighter, richer red on the car body. Now the colors are equally intense in the upper and lower areas of the photo.

USING THE TARGETED ADJUSTMENT TOOL

To apply local color adjustments to a photo, hold down Ctrl-Alt-Shift/Cmd-Option-Shift and press H, S, or L. The nested Hue, Saturation, or Luminance tab in the HSL/Grayscale tab displays and the Targeted Adjustment tool  becomes selected. Drag upward or to the right over a color area to increase the slider values specifically for that area, or downward or to the left to decrease those values. The sliders that correspond to the color under the pointer will shift automatically.



Using the Adjustment Brush tool

Unlike corrections that are made in the Camera Raw tabs, which apply to the overall photo, corrections made with the Adjustment Brush tool are “local” (affect specific areas of the photo). You apply a mask in the preview to define which areas are going to be affected by the adjustment, then you apply the correction via the sliders, including the Whites and Blacks sliders. ★ Use this tool after you have finished your broad, overall corrections, to fix a few specific areas or to accentuate some details. A Awesome feature!

To apply local edits with the Adjustment Brush tool:


1. After making adjustments in the Basic and Tone Curve tabs, click the **Adjustment Brush** tool  (K). The sliders for the tool display (some are like the sliders in the Basic tab).
2. Click the + or – button for any slider to “zero out” all the sliders except the one you click.
3. For the brush settings (the last four sliders), try a **Feather** value of 50–95 (to allow the edits to fade into surrounding areas), a **Flow** value of 60 (for the amount of adjustment produced by each stroke), and a **Density** value of 60 (for the level of transparency in the stroke).
4. Check **Mask** (Y) (scroll down in the settings area if you don’t see this option), adjust the brush size by pressing [or], then draw strokes over areas of the photo that need the same adjustment. A tint covers the areas where you apply strokes, and a pin appears where you started dragging. B
 - ▶ The brush size is represented by the solid circle in the pointer; the feather value is represented by the black-and-white dashed circle.
5. Uncheck Mask, then use the sliders to apply adjustments to the masked areas (A, next page).
 - ▶ To show or hide all the pins, press V or check or uncheck Overlay.
 - ▶ To display the mask for an existing pin temporarily, with your mouse or stylus, roll over the pin.




A We studied this photo and decided what improvements to make: Smooth the skin, sharpen the eyelashes, darken the eyebrows, and minimize the under-eye circles.



B We clicked the Adjustment Brush tool, zeroed out the sliders, checked Mask, then drew strokes on the broad areas of the face in the preview, being careful to avoid the key facial features.



A We hid the mask, then chose a higher Tint value to add magenta to the skin tones, higher Exposure and Shadows values to lighten the skin tones, and lower Clarity and Sharpness values to smooth the skin texture. The results are shown at right.




B To sharpen the eyelashes, we clicked New, showed the mask, then covered the lashes using a small brush.




6. To apply different adjustment settings to another area of the photo, click New, then repeat steps 2–5 **B–C** (and **A–E**, next page).

If you want to duplicate a pin and its mask, hold down Ctrl-Alt/Cmd-Option and drag the pin (you don't have to click it first). Or click a pin, right-click it and choose **Duplicate** from the context menu, then drag the new pin.


7. To redisplay the main Camera Raw tabs, press H (Hand tool).




C We hid the mask, then chose higher Contrast, Clarity, and Sharpness values to accentuate the masked areas, and a lower Exposure value to darken them.




A To darken the eyebrows, we clicked *New*, checked *Mask*, then masked those areas.



C To minimize the dark circles under the eyes, we clicked *New*, checked *Mask*, then applied a mask to those areas.



B We hid the mask, then chose a higher *Contrast* value to define the hairs more crisply against the skin, and lowered *Highlights*, *Whites*, and *Blacks* values for a darkening effect.



D We hid the mask again, then reduced the *Temperature* value to cool the redness of the skin tones; increased the *Exposure*, *Highlights*, *Shadows*, *Whites*, and *Blacks* values to lighten the skin; and reduced the *Clarity* and *Sharpness* values to soften the skin texture.



E This final image shows the cumulative results of all the local corrections that we applied via the *Adjustment Brush* tool.

To edit an Adjustment Brush tool correction:

1. Choose the **Adjustment Brush** tool  (K).
2. Check **Mask** (Y) and **Overlay** (V).
3. Click a pin. A black dot appears in the center of the pin.
4. Do any of the following:

To **add** areas to the mask, drag with the brush in the image preview. **A–B**

To **move** the mask to a different area of the photo, drag its pin.

To **adjust** the correction for the current pin, uncheck Mask (Y), then move the sliders.


USING THE AUTO MASK OPTION WITH THE ADJUSTMENT BRUSH TOOL

To mask an area according to color, zoom into that area. Check **Auto Mask** (M), position the Adjustment Brush tool over the color, scale the brush tip to cover just the width of the area, and start drawing a stroke. The mask will cover only the areas that match the first color area the brush touches.

► If you want to change the mask overlay color, click the **Mask Overlay Color** swatch, then choose a color in the Color Picker.



A After using the Adjustment Brush tool in this photo, we clicked an existing pin, and checked Mask to display the mask associated with that pin (we changed our mask color to yellow).



B We dragged with the Adjustment Brush tool to add an area to the mask for the currently selected pin (note the brush cursor on the right side of the photo).

To remove Adjustment Brush tool edits:

1. Choose the **Adjustment Brush** tool  (K).
2. Check **Mask** (Y) and **Overlay** (V).
3. Do either of the following:


To remove adjustments locally, click a pin, click the **Erase** button (or hold down Alt/Option), then apply strokes where you want to erase the mask. **A**

To remove a pin and its adjustments, click the pin, then press Backspace/Delete; or right-click a selected pin, then choose **Delete** from the context menu; **B** or hold down Alt/Option and click a selected or unselected pin (note the scissors pointer).

► To remove all Adjustment Brush tool edits from the current photo and reset the tool mode to New, click the Clear All button.



A We clicked an existing Adjustment Brush pin, and checked Mask to display the mask associated with that pin. Next, we clicked the Erase button, then dragged with the brush to remove an area from the selected mask.



B To remove a selected Adjustment Brush pin, we right-clicked it and chose Delete from the context menu.

Using the Split Toning tab

Using the Split Toning controls, you can apply one color tint, or tone, to the highlight areas of a photo and a different tint to the shadow areas. For the best results with this technique (and to mimic its traditional origins), convert the colors in your photo to grayscale first. We've gotten good results on photos of metallic objects, such as the antique car shown here. **A**

To apply a color tint to a grayscale version of a photo:


1. Click the **HSL/Grayscale** tab,  then check **Convert to Grayscale**.
2. Click the **Basic** tab, and adjust the exposure and contrast.
3. Click the **Split Toning** tab. 
4. Move both of the **Saturation** sliders approximately halfway across the bar to make it easier to judge the colors you will apply in the next step (don't worry that the photo looks awful).
5. Move the **Highlights Hue** slider to tint the highlights **B** and the **Shadows Hue** slider to tint the shadows.
6. Readjust the **Saturation** value for each hue.
7. Reduce the **Balance** setting to apply more of the Shadows tint to the entire photo, or increase it to apply more of the Highlights tint to the entire photo. **C–D**



A This is the original, full-color photo.



B After converting the colors in the photo to grayscale, we used the Split Toning tab to tint the highlights with a brownish yellow hue.



C Next, we tinted the shadows with blue, then moved the Balance slider to the right to favor the highlight color more.



D This is the final result of our Split Toning adjustments. Applying separate tints to the highlights and shadows accentuated the lines and graceful curves of this sleek antique.

Using the Lens Corrections tab

Via the Lens Corrections tab in Camera Raw, you can correct a photo for various adverse effects of lens distortion. You can straighten out an architectural feature, such as a building or fence, that looks as if it's leaning toward or away from the viewer, or that is tilted horizontally (isn't level); and you can correct for under- or overexposure at the edges of a photo (vignetting). The corrections can be applied using a preset profile (this page) or manually (next page).

To correct geometric distortion and vignetting via Profile settings:

1. Click the **Lens Corrections** tab.  Double-click the Hand tool  to fit the image in the preview.
2. To access predefined lens profiles, click the **Profile** tab, then check **Enable Lens Profile Corrections**.
3. From the **Setup** menu, **A** do the following:
Choose **Auto** to have Camera Raw read the EXIF metadata in the photo and attempt to select the proper lens make, model, and predefined profile. If an error message indicates that the Auto option was unable to locate a profile, choose your lens manufacturer from the **Make** menu. **B** Camera Raw will locate a matching lens model and list it on the Model menu, and will locate a predefined profile and list it on the Profile menu. If the Model menu

lists more than one model, choose the one with which the photo was shot.

4. Under Correction Amount, do the following:
Set the **Distortion** value to control the amount of correction.
Set the **Vignetting** value to correct for under- or overexposure at the edges of the photo.
 5. *Optional:* If Camera Raw managed to locate your lens profile (step 3), you can save that profile and any custom Correction Amount settings as your new default profile by choosing Save New Lens Profile Defaults from the Setup menu. In future Camera Raw editing sessions, if you choose Default from the Setup menu, and the current photo was taken with this lens, the saved profile and settings will be applied. (To restore the Adobe predefined settings for your chosen lens, from the Setup menu, choose Reset Lens Profile Defaults.)
 6. *Optional:* If you want to further correct any lens distortion manually, see the next task.
- When applying lens corrections to a Smart Object in Photoshop, we use the Lens Corrections tab in Camera Raw (accessed via Filter > Camera Raw Filter) because it has more extensive manual controls than the Lens Correction filter in Photoshop.



A Check *Enable Lens Profile Corrections*, then choose *Auto* from the *Setup* menu ...



B ... or choose your lens maker from the *Make* menu. Regardless of the *Setup* option, if necessary, adjust the *Distortion* value.


To correct geometric distortion or vignetting via the Manual tab:

1. Click the **Lens Corrections** tab,  and double-click the Hand tool  to fit the image in the preview. **A**
2. Click the **Manual** tab. **B**
3. In the **Upright** area, click a button to apply a preset correction:
 - Auto**  to apply level correction and fix horizontal and vertical convergence, balanced with as little distortion as possible. **C**
 - Level**  to apply only level correction (not fix horizontal or vertical convergence).
 - Vertical**  to apply level correction and fix vertical convergence (but not horizontal convergence).
4. If further manual correction is needed, do any of the following:
 - To spread the image out (fix pincushion distortion), lower the **Distortion** value; or to pinch the image inward (fix barrel distortion), increase the Distortion value.
 - ▶ To display a grid over the image so you can check the alignment, check Show

Continued on the following page



A The original photo (above) shows signs of lens distortion: The house looks as if it's tilting away from the camera, and it's not level.



B We clicked the Manual tab (under Lens Corrections) to access these menu options and sliders.



C Under Upright, we clicked the Auto button for a balanced correction. This partially corrected the vertical lines and vertical tilt, but the left side of the house still looks as if it's farther away from the viewer than the right side.



Grid or press V. Adjust the grid size via the slider. **B**

To widen the top of the image, (correct key-stoning) reduce the **Vertical** value; to widen the bottom of the image, increase the Vertical value. Readjust the Distortion value, if needed.

To widen the left edge of the image, reduce the **Horizontal** value; to widen the right edge of the image, increase the Horizontal value.

To rotate the image, change the **Rotate** value.

To enlarge or shrink the photo, change the **Scale** value. Note: You could crop the photo instead.


To stretch the image horizontally or vertically, change the **Aspect** value. This option is useful for correcting strong perspective distortion in photos taken with a wide-angle lens (**A–B**, next page).

- ▶ If you moved the Distortion slider, you can click Reanalyze (below the buttons) to force a recalculation of the Upright correction based on the Distortion value. If you want to turn off (but preserve) all your Upright corrections, click the Off button.  If you click a different Upright button, as an alert will inform you, all the Transform sliders (except Distortion) will be reset to 0.

5. To correct or apply Lens Vignetting (lighten or darken the outer areas of the photo), set the **Amount** value for the strength of the correction, then set the **Midpoint** value to expand the vignette inward or outward. Readjust the Amount value, if needed.



A We clicked the Full button instead, which successfully made the house level and upright. To lighten the outer areas of the photo, we increased the Amount value (under Lens Vignetting).




B We made some minor Vertical and Rotate adjustments, with Show Grid checked to help us gauge the effect.



A We tried increasing the Aspect value, but this setting exaggerated and distorted the verticals of the house too much.



B Instead, we set the Aspect value to -5 , which exaggerated the horizontal proportion only slightly. The final settings we chose for the image are shown at right.



SYNCING LENS CORRECTIONS TO MULTIPLE PHOTOS ★

To apply **Lens Corrections** edits to multiple photos opened in Camera Raw:

- ▶ If the photos *don't* require exactly the same corrections, click one photo and choose settings in the **Manual** tab of **Lens Corrections**. On the left side of the dialog, right-click a thumbnail and choose **Select All**; right-click again and choose **Sync Settings**. In the dialog, choose **Lens Corrections** from the menu, check only **Transform** and **Lens Vignetting**, then click **OK**. Camera Raw will analyze and correct each photo separately (see also page 94).
- ▶ If the photos *do* require exactly the same correction (e.g., bracketed shots of the same subject), click one photo, then click an **Upright** button in **Lens Corrections**. On the left side of the dialog, right-click a thumbnail and choose **Select All**, then click **Sync Results** in **Lens Corrections**. The first photo will be analyzed according to the chosen Upright mode, then the same correction will be applied to all the other photos.

Using the Effects tab

In traditional photography, the faster the film speed, the larger and more apparent the grain. As an intentional effect, you can simulate this grainy texture via the Grain controls in Camera Raw. Choose a photo that won't suffer aesthetically when its details lose definition.

To add a grain texture to a photo:

1. Click the **Effects** tab,  and double-click the Hand tool  to fit the image in the preview. **A**
2. To create a noticeable grain, under Grain, choose an **Amount** value of around 50.
3. To emulate the fine grain of slow film or the coarse grain of fast film, do as follows:

Set the **Size** value for the size of the grain particles. **B** When this value is greater than 25, a small degree of blurring is also applied, to help blend the grain with the imagery.


Reduce the **Roughness** value below the default value of 50 for a more uniform grain, or increase it for an uneven, coarse grain. **C** Zoom in to examine the grain, then readjust the Amount value, if needed.



A This photo is a good candidate for the Grain effect because we won't mind if the details are softened and it contains muted colors.



B The first settings we chose were Grain Amount 50 and Size 80 (we left the Roughness control at the default value of 50). The food textures are beginning to blend with the soft background.



C We increased the Amount to 75, the Size to 60, and the Roughness to 65. The coarser grain unifies the highlights and background with the food textures even more. Please pass the Parmesan...

Using the Post Crop Vignetting controls, you can apply a light or dark vignette to a photo (lighten or darken the outer areas). If you crop the photo subsequently in Camera Raw, the vignette will conform to the new dimensions.

To apply a vignette to a photo:

1. Click the **Effects** tab,  and double-click the Hand tool  to fit the image in the preview. **A**
2. Under **Post Crop Vignetting**, do all of the following: **B–D**

Choose Style: **Highlight Priority**.


Choose a negative **Amount** value for a dark vignette or a positive value for a light vignette.

Adjust the **Midpoint** value to expand the vignette inward or outward.

Adjust the **Roundness** value to make the vignette shape more oval or more like a rounded rectangle.

Adjust the **Feather** setting to control the softness of the transition to the nonvignetted areas.

Adjust the **Highlights** setting to control the brightness of the highlights within the vignette area.



A This is the original image.



B In the Effects tab, under Post Crop Vignetting, we chose the values above.



C We lowered the Midpoint value and raised the Feather and Highlights values.



D When we cropped the image, the vignette readjusted automatically.


Outdoor photos capture not only objects in the scene, but also the atmospheric conditions — namely haze. The Dehaze slider can be used to control how much haze is either removed from or added to the photo.

To decrease or increase haze in a photo: ★

1. Click the **Basic** tab, , and double-click the Hand tool  to fit the image in the preview. Do the following:

Adjust the White Balance; increase the Exposure value; increase the Shadows value to lighten the shadows; increase the Whites value; increase the Clarity value to sharpen edge contrast; and adjust the other slider values as needed. **A–B**

2. Click the **Effects** tab.  Do either of the following:
 - Enter a positive **Dehaze** value to decrease the amount of haze. This will increase both the tonal and color contrast and intensify color in the photo (**A**, next page).
 - Enter a negative **Dehaze** value to increase the amount of haze (or fog). This will add a soft white tint that reduces tonal and color contrast and softens the detail in the photo (**B**, next page).
3. Go back to the Basic tab and readjust those sliders, if desired. We recommend you experiment with different Shadows, Blacks, and Clarity values (**C**, next page).



A In the Basic tab, we used the settings shown above...



B ... to initially adjust our photo. This photo is a good candidate for the Dehaze effect because it contains adequate overall contrast, a substantial amount of whites, dark contrasts in the midground, and very few areas of green.



A We set the Dehaze value to +48. The photo now has substantial tonal contrast and greater color saturation and intensity. An amazing result from one slider adjustment!



B Next, we changed the Dehaze value to -73. In the Basic tab, we lowered the Clarity value to +28 and the Blacks value to -44. The Dehaze effect has transformed the scene into a gray, foggy day, with a soft white tint enveloping the scene from the foreground to the background.



C Finally, in the Basic tab, we reduced the Clarity value to -44 and the Blacks value to -53. This adjustment softened the entire image and removed some of the haze from the closest foreground elements.

By experimenting in the Basic tab, we found that the Shadows and Blacks sliders can control the amount of haze in the foreground, while the Contrast and Highlights sliders can control the amount of definition in background.

Using the Graduated Filter tool

When shooting landscapes, you may have run into this common predicament: You set the proper exposure for the foreground, and the sky winds up being overexposed. To solve this problem on site, you can reduce the light on the upper part of the lens with a graduated neutral-density filter. To darken a sky in a photo that is shot without such a filter (Plan B!), you can use the Graduated Filter tool in Camera Raw.

With this tool, you create an overlay to define the area to be edited, then you apply the adjustment via any of a dozen sliders. The slider options are the same as for the Adjustment Brush tool.

To adjust an area of a photo using the Graduated Filter tool:

1. After adjusting your photo via the Basic and Tone Curve tabs, **A** choose the **Graduated Filter** tool  (G). The sliders for the tool display in the right panel.
2. Click the + or – button for any slider to “zero out” all the sliders except the one you click.
3. To define where the filter edits will be applied, Shift-drag over an area in the photo, beginning from the location where you want the adjustment to be strongest. The filter will be applied fully at the green dashed border of the overlay, gradually diminishing to nil at the red dashed border. Note: If you want to draw the overlay on a diagonal, don’t hold down Shift while dragging.
4. Do either or both of the following:
 - Use the Temperature and/or Tint slider to make the filtered area warmer or cooler.




A Despite our applying Basic and Tone Curve adjustments, the sky in this photo looks overexposed (washed out).

Use other sliders to adjust such characteristics as the exposure, sharpness, whites or blacks, **★** or noise in the filtered area (**A–C**, next page).


5. To redisplay the main tabs, press H (for the Hand tool).
 - At any time, you can lengthen or shorten the filter overlay by dragging or Shift-dragging the green or red dot. To reposition the whole overlay, drag the line that connects the two dots.
 - To apply a separate overlay to another area of the photo, click New, then repeat steps 2–4. If you want to clone an overlay, hold down Ctrl-Alt/ Cmd-Option and drag the dashed line that connects the two pins; or right-click a selected overlay and choose Duplicate from the context menu, then move the duplicate overlay.
 - To hide the filter overlay, uncheck Overlay or press V.
 - To remove a filter overlay, right-click a selected pin then choose Delete from the context menu; or hold down Alt/Option and click the overlay (note the scissors pointer); or click the overlay, then press Backspace/Delete.

EDITING A GRADUATED OR RADIAL FILTER MASK WITH A BRUSH

- Create or select a filter overlay. Click the **Brush** button at the top of the panel (Shift-K) to display brush options, then click the **Brush +** (add to) or **Brush –** (erase from) button. Press [or] to size the brush, then apply strokes in the preview. (You can also toggle the plus and minus buttons for the brush by holding down Alt/Option.) If you want to choose different sizes for the plus and minus functions of the brush, check **Separate Eraser Size** on the panel menu.
- In the panel, you can set the **Feather** value to control how much the brush edits fade into surrounding areas, and the **Flow** value to control the amount of adjustment. Check **Auto Mask (M)** to mask only the areas that match the first color area the brush touches (see also the sidebar on page 75).
- To remove all manual brush strokes from the currently selected overlay, click **Clear**.



A After zeroing out the sliders for the Graduated Filter tool, we Shift-dragged downward in the photo (as shown by the arrow above), then chose slider settings to darken the exposure within the overlay area.



B To add more blue to the upper area of sky, we lowered the Temperature value.



C In the final image, the adjustment is strongest in the sky, fading to nil in the upper part of the ground.

Using the Radial Filter tool


With the Radial Filter tool, you define an elliptical area with an overlay, then apply adjustments via sliders to the area either inside or outside the overlay.

To darken an area of a photo via the Radial Filter tool:

1. After adjusting your photo via the Basic and Tone Curve tabs, **A** click the **Radial Filter** tool  (J). The sliders for the tool display.
2. Click the + or – button for any slider to “zero out” all the sliders except the one you click. At the bottom of the panel, click Effect: **Outside** or **Inside** to control where the filter effect will occur relative to the overlay you will draw in the next step.
3. Drag over an area in the photo to produce an overlay. **B** If you want to reposition the overlay as you create it, drag with the Spacebar held down.
4. Use any of the sliders, including the Whites and Blacks sliders, **★** to adjust the filtered area (**A–C**, next page). If the Effect setting is Outside, the adjustment will be at full strength outside the overlay, then diminish gradually to no adjustment at the dashed border. If the Effect setting is Inside, the adjustment will be at full strength at the center of the overlay and diminish gradually to no adjustment at the dashed border.



A Although the exposure in this photo is well balanced, we want to spotlight the spa products more.



B We zeroed out the sliders for the Radial Filter tool, then dragged in the preview to create an overlay.


5. To control how gradual the adjustment is at the edge of the overlay, use the **Feather** slider.
6. To hide the overlay(s) to gauge the adjustment, uncheck **Overlay** or press V. Redisplay the overlay for the next step.
7. To edit the overlay, do any of the following (all optional):
 - To **reposition** the overlay, drag inside it.
 - To **reshape** the overlay, drag one of its handles.
 - To **resize** the overlay, Shift-drag a handle.
 - To **swap** the adjustment from Outside to Inside the overlay, or vice versa, click the unselected Effect button or press X.
8. *Optional:* To add another overlay, click New, then follow steps 2–7. To clone an overlay, hold down

Ctrl-Alt/Cmd-Option and drag its center pin; or right-click the pin and choose Duplicate from the context menu, then drag the new pin. Note: Adjustments are cumulative where overlays overlap; to edit adjustment settings, click a pin first.

9. To redisplay the main tabs, press H (Hand tool).
 - ▶ To delete an overlay, select its center pin, then right-click the pin and choose Delete from the context menu; or hold down Alt/Option and click the pin (scissors pointer); or click the pin, then press Backspace/Delete.
 - ▶ To expand an overlay to the edges of a photo, double-click inside it; or to do this when creating a new overlay, double-click in the preview.




A We used the first four sliders to darken the filtered area and the Clarity and Sharpness sliders to soften the image details.




EDIT THE MASK WITH A BRUSH

To edit a Radial Filter mask with a brush, follow the steps in the sidebar on page 86.



B To make the lighting in the darkened areas cooler, we reduced the Temperature value (added blue).

C The tonal, temperature, and sharpness adjustments helped to accentuate the candle, soap, and white bottle.



Using the Spot Removal tool

Use the Spot Removal tool to remove imperfections from a photo, such as spots caused by dust on the camera lens, blemishes in a portrait, or insects on flowers. You can let Camera Raw locate a source area for the repair automatically, or you can choose a source area.

The Spot Removal tool does an improved job of locating a source area automatically, especially when used to heal nonsmooth textures (Adobe mentions bark, rocks, and foliage as examples of textures in which healing results are improved). Also, if you use this tool on a photo that you cropped in Camera Raw, the tool will look for source areas within the crop boundary first.


To remove blemishes or spots:

1. Choose the **Spot Removal** tool  (B).
2. Zoom in on an area to be repaired.
3. Press [] or [] to size the brush cursor, then do one of the following:


Ctrl-Alt-drag/Cmd-Option-drag outward from the center of a blemish to create and scale a target circle **A**; or click a blemish; or if you want to control which area Camera Raw uses as the source, Ctrl-drag/Cmd-drag from the target area to the desired source area. When you release the mouse, a red dashed circle surrounds the target region and a green dashed circle surrounds the source area. **B**

Drag across a blemish to create a target region.

When you release the mouse, a border with a red pin surrounds the target region and a border with a green pin surrounds a source region. **C–E**




A With the Spot Removal tool, we held down Ctrl-Alt/Cmd-Option and dragged to create a target circle around a blemish.



B The tool created a linked source circle in a similar area and repaired the blemish.



C To remove an imperfection from a leaf, we're dragging to create a target region.



D The tool created a source region and two pins.



E The line is eliminated from the leaf.

- ▶ To display a black-and-white version of the photo to help you pinpoint dust spots or other irregularities, check Visualize Spots (Y). Adjust the black-to-white threshold via the slider. Press Y to return to the normal display.
4. *Optional:* To soften the transition between the current target area and surrounding areas, adjust the Feather value. **A–C** Or to adjust the Feather value interactively (within the current size of the brush cursor), with Shift and right-click held down, drag horizontally in the preview. The new Feather value will display within the selected target area. The Feather value is sticky, meaning the current value will persist for future editing sessions until you change it.
 5. From the **Type** menu, choose **Heal** to blend source pixels into the texture and luminosity values of the target pixels (often the best choice), or **Clone** to copy the source pixels exactly without any healing. *Optional:* To cycle through alternative source locations that Camera Raw detects, press (and keeping pressing) **/**.
 6. To hide all regions and circles at any time in order to judge the Spot Removal results, uncheck **Overlay** (V). Recheck it for the remaining steps.
 7. Select a target or source region by clicking its pin, or select a circle by clicking inside it, then do any of the following optional steps:
 - To **reposition** a region or circle, drag inside it.
 - To control the opacity of the repair, change the **Opacity** value in the panel.
 - To **resize** a pair of target and source circles (not irregular-shaped regions), drag the dashed border.
 - To **add** to an existing region (or to convert a circle to a region), position the pointer just outside it, then hold down Shift and click or drag.
 8. *Optional:* Create more regions or circles to correct other blemishes.
 - To remove a pair of circles or regions, hold down Alt/Option and click in the target or source area; or to delete multiple circles and/or regions, Alt/Option drag a marquee across them; or to remove all Spot Removal circles and regions, click Clear All.
 9. To redisplay the main tabs, press H (Hand tool).
 - ▶ To redisplay the current Spot Removal overlays at any time, choose the tool again (press B).



A The shed in this photo is a distracting element.



B Using the Spot Removal tool, we dragged outward from the center of the shed. With the Feather value for the tool set to 100%, the healing is fading around the rim of the circle, and sections of the original background aren't replaced.



C We changed the Feather slider for the tool to 10%. Now the shed is more fully replaced with tree pixels, with minimal fading along the rim of the target region.

Saving and applying Camera Raw settings

After carefully choosing custom settings for a photo in Camera Raw, you'll be glad to know that you can save those settings as a preset and then apply the preset to other photos that need the same or similar corrections.

To save Camera Raw settings as a preset:

Method 1 (Camera Raw Settings menu)

1. With your corrected photo open in Camera Raw, choose **Save Settings** from the Camera Raw Settings menu. 
2. The Save Settings dialog opens. **A**
3. Choose **Subset: All Settings**, then check the categories of settings you want saved in the preset. If you want to filter which boxes are checked for a subset, choose a tab name from the Subset menu, then check/uncheck boxes. For any menu choice, you can also click **Check All** or **Check None**; or to select one box exclusively, hold down **Alt/Option** and click it.
4. Click **Save**. A “navigation” Save Settings dialog opens. Enter a name (preferably one that describes the function of the preset), keep the location as the Settings folder, then click **Save**.
5. The saved settings preset is now available in the Presets tab  for any open photo.


Method 2 (Presets tab)

1. With your corrected photo open in Camera Raw, click the **Presets** tab, , then click the **New Preset** button. 
 2. In the New Preset dialog, enter a name for the preset. Follow step 3, above.
 3. Click **OK**. Your new preset is now available in the Presets tab for any open photo.
- To delete a user-saved preset, click the preset name, then click the **Delete** button. 

You can apply a user-defined preset (saved collection of settings) to a single photo via Camera Raw (see below), to multiple photos via Bridge (see the following page), or to multiple thumbnails via the Synchronize option in Camera Raw (see page 94).

To apply a Camera Raw preset to a photo:

- With a photo open in Camera Raw, click the **Presets** tab, , then click a preset name.
- You can also apply a preset via the **Apply Preset** submenu on the Camera Raw Settings menu.



A In the Save Settings dialog, check which categories of custom Camera Raw settings are to be saved in a preset.

TAKING SNAPSHOTS OF YOUR CR SETTINGS

A snapshot is a record of the current Camera Raw settings that you have chosen for a photo. By saving snapshots of your photo periodically while editing it, you preserve the option to restore the photo to those earlier settings. Unlike snapshots on the History panel in Photoshop, snapshots save with the Camera Raw file. Click the **Snapshots** tab, , then click the **New Snapshot** button.  In the New Snapshot dialog, enter a name, then click **OK**. To restore the photo to a snapshot at any time, click a snapshot name in the Snapshots tab. (For other ways to restore Camera Raw settings, see pages 59–60.)

- To update an existing snapshot with the current settings, right-click the snapshot listing and choose **Update with Current Settings** from the context menu.

The settings presets that you save in the Presets tab of the Camera Raw dialog can also be applied to multiple photos via the Develop Settings submenu in Bridge. In fact, as a strategy, you could save separate presets for settings in individual Camera Raw tabs and then assign them to multiple photos in succession (e.g., a preset for the Basic tab first, then a preset for the Tone Curve tab, and so on). If you haven't saved the needed settings as presets, a quick alternative method is to copy and paste all the current settings from one photo into one or more other photos.


To apply Camera Raw settings to multiple photos via Bridge:

Method 1 (apply a preset)

1. In Bridge, Ctrl-click/Cmd-click multiple photo thumbnails (or Shift, then Shift-click a consecutive series of thumbnails).
2. To apply settings, from the Edit > **Develop Settings** submenu, choose a preset; or right-click a selected thumbnail and choose a preset from the Develop Settings submenu on the context menu. **A** Choose additional presets, if needed.

Method 2 (copy and paste settings from a photo)

1. Click the thumbnail for a photo that has the desired settings, then choose Edit > Develop Settings > **Copy Camera Raw Settings** (Ctrl-Alt-C/ Cmd-Option-C), or right-click the selected thumbnail and choose Develop Settings > Copy Settings from the context menu.
2. Click another thumbnail (or Ctrl-click/Cmd-click multiple thumbnails), then choose Edit > Develop Settings > **Paste Camera Raw Settings** (Ctrl-Alt-V/ Cmd-Option-V), or right-click the selected thumbnail and choose Develop Settings > Paste Settings from the context menu.
3. The Paste Camera Raw Settings dialog opens. Uncheck any settings you don't want to paste; or choose a tab name from the Subset menu, then remove or add any check marks; or to select one box exclusively, hold down Alt/Option and click it. Click OK.
 - To remove *all* Camera Raw settings from a selected photo thumbnail in Bridge, choose Edit > Develop Settings > Clear Settings or right-click the thumbnail and choose Develop Settings > Clear Settings from the context menu.



A Using commands on the Develop Settings submenu in Bridge, you can apply one or more saved settings presets to multiple selected thumbnails, or copy and paste the current settings from one thumbnail to other thumbnails.

Synchronizing Camera Raw settings

When you open multiple photos into Camera Raw, they are represented by thumbnails in a panel on the left side of the dialog. After adjusting one photo, you can use Sync Settings to apply those settings to one or more of the other photos. Because it's unlikely that every single adjustment needed for one photo will be perfectly suited to all the others (even photos taken during the same shoot), a more practical approach is to adjust subsets of the grouping. For instance, you could apply a settings preset or some Basic tab adjustments to one photo (say, to correct the white balance and exposure), apply those settings to most or all of the other photos, then select specific photos and apply more targeted or specialty adjustments.

To synchronize the Camera Raw settings among multiple photos:

1. In Bridge, select two or more photo thumbnails, preferably ones that were shot under the same lighting conditions and that require the same kind of correction (for the most accurate and consistent corrections, select all raw files or all JPEG files). Double-click one of the selected thumbnails.
 2. On the filmstrip panel on the left side of the Camera Raw dialog, click one of the thumbnails. **A**
 3. Make the needed adjustments to the selected image (including cropping, if you want to crop all the images in exactly the same way). You can apply adjustments via the tabs or tools or by clicking a preset in the Presets tab. 
 4. Right-click a thumbnail. From the context menu choose **Select All**; right-click again and choose **Sync Settings**. Or Ctrl-click/Cmd-click specific thumbnails, then right-click a selected thumbnail and choose **Sync Settings**. **★**
 5. The Synchronize dialog opens (it looks like the Save Settings dialog, which is shown on page 92). Check only the settings you want to apply to all the selected thumbnails; or choose a category from the Synchronize menu, then remove or add any check marks. Click OK.
- ▶ To cycle through the photos on the filmstrip panel, click the left or right arrowhead below the preview (in the lower right). If more than one thumbnail is selected, Camera Raw will cycle among only the selected photos.



A We opened four photos into Camera Raw. The thumbnails for the images display on the filmstrip panel on the left side of the dialog.

NEW MERGE COMMANDS IN CAMERA RAW **★**

Camera Raw enables you to apply the **Merge to HDR** and the **Merge to Panorama** commands to photos via the filmstrip panel menu or via the panel context menu. See pages 258–259 and 292–293 for steps for using these commands.

WHERE CR IMAGE SETTINGS ARE SAVED

Depending on the current setting on the **Save Image Settings In** menu in the Camera Raw Preferences dialog (Ctrl-K/Cmd-K), settings for raw photos (not JPEGs) are saved either in the internal **Camera Raw Database** on your system or as hidden **Sidecar .xmp Files** in the same folder as the raw files.

Converting, opening, and saving Camera Raw files

Still with us? At long last, you get to open your Camera Raw file into Photoshop.

To open a photo from Camera Raw into Photoshop:

1. After applying adjustments to your photo in Camera Raw, click **Open Image**; or if you opened and corrected multiple files, select them on the left side of the dialog, then click **Open Images**.
2. The photo appears as the Background in a new Photoshop document (or documents). Save the file(s) in the Photoshop (PSD) format.

Note: If Open in Photoshop as Smart Objects is checked in the Workflow Options dialog (see step 10 on page 56), the Open Image button is labeled Open Object and a photo opens as a Smart Object in a new Photoshop document. To learn about Smart Objects, see pages 272–283 (to edit the Camera Raw settings of a Smart Object, see page 276). If the workflow option is off, you can convert the Open Image button to Open Object by holding down Shift.

- ▶ To close the Camera Raw dialog without opening your file, but save your settings to the file as instructions, click Done. The settings will redisplay if you reopen the file in Camera Raw.

ARCHIVING PHOTOS AS DNG FILES

Photographs capture unrepeatable moments, and archiving them is both a priority and a concern for photographers. Ideally, there would be one standard file format for digital photos that photographers could depend on with confidence, knowing their photos will be stable and accessible for the foreseeable future. At the present time, each camera maker uses a unique, proprietary format for their raw files. Should a maker discontinue its format, raw photos from their cameras might become unreadable by Photoshop or other image-editing applications.

Luckily, **DNG** (short for Digital Negative), a format developed by Adobe, preserves all the raw, unprocessed pixel information that is captured by the camera. The coding for the DNG format is nonproprietary (open standard), meaning that it is accessible to all interested companies. DNG may be the long-term solution that photographers will eventually come to rely on—provided it is adopted as the standard by a majority of camera and software manufacturers.

If desired, you can open a copy of a Camera Raw file with its current (custom) settings into Photoshop without changing the settings in the original raw or JPEG file.

To open a copy of a Camera Raw file:

In the Camera Raw dialog, hold down Alt/Option and click **Open Copy** (Open Image or Open Object becomes Open Copy).

Settings in the Workflow Options dialog are assigned automatically to all photos that you open into Camera Raw (see pages 56–58). If you want to convert and save a copy of an individual photo in the Digital Negative (DNG), JPEG, TIFF, or Photoshop (PSD) format using custom file naming, format, color space, sizing, or sharpening settings instead, use the Save Options dialog, as described below. New Color Space, Image Sizing, and Preset features, found in the Workflow Options dialog, are also available in the Save Options dialog.

When you save a copy of a photo in the Digital Negative format via Save Options, the Camera Raw settings it inherits from the original file remain accessible and editable in Camera Raw. See also the sidebar on this page.

When you save a photo in the JPEG, TIFF, or PSD format via Save Options, the Camera Raw settings are applied to the copy of the photo permanently. Although you can open and edit the resulting JPEG or TIFF file in Camera Raw, you will see that the sliders are reset to their default values. PSD files can't be opened into Camera Raw.


Note: Settings that you choose in the Save Options dialog are independent of—and have no effect on—the settings in the Workflow Options dialog.

To save a copy of a Camera Raw file in the DNG, JPEG, TIFF, or PSD format:

1. Open and adjust a photo in Camera Raw, then in the lower-left corner of the dialog, click **Save Image**.
2. The Save Options dialog opens (**A**, next page). For the **Destination**, choose Save in Same Location or Save in New Location. For the latter, choose a location in the Select Destination Folder dialog, then click Select.

Continued on the following page

3. Under **File Naming**, choose a naming or numbering convention from the menu or enter a file name. If desired, you can also choose an additional naming or numbering convention from the adjacent menu.
4. Choose a **Format** of Digital Negative, JPEG, TIFF, or Photoshop, then choose related options. For instance, if you cropped the photo in Camera Raw and then choose the Photoshop format here, you will need to decide whether to check Preserve Cropped Pixels.
5. For a photo in the JPEG, TIFF, or Photoshop format, choose an option from the **Metadata** menu to control what metadata will be saved with the file. And via the Remove Location Info check box, control whether you want location information for the file to be preserved.
6. For a photo in the JPEG, TIFF, or Photoshop format, you can choose options under Color Space, Image Sizing, and Output Sharpening. For Color Space, see step 3 on page 56; for Image Sizing, see page 58; and for Output Sharpening, see step 9 on page 56.
7. *Optional:* To save the current dialog settings as a preset for future use on any photo, from the Preset menu, choose New Save Options Preset. In the dialog, enter a name, then click OK.
8. Click Save. A copy of the file appears in the designated location. The original file, with its current settings, remains open in Camera Raw.
 - ▶ User-created presets are available on the Preset menu. Once you choose a preset, the menu also provides Delete [preset name] and Rename [preset name] commands.
 - ▶ When you assign a color space and an intent to a photo via the Workflow Options dialog, those settings display as a soft proof in the main Camera Raw dialog, whereas when you choose color space and an intent options in the Save Options dialog, no soft proof displays.



A In the Save Options dialog, choose Destination, File Naming, Format, Color Space, Image Sizing, and Output Sharpening settings.

Unless noted otherwise, the listings in this index pertain to Photoshop.

A

Action Options dialog, 444

actions

- command insertion, 450
- command modal controls, 451
- command settings, changing, 454
- conditional steps, adding, 452–453
- defined, 116, 443
- deleting, 454
- droplets for, 448
- duplicating, 449
- edit insertion, 450
- edit order, 454
- editing, 449–454
- excluding command from playback, 445
- menu item insertion, 450
- modal controls, 451
- partial, playing, 445
- playback options, 445
- playing on batch of images, 446–447
- playing on one image, 445
- recording, 443–444, 447
- renaming, 449
- rerecording, 451
- ruler units in, 444
- sets, 454
- Stops, inserting, 449
- testing, 453
- use suggestions, 447

Actions panel

- Button mode, 445
- Dialog icon, 451
- illustrated, 116, 443
- Insert Conditional command, 452
- Insert Menu Item command, 450
- Insert Stop command, 449
- List mode, 443, 445
- loading set onto, 454
- New Action button, 444, 449, 452
- Play button, 445
- Playback Options command, 445
- Record Again command, 451
- Reset Actions option, 454
- Save Actions command, 454
- uses, 443

Add Anchor tool, 115

Adjustment Brush tool (Camera Raw)

- accessing, 71–76
- Auto Mask option, 75

- correction, editing, 75
- defined, 53
- Duplicate option, 73
- edits, removing, 76
- local edits with, 72–74
- Mask option, 72, 73, 74, 75, 76
- Mask Overlay Color swatch, 75
- using, 72–76

adjustment layer presets, 228, 232

adjustment layers

- Black & White, 250–252
- Brightness/Contrast, 238
- clipping, 231
- Color Balance, 240–241
- creating, 128, 228–229
- Curves, 235, 246–249
- defined, 126
- deleting, 232
- editing, 128
- effects, hiding, 230
- filters and, 379, 380
- Gradient Map, 252–253
- Hue/Saturation, 242
- identifying, 229
- layer effects application to, 399
- Levels, 235, 236–237, 260
- mask, editing, 233
- merging, 166, 232
- new edits, viewing images without, 230
- options on Properties panel, 128
- Photo Filter, 239
- presets, 232
- settings, 230
- Vibrance, 243–245

Adjustments panel

- Auto-Select Parameter option, 229
- Black & White button, 250
- Brightness/Contrast button, 238
- buttons, 117, 228
- Color Balance button, 240
- Curves button, 246
- Gradient Map button, 252
- Hue/Saturation button, 242, 316
- illustrated, 117
- Levels button, 236, 260, 399
- Photo Filter button, 239
- Reset to Adjustment Defaults button, 230
- Vibrance button, 243, 244, 245

View Previous State button, 230

Adobe Bridge. *See* Bridge

Adobe Color CC web service, 212

Adobe Color Themes panel, 117, 210–212

Adobe Creative Cloud. *See* Creative Cloud

Adobe Illustrator. *See* Illustrator, Adobe

Adobe InDesign. *See* InDesign, Adobe

Adobe RGB color space, 5, 8

Adobe stock images, 272

Adobe Typekit web page, 388

Advanced dialog (Photo Downloader), 25

Advanced preferences (Bridge), 472

Airbrush tips, 302

alerts, 34, 35

aligning

- layers, with Auto-Align Layers command, 292
- layers, with one another, 289
- point type, 384
- shapes in same layer, 429
- with Smart Guides, 159
- type, 394
- vector objects, 421

alpha channels, 184, 190, 444

anchor points, 427, 440

ANPA colors, 207

anti-aliasing, 177, 384

Application frame

- defined, 97
- docking document windows into, 99
- illustrated, 97, 98
- Mac OS, 98
- minimizing, 98
- redocking floating panels into, 107
- resizing, 98

archiving Creative Cloud files, 497

Art History tool, 115

Artboard tool, 362–363, 365

artboards

- adding hand-drawn content to, 363
- adding text or shapes to, 363
- copying assets into, 365
- copying content between, 364
- creating in existing document, 362
- creating over existing content, 363
- creating via New command, 362

- defined, 362
- resizing or repositioning, 362

asset files. *See* image assets

Assign Profile dialog, 12

Auto Resolution dialog, 140

Auto-Align Layers dialog, 292

B

Background

- converting into layer, 154
- converting layer to, 154
- customizing, 104
- deleting selection from, 172
- duplicating, 306
- filling selection on, 172
- moving upward on list, 156
- new document, choosing for, 15

Background color

- choosing, 205, 206, 209
- filters that use, 372

Background Eraser tool, 115

baseline shift, 392

Basic blending modes, 214

Basic tab (Camera Raw)

- Clipping Warning buttons, 62
- color saturation adjustments, 65
- contrast adjustments, 62–64
- defined, 59, 61
- edge contrast adjustments, 65
- exposure adjustments, 62–64, 284, 285
- histogram tonal edits, 62
- using, 61–65
- white balance adjustments, 61

Batch dialog, 446–447

Batch Rename dialog, 43

Bevel effect, 406–407

bit depth, 2, 374

Bitmap mode, 4

Black & White adjustment layer, 250–252

blemishes, removing, 90–91, 321

blending layers

- Blending Options, 356–357
- modified with original one, 354
- opacity, 355

blending modes

- brush, 298
- categories, 214
- choosing, 214–215
- cycling through, 215
- fill layer, 216–218

- filters and, 380

- list of, 214

- for scripted patterns, 224

Blending Options

- for Layers, 356–357

- for Smart Filters, 375

Blur Gallery

- applying filters in, 333–341
- blurring adjustment, 334
- Bokeh feature, 342
- defined, 333
- Field Blur filter, 333, 334, 335
- filter masks, 343
- filter pins, 334
- Iris Blur filter, 333, 334, 336
- Noise options, 341
- Path Blur filter, 338–339
- selections with filters, 334
- Spin Blur filter, 333, 334, 340
- Tilt-Shift filter, 333, 334, 337

Blur tool, 115

bokeh options in Blur Gallery, 342

Bridge

- cache, exporting, 42
- collections, 45–46
- Collections panel, 26, 45–46
- Content panel, 26, 29, 30, 37
- custom, 38
- deleting, 38
- Favorites panel, 26, 29, 45
- file searches, 44
- Filter Items by Rating menu, 41
- Filter panel, 26
- Folders panel, 26, 29
- image previews in, 29–32
- keywords, 38–39
- Keywords panel, 26, 38–39
- launching, 23
- loupe, 31–32, 470
- metadata display, 37
- Metadata panel, 26, 39
- Metadata placard, 29
- navigation controls, 29
- Open Recent File menu, 33
- opening files from, 33–35
- Options for Thumbnail Quality and Preview Generation menu, 30
- panes and panels, configuring, 36
- Photo Downloader, 24–25
- Preview panel, 26
- Refine menu, 32
- resetting, 38

- Reveal Recent File or Go to Recent Folder menu, 33

- Review mode, 32, 40

- saving, 38

- thumbnails, 29, 30, 36, 40–41, 46

- uses, 23

- View Content buttons, 37

- window customization, 36–37

- window features, 26–27

- window illustration, 27

- workspaces. *See* workspaces (Bridge)

Brightness/Contrast adjustments, 238

bristle brushes, 304–305

Brush panel

- Airbrush tips, 302
- Angle option, 298
- Brush Pose option, 304
- Brush Projection option, 300
- Brush Tip Shape option, 298, 301, 302
- Color Dynamics option, 300
- Create New Brush button, 301
- customizing brushes via, 298–301
- displaying, 119
- Erodible Point tips, 301–302
- Hardness option, 299
- illustrated, 119, 299
- Live Brush Tip Preview button, 301
- New Brush button, 132
- quick access to, 303
- Roundness option, 299
- Scattering options, 300
- Shape Dynamics option, 300
- Size option, 298
- Spacing option, 299
- Texture option, 300–301
- Transfer option, 301
- uses, 119

Brush Preset picker, 297, 314–315

brush presets

- deleting, 303
- identifying types of, 130
- loading, 303
- managing, 303
- modified indication, 303
- names, viewing, 307
- resetting, 303
- saving, 133, 303
- settings, 303
- tools that use, 130

Brush Presets panel

- illustrated, 119

- Live Brush Tip Preview button, 301, 303
- Open Preset Manager button, 135, 303
- quick access to, 303
- saving brushes from, 133
- brush strokes, recording, 444**
- Brush tool**
 - Airbrush tip, 302
 - choosing settings for, 130–131
 - creating selections with, 191
 - defined, 114
 - editing layer masks with, 288
 - Erodible tip, 301–302
 - in hiding filter effect, 376
 - Options bar, 190, 193, 233, 298
 - painting with, 297–302
 - reshaping layer masks with, 193, 288
 - reshaping selections with, 190
 - in turning photos into drawings, 382
- brushes**
 - blending mode, 298
 - bristle, 304–305
 - customizing, 132, 298–302
 - diameter, 131, 286, 314
 - editing graduated or radial filter mask with, 86–87
 - flow rate, 298
 - hardness, 130, 131
 - opacity, 131, 298
 - roundness, 130
 - saving, 303
 - settings, choosing, 130
 - size, changing, 131, 298
 - tips, 298–302
- Burn tool, 115**
- C**
- cache** (Bridge), 42
- Cache preferences** (Bridge), 472
- calibration, display, 6**
- Camera Calibration tab** (Camera Raw), 59
- Camera Raw**
 - Adjustment Brush tool, 53, 72–76
 - advantages to using, 47
 - Before/After Views menu, 59
 - Basic tab, 59, 61–65
 - Camera Calibration tab, 59
 - Crop tool, 53, 54
 - default settings, restoring, 59
 - Detail tab, 59, 68–69
 - dialog illustration, 51
 - editing layers in, 52
 - Effects tab, 59, 82–83
 - filters, 52
 - Gamut Warning button, 57
 - Graduated Filter tool, 53, 86–87
 - HDR file processing in, 258
 - high-DPI display support, 51
 - host selection for, 50
 - HSL/Grayscale tab, 59, 70–71
 - Lens Corrections tab, 59, 78–81
 - luminance, reducing, 68
 - new merge commands, 94
 - noise reduction, 48
 - opening files from, as embedded Smart Objects, 273
 - opening layers in, 52
 - opening photos into, 51
 - presets, 92
 - Presets tab, 59
 - previews, 48, 53, 59
 - Radial Filter tool, 88–89
 - reasons for using, 47–49
 - Red Eye Removal tool, 53
 - scrubby-sliders, 59
 - settings, applying to multiple photos, 93
 - settings, removing, 93
 - settings, save location, 94
 - settings, saving as preset, 92
 - settings, synchronizing, 94
 - Settings menu, 60, 92
 - shadow clipping, 64
 - sharpening, 48, 68
 - Snapshots, 59, 92
 - Split Toning tab, 59, 77
 - Spot Removal tool, 53, 90–91
 - Straighten tool, 53, 55
 - Targeted Adjustment tool, 66–67, 71
 - tooggling between default settings, 60
 - tonal redistribution, 48
 - Tone Curve tab, 59, 66–67
 - tools, 53
 - updating, 49
 - white balance, 60
 - White Balance tool, 53
 - workflow options, 56–58
 - zoom methods, 53
- Camera Raw filter, 52, 284**
- cameras**
 - Adobe RGB color space, 5
 - capturing tonal values (Camera Raw), 48
 - downloading photos from, 24–25
- canvas**
 - area, enlarging with Crop tool, 148
 - pixels outside of, 263
 - size, changing, 142
 - view, rotating, 103
- Canvas Size dialog, 142**
- channels**
 - alpha, 184, 190, 444
 - core, 2
 - Curves adjustment layer, 248
 - defined, 2
 - document color mode and, 3
 - spot color, 402
- Channels panel**
 - displaying, 2
 - illustrated, 119
 - Load Channel as Selection button, 184
 - New Spot Channel command, 402
 - Photoshop color modes and, 2–4
 - Save Selection as Channel button, 184
- Character panel**
 - Baseline Shift controls, 392
 - Color swatch, 387
 - displaying, 120
 - East Asian Features, 385, 469
 - Font Family menu, 387
 - Font Size menu, 390
 - Font Style menu, 387
 - illustrated, 120, 383
 - Kerning menu, 391
 - Leading controls, 392
 - Middle Eastern Features, 385, 469
 - OpenType buttons, 393
 - resetting, 391
 - showing, 386
 - South Asian features, 469
 - Toggle Typekit Fonts button, 388
 - Tracking controls, 391
- Character Style Options dialog, 396**
- Character Styles panel**
 - illustrated, 120
 - Load Character Styles command, 397
 - Load Default Type Styles command, 397
 - New Character Style button, 395
 - Redefine Character Style by Merging Override button, 396

- Save Default Type Styles command, 397
- Clipboard**
 - New dialog and, 16
 - with Paste command, 262
 - with Paste Into command, 264
 - purging, 262
 - using, 261–264
- clipping**
 - adjustments, 231
 - high-contrast display of, 246
 - layers, 353–354
- clipping masks**, 353–354
- Clone Source panel**, 121, 290–291
- Clone Stamp tool**, 114, 326–327
- cloning, retouching by**, 326–327
- CMYK Color mode**
 - channels, 3
 - conversion, 482
 - defined, 3, 4
 - output, final corrections in, 227
 - soft-proofing, 475
 - working space, 482
- CMYK color model**, 2, 206
- collections** (Bridge)
 - adding to Favorites panel, 45
 - contents, displaying, 45
 - creating and using, 45–46
 - deleting, 45
 - naming, 45
 - relinking missing file to, 46
 - from search results, 44
 - Smart, creating and editing, 45
 - standard, adding/removing thumbnails, 46
 - standard, creating, 46
 - types of, 45
- Collections panel** (Bridge), 26, 45–46
- Color Balance adjustments**, 240–241
- color corrections**
 - Color Balance adjustment, 240–241
 - Curves adjustment, 246–249
 - display calibration and, 227
 - Hue/Saturation adjustments, 242
 - Photo Filter adjustments, 239
 - Vibrance adjustment, 243–245
- color depth** (Camera Raw), 56
- Color Libraries dialog**, 205, 207
- color management**
 - benefits of using, 5
 - Color Handling menu, 478, 479
 - color modes and, 3–4
 - display calibration, 6
 - introduction to, 5–6
 - Output options, 480
 - Photoshop, benefits of, 479
 - policies, customizing, 10
 - settings, 478
 - turning off for printer, 481
 - verifying turned off, 481
- color modes, document**
 - Bitmap, 4
 - changing, 374
 - CMYK Color, 3, 4, 227
 - conversions, 3
 - Grayscale, 4
 - Indexed Color, 4
 - Lab Color, 4
 - RGB Color, 3, 4, 227, 473
 - selecting, 15
 - Smart Filters and, 374
- color noise reduction** (Camera Raw), 68–69
- Color panel**
 - choosing colors with, 205
 - illustrated, 121
 - out-of-gamut alert, 208
- Color Picker**
 - choosing colors with, 205
 - HUD, 192
 - opening, 121
 - out-of-gamut alert, 208
 - replacement color, 387
- color profiles**
 - assigning, 35
 - changing, 12
 - converting, 12
 - defined, 5
 - mismatch, 10
 - missing, 10, 35
 - removing, 12
 - selecting, 15
 - for soft proof, 474–475
- Color Range command**, 178–180
- Color Replacement tool**
 - defined, 114
 - in red-eye removal, 317
 - using, 314–315
- Color Sampler tool**, 114
- Color Sampler tool** (Camera Raw), 53
- color settings**
 - choosing, 7, 8
 - installing, 11
 - saving, 11
 - synchronizing, 9
- Color Settings dialog**
 - accessing, 7, 8, 10, 11
 - in color policy customization, 10
 - color space selection in, 8
 - Missing Profiles option, 10
 - Profile Mismatches option, 10
 - saving color settings in, 11
 - Settings menu, 8, 482
 - Working Spaces settings, 8, 482
- Color Settings dialog** (Bridge), 9
- color spaces**, 5, 7–8
- color themes**
 - creating, 210
 - deleting, 212
 - editing, 210, 212
 - naming, 210
 - viewing, 211
- color-blind viewer design**, 218
- color(s)**
 - Background, 205, 206
 - basic methods for choosing, 205–206
 - blending modes, 214–215
 - as building blocks, 2
 - choosing, 205–206
 - choosing from color libraries, 207
 - choosing from Swatches panel, 209
 - choosing with Color Picker, 205, 206–207
 - continuous tones, 2
 - copying as hexadecimals, 213
 - copying into libraries, 270–271
 - depth (Camera Raw), 58
 - desaturating, 244, 245
 - fill layers, 216
 - Foreground, 205, 206
 - layer, assigning, 162, 163
 - layer mask, 193
 - process, 207
 - proofing, 474–475
 - rendering intents, 475, 478
 - replacing, 312–313
 - restoring, selectively, 245
 - sampling, 205, 213
 - spot, 206, 207
 - type, 387
- commands** (action)
 - adding, 450
 - adding modal controls to, 451
 - deleting, 454
 - duplicating within/between actions, 450

- settings, changing, 454
- commercial printing**, 475, 482
- Comparative blending modes**, 214
- Component blending modes**, 214
- Conditional Action dialog**, 452–453
- Content panel** (Bridge)
 - defined, 26
 - in image display, 29
 - metadata display in, 37
 - search results, 44
 - thumbnail display, 30
- Content-Aware fill**, 329
- Content-Aware Move tool**, 114, 330–331
- Content-Aware scaling**, 360–361
- context menus**, 112, 157
- continuous tones**, 2
- contrast**
 - auto adjustment, 235
 - Brightness/Contrast adjustment, 238
 - Curves adjustment, 246–247
 - Levels adjustment, 236–237
- contrast adjustments** (Camera Raw), 62–64, 65
- Contrast blending modes**, 214
- Convert Point tool**, 115
- Convert to Profile dialog**, 12
- converting**
 - Background to layer, 154
 - color profiles, 12
 - layer to Background, 154
 - layer to grayscale, 250–252
 - layers to Smart Objects, 272
 - RGB files to CMYK files, 482
 - shape layers to pixel layers, 425
 - type, paragraph to point/point to paragraph, 390
 - vector masks to layer masks, 433
- copying**
 - action commands, 450
 - colors as hexadecimals, 213
 - imagery to new layer, 263
 - layer effects, 414
 - layer masks, 196
 - layer settings, 263
 - layer styles, 417
 - layers, 167
 - layers, Smart Guides and, 294
 - pasting, 262
 - path listing, 441
 - selection borders, 173
 - selections, 262
- shapes, 429
- Smart Filters, 375
- Smart Objects, 277
- stroke and fill attributes on shapes, 425
- vector masks, 432
- Count tool**, 114
- Creative Cloud**
 - application adherence to ICC profiles, 5
 - archiving in, 497
 - Assets page, 492
 - desktop app
 - launching Photoshop via, 1
 - viewing Asset files via, 491, 496
 - downloading settings from, 496
 - Extract view, 492, 493
 - individual file management, 498
 - information, viewing, 496
 - managing files via, 496–498
 - missing fonts and, 34
 - preferences, 461
 - sharing, renaming, moving, or archiving files via, 497
 - signing out of, 498
 - syncing fonts and, 388
 - syncing of assets, 117
 - syncing Photoshop settings via, 495–496
 - syncing presets with, 132
 - syncing PSD files/folders to, 491
 - uploading files to, 496
 - uploading settings to, 495–496
- Creative Cloud extract feature**
 - file preparation for, 490
 - working with, 492–493
- Creative Cloud Libraries**
 - asset updating, 272
 - asset use in documents, 271
 - assets creation, 270
 - copying content into, 270
 - creating, 270
 - moving elements via, 270–272
 - sharing, 271
 - uses of, 125
 - viewing, 271
- Creative Profile widget**, 496
- crop box**
 - choosing options for, 144
 - cropping to, 146
 - guide lines within, 144
 - repositioning images within, 144
- resizing, 143, 146
- restoring, 143
- selection in defining, 147
- Crop tool**
 - Camera Raw, 53, 54
 - crop box reset, 144
 - cropping image, 143
 - cropping multiple images, 146–148
 - cropping to aspect ratio, 146
 - cropping to crop box, 146
 - cropping to size and resolution, 146
 - defined, 114
 - enlarging canvas area, 148
 - overlay options, 144
 - preview options, 144
 - recording use of, 447
 - saving settings as preset, 147
 - shield options, 144
 - sticky settings, 147
 - straightening images with, 149
- cropping**
 - to aspect ratio, 146
 - to crop box, 146
 - manually, 143
 - nondestructive, 144
 - photos (Camera Raw), 54
 - to specific size and resolution, 146
 - trim areas, 148
- .csf files**, 11
- Cursors preferences**, 113, 321, 466
- Curves adjustment layer**
 - applying, 246–249
 - color correction with, 248
 - in darkening midtones, 230
 - options, 246–247
 - Targeted Adjustment tool, 246, 248
 - tonal adjustments with, 246–247
 - See also adjustment layers
- Curves Display Options dialog**, 246
- Custom Shape tool**, 115, 422
- Customize Proof Condition dialog**, 474
- D**
- Darken blending mode**, 214, 324–325
- Dehaze** (Camera Raw), 84–85
- Delete Anchor tool**, 115
- Delete Workspace dialog**, 109
- desaturation**, 244–245
- Design Space**
 - defined, 98, 499
 - illustrated, 499–500
 - previewing, 499–500

- switching to, 116
 - Detail tab** (Camera Raw), 59, 68–69
 - DIC Color Guide**, 207
 - Diffuse Glow filter**, 379
 - dimensions**
 - document, 137–141
 - selection, 170
 - Web output, 13, 16
 - Direct Selection tool**, 115, 428, 440
 - displays, calibrating**, 6, 227
 - distortion**
 - geometric, 78–81
 - layer, 358–359
 - Liquify filter, 366–368
 - Warp, 370
 - See also* transformations
 - distributing layers**, 289
 - DNG files**, 95
 - docks, panel**
 - collapsing, 106
 - creating, 107
 - floating, 107
 - hidden, displaying, 105
 - reconfiguring, 106–107
 - document windows**
 - displaying one image in two, 100
 - docking, 99
 - floating, 99
 - multiple, rotating among, 102
 - multiple, scrolling/zooming in, 103
 - repositioning images in, 102
 - resizing, 100
 - right-clicking in, 112
 - selecting layers or layer groups in, 155, 268
 - Status bar, 21
 - tiling, 100
 - documents**
 - blank, creating, 15–16
 - closing, 22
 - creating artboards in, 362
 - creating from history states, 204
 - creating from layers, 268
 - creating from thumbnails, 268
 - dimensions, 21, 137–141
 - dragging files into, as Smart Objects, 274–275
 - flattened, 168
 - information, getting quickly, 21
 - open, displaying specs of, 16
 - opening as tabs, 99
 - pixel scale ratio, 21
 - presets, creating, 16
 - profiles, 21
 - resolution, 137–141
 - reverting to last version, 18
 - saving, 18–20
 - size, 21
 - Status bar, 21
 - type styles, loading, 397
 - Dodge tool**, 115
 - downloading photos** (Bridge), 24–25
 - drag-copying**
 - layers, 268–269
 - selections, 265–267
 - drawings, changing photos into**, 382
 - Drop Shadow layer effect**
 - in adding depth, 381
 - applying, 408–409
 - in rusted metal type, 396
 - transforming, 409
 - droplets for actions**, 448
 - Duplicate Layer dialog**, 268
 - duplicating**
 - actions, 449
 - Background, 306
 - embedded Smart Objects, 277
 - layers and layer groups, 153
 - See also* copying
- E**
- Edit menu**
 - Assign Profile command, 12
 - Auto-Align Layers command, 292
 - Clear command, 264
 - Color Settings command, 7, 8, 10, 313, 475, 482
 - Content-Aware Scale command, 360, 361
 - Convert to Profile command, 12
 - Copy command, 262, 264
 - Copy Merged command, 262, 264
 - Cut command, 172, 262
 - Define Custom Shape command, 132, 439
 - Define Pattern command, 132, 222
 - Fill command, 133, 216, 224, 233, 329
 - Free Transform command, 358, 359
 - Free Transform Path command, 358, 441
 - Menus command, 108
 - Paste command, 262, 439
 - Paste Special command, 262, 264
 - Presets command, 134, 135
 - Purge command, 200, 262
 - Transform Path submenu, 441
 - Transform submenu
 - Distort command, 400, 409
 - Flip commands, 150
 - Perspective command, 400
 - Rotate commands, 150
 - Warp command, 370
 - Edit menu** (Bridge)
 - Color Settings command, 9
 - Develop Settings command, 93
 - Find command, 44, 45
 - Edit Smart Collection dialog**, 45
 - editable type layers**
 - creating, 384–385
 - defined, 126
 - fading, 397
 - filling, 398
 - merging, 166
 - preserving, 400
 - See also* type
 - Effects tab** (Camera Raw)
 - Clarity option, 85
 - defined, 59
 - Dehaze option, 84–85
 - grain texture application, 82
 - vignette application, 83
 - Ellipse tool**, 115
 - Elliptical Marquee tool**
 - in creating selections, 170
 - defined, 114
 - in deselection, 172
 - fixed ratio/dimensions selection, 170
 - in frame-shaped selections, 181
 - Options bar, 170
 - Embedded Profile Mismatch alert dialog**, 35
 - embedded Smart Objects**
 - converting layers in Photoshop files to, 272
 - converting to linked, 283
 - creating, 272–275
 - duplicates, creating, 277
 - duplicates, editing, 277–278
 - editing, 276
 - opening files as, 273
 - opening files from Camera Raw as, 273
 - pasting Adobe Illustrator art as, 274
 - placing/dragging files as, 274–275
 - replacing, 279
 - See also* Smart Objects
 - Emboss layer effect**, 406–407

Enhance Brightness and Contrast algorithm, 237**Eraser tool**, 115, 308**Erodible Point tips**, 301–302**Essential workspace** (Bridge), 28**Every-Line Composer**, 394**Export As command**, 141**Export As dialog**, 488**Export panel**, 489**Export preferences**, 463**Export/Import Presets dialog**, 134**exporting**

Bridge cache, 42

color swatches, 209

image assets from layers, 487–489

layers/documents, 487

layers/documents via Export As, 488

layers/documents via Quick Export, 489

preset libraries, 134

exposure correction (Camera Raw)

adjustments, 62–64

Basic tab, 284, 285

exposures, combining, 284–286**Extract for Devices widget**, 494**extracting image assets**

Creative Cloud Extract feature and, 492–493

multiple scales, 494

PSD file preparation, 490

PSD file/folder syncing, 491

Eyedropper tool, 114, 213**eyes, whitening**, 316**F****Favorites panel** (Bridge), 26, 29, 45**Field Blur filter**

blurring control, 334

defined, 333

mask, using, 343

pins, 334, 335, 342

using, 335

file formats, 18–20**File Handling preferences**, 20, 462–463**File menu**

Automate submenu, 448

Browse in Bridge command, 9

Close command, 22

Exit/Quit command, 22

Export submenu, 488, 489

New command, 15, 16, 362

New Dialog command, 152

Open as Smart Object command, 273

Open command, 33, 484

Open Recent command, 33

Package command, 473

Place command, 484, 485

Place Embedded command, 274

Place Linked command, 280

Print command, 476

Revert command, 18, 199

Save As command, 12, 18, 20, 141, 168, 482, 485

Save command, 18

Scripts submenu, 415

File menu (Bridge), 28, 33**File Type Associations preferences** (Bridge), 472**files**

archiving (Creative Cloud), 497

dragging into documents as Smart Objects, 274–275

8-bit, 17

getting into Illustrator, 484–485

getting into InDesign, 484, 485

managing via Creative Cloud, 496–498

opening as embedded Smart Object, 273

opening from Camera Raw as embedded Smart Object, 273

placing into Photoshop as Smart Objects, 274–275

preparing for commercial printing, 482

resampling, 137

resolution, 13–14

saving in PDF format, 483

16-bit, 17

32-bit, 17, 21

versions, saving, 20

files (Bridge)

assigning keywords to, 38–39

batch-renaming, 43

cache, 42

copying, 42

deleting, 42

managing, 38–39, 42

moving, 42

opening, 33–35

quick search, 44

renaming, 42

reopening, 33

searching for, 44

files (Camera Raw)

JPEG files versus raw files, 47, 49

opening into Photoshop, 94

previewing, 48

saving, 94

TIFF files versus, 47, 49

workflow options for, 56–57

Fill dialog, 224, 226, 329**fill layers**

blending mode, 216–218

color, changing, 216

defined, 126

Gradient, 217–218

opacity, 216–218

Pattern, 218

with scripted patterns, 222–226

Solid Color, 186, 216

filmstrip panel menu (Camera Raw), 94**Filmstrip workspace** (Bridge), 28**Filter Gallery**

accessing, 372, 374

dialog illustration, 373

previews, hiding/showing, 372

using, 372–373

filter masks, 376, 378**Filter menu**

Blur Gallery submenu, 333, 338

Blur submenu, 323, 324

Brush Strokes submenu, 419

Camera Raw Filter command, 52

Convert for Smart Filters command, 374

Filter Gallery command, 372, 374

Liquify command, 366

Other submenu, 378

Render submenu, 223

Sharpen submenu

Shake Reduction command, 349

Smart Sharpen command, 344

Unsharp Mask command, 347

Stylize submenu, 380, 382

Filter panel (Bridge), 26, 41**filters**

adjustment layers and, 379, 380

applying, 371–373

applying as Smart Filter, 374

applying via Filter Gallery, 372–373

blending modes and, 380

Diffuse Glow, 379

effects, replacing, 372

effects, stacking position, 372

Field Blur, 333, 334, 335, 342, 343

Find Edges, 380

Foreground/Background colors, 372

- Gaussian Blur, 324–325
- Iris Blur, 333, 334, 336, 343
- last used, reopening, 372
- Liquify, 321, 366–369
- Maximum, 378
- memory problems and, 376
- Minimum, 378, 380
- Path Blur, 338–339, 343
- Picture Frame, 223
- preferences, 468
- preview feature, 373
- reapplying, 372
- Render, 223
- Shake Reduction, 349–352
- Smart Sharpen, 344–346
- Spatter, 419
- Spin blur, 333, 334, 340, 343
- Surface Blur, 323
- techniques for using, 379–381
- Texturizer, 381
- Tilt-Shift, 333, 334, 337, 343
- unavailable, 371
- Unsharp Mask, 347–348
- uses, 371
- Find dialog** (Bridge), 44
- Find Edges filter**, 380
- flattening**
 - layer effects, 415
 - layers, 168
- flipping**
 - clone source overlay, 291
 - layers, 150
- FOCOLTONE colors**, 207
- Focus Area Add tool**, 182, 183
- Focus Area dialog**, 182–183
- Focus Area Subtract tool**, 183
- folders** (Bridge), 29, 42
- Folders panel** (Bridge), 26, 29
- fonts**
 - family, changing, 387–388
 - missing fonts alert, 34
 - size, changing, 390
 - style, changing, 387–388
 - Typekit, 34, 388–389
 - vector outlines, 385
- Foreground color**
 - choosing, 205, 206, 209
 - filters that use, 372
- Freeform Pen tool**
 - defined, 115
 - in drawing paths, 431
 - using, 434
- Full screen mode**, 104
- G**
- gamma, calibration**, 6
- Gaussian Blur filter**, 324–325
- General preferences**
 - Always Create Smart Objects When Placing, 274, 456
 - Export Clipboard, 261–262, 456
 - HUD color picker, 456
 - illustrated, 456
 - Image Interpolation, 456
 - Options, 456
 - Reset All Warning Dialogs, 456
 - Resize Image During Place, 274, 280, 456
- General preferences** (Bridge), 470
- Generator preferences**, 468
- geometric distortion, correcting** (Camera Raw), 78–81
- GIF file format**, 487
- glyphs**, 393
- Glyphs panel**, 122, 393
- Golden Ratio**, 144
- Golden Spiral**, 145
- Gradient Editor dialog**
 - illustrated, 220
 - opening, 219, 252
 - in tinting images, 252–253
- Gradient Fill dialog**, 133, 217, 220
- Gradient fill layers**
 - applying gradients via, 220
 - creating, 217–218
 - settings, editing, 218
- Gradient Map adjustments**, 252–253
- Gradient Overlay layer effect**, 410–411
- Gradient tool**
 - applying gradients via, 221
 - defined, 115
 - editing layer mask via, 287–288
 - filter effect, 376, 378
 - Gradient thumbnails, 219
 - Options bar, 287
- gradients**
 - applying via fill layer, 217–218
 - applying via Gradient Overlay effect, 410–411
 - applying via Gradient tool, 221
 - creating, 132
 - defined, 217
 - effects, complex, 220
 - filter mask, 378
 - layer mask, 287–288
- loading, 217
- presets, 219–220
- repositioning, 411
- resetting to default position, 411
- saving, 133
- scaling, 411
- Graduated Filter tool** (Camera Raw), 53, 86–87
- grayscale**, 250–252
- Grayscale mode**, 4
- grid preferences**, 468
- Guides, Grid & Slices preferences**, 294, 468
- H**
- hair selection**, 186–189
- Hand tool**
 - Camera Raw, 53
 - defined, 116
 - in repositioning images, 102
 - temporary, 102
- HDR (High Dynamic Range) images**
 - Merge to HDR Pro command, 254–258
 - outputting to screen or print, 259
 - processing in Camera Raw, 258
 - producing, 254–259
 - shooting photos for composite, 254
- HDR Merge Preview dialog**, 258
- Healing Brush tool**
 - defined, 114
 - hot spot removal, 320
 - using, 318–320
 - wrinkles, softening, 318, 319
- highlights**
 - Color Balance adjustment, 241
 - with Levels adjustment, 236
 - lightening, 247
- Histogram panel**, 122, 234–235
- History Brush tool**
 - defined, 115
 - History panel with, 123
 - using, 309–310
- History Log preferences**, 460
- History Options dialog**, 198, 201
- History panel**
 - defined, 197
 - Delete Current State button, 200
 - History Brush tool with, 123
 - illustrated, 123
 - linear mode, 197, 198, 199
 - New Document from Current State button, 204

- New Snapshot option, 202
- nonlinear mode, 198, 199
- number of states, 198
- options, 197–198
- history states**
 - changing, 199
 - clearing, 200
 - deleting, 123, 200
 - document creation from, 204
 - number of, 198
 - purging, 200
 - restacking, 199
 - snapshots, 201–203
- HKS colors**, 207
- Horizontal Type Mask tool**, 115
- Horizontal Type tool**
 - in changing font size, 390
 - creating type with, 384–385
 - defined, 115
 - recoloring type with, 387
 - selecting type with, 386
- HSB model**, 208
- HSL/Grayscale tab** (Camera Raw), 59, 70–71
- HUD color picker**, 206
- Hue/Saturation adjustments**
 - applying, 242
 - for increasing saturation, 231
 - range, setting, 243
 - Targeted Adjustment tool, 242
- I**
- Illustrator, Adobe**
 - art, pasting into Photoshop, 274
 - art, path/shape creation from, 439
 - opening/placing Photoshop Layer into, 485
 - Photoshop to, 484
- image assets**
 - copying into artboards, 365
 - creating, 270
 - exporting from layers, 487–489
 - extracting from layers, 487–489
 - updating, 272
 - use in documents, 271
- Image menu**
 - Adjustments submenu
 - applying adjustment commands via, 374
 - command effects, 228
 - Replace Color command, 312
 - Canvas Size command, 142
 - Image Rotation commands, 103, 150

- Image Size command, 262
- Mode submenu, 3
- Trim command, 148
- Image Size dialog**
 - Auto Resolution option, 140
 - downsampling for print size, 141
 - downsampling for Web output, 141
 - image resolution, changing for print output, 138
 - image upscaling for print output, 139
 - settings, restoring, 138
- images**
 - colors as building block of, 2
 - cropping, 143–145
 - downsampling, 141
 - flipping, 150
 - HDR, 254–259
 - for layer effects, 405
 - maximum size, 13
 - moving, in document window, 102
 - multichannel, 4
 - multiple, cropping, 146–148
 - playing actions on, 445, 446–447
 - previews (Bridge), 29–32
 - print resolution, 13
 - repositioning, in document window, 102
 - reshaping areas in, 321
 - resizing (Camera Raw), 58, 80
 - resolution, 138, 139
 - rotating, 150
 - rotating (Camera Raw), 80
 - scaling (Camera Raw), 80
 - straightening, 149
 - tinting, 252–253
 - trimming areas around, 148
 - upscaling for print output, 139
 - Web resolution, 13
- Import Options dialog**, 485
- importing**
 - preset libraries, 134
 - type as Smart Object, 385
- InDesign, Adobe**, 484, 485
- Indexed Color mode**, 4
- Info panel**, 124
- inkjet printing**
 - outputting files for, 476–482
 - printer driver settings, 476–477
 - proofing documents for, 474
 - RGB Color mode for, 473
- Inner Glow layer effect**, 396
- Inner Shadow layer effect**, 396, 408

- Insert Menu Item dialog**, 450
- Interface preferences**, 104, 112, 365, 457
- inverting**
 - layer masks, 193
 - selections, 177
- Iris Blur filter**
 - blurring control, 334
 - defined, 333
 - mask, using, 343
 - using, 336
- isolating layers**, 164
- isolation mode, exiting**, 165
- J**
- JPEG files**
 - exporting, 487
 - importing into Photoshop as embedded Smart Objects, 273–274
 - opening, 33
 - opening into Camera Raw, 50–51
 - previously edited, opening (Camera Raw), 50
 - raw files versus (Camera Raw), 47, 49
 - saving, 20
 - saving raw files as (Camera Raw), 95–96
- K**
- kernel type**, 391
- Keyword preferences** (Bridge), 472
- keywords** (Bridge), 38–39
- Keywords panel** (Bridge), 26, 38–39
- L**
- Lab Color mode**, 4
- labels, thumbnail** (Bridge), 40
- Labels preferences** (Bridge), 472
- Lasso tool**, 114, 171–172
- launching**
 - Bridge, 23
 - Photoshop, 1
- layer comps**, 125
- Layer Comps panel**, 125
- layer effects**
 - applying, 403–404, 405
 - applying to adjustment layer, 399
 - Bevel, 406–407
 - copying, 414
 - default settings, 405
 - Drop Shadow, 396, 408–409
 - Emboss, 406–407
 - essentials, 403–405

- flattening, 415
- Gradient Overlay, 410–411
- hiding/showing, 404
- imagery selection, 405
- Inner Glow, 396
- Inner Shadow, 396, 408
- live aspect of, 414
- moving, 414
- multiple, applying, 418–419
- Outer Glow, 396, 420
- Pattern Overlay, 411
- Pillow Emboss, 407
- rasterizing, 419
- removing, 414
- Satin, 411
- scaling, 411
- settings, changing, 404
- settings, saving, 407
- Stroke, 410
- types of, 403
- layer groups**
 - in clipping mask, 354
 - collapsing, 157
 - creating, 156–157
 - deleting, 158
 - dragging up/down, 156
 - duplicating, 153
 - hiding/showing, 324
 - locking, 161
 - moving layers out of, 157
 - opacity, changing, 160
 - renaming, 154
 - selecting, 155, 268
 - ungrouping, 158
- layer masks**
 - adding via Layers panel, 192
 - adjustment, editing, 233
 - applying, 196
 - black versus white areas in, 286
 - blending exposures via, 286
 - color, changing, 193
 - converting vector masks to, 433
 - copying, 196
 - creating, 192
 - defined, 192
 - deleting, 196
 - density adjustment, 194
 - disabling, 196
 - edges, refining, 195
 - editing, 193–195
 - editing on adjustment layers, 233
 - editing with Brush tool, 288
 - enabling, 196
 - feather adjustment, 194
 - gradients in, 287–288
 - loading, 196
 - moving, 196
 - outputting selections as, 192
 - repositioning, 195
 - reshaping, 193
 - shortcuts for, 233
 - working with, 195–196
- Layer Style dialog**
 - Angle setting, 404
 - Bevel and Emboss, 406–407
 - Blending Options, 356–357
 - Contour presets, 404
 - Drop Shadow, 408–409
 - Gradient Overlay, 410–411
 - illustrated, 404, 412
 - Inner Shadow, 408
 - for layer styles, 416
 - menus and buttons at bottom, 412–413
 - opening, 356, 403, 405
 - Pattern Overlay, 411
 - Stroke, 410
- layer styles**
 - applying, 416
 - copying, 417
 - copying into CC Library, 270–271
 - creating, 132, 417
 - defined, 129
 - with Layer Styles dialog, 416
 - rasterizing, 419
 - removing, 416
 - saving, 417
 - scaling, 140
- layers**
 - aligning, with one another, 289
 - aligning, with Smart Guides, 159
 - blank, adding, 152
 - blending modes, 215, 355–357
 - blending options, 356
 - clipping masks, 353–354
 - color-coding, 161
 - content, repositioning, 195
 - converting to Smart Object, 272
 - copying and merging, 167
 - creating, 152–154
 - deleting, 158
 - desaturating, 244, 245
 - deselecting, 155
 - distributing, 289
 - document creation from, 268
 - drag-copying, between files (Layers panel), 268–269
 - drag-copying between files (Move tool), 266–267
 - dragging from inside, 266
 - duplicating, 153
 - edges, fading via gradient in layer mask, 287–288
 - editable type, 126, 384–385
 - editing in Camera Raw, 52
 - exporting image assets from, 487–489
 - extracting image assets from, 490–494
 - file formats that support, 374
 - file size and, 168
 - fill, 126, 216–218
 - Fill percentage, 415
 - filling with Render filter, 223
 - filling with scripted pattern, 223–224
 - filtering, 162–163
 - flattening, 168
 - flipping, 150
 - hiding, 151, 158
 - image, 126
 - isolating, 164–165
 - locking, 161
 - merging, 166
 - moving out of groups, 157
 - multiple, selecting, 155
 - naming, 153
 - nontransparent areas, selecting, 169
 - nudging one pixel at a time, 159
 - opacity, changing, 160
 - opening in Camera Raw, 52
 - pixel selection conversion into, 153
 - releasing from isolation, 164
 - renaming, 152, 154
 - repositioning, 159
 - restacking, 156
 - rotating, 150
 - scaling, 268
 - screening back, 260
 - selecting, 155, 169
 - selecting, in document window, 268
 - shape, 126, 421–439
 - straightening, 149
 - visible, merging, 167
 - warping, 370
 - See also* adjustment layers

Layers panel

- Add Layer Mask button, 286, 287, 292, 323, 382
- Add Layer Style menu, 403
- Add Vector Mask button, 432
- Advanced Blending badge, 357
- Apply Layer Mask option, 196
- Artboard from Layers option, 363
- Background, 151, 153, 154
- blending modes, 215
- Blending Options, 375
- Collapse All Groups command, 157
- context menus, 157
- Convert to Smart Object command, 272
- Create Fill/Adjustment Layer menu, 216, 217, 228
- Delete Layer button, 232, 414
- Delete Layer Mask option, 196
- Delete Vector Mask option, 196
- display options, 161
- drag-copying layers with, 268–269
- Duplicate Layer command, 167
- Fill setting, 415
- Filter Type menu, 162, 165
- filtering Smart object listings on, 283
- Flatten Image command, 168
- illustrated, 126
- isolation mode, exiting, 165
- Layer Filtering On/Off button, 162, 165
- layer mask creation with, 192
- listings, filtering, 162–163
- Lock Transparent Pixels button, 160, 298, 310
- Merge Down command, 232
- Merge Layers command, 232
- Merge Visible command, 167
- New Artboard command, 362
- New Group button, 157
- New Group from Layers command, 156
- New Layer button, 152, 153
- options, 161
- selecting layers via, 155
- thumbnail options, 161
- uses, 126

leading, 392**Lens Corrections tab** (Camera Raw)

- defined, 78
- edits, applying to multiple photos, 81
- Manual settings, 79–81
- for multiple photos, 81

preset corrections, 79

- Profile settings, 78
- using, 78–81

Levels adjustment layer

- illustrated effects, 236
- mask, 399
- screening back layers with, 260
- settings, applying, 236
- tonal values correction with, 236–237
- See also* adjustment layers

Libraries panel, 125, 270–272**Light Table workspace** (Bridge), 28**Lighten blending mode, 214, 324–325****Line tool, 115****linked Smart Objects**

- converting to embedded, 283
- creating, 280
- editing contents of, 281
- Layer Comps menu, 280
- missing, alert for, 35
- missing, getting data on, 282
- packaging, 473
- relinking, 35, 282
- replacing, 279
- updating, 282
- working with, 281–283
- See also* Smart Objects

Liquify filter

- applying to Smart Objects, 368
- distortion tools, 366–368
- edits, removing, 368
- protecting image areas from, 366
- quick access to tools, 368
- Reconstruct Options, 368
- for retouching, 321, 369
- Tool Options, 366–367

locking

- layers or layer groups, 161
- transparent pixels, 160

loupe (Bridge), 31, 32, 351, 470**luminance** (Camera Raw), 68–69**M****Mac OS**

- Application frame, 98
- droplet usability in, 448
- launching Bridge in, 23
- launching photoshop in, 1
- quitting Photoshop in, 22
- Save As dialog box, 19

Magic Eraser tool, 115**Magic Wand tool, 114, 176–177****Magnetic Lasso tool, 114****masks**

- with Adjustment Brush tool (Camera Raw), 72–76
- Blur Gallery filter, 343
- clipping, 353–354
- creating, 192
- density, 194
- editing, 193–195
- feathering, 194
- layers, 192–196
- options on Properties panel, 128, 194–195
- partial, 190
- refining edges of, 195
- storing selections as, 191
- zooming in on, 190
- See also* filter masks; layer masks; Quick Masks; vector masks

Maximum filter, 378**Merge Result dialog, 258****Merge to HDR Pro dialog**

- Advanced tab, 256
- Curves tab, 257
- in making images look surreal, 257
- opening, 254
- Tones and Detail, 254
- using, 254–258

merging

- adjustment layers, 232
- in Camera Raw, 94
- filmstrip panel menu, 94
- layers, 166
- photos into panorama, 292–293
- visible layers, 167

metadata (Bridge), 37**Metadata panel** (Bridge), 26, 39**Metadata placard** (Bridge), 29**Metadata preferences** (Bridge), 471**midtone**

- adjusting separately, 357
- Color Balance adjustment, 241
- darkening, 229, 230
- with Levels adjustment, 236
- lightening, 247, 260
- reducing blue and green in, 249

Minimum filter, 378, 380**Missing Fonts dialog, 34****Missing Profile alert dialog, 35****Mixer Brush tool**

- Airbrush tip, 302
- bristle brush creation, 304

- bristle brush paint options, 305
- cleaning bristle brushes, 305
- defined, 114
- Erodible tip, 302
- photos into paintings, 306–308
- using, 304–306
- Monitor Color preset, 8**
- Move tool**
 - in adding isolated layers, 165
 - drag-copying with, 265, 266–267
 - in layer selection, 155
 - in moving selection contents, 173
 - Options bar, 263, 268, 289
 - in repositioning layer mask, 195
 - in repositioning layers, 159
 - scaling type with, 390
 - transformations with, 358–359
- moving**
 - with Content-Aware Move tool, 330–331
 - layer effects, 414
 - layer masks, 196
 - layers, Smart Guides and, 294
 - selection borders or contents, 173
 - vector masks, 432
- multiple effect settings, 412–413**
- N**
- Navigator panel**
 - functions, 127
 - illustrated, 102, 127
 - in repositioning, 102
 - in zooming, 102
- New (document) dialog, 15–16**
- New Actions dialog, 444**
- New Artboard dialog, 362**
- New Crop Preset dialog, 147**
- New Document Preset dialog, 16**
- New Guide Layout dialog, 296**
- New Layer dialog, 154**
- New Preset dialog (Camera Raw), 92**
- New Snapshot dialog, 202**
- New Spot Channel dialog, 402**
- New Style dialog, 417**
- New Tool Preset dialog, 136**
- New Workspace dialog, 38, 108**
- noise reduction (Camera Raw), 48**
- North America Newspaper preset, 8**
- North America Web/Internet preset, 8**
- North American General Purpose 2 preset, 8**
- North American Prepress 2 preset, 7, 8, 9, 10**
- Note tool, 114**
- O**
- opacity**
 - blending layers, 355
 - brush, 298
 - changing, layer or layer group, 160
 - duplicate layer, 382
 - fill layer, 216–218
 - fill percentage, 415
 - overlay, 410, 411
 - shadow, 408
 - Smart Object, 377
 - stops, 219
 - tool, 214
- Open as Smart Object dialog, 273**
- OpenGL, enabling, 97**
- OpenType characters, 393**
- Options bar**
 - accessing, 110
 - Artboard tool, 363
 - Brush tool, 190, 193, 233, 298
 - Character panel, 387
 - Clone Source tool, 290
 - Clone Stamp tool, 326–327
 - Color Replacement tool, 314, 317
 - Content-Aware Move tool, 330
 - Content-Aware Scale command, 360
 - Crop tool, 143, 144, 148
 - Elliptical Marquee tool, 170
 - Eraser tool, 308
 - Eyedropper tool, 213
 - features, changing, 110
 - Free Transform command, 359
 - Freeform Pen tool, 431, 434
 - Gradient tool, 287
 - Healing Brush tool, 318
 - History Brush tool, 309–310
 - Horizontal Type tool, 384, 387, 390
 - Magic Wand tool, 176
 - Mixer Brush tool, 110, 304, 305, 306
 - Move tool, 155, 263, 268, 289
 - numerical values, changing, 123
 - Patch tool, 322, 332
 - Path Selection tool, 423, 428
 - Pen tool, 431, 436, 437, 439, 440
 - Quick Selection tool, 174
 - Rectangular Marquee tool, 170
 - Red Eye tool, 317
 - Sharpen tool, 352
 - Spot Healing Brush tool, 321
 - Toggle Brush Panel button, 107
 - Tool Preset picker, 113
 - values, canceling, 110
 - Vertical Type tool, 384, 387, 390
 - Warp command, 370
 - Workspace menu, 104, 108, 109, 110
- orientation, type, 392**
- Outer Glow layer effect, 396, 420**
- out-of-gamut alert, 208**
- P**
- Paint Bucket tool, 115**
- paintings, 306–308, 381**
- panel**
 - Actions, 116, 443–454
 - Adjustments, 117, 227–232
 - Adobe Color Themes, 117, 210–212
 - Brush, 119, 298–302
 - Brush Presets, 119, 303
 - Channels, 2–4, 119
 - Character, 120, 383, 385, 391–393
 - Character Styles, 120, 394, 397
 - Clone Source, 121, 290–291
 - Color, 121, 208
 - Glyphs, 122
 - Histogram, 122, 234–235
 - History, 123, 197–204
 - Info, 124
 - Layer Comps, 125
 - Layers, 126, 151–168, 268–269, 286–287, 292
 - Libraries, 125
 - Navigator, 102, 127
 - Paragraph, 127, 385, 394
 - Paragraph Styles, 127, 394, 397
 - Paths, 127, 434–435, 439–442
 - Properties, 128, 193, 196, 228–232
 - Styles, 129, 416–417
 - Swatches, 129, 209
 - Timeline, 129
 - Tool Presets, 129
 - Tools, 113–116, 190
- panel groups**
 - closing, 106
 - floating, 107
 - moving, 107
 - reconfiguring, 106–107
- panels**
 - closing, 106
 - configuring, 105–107
 - deleting presets from, 132
 - hidden docks, displaying, 105
 - hiding, 105, 106

- icons, 112
- maximizing/minimizing, 106
- moving, 107
- opening, 105
- preset management via, 132–134
- redocking into Application frame, 107
- restoring default presets to, 134
- showing, 105, 106
- widening or narrowing, 107
- panels (Bridge)**
 - Collections, 26
 - configuring manually, 36
 - Content, 26, 29, 37, 44
 - displaying/hiding, 36
 - Favorites, 26, 29
 - Filter, 26, 41
 - Folders, 26, 29
 - Keywords, 26, 38–39
 - Metadata, 26
 - Preview, 26, 29
- Panorama Merge Preview dialog,** 292–293
- panoramas,** 292–293
- PANTONE PLUS (+) colors,** 207
- Paragraph panel**
 - alignment buttons, 394
 - controls, 394
 - East Asian Features, 385, 469
 - functions, 127
 - illustrated, 127
 - justification buttons, 394
 - Middle Eastern Features, 385, 469
 - South Asian features, 469
- Paragraph Styles panel**
 - Clear Overrides button, 395
 - functions, 127
 - illustrated, 127
 - Load Default Type Styles command, 397
 - Load Paragraph Styles command, 397
 - New Paragraph Style button, 395
 - Redefine Paragraph Style by Merging Override button, 396
 - Save Default Type Styles command, 397
- paragraph type**
 - converting to point type, 390
 - creating, 384
 - transforming, 398
- Paste Camera Raw Settings dialog,** 93
- Paste dialog,** 274
- pasting**
 - files as Smart Objects, 274
 - Illustrator art into Photoshop, 274
 - refining selections after, 267
 - into selections, 264
 - selections, 262
- Patch tool**
 - defined, 114
 - removing image elements with, 332
 - retouching with, 322
- Path Blur filter**
 - applying, 338–339
 - blurring elimination, 339
 - mask, using, 343
 - strobe effect, 340
- Path Selection tool**
 - in aligning shapes, 429
 - defined, 115
 - Options bar, 423, 428
 - in uniting shapes, 429
 - with vector masks, 430, 433
- paths**
 - applying fill/stroke colors to, 442
 - combining, 441
 - copying, 441
 - creating from Illustrator, 439
 - creating from shape layer, 439
 - creating vector masks from, 430
 - curved, drawing, 437
 - deleting, 441
 - hiding/displaying, 435
 - loading as selection, 442
 - nonsmooth curve, drawing, 438
 - preserving, choosing file formats for, 441
 - producing shapes from, 439
 - repositioning, 435
 - selecting/deselecting, 435
 - storing and accessing, 127
 - straight-sided, drawing, 436
 - temporary (Work Paths), 434, 435
 - transforming, 441
 - working with, 441–442
- Paths panel**
 - Delete Path button, 441
 - Fill Path with Foreground button, 442
 - illustrated, 127
 - Load Path as Selection button, 441, 442
 - Make Work Path from Selection button, 439, 441
 - path listings, restacking, 441
 - Stroke Path with Brush button, 442
 - working with, 434–435
- Pattern fill layers,** 218
- Pattern Overlay layer effect,** 411
- Pattern picker,** 300
- Pattern Stamp tool,** 114
- patterns**
 - custom, 222, 224
 - hiding areas of, 224
 - repositioning, 411
 - saving, 224
 - scaling, 411
 - scripted, 222–226
- PDF format,** 18, 19, 483
- Pen tool**
 - in adding/deleting points, 440
 - combining skills, 439
 - defined, 115
 - in drawing curved paths/shapes, 437
 - in drawing nonsmooth curves, 438
 - in drawing paths, 431
 - in drawing straight-sided paths/shapes, 436
- Pencil tool,** 114
- Performance preferences**
 - Graphics Processor Settings, 464
 - History & Cache, 198, 464
 - illustrated, 464
 - Memory Usage, 464
 - Use Graphics Processor, 97, 102, 103, 297
- perspective,** 146, 359
- Perspective Crop tool,** 114, 146
- Photo Downloader (Bridge),** 24–25
- Photo Filter adjustments,** 239
- photos**
 - downloading (Bridge), 24–25
 - merging into panorama, 292–293
 - sampling colors from, 306
 - shooting for HDR composite, 254
 - shooting for panorama, 293
 - turning into paintings, 306–308
 - turning into tinted drawing, 382
- photos (Camera Raw)**
 - archiving as DNG files, 95
 - cropping, 54
 - cycling through, 94
 - embedded Smart Object, editing, 276
 - grayscale, color tint application, 77
 - haze in, 84–85
 - lens correction synchronization, 81

- opening into Camera Raw, 50
- opening into Photoshop, 95
- preferences, setting, 50
- resolution, 56, 58
- rotating, 80
- scaling, 80
- sharpening, 56, 68
- straightening, 55
- stretching, 80
- updating, 50
- vignette application to, 83
- workflow settings for, 58
- Photoshop**
 - exiting/quitting, 22
 - getting to quickly (Bridge), 33
 - launching, 1
- Photoshop Import Options dialog**, 485
- Photoshop Print Settings dialog**
 - illustrated, 476, 479, 480
 - PostScript Options category, 480
 - Printing Marks options, 480
 - settings, 478–480
- pickers**
 - deleting presets from, 132
 - loading presets onto, 133, 135
 - preset management via, 132–134
 - restoring default presets to, 134
 - saving presets on, 133
 - See also specific pickers*
- Picture Frame filter**, 223
- Pillow Emboss layer effect**, 407
- pixels**
 - adding to canvas, 142
 - erasing, 308
 - maximum image size in, 13
 - outside canvas, 263
 - pasted, 262
 - rasterizing type into, 400–401
 - selection, turning into layer, 13
 - shadow, in histogram, 235
 - transparent, locking, 160
- Place Along Path dialog**, 225
- Place dialog**, 279, 484
- Playback preferences** (Bridge), 471
- Plug-ins preferences**, 468–469
- PNG file format**, 487
- point type**, 384, 390
- Polygon tool**, 115
- Polygonal Lasso tool**, 114, 171
- pop-up sliders**, 123
- PostScript printing options**, 480
- preferences**, 455–472
 - Cursors, 113, 321, 466
 - Export, 463
 - File Handling, 20, 50, 462–463
 - General, 101, 131, 261–262, 280, 421, 456
 - Guides, Grid & Slices, 294, 468
 - History Log, 460
 - Interface, 104, 112, 365, 457
 - opening, 455
 - Performance, 97, 98, 103, 198, 297, 464
 - Plug-ins, 468–469
 - resetting, 455
 - Scratch Disks, 465
 - Sync Settings, 461, 495–496
 - Technology Previews, 469
 - Tools, 102, 459–460
 - Transparency & Gamut, 160, 466
 - Type, 385, 469
 - Units & Rulers, 16, 467
 - Workspace, 99, 106, 109, 458
- preferences** (Bridge), 470–472
 - Advanced, 472
 - Cache, 42, 472
 - Camera Raw, 50
 - File Type Associations, 472
 - General, 50, 470
 - Keywords, 472
 - Labels, 472
 - Metadata, 471
 - opening, 455
 - Playback, 471
 - resetting, 455
 - Startup Scripts, 472
 - Thumbnails, 37, 471
- preferences** (Camera Raw), 50
- preset libraries**, 133–134
- Preset Manager**, 135, 303
- presets**
 - adjustment layer, 232
 - brush, 130, 303
 - Color Range, 179
 - color settings, 7
 - creating, 16, 132
 - default, restoring, 134
 - deleting, 16, 132, 135
 - document, 16
 - exporting, 134
 - gradient, 219
 - importing, 134
 - loading, 135
 - naming, 16
 - renaming, 135
 - saving, 16, 135
 - tools, 136
 - unsaved, storage, 132
- presets** (Camera Raw), 92
- Presets tab** (Camera Raw), 59
- Preview panel** (Bridge), 26, 29
- Preview workspace** (Bridge), 28
- previews** (Bridge)
 - comparing, 30
 - full-screen, 30
 - quality options, 30
 - in Review mode, 32
 - thumbnail, 29
- previews** (Camera Raw)
 - histogram clipping warnings, 62
 - positions, swapping, 59
 - raw photos, 48
 - Threshold, 64
 - zooming in, 53
- previews** (filter), 372, 373
- Print dialog**
 - accessing, 476
 - Color Management settings, 481
 - illustrated, 477
 - printer driver settings, 476–477
- print output**
 - commercial, 475, 482
 - downsampling photos for, 141
 - file resolution, 14, 16, 138
 - quasi hard proof, 480
 - scaling, 478
 - soft proofing for, 474–475
 - upsampling images for, 139
- printers**
 - color management, turning off and, 481
 - driver settings, 476–477
 - profiles, acquiring, 11
 - rendering intents and, 475
- process colors**, 207
- profiles**
 - color, 5, 12
 - document, 21
 - printer, 11
- proofing colors**, 474–475
- Properties panel**
 - adjustment layer options, 128
 - Apply Mask button, 196
 - Auto-Select Parameter option, 229
 - Black & White controls, 250, 251, 252

- Brightness/Contrast controls, 238
- Clip to Layer button, 231
- Color Balance settings, 240, 241
- Curves Display Options, 246
- Delete Adjustment Layer button, 232
- Delete Mask button, 196
- Gradient Map controls, 252, 253
- Hue/Saturation controls, 242, 316
- illustrated, 128
- Invert button, 193
- Levels controls, 236, 260
- Linked Smart Object controls, 280, 281
- Live Shape Properties button, 423
- Load Selection from Mask button, 196
- Mask Edge option, 195
- mask options, 128
- Photo Filter controls, 239
- Relink to Library Graphic option, 272
- settings, 228–232
- Update Modified Content option, 272
- Vibrance controls, 243, 244
- Properties/Print dialog**, 476, 477
- ProPhoto RGB color space**, 8
- PSB files**, 18, 19, 20
- PSD format**
 - in Photoshop feature preservation, 19
 - saving raw files in (Camera Raw), 95–96
 - selecting, 18
- Q**
- Quick Export**, 489
- Quick Mask Options dialog**, 191
- Quick Masks**
 - creating selections via, 191
 - in reshaping selections, 190
 - in whitening teeth or eyes, 316
- Quick Selection tool**, 114, 174–175
- R**
- Radial Filter tool** (Camera Raw), 86, 88–89
- RAM**, 21
- rasterizing**
 - layer effects, 419
 - layer styles, 419
 - Smart Objects, 281
 - type, 400–401
- ratings, thumbnail** (Bridge), 40
- raw files** (Camera Raw)
 - advantages to using, 47–49
 - copy, opening, 95
 - JPEG files versus, 47, 49
 - opening into Camera Raw, 50, 51
 - opening into Photoshop, 95
 - previewing, 48
 - saving, 95
 - TIFF files versus, 47, 49
 - See also* Camera Raw
- Record Stop dialog**, 449
- Rectangle tool**, 115
- Rectangular Marquee tool**
 - in creating selections, 170
 - defined, 114
 - in deselection, 172
 - in fixed ratio/dimensions selection, 170
 - in frame-shaped selections, 181
- Red Eye Removal tool** (Camera Raw), 53, 317
- Red Eye tool**, 114, 317
- Refine Edge dialog**
 - accessing, 183
 - Decontaminate Colors option, 188, 189
 - illustrated, 185
 - layer mask creation with, 192
 - Refine Radius tool, 188
 - refining hair selection with, 186–189
 - refining selection edges with, 184–185
 - Smart Radius option, 186
- Refine Mask dialog**, 195
- Refine menu** (Bridge), 32
- refocusing**. *See* Blur Gallery
- Render filter**, 223
- rendering intents**, 475, 478
- Replace Color dialog**, 312–313
- Replace Contents command**, 279
- resampling files**, 137
- reshaping**
 - bounding box, 398
 - with Content-Aware Move tool, 330–331
 - images, 321
 - layer masks, 193
 - with Liquify filter, 366–369
 - selections, 190
 - shadows, 409
 - with Warp command, 370
- resolution**
 - auto, 140
 - calculating, 13–14
 - default values, setting, 16
 - document, 137–141
 - image, 137–138
 - methods of setting, 14
 - photos (Camera Raw), 56, 58
 - print output, 14, 16, 138
 - selecting, 15
 - Web output, 13, 16
- retina displays, zoom and**, 101
- retouching**
 - by cloning imagery, 326–327
 - Color Replacement tool, 314–315
 - eye whitening, 316
 - Gaussian Blur filter, 324–325
 - guidelines, 311
 - Healing Brush tool, 318–320
 - Liquify filter, 321, 369
 - Patch tool, 322, 332
 - Red Eye tool, 317
 - Replace Color command, 312–313
 - skin smoothing, 323
 - Spot Healing Brush tool, 321
 - Surface Blur filter, 323
 - teeth whitening, 316
- Revert Construction dialog**, 368
- reverting, to last saved document version**, 18
- Review mode** (Bridge), 32, 40
- RGB Color mode**
 - channels, 3
 - defined, 3, 4
 - for inkjet printing, 473
 - for Photoshop work, 227
- RGB color model**, 2, 206, 208
- Rotate View tool**, 103, 116
- rotating**
 - bounding box, 398
 - clone source overlay, 291
 - images (Camera Raw), 80
 - items, 359
 - layers, 150
- Rounded Rectangle tool**, 115
- ruler guides**, 295–296
- Ruler tool**, 114, 149
- rulers**, 295, 444
- S**
- Satin layer effect**, 411
- saturation adjustments**
 - Basic tab (Camera Raw), 65
 - Color Replacement tool, 314–315
 - Hue/Saturation, 231

- vibrance, 243–245
 - in whitening teeth, 316
- Save Adobe PDF dialog**, 483
- Save As dialog**, 18, 19, 20, 482
- Save As Web dialog**, 141
- Save dialog**, 133
- Save Options dialog**, 95–96
- Save Settings dialog** (Camera Raw), 92
- Save to Library widget**, 210
- saving**
 - action sets, 454
 - adjustment presets, 232
 - Brush Presets panel brushes, 133
 - brushes, 303
 - Camera Raw settings as preset, 92
 - color settings, 11
 - custom workspaces, 108–109
 - document presets, 16
 - documents, 18–20
 - files (Camera Raw), 94
 - files, in PDF format, 483
 - files, in TIFF format, 486
 - flattened documents, 168
 - layer effect settings, 407
 - layer styles, 417
 - patterns, 224
 - presets, 135
 - previously saved documents, 18
 - workspaces (Bridge), 38
- scaling**
 - based on percentages, 360
 - clone source overlay, 291
 - Content-Aware, 360–361
 - gradients, 411
 - images (Camera Raw), 80
 - items, 358
 - layer effects, 411
 - layers, 268
 - of moved pixels, 330
 - patterns, 411
 - print output, 478
 - Smart Objects, 274, 275
 - styles, 140
 - type, 390
- Scratch Disks preferences**, 465
- Screen mode menu**, 104, 105
- screening back type**, 399
- scripted patterns**, 222–226
- scrolling, in multiple document windows**, 103
- scrubby sliders**, 123
- searching for files** (Bridge), 44
- Select menu**
 - Active Layers command, 426
 - All command, 169
 - Color Range command, 178
 - Deselect command, 172
 - Deselect Layers command, 396
 - Focus Area command, 182–183
 - Grow command, 177
 - Inverse command, 177
 - Isolate Layers command, 164
 - Reselect command, 172
 - Similar command, 177
 - Transform Selection command, 358
- selection edges**
 - adjusting, 263
 - feathering, 265
 - refining, 185–189
- selections**
 - adding to via command, 177
 - in adjustment layers, 228
 - anchor points on shapes, 427
 - border, moving, 173
 - border, showing/hiding, 180, 332
 - canvas area of a layer, 169
 - of colors, 178–180
 - contents, moving, 173
 - creating paths from, 439
 - creating via Quick Mask, 191
 - creating with Color Range command, 178–180
 - in defining crop boxes, 147
 - deleting, 172
 - deselecting, 172
 - drag-copying, between files (Move tool), 266–267
 - drag-copying, on same layer, 265
 - Elliptical Marquee tool, 170, 181
 - enlarging, 174
 - expanding, 177
 - filling, 172
 - in-focus areas, 182–183
 - frame-shaped, 181
 - free-form, 171
 - hair, 186–189
 - inverting, 177
 - Lasso tool, 171
 - layer-based, 155
 - loading, 184
 - loading layer masks as, 196
 - loading paths as, 442
 - loading shape layers as, 425
 - nontransparent areas of layer, 169
 - pasting into, 264
 - Polygonal Lasso tool, 171
 - Quick Selection tool, 174–175
 - Rectangular Marquee tool, 170, 181
 - refining edges, 183, 184–185
 - reselecting, 172
 - reshaping, 190
 - saving, 184
 - shape layer path, 426–427
 - shrinking, 174
 - storing as masks, 191
 - straight-sided, 171
 - transforming, 358–359
 - type, 386
 - vector tool, 171
- Settings menu** (Camera Raw), 60, 92
- shadows**
 - Brightness/Contrast adjustment, 238
 - clipping, removing (Camera Raw), 64
 - Color Balance adjustment, 240
 - Curves adjustment, 246–247
 - drop (layer effect), 408–409
 - HDR images, 256
 - Levels adjustment, 236
 - pixels in histogram, 235
 - softening, 345
 - tinting (Camera Raw), 77
- Shake Reduction filter**
 - applying, 349–352
 - blur trace path, creating/adjusting, 350–351
 - blur trace regions, creating, 350
 - defined, 349
 - edge noise, reducing, 350
 - settings, saving, 352
 - settings, selecting, 349
 - settings comparison/adjustment in a loupe, 351
- shape layers**
 - adding shapes to, 429
 - aligning shapes within, 429
 - anchor points selection, 427
 - attributes, changing, 423–425
 - combining into one layer, 429
 - creating paths from, 439
 - creating vector masks from, 430
 - creating with shape tools, 422
 - defined, 126
 - de-isolating, 428
 - excluding shapes in, 429
 - intersecting shapes in, 429
 - isolating, 428

- loading as selection, 425
- merging, 166
- paths, selecting, 426–427
- properties, changing, 423–424
- properties, copying, 425
- subtracting shapes in, 429
- uniting shapes in, 429
- warp settings, 370
- See also* vector objects
- Shape Name dialog**, 439
- Sharpen tool**, 115, 352
- sharpening**
 - Camera Raw, 48
 - photos (Camera Raw), 56, 68
 - Shake Reduction filter, 349–352
 - Sharpen tool, 115, 352
 - Smart Sharpen filter, 344–346
 - Unsharp Mask filter, 347–348
- shortcuts**
 - layer mask, 233
 - tool setting changes, 131
 - transform, 359
 - undo, 111
 - zoom, 101
- Single Column Marquee tool**, 114, 170
- Single Row Marquee tool**, 114, 170
- Single-Line Composer**, 394
- 16-bit files**, 17
- skewing items**, 359
- skin smoothing**, 323, 324–325
- Slice Select tool**, 114
- Slice tool**, 114
- Smart collections** (Bridge), 45
- Smart Filters**
 - applying, 374
 - blending options, editing, 375
 - copying, 375
 - deleting, 376
 - editing, 374
 - example use, 377–378
 - hiding/showing effects, 375
 - mask, 376
 - restacking, 375
- Smart Guides**
 - aligning layer content with, 159
 - in moving or copying layers, 294
 - transformations with, 358
- Smart Objects**
 - applying filters to, 374–381
 - converting, 283
 - copies, converting into layer, 279
 - copying, 277
 - defined, 272
 - duplicating, 277
 - embedded
 - converting layers in
 - Photoshop files to, 272
 - converting to linked, 283
 - creating, 272–275
 - duplicates, creating, 277
 - duplicates, editing, 277–278
 - editing, 276–278
 - opening files as, 273
 - opening files from Camera Raw as, 273
 - pasting Adobe Illustrator art as, 274
 - placing/dragging files as, 274–275
 - replacing, 279
 - importing type as, 385
 - library-linked, 280
 - in lieu of merge or flatten, 166
 - linked
 - converting to embedded, 283
 - creating, 280
 - editing contents of, 281
 - missing, alert for, 35
 - missing, getting data on, 282
 - relinking, 282
 - replacing, 279
 - updating, 282
 - working with, 281–283
 - listings on Layers panel, filtering, 283
 - merging, 166
 - Missing and Changed list, 21
 - opacity, 377
 - rasterizing, 281
 - replacing, 279
 - thumbnails, 277, 278, 279
- Smart Quotes**, 385
- Smart Sharpen filter**, 344–346
- Smudge tool**, 115
- Snap To feature**, 296
- snapshots**
 - creation of, 201
 - deleting, 203
 - document creation from, 204
 - of history state, 202
 - naming, 202
 - as newest history state, 203
 - options, 201
 - using, 201–203
- Snapshots tab** (Camera Raw), 59, 92
- soft proofs**, 473–475
- Solid Color fill layers**, 186, 216
- Spatter filter**, 419
- Spin blur filter**
 - blurring control, 334
 - defined, 333
 - mask, using, 343
 - strobe effect, 340
 - using, 340
- Split Toning tab** (Camera Raw), 59, 77
- Sponge tool**, 115
- spot colors**
 - channel, putting type in, 402
 - choosing, 207
 - for color accuracy, 206
 - defined, 206
 - separation into process colors, 207
- Spot Healing Brush tool**
 - Content-Aware option, 321, 328
 - defined, 114
 - using, 321
- Spot Removal tool** (Camera Raw), 53, 90–91
- spring-loading tools**, 113
- sRGB IEC61966-2.1 color space**, 8
- standard collections** (Bridge), 45, 46
- Standard screen mode**, 104
- Startup Scripts preferences** (Bridge), 472
- Status bar**, 21
- Straighten tool** (Camera Raw), 53, 55
- straightening**, 55, 149
- strobe-and-flash effect**, 340
- stroke, shape layer**, 424–425
- Stroke layer effect**, 410
- styles**. *See* layer styles
- Styles panel**
 - Clear Style button, 416
 - illustrated, 129
 - New Style button, 417
 - saving styles to, 417
 - uses, 129
- Surface Blur filter**, 323
- SVG file format**, 487
- swatches, color**
 - creating, 209
 - current, using, 209
 - default, restoring, 209
 - loading, 209
 - predefined, 129
 - text, 387
 - user-defined, 129

Swatches panel

- adding color to, 209
- choosing color via, 209
- illustrated, 129
- Load Swatches command, 209
- New Swatch of Foreground Color button, 132, 209
- Replace Swatches command, 209

Sync Settings preferences, 461, 495–496**Synchronize dialog** (Camera Raw), 94
synchronizing

- Camera Raw settings, 94
- color settings, 9
- lens correction (Camera Raw), 81
- presets, 132

T**Targeted Adjustment tool**

- auto-selecting, 250
- Black & White adjustment layer, 250
- Curves adjustment layer, 246, 248
- Hue/Saturation adjustment, 242

Targeted Adjustment tool (Camera Raw), 66–67, 71**Technology Previews preferences**, 469**teeth whitening**, 316**textures, grain** (Camera Raw), 82**Texturizer filter**, 381**3D Material Drop tool**, 115**3D Material Eyedropper tool**, 114**Thumbnail preferences** (Bridge), 37, 471**thumbnails** (Bridge)

- adding to collections, 46
- badge, 50
- cycling through, 29
- displaying, 29
- filtering, 41
- full-screen preview of, 30
- labeling, 32, 40
- last sequence, restoring, 41
- multiple, selecting, 29
- numbers, 29
- previewing, 29–30
- quality options, 30
- rating, 32, 40
- rearranging, 41
- removing from collections, 46
- removing ratings/labels from, 40
- resizing, 36
- selecting, 29
- sorting, 41

TIFF files

- in feature preservation, 18
- opening (Bridge), 33
- opening in Camera Raw, 50
- raw files versus (Camera Raw), 49
- saving, 486
- saving raw files as (Camera Raw), 95–96

TIFF Options dialog, 486**Tilt-Shift filter**

- blurring control, 334
- defined, 333
- mask, using, 343
- in photography, 337
- using, 337

Timeline panel, 129**tints**

- applying to grayscale photo, 77
- Black & White adjustment, 250, 252
- Gradient Map adjustment, 252–253

tonal adjustments

- Basic tab (Camera Raw), 61–65
- Black & White adjustment, 250–252
- Brightness/Contrast adjustment, 238
- Curves adjustment, 246–247
- display calibration and, 227
- Levels adjustment, 236–237
- redistribution (Camera Raw), 48
- Tone Curve tab (Camera Raw), 66–67

Tone Curve tab (Camera Raw), 59, 66–67**Tool Preset picker**, 113, 136**tool presets**

- creating, 132, 136
- Crop tool, saving as, 147
- default, restoring, 136
- defined, 129
- setting storage, 303
- suggestions for, 136

Tool Presets panel, 129, 303**tool tips**, 37, 112**tools**

- Add Anchor, 115
- Art History, 115
- Artboard, 362–365
- Background Eraser, 115
- Blur, 115
- Brush, 114, 131, 297–302
- Burn, 115
- Clone Stamp, 114, 326–327
- Color Replacement, 114, 316
- Color Sampler, 114

Content-Aware Move, 114, 330–331

- Convert Point, 115
- Count, 114
- Crop, 114, 143–144, 146–148
- Custom Shape, 115, 422
- Delete Anchor, 115
- Direct Selection, 115, 440
- Dodge, 115
- Ellipse, 115
- Elliptical Marquee, 114, 170
- Elliptical Marquee tool, 181
- Eraser, 115, 308
- Eyedropper, 114, 213
- Freeform Pen, 115, 434
- Gradient, 115, 219, 287
- Hand, 102, 116
- Healing Brush, 114, 318–320
- hidden, selecting, 113
- hints, 113
- History Brush, 115, 123, 309–310
- Horizontal Type, 115, 384
- Horizontal Type Mask, 115
- Lasso, 114, 171
- Line, 115
- Magic Eraser, 115
- Magic Wand, 114, 176–177
- Magnetic Lasso, 114
- Mixer Brush, 110, 114, 304–306
- Move, 155, 173, 195, 263, 265, 266–267, 268, 358–359
- Note, 114
- opacity, 214
- Option bar settings, 113
- Paint Bucket, 115
- Patch, 114, 322, 332
- Path Selection, 115, 423, 429, 433
- Pattern Stamp, 114
- Pen, 115, 436–438
- Pencil, 114
- Perspective Crop, 114
- Polygon, 115
- Polygonal Lasso, 114, 171
- Quick Selection, 114, 174–175
- Rectangle, 115
- Rectangular Marquee, 114, 170
- Rectangular Marquee tool, 181
- Red Eye, 114, 317
- Rotate View, 103, 116
- Rounded Rectangle, 115
- Ruler, 114, 149
- selecting, 113
- Sharpen, 115, 352

- shortcuts for changing settings, 131
- Single Column Marquee, 114, 170
- Single Row Marquee, 114, 170
- Slice, 114
- Slice Select, 114
- Smudge, 115
- Sponge, 115
- Spot Healing Brush, 114, 321
- spring-loading, 113
- Targeted Adjustment, 242, 246, 248, 250
- 3D Material Drop, 115
- 3D Material Eyedropper, 114
- Vertical Type, 115, 384
- Vertical Type Mask, 115
- Zoom, 101, 103, 116
- tools** (Camera Raw)
 - Adjustment Brush tool, 53, 71–76
 - Crop tool, 53, 54
 - Graduated Filter tool, 53, 86–87
 - Radial Filter tool, 88–89
 - Red Eye Removal tool, 53
 - Spot Removal tool, 53, 90–91
 - Straighten tool, 53, 55
 - Targeted Adjustment tool, 66–67, 71
 - types of, 53
 - White Balance tool, 53
- Tools menu** (Bridge)
 - Batch Rename command, 43
 - Cache command, 42
 - Photoshop submenu
 - Batch command, 445
 - Load Files into Photoshop Layers command, 268
 - Merge to HDR Pro command, 254
- Tools panel**
 - Change Screen Mode option, 116
 - cycling through tools on, 113
 - Edit in Quick Mask Mode option, 116, 190, 191
 - Edit in Standard Mode button, 190
 - illustrated, 114–116
 - Screen Mode menu, 104, 105
 - Switch to Design Space option, 116
 - using, 113
 - See also* tools
- Tools preferences**, 102, 459–460
- touch gestures**, 103
- TOYO Color Finder**, 207
- tracking type**, 391
- transformations**
 - applying, 358–359
 - Drop Shadow layer effect, 409
 - with Free Transform command, 358–359
 - with Move tool, 358–359
 - paragraph type, 398
 - path, 441
 - selection border, 173
 - shortcuts, 359
 - with Smart Guides, 358
 - type, 390, 398
 - via Options bar, 359
- Transparency & Gamut preferences**, 160, 466
- Trim command**, 148
- TRUMATCH color system**, 207
- type**
 - aligning, 384, 394
 - anti-aliasing, 385
 - attributes, changing, 386
 - baseline shift, 392
 - converting, point/paragraph, 390
 - deleting, 386
 - editable, 383, 384
 - editing, 386
 - editing mode, exiting, 386
 - embossed leather, 420
 - fading, 397
 - font family/style, changing, 387
 - font size, changing, 390
 - formatting, 395–397
 - hyphenation, 394
 - importing as Smart Object, 385
 - justifying, 394
 - kerning, 391
 - leading, 392
 - orientation, 392
 - paragraph, 384, 390, 398
 - paragraph settings, 394
 - point, 384, 390
 - rasterizing, 400–401
 - recoloring, 387
 - repositioning, on image, 399
 - scaling, 390
 - screening back layers with, 399
 - selecting, 386
 - special characters, 393
 - in spot color channel, 402
 - tracking, 391
 - transforming, 390, 398
 - warp settings, 370
- Type preferences**, 385, 469
- type styles**
 - applying, 395
 - creating, 395
 - default, creating and loading, 397
 - editing, 396
 - formatting type with, 395–397
 - in Libraries panel, 271
 - loading between documents, 397
 - overrides, clearing, 396
- Typekit**, 34, 388–389
- Typekit.com**, 388–389
- U**
- undo shortcuts**, 111
- Units & Rulers preferences**, 16, 467
- Unsharp Mask filter**, 347–348
- V**
- vector masks**
 - applying to its layer, 196
 - converting to layer masks, 433
 - copying, 432
 - creating by drawing path, 431
 - creating from existing path, 430
 - creating from shape layer, 430
 - creating from type, 432
 - deleting, 196
 - density adjustment, 194
 - disabling or deleting, 432
 - feather adjustment, 194
 - function, switching, 433
 - moving, 432
 - repositioning, 433
 - working with, 431–433
- vector objects**
 - aligning, 421
 - anchor points, adding/deleting, 440–441
 - creating, 422
 - defined, 421
 - points, converting, 440
 - reshaping, 440–441
 - saving as custom shape, 439
 - segments, reshaping, 440
 - Snap Vector Tools and Transforms to Pixel Grid option, 421
- Vertical Type Mask tool**, 115
- Vertical Type tool**
 - in changing font size, 390
 - creating type with, 384–385
 - defined, 115
 - recoloring type with, 387
 - selecting type with, 386

Vibrance adjustments, 243–245

View menu

- Clear Guides command, 296
- Extras command, 294, 358
- Lock Guides command, 296
- New Guide Layout command, 296
- Proof Colors command, 474, 475
- Proof Setup command, 218, 474
- Rulers command, 295
- Show submenu, 159, 180, 294, 295, 334
- Snap command, 295, 296
- Snap To submenu, 145, 173, 296

vignettes (Camera Raw)

- applying with Effects tab, 83
- correcting in Manual tab, 79–81
- correcting in Profile tab, 78

W

Warp command, 370

Warp Text dialog, 368

Web output

- aligning vector objects for, 421
- buttons for, 425
- downsampling images for, 141
- resolution and dimensions for, 13, 16

white balance (Camera Raw), 60–61

White Balance tool (Camera Raw), 53

white point, calibration, 6

Window menu

- Arrange submenu, 99, 100, 102, 262, 268

Brush Presets command, 303

Channels command, 2

Character command, 386

Extensions submenu, 210

Libraries command, 270

Options command, 110, 113, 130

Workspace submenu, 104

Windows

- droplet usability in, 448
- exiting Photoshop in, 22
- launching Bridge in, 23
- launching photoshop in, 1
- Save As dialog box, 19

Work Paths, 434, 435

Workflow Options dialog (Camera Raw)

- Depth menu, 56
- Intent options, 56
- Open in Photoshop as Smart Objects option, 56
- Preset menu, 56
- presets, 56–57, 58
- Resize to Fit menu, 58
- settings, choosing, 56–57, 95
- Simulate Paper & Ink option, 56
- Space menu, 56, 57

working spaces

- CMYK, 482
- current, assigning, 12
- settings, 8

Workspace menu (Options bar), 104, 108, 109, 110

Workspace preferences, 99, 106, 109, 457

workspaces

- choosing, 104
- deleting, 109
- non-user-defined, resetting, 109
- resetting, 109
- saving, 108–109

workspaces (Bridge)

- changing, 28
- launching, 28
- custom, 38
- default, 26
- deleting, 38
- Essentials, 28
- Filmstrip, 28
- Light Table, 28
- order, changing, 28
- predefined, restoring, 38
- Preview, 28
- resetting, 38
- saving, 38

wrinkle removal, 318, 319, 322

Z

zoom, 101–103

Zoom tool

- defined, 116
- Scrubby Zoom, 101
- Zoom All Windows option, 103
- zoom level changes with, 101

Photography credits

Shutterstock.com

Photographs on the following pages are ©Shutterstock.com: 1, 2, 21, 22, 40, 44, 54, 55, 61, 66, 72, 75, 79, 82, 83, 88, 90, 97, 100, 103, 104, 137, 138, 140, 142, 143, 144, 145, 150, 152, 153, 160, 169, 170, 171, 172, 173, 174, 176, 177, 178, 180, 181, 182, 185, 186, 190, 191, 192, 202, 203, 204, 206, 213, 214, 216, 217, 228, 233, 236, 238, 239, 240, 242, 243, 244, 245, 246, 250, 252, 262, 264, 265, 267, 275, 276, 277, 284, 288, 306, 309, 312, 318, 320, 321, 322, 323, 324, 326, 329, 330, 331, 332, 335, 336, 337, 338, 341, 344, 348, 352, 353, 361, 366, 369, 370, 375, 379, 380, 405, 407, 408, 412, 414, 415, 417, 420, 421, 422, 430, 431, 433, 453, 476

Gettyimages.com

Pages 14, 315, 358, 371, 398

Other photographs

Page 25 Rob Knight © Rob Knight Photography

All other photographs © Elaine Weinmann and Peter Lourekas