
## Adobe InDesign

2025 Release



## Classroom in a Book®

The official training workbook from Adobe

Kelly Kordes Anton & Tina DeJarld







## Adobe InDesign

2025 Release



## Classroom in a Book®

The official training workbook from Adobe

Kelly Kordes Anton & Tina DeJarld

Adobe InDesign Classroom in a Book® 2025 Release

© 2025 Adobe. All rights reserved.

Adobe Press is an imprint of Pearson Education, Inc. For the latest on Adobe Press books, go to peachpit.com/adobepress. To report errors, please send a note to errata@peachpit.com. For information regarding permissions, request forms, and the appropriate contacts within the Pearson Education Global Rights & Permissions department, please visit www.pearson.com/global-permission-granting.html.

If this guide is distributed with software that includes an end user license agreement, this guide, as well as the software described in it, is furnished under license and may be used or copied only in accordance with the terms of such license. Except as permitted by any such license, no part of this guide may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written permission of Adobe. Please note that the content in this guide is protected under copyright law even if it is not distributed with software that includes an end user license agreement.

The content of this guide is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by Adobe. Adobe assumes no responsibility or liability for any errors or inaccuracies that may appear in the informational content contained in this guide.

Please remember that existing artwork or images that you may want to include in your project may be protected under copyright law. The unauthorized incorporation of such material into your new work could be a violation of the rights of the copyright owner. Please be sure to obtain any permission required from the copyright owner.

Any references to company names in sample files are for demonstration purposes only and are not intended to refer to any actual organization.

Adobe, the Adobe logo, Acrobat, Acrobat Reader, the Adobe PDF logo, Adobe Bridge, Classroom in a Book, Adobe Color, Creative Cloud, Illustrator, InDesign, Photoshop, PostScript, and Adobe Fonts are either registered trademarks or trademarks of Adobe in the United States and/or other countries. Adobe product screenshots reprinted with permission from Adobe.

Apple, Mac OS, macOS, and Macintosh are trademarks of Apple, registered in the U.S. and other countries. Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. All other trademarks are the property of their respective owners.

Unless otherwise indicated herein, any third party trademarks that may appear in this work are the property of their respective owners and any references to third party trademarks, logos or other trade dress are for demonstrative or descriptive purposes only. Such references are not intended to imply any sponsorship, endorsement, authorization, or promotion of Pearson Education, Inc. products by the owners of such marks, or any relationship between the owner and Pearson Education, Inc. or its affiliates, authors, licensees or distributors.

Adobe Inc., 345 Park Avenue, San Jose, California 95110-2704, USA

Notice to U.S. Government End Users. The Software and Documentation are "Commercial Items," as that term is defined at 48 C.F.R. §2.101, consisting of "Commercial Computer Software" and "Commercial Computer Software Documentation," as such terms are used in 48 C.F.R. \$12.212 or 48 C.F.R. \$227.7202, as applicable. Consistent with 48 C.F.R. \$12.212 or 48 C.F.R. \$\$227.7202-1 through 227.7202-4, as applicable, the Commercial Computer Software and Commercial Computer Software Documentation are being licensed to U.S. Government end users (a) only as Commercial Items and (b) with only those rights as are granted to all other end users pursuant to the terms and conditions herein. Unpublished-rights reserved under the copyright laws of the United States. Adobe Inc., 345 Park Avenue, San Jose, CA 95110-2704, USA. For U.S. Government End Users, Adobe agrees to comply with all applicable equal opportunity laws including, if appropriate, the provisions of Executive Order 11246, as amended, Section 402 of the Vietnam Era Veterans Readjustment Assistance Act of 1974 (38 USC 4212), and Section 503 of the Rehabilitation Act of 1973, as amended, and the regulations at 41 CFR Parts 60-1 through 60-60, 60-250, and 60-741. The affirmative action clause and regulations contained in the preceding sentence shall be incorporated by reference.

Executive Editor: Laura Norman Sponsoring Editor: Anshul Sharma Senior Production Editor: Tracey Croom

Technical Reviewers: Jonathan Gordon, Megan Ahearn

Copyeditor: Elizabeth Welch Composition: Kelly Anton, Tina Delarld

Proofreader: Kim Wimpsett Indexer: Tina DeJarld

Cover Illustration: Agence Ben&Jo/behance.net/benetjo

Interior Designer: Mimi Heft

ISBN-13: ISBN-10: 0-13-537745-5

978-0-13-537745-1

\$PrintCode

Figure credits:

Lesson 1, Hummingbird: Vaclav Sebek/Shutterstock. Lesson 6, Green peas in bucket: Ekaterina Smirnova/123 RF. Lesson 8, Half of strawberry:


Maksym Narodenko/123RF, chocolate covered strawberry: Gts/Shutterstock.

Lesson 9, Trees planted in pots: Chanon saguansak/Shutterstock.

## WHERE ARE THE LESSON FILES?

Purchase of this Classroom in a Book in any format gives you access to the lesson files you'll need to complete the exercises in the book.

- 1 Go to peachpit.com/InDesignCIB2025.
- 2 Sign in or create a new account.
- 3 Click Submit.
- **Note:** If you encounter problems registering your product or accessing the lesson files or web edition, go to peachpit.com/support for assistance.
- 4 Answer the questions as proof of purchase.
- 5 The lesson files can be accessed through the Registered Products tab on your Account page.
- **6** Click the Access Bonus Content link below the title of your product to proceed to the download page. Click the lesson file links to download them to your computer.



- **Note:** If you purchased a digital product directly from peachpit.com, your product will already be registered. Look for the Access Bonus Content link on the Registered Products tab in your account.
- ▶ Warning: For access to the lesson files, please register and download your files by December 31, 2029.

#### **About the Authors**

Kelly Kordes Anton has written and edited dozens of books and training resources on publishing technologies and InDesign, including 12 previous editions of Adobe InDesign Classroom in a Book. As a freelance writer based in Littleton, Colorado, she writes for businesses and municipalities, and she is an avid volunteer for local arts and culture organizations and medical causes.

Tina DeJarld has worked on the front lines of taking designs from the computer screen to real-world production since before InDesign 1.0. She is highly accomplished in graphic design, production art, and prepress, and Tina is particularly passionate about building files that will work correctly. She has handled thousands of large and complex projects, becoming an expert on InDesign best practices and techniques. Tina is currently a senior graphic designer at Publicis Heartbeat, a creative agency.

## **Acknowledgments**

This book would not have been possible without the contributions of several invaluable collaborators. The authors would like to thank Anshul Sharma and Laura Norman for putting together a strong team; Jonathan Gordon, technical editor, for ensuring the accuracy of every word on every page; Megan Ahearn, keystroker, for testing every step in every lesson; Elizabeth Welch, copyeditor, and Kim Wimpsett, proofreader, for making sure every "i" was dotted and every "t" was crossed; and Tracey Croom, senior production editor at Pearson, for overseeing the entire production process and keeping everybody informed and on track. In addition, we appreciate the invaluable influence of John Cruise, whose contributions remain throughout this book.

## **CONTENTS**

| GETTING ST  | TARTED  | 1    |
|---|---|------|
|   | About Classroom in a Book                       | 1    |
|   | Prerequisites                                   | 2    |
|   | Installing the software                         | 2    |
|   | Online content                                  | 3    |
|   | Saving and restoring the InDesign Defaults file | 4    |
|   | Training resources                              | 5    |
| 1 INTRODUCI   | ING THE WORKSPACE                               | 6    |
| Hummingbird   | Getting started                                 | 8    |
|   | Reviewing and customizing the work area         | 9    |
|   | Selecting and using tools                       | . 13 |
|   | Working with panels                             | . 17 |
|   | Reviewing the document window and pasteboard    | . 23 |
| * Lange   | Navigating through a document                   | . 26 |
|   | Changing the magnification of a document        | . 28 |
|   | Exploring on your own                           | . 31 |
| 2 GETTING TO  | O KNOW INDESIGN                                 | 34   |
| edible &  | Getting started                                 | . 36 |
| Bisto & Sar<br>Bisto | Viewing guides                                  | . 37 |
|   | Adding text                                     | . 38 |
|   | Working with styles                             | . 41 |
|   | Working with graphics                           | . 45 |
|   | Adding a graphic with a text prompt             | . 47 |
|   | Working with objects                            | . 48 |
|   | Working with object styles                      | . 51 |
|   | Preflighting as you work                        | . 51 |
|   | Viewing the document in Presentation mode       | . 53 |
|   | Exploring on your own                           | . 53 |
|   |   |      |

| 3  | SETTING U  | P A DOCUMENT AND WORKING WITH PAGES          | 56  |
|--|--|--|-----|
| Pollinators and Predate  Pollinators and Predate  Risea date but for low of large of the over allowing the form of large of the large o | Bees and Bugs  | Getting started                              | 58  |
|  | TOPS a TIME PRECIATORS  In the Second Conference of the Second Conferen | Creating a new document                      | 59  |
| When sharing the operation of persons of per | and responses an inferrige content make the formation of the content of the conte | Creating and saving custom document settings | 60  |
|  |  | Creating a new document from a preset        | 61  |
| 1  | 14   | Working with parent pages                    | 62  |
| the harman   |  | Applying parent pages to document pages      | 71  |
|  |  | Adding new document pages                    | 72  |
|  |  | Rearranging and deleting document pages      | 72  |
|  |  | Changing the size of pages within one        |     |
|  |  | InDesign document                            | 73  |
|  | Adding sections to change page numbering   | 74   |     |
|  | Printing to the edge of the paper: Using the bleed guides  | 79   |     |
|  | Rotating spreads for easier editing  | 81   |     |
|  |  | Exploring on your own                        | 83  |
| 4  | WORKING \  | WITH OBJECTS                                 | 86  |
| Gar  | den News   | Getting started                              | 88  |
|  | ***  | Introducing layers                           | 89  |
|  | Working with layers  | 92   |     |
|  | Transforming the shape of frames   | 95   |     |
|  | Creating and modifying graphics frames   | 99   |     |
|  | Adding metadata captions to graphics frames  | 105  |     |
|  |  | Wrapping text around a graphic               | 108 |
|  |  | Transforming and aligning objects            | 110 |
|  |  | Selecting and modifying grouped objects      | 118 |
|  |  | Flowing type along a path                    |     |
|  |  | Drawing lines and adding arrowheads          |     |
|  |  | Exploring on your own                        | 123 |

| 5  | WORKING V  | WITH COLOR  | 126 |
|--|--|---|-----|
| O)   | onday-January 6-2-10 p.m.  | Getting started                                     | 129 |
| Mainti   | ain. Ousla Gardens   | Applying colors                                     |     |
| *(   | \$75   | Finding and changing color swatches                 |     |
|  |  | Working with tint swatches                          |     |
|  |  | Working with gradients                              |     |
|  |  | Working with color groups                           |     |
|  |  | Exploring on your own                               |     |
| 6  | FLOWING T  |   | 158 |
|  | How to grow  | Getting started                                     | 160 |
| Post   | How to grow peas, please!  | Flowing text into an existing frame                 | 161 |
| often open finds between the best of the control of | Flowing text manually  | 164   |     |
|  | Creating text frames while flowing text  | 166   |     |
|  | Creating threaded frames automatically   | 167   |     |
|  |  | Flowing text automatically                          | 169 |
|  |  | Using Find/Change to delete extra paragraph returns | 172 |
|  |  | Applying paragraph styles to text                   |     |
|  |  | Using the baseline grid to align text               |     |
|  |  | Adding a jump line page number                      |     |
|  |  | Exploring on your own                               | 182 |
| 7  | EDITING TE   | EXT   | 184 |
| 3  |  | Getting started                                     | 186 |
| P  | they give, but more they will expend the appearance of good the appe | Entering and importing text                         | 187 |
| Any and planter year<br>these are aging. Near,<br>planty of generatory<br>flames clearly and<br>flames companies<br>that the companies<br>of the companies<br>of the companies<br>of the companies of the<br>flames of the deep<br>territory which the flames<br>to companies of the flames  | resultanta de si des 1911 Minor se complicabilità de si qui de la menta de la del la menta della menta della menta del la menta della menta dell | Finding and changing text and formatting            | 189 |
| openal to sight or<br>tables in other one<br>to describe over the<br>printed, introduced<br>of soft to done of<br>the groun 5 or 5 or<br>Window State of<br>the groun 5 or 5 or<br>the 5 or 5 or 5 or<br>the 5 or 5 or 5 or<br>the 5 or 5 or 5 or 5 or<br>10 or 5 or 5 or 5 or 5 or<br>10 or 5 or 5 or 5 or 5 or<br>10 or 5 or 5 or 5 or 5 or<br>10 or 5 or 5 or 5 or 5 or 5 or<br>10 or 5 or 5 or 5 or 5 or 5 or 5 or<br>10 or 5 or<br>10 or 5 or   | compared to the compared and the first assessment of compared and the compared on the compared and compared a | Checking spelling                                   |     |
| open, and the tell is<br>reased about 17 to 20<br>the seasing speach<br>to the contemporal<br>to the contemporal<br>to the contemporal<br>fraction for<br>Manadian frac-<br>tion (contemporal<br>fine) are (contemporal  | ters on the first () in the control of the control  | Using the Story Editor                              | 197 |
|  |  | Tracking changes and adding notes                   | 198 |
|  |  | Exploring on your own                               | 199 |

| 8 WORKING  | WITH TYPOGRAPHY                                  | 202 |
|--|--|-----|
| C 1  | Getting started                                  | 204 |
| Strawberries  Farchapeline de diguel se pur benet Oak.  Farchapeline de diguel se pur benet Oak.  Tanning men pur dema penne men de de de  Carl man de Clock, bak dan de septid feur   | Adjusting vertical spacing                       | 205 |
| emaherine are very to gene.  The second of t   | Working with fonts, type styles, and glyphs      | 207 |
| d If resolvery to the investigate of the project of the investigate of the project of the projec   | Working with columns                             | 214 |
| And Andread Control of Contr  | Changing paragraph alignment                     | 216 |
|  | Creating a drop cap                              | 218 |
|  | Adjusting letter and word spacing                | 219 |
|  | Adjusting line breaks                            | 221 |
|  | Setting tabs                                     | 224 |
|  | Working with paragraph shading and rules         | 228 |
|  | Exploring on your own                            | 230 |
| 9 WORKING  | WITH STYLES                                      | 232 |
| Urban Oasis Gardens  | Getting started                                  | 234 |
| Premium Vegetable Seeds, Starter Plants & Tools using significant and the first against gain for general con- using significant factor and the first fact promption for generation are used, both and enteropism for the region of significant part grains for the contract of   | Creating and applying paragraph styles           | 237 |
| the families and planting and stage from extending the time families are some<br>pressure as a constraint of the stage of th   | Creating and applying character styles           | 241 |
| What is display, I spraw a greater within any not descript the man that leaves than<br>for a price of the contract of the contract and matter than the contract that<br>contracts the contract that the contract that contracts and on the contract that<br>are per an interest to descript the contract that the contract that<br>price of the contract that the contract that the contract that<br>Think the American Contract that the contract that the contract that<br>the cont | Nesting character styles inside paragraph styles | 243 |
| par. Nergine unity larger and an appear adment of again feature, and are expert great his base and are expert great his base in the proof part of great his base and are expert great and has been provided by the proof of the pr   | Creating and applying object styles              | 250 |
| with longer ages Panelsons   | Creating and applying table and cell styles      | 252 |
|  | Globally updating styles                         | 257 |
|  | Loading styles from another document             | 259 |
|  | Exploring on your own                            | 261 |
| 10 CREATING  | TABLES   | 264 |
| Urbum Ozain Summer Schedule  | Getting started                                  | 266 |
| DANY DROP OF ACTIVITIES ACTIVITY  ONY  TAME  FEE  WHENTER TRANSPORT  A. A  | Working with tables                              | 267 |
| Surrangistantial II a manufus II ameliana  | Converting text to a table                       | 267 |
| Salang France & L. P. John St.   | Changing rows and columns                        | 268 |
| description from f 1 - 1-yes to 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1  | Formatting a table                               | 275 |
| graduated along string .   | Adding graphics to table cells                   | 278 |
|  | Creating a header row                            | 282 |
|  | Creating and applying table and cell styles      | 283 |
|  | Exploring on your own                            | 286 |

| Getting started  |
|--|
| Comparing vector and pixel-based graphics  Managing links to imported files  Updating revised graphics  Adjusting display quality  Importing and sizing graphics  Editing placed pictures  Working with dropped backgrounds  Importing native Adobe graphic files  Using Subject-Aware Text Wrap  Filling type with a graphic.  Using an InDesign library to manage objects  Using generative Al features in InDesign.  Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started  Creating a background graphic.  Applying transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects    |
| Comparing vector and pixel-based graphics  Managing links to imported files  Updating revised graphics  Adjusting display quality  Importing and sizing graphics.  Editing placed pictures  Working with dropped backgrounds  Importing native Adobe graphic files.  Using Subject-Aware Text Wrap  Filling type with a graphic.  Using an InDesign library to manage objects  Using generative AI features in InDesign.  Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started  Creating a background graphic.  Applying transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects. |
| Updating revised graphics  Adjusting display quality Importing and sizing graphics.  Editing placed pictures  Working with dropped backgrounds Importing native Adobe graphic files.  Using Subject-Aware Text Wrap  Filling type with a graphic.  Using an InDesign library to manage objects  Using generative Al features in InDesign.  Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started  Creating a background graphic.  Applying transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects   |
| Adjusting display quality.  Importing and sizing graphics.  Editing placed pictures  Working with dropped backgrounds  Importing native Adobe graphic files.  Using Subject-Aware Text Wrap  Filling type with a graphic.  Using an InDesign library to manage objects  Using generative Al features in InDesign.  Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started  Creating a background graphic.  Applying transparency settings  Adding transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects   |
| Importing and sizing graphics.  Editing placed pictures  Working with dropped backgrounds  Importing native Adobe graphic files.  Using Subject-Aware Text Wrap  Filling type with a graphic.  Using an InDesign library to manage objects  Using generative AI features in InDesign.  Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started  Creating a background graphic.  Applying transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects.  |
| Editing placed pictures  Working with dropped backgrounds  Importing native Adobe graphic files  Using Subject-Aware Text Wrap  Filling type with a graphic.  Using an InDesign library to manage objects  Using generative AI features in InDesign.  Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started  Creating a background graphic.  Applying transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects  |
| Working with dropped backgrounds Importing native Adobe graphic files. Using Subject-Aware Text Wrap Filling type with a graphic. Using an InDesign library to manage objects Using generative AI features in InDesign. Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started Creating a background graphic. Applying transparency settings Adding transparency effects to imported vector and bitmap graphics. Importing and adjusting Illustrator files that use transparency Applying transparency settings to text Working with effects.   |
| Importing native Adobe graphic files.  Using Subject-Aware Text Wrap  Filling type with a graphic.  Using an InDesign library to manage objects  Using generative AI features in InDesign.  Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started  Creating a background graphic.  Applying transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects.   |
| Using Subject-Aware Text Wrap Filling type with a graphic.  Using an InDesign library to manage objects  Using generative AI features in InDesign.  Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started  Creating a background graphic.  Applying transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects.   |
| Filling type with a graphic.  Using an InDesign library to manage objects  Using generative Al features in InDesign.  Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started  Creating a background graphic.  Applying transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects.   |
| Using an InDesign library to manage objects  Using generative AI features in InDesign.  Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started  Creating a background graphic.  Applying transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects.   |
| Using generative AI features in InDesign.  Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started   |
| Exploring on your own.  12 WORKING WITH TRANSPARENCY  Getting started  |
| Getting started  |
| Getting started Creating a background graphic. Applying transparency settings Adding transparency effects to imported vector and bitmap graphics. Importing and adjusting Illustrator files that use transparency Applying transparency settings to text Working with effects.   |
| Creating a background graphic.  Applying transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects.  |
| Creating a background graphic.  Applying transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects.  |
| Applying transparency settings  Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects   |
| Adding transparency effects to imported vector and bitmap graphics.  Importing and adjusting Illustrator files that use transparency  Applying transparency settings to text  Working with effects   |
| Importing and adjusting Illustrator files that use transparency Applying transparency settings to text Working with effects  |
| use transparency   |
| Applying transparency settings to text   |
| Working with effects   |
|  |
| Exploring on your own  |
|  |
| 13 PRINTING AND EXPORTING  |
| Getting started  |
| Preflighting files   |
|  |
| Previewing separations   |
| Previewing separations   |
|  |

|   | Creating a press-ready PDF and saving a PDF preset | 370 |
|---|--|-----|
|   | Printing a proof and saving a print preset         | 373 |
|   | Packaging files                                    | 376 |
|   | Exporting graphics for the web and other           |     |
|   | digital destinations                               | 378 |
|   | Exporting pages for social media                   | 381 |
|   | Exploring on your own                              | 384 |
| 14 CREATING   | ADOBE PDF FILES WITH FORM FIELDS                   | 386 |
| Are You interested in Yolunteering?   | Getting started                                    | 388 |
| Figs accessment in extension grounds of the first inches of the color | Setting up a workspace for forms                   | 389 |
|   | Adding form fields                                 | 390 |
|   | Setting the tab order of the fields                | 395 |
|   | Adding a button to submit the form                 | 395 |
|   | Exporting an interactive Adobe PDF file            | 397 |
|   | Testing your form in Adobe Acrobat Reader          | 397 |
|   | Exploring on your own                              | 398 |
| 15 CREATING   | A FIXED-LAYOUT EPUB AND PUBLISHING ONLINE          | 400 |
|   | Getting started                                    | 402 |
| Gudden News   | Creating a new document for fixed-layout export    | 403 |
|   | EPUB: Fixed-layout versus reflowable               | 403 |
|   | Adding animation                                   | 404 |
|   | Buttons  | 408 |
|   | Adding multimedia and interactive elements         | 416 |
|   | Exporting a fixed-layout EPUB file                 | 421 |
|   | InDesign Publish Online                            | 424 |
|   | Exploring on your own                              | 426 |
| INDEX   |  | 428 |

# 2 GETTING TO KNOW INDESIGN

#### Lesson overview

In this lesson, you'll learn how to do the following:

- View layout aids.
- Type and style text.
- Import text and thread text frames.
- Import a graphic.
- Use AI to add a graphic based on a prompt.
- Move, rotate, fill, and stroke (outline) an object.
- · Add a QR code.
- Automate formatting with paragraph, character, and object styles.
- Check on potential production issues with the Preflight panel.
- Preview a document in Presentation mode.



This lesson will take about 60 minutes to complete. To get the lesson files used in this chapter, download them from the web page for this book at *peachpit.com/InDesignCIB2025*. For more information, see "Accessing the lesson files and Web Edition" in the Getting Started section at the beginning of this book.

# edible blossoms

#### **Bistro & Bar**

Relax in our elegant dining room or charming patio and enjoy the creations of our bartender, chef and gardener! Our irresistible appetizers, seasonal entrées and homemade desserts feature fruits, flowers and herbs grown right here in our stunning Urban Oasis Gardens.

#### **Starters & Small Plates**

Sip a rosé martini, try zucchini blossom fritters (V) or braised dandelion greens (V, GF) for appetizers, and share small plates such as orange ginger seared scallops or chive flower flatbread.

#### **Entrées & Desserts**

Indulge in our chef's daily creations, such as lavender honey grilled chicken or fresh basil pesto (V) and be sure to leave room for scrumptious violet macarons or candied pansies (V, GF).







See the full menu!



The building blocks of an Adobe InDesign layout are objects, text, and graphics. Layout aids such as guides help with size and placement, and styles let you format page elements automatically.

## **Getting started**

The document for this lesson is a standard-size postcard designed to be printed and mailed. In addition, the postcard can be exported as a JPEG to use in email marketing and social media. The postcard is landscape orientation, but it can be converted to a portrait layout for other media via the InDesign Create Alternate Layout feature or the Liquid Layout feature (both found in the Layout menu). As you will see in this lesson, the building blocks of an InDesign document are essentially the same, regardless of the output media. In this lesson, you will add the text, images, and formatting necessary to finish the postcard.

- To ensure that the preferences and default settings of your Adobe InDesign program match those used in this lesson, move the InDesign Defaults file to a different folder following the procedure in "Saving and restoring the InDesign Defaults file" on page 4.
- 2 Start InDesign.
- **3** When the InDesign Home screen displays, click the Open button at the left. (If the Home screen does not display, choose File > Open from the InDesign menu bar.)
- 4 Open the 02\_Start.indd file in the Lesson02 folder, located inside the Lessons folder within the InDesignCIB folder on your hard drive.
- 5 If an alert informs you that the document contains links to sources that have been modified, click Update Modified Links.
- **6** Choose File > Save As, rename the file **02\_Postcard.indd**, and save it in the Lesson02 folder.
- 7 This lesson uses the default Essentials workspace. If necessary, choose Window > Workspace > [Essentials], and then choose Window > Workspace > Reset Essentials.
- **8** If you want to see what the finished document looks like, open the 02 End.indd file in the same folder. (Note that your final document may look slightly different due to varying Text To Image AI results.) You can leave this document open to act as a guide as you work.
  - Bistro & Bar Relax in our elegant dining room or charming patio and enjoy the creations of our bartender, chef and gardener! Our irresistible appetizers, seasonal entrées and home-made desserts feature fruits, flowers and herbs grown right here in our stunning Urban Oasis Gardens. Starters & Small Plates Sip a rosé martini, trv Indulae in our chef's zucchini blossom fritters daily creations, such as zucchini blossom fritters (V) or braised dandelion greens (V, GF) for appe-tizers, and share small plates such as orange ginger seared scallops or chive flower flatbread. lavender honey grilled chicken or fresh basil pesto (V) and be sure to leave room for scrumptious violet macarons o candied pansies (V, GF).
- **9** When you're ready to resume working on the lesson document, display it by clicking its tab in the upper-left corner of the document window.

Note: If you have not already downloaded the project files for this lesson to your computer from your Account page, make sure to do so now. See "Getting Started" at the beginning of the book.

of Medium Dark. In addition, some screen captures illustrate **User Interface Scaling** for a closer look at interface elements. You can modify interface settings in Preferences.

Note: To better view

the interface onscreen

or in print, the screen

captures in this book reflect the Medium

Light interface rather


than the default setting

## Viewing guides

Revising or completing an existing document, as you will do in this lesson, is typical work for entry-level InDesign users. Currently, the postcard document is displayed in Preview mode, which displays artwork in a standard window, hiding nonprinting elements such as guides, grids, frame edges, and hidden characters. To work on this document, you will view guides and hidden characters (such as spaces and tabs).

1 Click and hold down the Screen Mode button at the bottom of the Tools panel, and choose Normal ( ) from the menu.

Any layout aids previously turned on now display. For example, light blue nonprinting lines now indicate existing text frames and objects because frame edges were already displayed (View > Extras > Show Frame Edges). You will now enable other layout aids.



**Tip:** The lesson document starts out in Preview Mode and then you switch to Normal Mode. The other modes are Bleed, for reviewing the predefined bleed area for objects that extend beyond the page boundaries; Slug, for displaying the area outside the bleed area that can contain information such as printer instructions; and Presentation, which fills the screen and works well for presenting design ideas to clients.

2 Choose View > Grids & Guides > Show Guides.

When guides are displayed, it's easy to position objects with precision, including automatically snapping text frames and graphics frames into place. The guides do not print and do not indicate the print or export area.

**3** Choose Type > Show Hidden Characters.

Displaying hidden (nonprinting) characters—such as tabs, spaces, and paragraph returns—helps you precisely select and style text. In general, it's a good idea to show hidden characters whenever you are editing or formatting text.

**► Tip:** As you become comfortable working with InDesign, you will discover which screen modes and layout aids work best for you.



4 As you work on this document, use the skills you learned in Lesson 1 to move panels, scroll, and zoom as necessary.

## Adding text

**► Tip:** Use the Type tool to edit text, format text, and create new text frames.

With InDesign, most text is contained in a text frame. (Text can be contained in table cells and flow along paths as well.) You can type text directly into a text frame or import text files from word-processing programs. When importing text files, you can add the text to existing frames or create new frames to contain the text. If text doesn't fit within a single frame, you can link multiple text frames using a process called "threading." You will learn more about flowing text, including dividing text frames into columns, in Lesson 6, "Flowing Text."

#### Typing and styling text

You're ready to start working on the incomplete postcard. To get started, you'll edit and style the text under the main headline.

- 1 Select the Type tool (T), and click immediately after the word "Café."
- 2 Press Backspace (Windows) or Delete (macOS) four times to delete the word "Café."
- 3 Type **Bistro** in the text frame so that the restaurant's descriptor is changed from "Café & Bar" to "Bistro & Bar."

Relax in our elegant enjoy the creations of



- With the insertion point still in the text, triple-click to select "Bistro & Bar."
- Locate the Character controls of the Properties panel at the right. From the Font Style menu, select Bold.





Tip: When you enter edits, consider copying and pasting text from the notes in Acrobat or InDesign to ensure that you don't introduce typographical errors.

**► Tip:** When you apply bold or italic formatting in InDesign, you are actually applying a variation of the font, which you select from a menu. Depending on the font, you may have various choices such as extra bold or bold italic. As a result, InDesign and other professional publishing applications do not provide a simple bold or italic button for applying these styles.

- Click outside the text frame to deselect the text.
- **7** Choose File > Save to save your work.

## **Options for styling and** placing text

In the Essentials workspace, the Properties panel displays at the right to provide quick access to the most common text formatting options. InDesign provides other options for formatting characters and paragraphs and for positioning text within a frame. Common text formatting options include:

- Character formats: Style, Size, Leading (line spacing), All Caps
- Paragraph formats: Alignments such as Center, Indents, Space Before/After
- Text Frame Options: Columns, Inset Spacing, Vertical Justification

The Control panel, Paragraph panel (Type > Paragraph), and Character panel (Type > Character) provide all the controls you need to style text. To control the positioning of the text within its frame, such as dividing text into columns, choose Object > Text Frame Options. Many of these styling options also are available in the Control panel (Window > Control or Window > Workspace > Advanced).

#### Importing and flowing text

In most publishing workflows, writers and editors use word processors. When the text is almost final, they send the files to graphic designers. To complete the postcard, you will import a Microsoft Word file into a text frame at the bottom of the page using the Place command. You will then thread (link) the first text frame to the second frame. All the text in a series of threaded text frames is called a "story."

- 1 Using the Selection tool (▶), click a blank area of the pasteboard to make sure no objects are selected. (Scroll to the right or left as needed to see the pasteboard.)
- 2 Choose File > Place. At the bottom of the Place dialog, make sure that Show Import Options is not selected. (On macOS, click Options if necessary to see Show Import Options.)
- 3 Navigate to the Lesson02 folder in the Lessons folder, and double-click the Bistro.docx file.

The pointer changes to a loaded text icon (). You'll add this text to the text frame in the lower-left quadrant of the postcard. (The text frames are outlined by light blue nonprinting lines.)

Note: To see where to place the text, view the finished lesson document, 02 End.indd.

► **Tip:** When the loaded text icon is displayed, you have several choices: You can drag to create a new text frame, click inside an existing frame, or click to create a new text frame within the page's column guides.

Position the loaded text icon in the text frame, and then click.



Starters & Small Plates Sip a rosé martini, try zucchini blossom fritters (V) or braised dandelion greens (V, GF) for appetizers, and share small plates

> An out port on the text frame; the red plus sign indicates overset text.

The text in the Word file fills the frame, but it may not all fit. A red plus sign (+) in the out port of the frame (in the frame's lower-right corner) indicates overset text. You will thread the two bottom text frames so that the text flows through them.

- 5 Using the Selection tool, select the text frame that now contains the text.
- 6 Click the out port (+) of the selected frame to display the loaded text icon. Click in the text frame immediately to the right.

Starters & Small Plates Sip a rosé martini, try zucchini blossom fritters (V) or braised dandelion greens (V, GF) for appetizers, and share small plates

► **Tip:** You can create columns by threading individual text frames or by dividing text frames into multiple columns using the General tab of the Text Frame Options dialog (Object menu). Some designers prefer to create columns using separate text frames for more layout flexibility.

At this point, text likely remains overset. You will resolve this problem by formatting the text with styles later in this lesson.

| Starters & Small Plates | such as orange ginger<br>seared scallops or chive |
|-------------------------|---|
| Sip a rosé martini,     | flower flatbread.                                 |
| try zucchini blossom    |   |
| fritters (V) or braised | Entrées & Desserts                                |
| dandelion greens        |   |
| (V, GF) for appetizers, | Indulge in our chef's                             |
| and share small plates  | daily creations, such as                          |

Note: Due to variations in font versions, you may see slightly different text in your frames.

Choose File > Save.

## Working with styles

InDesign provides paragraph styles, character styles, and object styles for quickly and consistently formatting text and objects. Another significant reason to use styles is that you can make global changes—such as changing the body text font or adjusting drop shadows—by simply editing the style. This can save you hours in making revisions to long documents such as books. Styles work as follows:

- A paragraph style includes all text formatting attributes—such as font, size, and alignment—and it applies to all the text in a paragraph. You can select a paragraph for formatting by clicking in it, highlighting any part of it, or highlighting all of it.
- A character style includes only character attributes—such as font style (bold or italic) and color—and it applies only to selected text within a paragraph. Character styles are generally applied to call attention to specific text within a paragraph.
- An object style lets you apply formatting—such as fill and stroke color, stroke styles and corner effects, transparency, drop shadows, feathering, text frame options, and text wrap—to selected objects.

**Starters & Small Plates** 

zucchini blossom fritters

(V) or braised dandelion

greens (V, GF) for appe

tizers, and share small

plates such as orange

chive flower flatbread.

ginger seared scallops or

Sip a rosé martini, try

Paragraph styles specify formats such as alignment and basic character formats such as font and line spacing. Character styles specify variations from the character formats in the paragraph style.

The object style for this text frame specifies the inset (that indents the text from the edges of the frame), the stroke around the edges of the frame, and the drop shadow behind it.

**► Tip:** A paragraph style can include nested styles that format the beginning of a paragraph and lines within a paragraph. This automates common paragraph formatting, such as starting a paragraph with a drop cap followed by all capital letters on the first line.

#### Tip: In many publishing environments, including marketing and advertising, the text in a publication is referred to as "copy," which is why the writers and editors are called "copywriters" and "copyeditors."

Note: If a plus sign (+) displays next to the applied style (Body Copy or Subhead), it indicates that the text formatting does not precisely match the style's formatting. To resolve this, click Clear Overrides (¶≠) at the bottom of the Paragraph Styles panel. You will learn more about styles in Lesson 9, "Working with Styles."

#### Applying paragraph styles

Because the postcard is part of a series, all the paragraph styles you need are already created. You will first apply the Body Copy style to all the text in the two threaded text frames, and then you will apply the Subhead style to the headings.

Relax in our elegant dining room or charming patio and

enjoy the creations of our bartender, chef and gardener!

Ag Body Copy

Ag Tagline

Our irresistible appetizers, seasonal entrées and home-

made desserts feature fruits, flowers and herbs grown

Indulge in our chef's daily

creations, such as lavende

honey grilled chicken or

resh basil pesto (V) and

crumptious violet macaron

r candied pansies (V, GF).

right here in our stunning Urban Oasis Gardens.

Bistro & Bar

Starters & Small Plates

Sip a rosé martini, try zuc-

oraised dandelion greens

(V, GF) for appetizers, and


share small plates such as

orange ginger seared scalops or chive flower flatbread:

Entrées & Desserts

chini blossom fritters (V) or

- 1 Using the Type tool (**T**), click in one of the text frames containing the newly imported text.
- 2 Choose Edit > Select All to select all the text in the story.
- **3** Click the Paragraph Styles button at the top of the Properties
  - panel. Click the Paragraph Styles menu and select the Body Copy style to format




- **4** Using the Type tool, click in the first line of text in the story: "Starters & Small Plates."
  - As you can see from the hidden character (the paragraph return) at the end of the line, this line is actually its own paragraph. Therefore, it can be formatted with a paragraph style.
- **5** Select the Subhead style from the Paragraph Styles menu in the Properties panel.
- 6 Apply the Subhead paragraph style to the "Entrées & Desserts" subhead as well.
- Choose Edit > Deselect All, and then choose File > Save. (The Deselect All command is about halfway down the Edit menu.)

#### Formatting text for the character style

Highlighting key words in a paragraph can draw readers into the text. For the postcard copy, you will format the abbreviations for vegetarian foods (V) and glutenfree foods (GF) to make them "pop" and then create a character style based on that formatting. You can then quickly apply the character style to other selected words.

- 1 Using the Zoom tool  $(\mathbb{Q})$ , zoom in on the first text frame in the lowerleft quadrant of the postcard. This frame contains the subhead "Starters & Small Plates."
- **2** Using the Type tool (T), select the "(V)" in the first paragraph of body copy; be sure to select both parentheses as well.

- 3 In the Character controls of the Properties panel at the right, select Italic from the Type Style menu.
- 4 Click the Fill box (**T**) to display the document's color swatches. Click the red swatch named Red-Bright to apply the color to the text.




- Click the pasteboard to deselect the text and view your changes.
- Choose File > Save.

#### Creating and applying a character style

Now that you have formatted the text, you are ready to create a character style based on that formatting.

- Using the Type tool (T), select the newly formatted "(V)."
- 2 Choose Type > Character Styles to display the Character Styles panel.
- 3 Select New Character Style from the panel menu (■).



► **Tip:** Using the Type tool, you can doubleclick to select a word, triple-click to select a line, and click four times to select a paragraph.

The New Character Style dialog opens with a new style named Character Style 1. This new style includes the characteristics of the selected text, as indicated in the Style Settings area of the dialog.

4 In the Style Name field, replace the default name (Character Style 1) with Red Italic.

Note: If the New Character Style dialog does not open immediately, doubleclick Character Style 1 in the Character Styles panel.

**5** Below the Style Settings in the New Character Style dialog, select Apply Style To Selection.



- 6 Click OK.
- **7** Using the Type tool, select the "(V, GF)" later in the first paragraph.
- Click Red Italic in the Character Styles panel. Because you applied a character style instead of a paragraph style, the formatting affected only the selected text, not the entire paragraph.
- **9** Using the Type tool, select the "(V)" next to "fresh basil pesto" in the text frame at the right.
- **10** Click Red Italic in the Character Styles panel.
- 11 Repeat the process to apply the Red Italic character style to the "(V, GF)" and the trailing period at the end of the paragraph.



**12** Choose Type > Character Styles to close the panel, and then choose File > Save.

**Tip:** Typesetters often apply the same style to any punctuation following text formatted with a different style. (For example, if a word is italicized, you would italicize a comma after it.) This may vary based on design preferences or a publisher's style guide. The key is to be consistent.

## Importing graphics

To add one of the final design elements to the postcard, you'll import, resize, and position a graphic. In InDesign, graphics are placed inside frames, and the Selection tool ( ) allows you to resize the graphics frame and to position the graphic within the frame. You will learn more about working with graphics in Lesson 11, "Importing and Modifying Graphics."

- 1 Choose View > Fit Page In Window. You will position the graphic in the upper-right quadrant of the postcard.
- 2 Make sure that no objects are selected by choosing Edit > Deselect All.
- 3 Click the Import File button, the last option on the Properties panel at the right. In the Place dialog, make sure that Show Import Options is not selected.
- 4 Navigate to the Lesson02 folder in the Lessons folder, and double-click the DiningRoom.jpg file.
  - The loaded graphics icon ( displays a preview of the graphic. If you click the page, InDesign places the graphic at full size, inside an identically sized graphics frame. In this case, however, you will scale the graphic as you add it to the page. The resulting graphics frame will have the same dimensions as the graphic. The graphic will be placed in the upper-right quadrant of the postcard.
- 5 Position the loaded graphics icon at the intersection of the light blue and pink guides as shown. If necessary, consult the finished lesson document, 02\_End.indd, to see where to place the graphic.
- 6 Drag down and to the right until the pointer touches the guide on the right side of the page.





When you release the mouse button, the graphic is added to the page, and a graphics frame is created automatically. If the Text To Image bar displays automatically, you may ignore it for now.

You will now experiment with cropping a graphic by decreasing the size of the frame, and you will try moving the graphic within the frame. You will undo these changes.

Tip: You can place a graphic into an existing frame or create a new frame as you place the graphic. You can also drag graphic files from your computer's desktop onto an InDesign page or pasteboard.

**► Tip:** When you create a frame while placing a graphic on the page, the graphic is automatically scaled to fit within the frame. Use the scaling controls in the Properties panel and the Control panel to precisely adjust the graphic size. You will learn more about sizing in Lesson 11.

• **Note:** If a video displays to explain Text To Image or Generative Expand, click Got It.

**Tip:** To reposition

a graphic with more

ging. This constrains

control, press the Shift key while drag-

the movement to horizontal, vertical, and 45-degree angles. Click and pause briefly before moving the graphic within a frame to see the cropped part of the graphic ghosted but visible outside the frame area. 7 Using the Selection tool (▶), select the middle handle at the bottom of the graphics frame and drag it up. You can crop the image by dragging any of its eight resizing handles.



Use the Selection tool to crop a graphic by reducing the size of its frame.

- 8 Press Ctrl+Z (Windows) or Command+Z (macOS) to undo the crop.
- **9** Still using the Selection tool, position the pointer over the graphic to display the content grabber ( ) in the center of the graphic.
- **10** Click the content grabber to select the graphic, and then drag up to position the image within the frame as you please.




Drag the content grabber to position the graphic inside the frame.

- **11** Press Ctrl+Z/Command+Z to undo the image move. The eventual position of the graphic should be where you placed it in step 6.
- **12** Choose Edit > Deselect All, and then choose File > Save.

## Adding a graphic with a text prompt

The InDesign Text To Image feature uses artificial intelligence (AI) to generate a high-resolution, royalty-free image based on text prompts you enter. The ability to generate an image within InDesign is helpful for creating mockups before assigning photography or searching a stock photo service. If a project does not require specific images, the generated images may be used in final projects as well. In the following steps, you will select an existing graphics frame, enter a text prompt, and select from the generated images.

- 1 The Text To Image feature involves Creative Cloud processing, so be sure the computer is connected to the internet during this exercise.
- 2 Zoom in on the lower-right corner of the postcard, where you will see an empty graphics frame (indicated by a nonprinting outline and an x inside the frame).
- 3 Using the Selection tool (▶), select the graphics frame and choose Window > Text To Image.
- 4 In the Prompt field of the Text To Image panel, type **herbs** in **pots** in the field, and then click Generate. (If an alert displays at this point, click Agree.) After you click Generate, note the following:
  - The first generated image is placed in the graphics frame. Because the graphics frame was selected, InDesign generated options to work within the frame.



- This AI feature is constantly being fine-tuned based on user feedback. You will see different results than those shown here each time you use the feature.
- 5 The Text To Image panel opens automatically, providing other image options and sizes.
  - Click other options in the Variations area of the Text To Image panel. If necessary, click the arrow next to Variations to view the area.
  - To see more variations in generated images, you can click Generate again or revise the text.
- **6** Select the image you prefer with the layout. The image shown here is not likely to be an option.
- 7 Click Done, and then choose Window > Text To Image to close the panel.
- Choose Edit > Deselect All, and then choose File > Save.



## Working with objects

**► Tip:** You will learn more about objects in Lesson 4, "Working with Objects."

The building blocks of InDesign pages are objects: text frames, graphics frames, lines, and more. In general, you move and resize objects with the Selection tool. Objects can have a fill color (background color) and a stroke color (outline or border), which you can customize by specifying the width and style. You can move objects around freely, snap them to other objects, and place them with precision according to guides or values you enter. In addition, you can resize and scale objects and specify how text wraps around them. Here, you will experiment with a few object-related features, including adding a QR code for easy web access.

#### Moving and rotating an object

A flower graphic created by converting flower characters from the Zapf Dingbats font into outlines (Type > Create Outlines) was created on the pasteboard to the left of the page. You will move this graphic to the right of the restaurant name, "edible blossoms." Then, you will rotate the object and adjust its placement.

- 1 Choose View > Fit Page In Window to center the page in the document window. Scroll left to see the flower graphic on the pasteboard.
- **2** To better focus on the objects, choose Type > Hide Hidden Characters.
- **3** Using the Selection tool (▶), click the flower graphic.
- 4 Drag the graphic to the right of the headline, "edible blossoms." With the object still selected, you will fine-tune the placement using the Properties panel.



In the Transform controls of the Properties panel, click the More Options button (•••) if necessary. To specify the object's placement in relation to its reference point (upper-left corner), type the following values in the fields:

X: 1.85 in

Y: .05 in

Rotation angle ( $\triangle$ ): -10

You can tab between the fields, and then press Enter (Windows) or Return (macOS) to apply the changes.

Tip: When you enter values in the Properties panel or Control panel X and Y fields, the object is repositioned according to its reference point. You can view and change the reference point ( ) by clicking a box immediately to the left of the X and Y fields.



**6** Choose File > Save.

#### Changing an object's stroke and fill

When an object is selected, you can change its stroke (outline or border) weight and color. In addition, you can apply a fill (background) color.

- 1 Choose Edit > Deselect All to make sure nothing is selected.
- **2** Click the Direct Selection tool ( ) on the Tools panel, and then click the white flower in the graphic to select it.
- 3 In the Appearance controls of the Properties panel, click the Fill box  $(\Box)$  to display the document's swatches. Click the Green-Dark swatch.



Note: The flower graphic is a group of objects. The Direct Selection tool lets you select a single object within a group. You can also select a single object in a group by double-clicking it with the Selection tool.

- **4** Press the V key on the keyboard to switch to the Selection tool (▶). Click to select the black horizontal line at the bottom of the page.
- 5 In the Appearance controls of the Properties panel, click the Stroke box (■) to display the document's swatches. Click the Green-Medium swatch.



- Click the pasteboard to deselect all objects.
- Choose File > Save.

#### Adding a QR Code

Consumers often expect advertising pieces to include a QR code so they can quickly visit a website for more information. The code is a graphic (generated by InDesign) that is inside a graphics frame. Here, you will add a QR code below the "See the full menu!" text in the lower middle part of the postcard.

- 1 Zoom in as necessary to view the lower-right corner of the postcard.
- 2 Choose Object > Generate OR Code.
- 3 On the Content tab of the Generate QR Code dialog, leave the Type setting at Plain Text. Type https://www.adobe.com in the Content field.
- Click the Color tab, and then select Green-Dark in the list of swatches. This creates a OR code that matches the color theme of the postcard.





- Click OK to load the pointer with the QR code. Drag the pointer below the "See the full menu!" text to place the QR code. Keep the graphics frame selected so you can fine-tune its placement.
- 6 In the Transform controls of the Properties panel, confirm that the reference point ( is still set to the upper-left corner, and then type the following values in the fields:

X: 4.9 in

Y: 3.15 in

W: .6 in

H: .6 in



- **7** To resize the OR code and center it within the frame, click Fit Content Proportionally (1) in the Frame Fitting controls of the Properties panel.
- Click the pasteboard to deselect all objects.
- Choose File > Save.

Note: Because the postcard in this lesson is for a fictional restaurant, you will create a QR code to the main Adobe website. When creating your own designs, you may type or paste any URL in the Content field.

Note: Remember, you can tab between the fields, and then press Enter/Return to apply changes made in the Properties panel.

## Working with object styles

As with paragraph and character styles, you can quickly and consistently format objects by saving attributes as styles. In this exercise, you will apply an existing object style to the two threaded text frames containing the body copy.

- 1 Choose View > Fit Page In Window.
- **2** Choose Window > Styles > Object Styles to display the Object Styles panel.
- **3** Using the Selection tool (▶), click the text frame at the left containing the "Starters & Small Plates" subhead. Click the Green Stroke And Drop Shadow style in the Object Styles panel.
- 4 Click the second text frame, which contains the "Entrées & Desserts" subhead. Click the Green Stroke And Drop Shadow style in the Object Styles panel.



- 5 Click the flower graphic in the upper-left corner. Click the Drop Shadow style in the Object Styles panel.
- 6 Choose Edit > Deselect All.
- 7 Click the Object Styles panel's close box, and then choose File > Save.

## Preflighting as you work

Whenever you start working on a document—whether you're creating a document from scratch or revising an existing document—you will need to know the intended output of the document (print and/or digital display) and keep an eye on output issues. For example, are all the lines in the document thick enough to print, and will the colors display and print properly? You will learn more about all these issues throughout the lessons in this book.


In publishing, the process of evaluating a document for potential output issues is known as "preflighting." The InDesign Live Preflight feature lets you monitor documents as you're working to prevent problems from occurring. To customize Live Preflight, you can create or import production rules (called "preflight profiles") against which InDesign checks your documents. The default profile supplied with

**► Tip:** InDesign offers many options for drop shadows, including distance, angle, size, and color. If you want all the drop shadows on a page to be the same, create an object style for it.


InDesign flags issues such as missing fonts (fonts that are not active on your system) and overset text (text that is hidden because it does not fit in its frame).

In this exercise, you will check the document against the embedded Mailhouse profile, which the printer supplied to prevent common issues, such as the use of RGB colors in documents intended for CMYK output on a printing press.

- Choose Window > Output > Preflight to open the Preflight panel; the Mailhouse profile is selected.
  - Using the Mailhouse preflight profile, InDesign finds 13 errors, as indicated next to the red Preflight icon ( ) in the lower-left corner of the Preflight panel. According to the Error list in the Preflight panel, the problems are in the COLOR category.
- **2** To view the error, click the arrow next to COLOR in the Preflight panel.
- **3** Click the arrow next to Color Space Not Allowed, and then click the first instance of Text Frame in the list.
- **4** To display details for the error, click the arrow next to Info at the bottom of the Preflight panel.
  - The Problem is reported as "Content Uses RGB." The Fix area offers the following suggestion: "Apply a swatch that uses a supported color space or mode, or edit the current swatch and specify a different color mode."
- 5 Choose Window > Color > Swatches to display the document's color swatches.
- 6 Double-click the Red-Bright swatch. In the Swatch Options dialog, select CMYK from the Color Mode menu (scroll up to locate the CMYK option if necessary). Click OK.



- Tip: Keep an eye on the lower-left corner of the document window to see if any preflight errors arise. You can double-click the word "error" to open the Preflight panel for details on any errors.
- **► Tip:** To quickly navigate to the object with the error, click the page number link in the Preflight panel.



Although the Color Space Not Allowed error was resolved, InDesign still reports one error for GenAIImage\_1.jpeg. This image was generated in RGB color space and will need to be converted to CMYK in Adobe Photoshop.

7 Close the Preflight panel and the Swatches panel, and then choose File > Save.

## Viewing the document in Presentation mode

In Presentation mode, the InDesign interface is hidden entirely, and the document fills the whole screen. This mode works well for presenting design ideas to clients.

- 1 Press and hold down the Screen Mode button ( ) at the bottom of the Tools panel, and select Presentation ( ).
- **2** After viewing the document, press Esc (Escape) to exit Presentation mode. The document displays in its previous screen mode, Normal.
- **3** To view the document without layout aids, choose View > Screen Mode > Preview.
- **4** Choose View > Actual Size to see the document at its output size.

Congratulations! You've learned many InDesign basics.

Tip: You cannot edit documents in Presentation mode, but you can make changes in any other screen mode.

## **Exploring on your own**

To experiment more with basic features of InDesign, customize the postcard to your favorite restaurant.

- Choose File > Save As and name the new file for the restaurant.
- Change the QR code link to the restaurant's website, and test it with your phone.
- Change the name of the restaurant and any copy. To experiment with text formatting, try the options in Window > Styles > Style Packs.
- If you're connected to the internet, replace the images with picture previews from Adobe Stock. To do this, click in the Adobe Stock field in the upper-right corner of the document window and press Enter/Return to search. To use these images, you would need a subscription to Adobe Stock.

Tip: To explore the many typefaces available and activate fonts to use in documents, visit fonts.adobe.com.

### InDesign best practices

While completing the postcard in this lesson, you experimented with the basic building blocks of a document and the best practices for creating a document. When you create a document following best practices, the document is easy to format, revise, and replicate consistently. Some of these techniques are listed here.

- **Avoid stacking objects.** Format one object rather than using multiple objects. For example, the two text frames containing the postcard's body text have a text inset, stroke weight, stroke color, and drop shadow applied. A new user might be tempted to create this look by stacking multiple frames. Using multiple objects creates extra work when moving, aligning, and formatting objects.
- Thread text frames. New InDesign users are often tempted to place or paste text into separate, freestanding text frames. The text in these frames needs to be selected and formatted individually. If you flow the text through threaded frames, it remains as a single body of text called a "story." Benefits of working with a story as opposed to disjointed frames of text include the following: you can select all the text in a story for formatting, you can limit the use of Find/Change and Check Spelling to the text in a story, and you can export all the text in a story. When you're working on a longer document, such as a book, threading text frames is crucial to controlling the text placement.
- Use styles for all formatting. In Design provides styles for formatting objects, paragraphs, lines within paragraphs, characters, tables, and table cells. With styles, you can quickly and consistently format everything in a document. In addition, if you decide to change a format, you can update the style to make a global change. For example, in the postcard, if you wanted to change the font used in the body copy, all you would need to do is edit the character formats of the Body Copy paragraph style. Styles can be updated to reflect new formatting, and styles can be shared among documents as well.
- Preflight early and often. As soon as you receive a document to work on, find out how it will be used (print and/or digital display) and use the Preflight feature to make sure the document will output correctly. For example, if the document is missing a font, you will need to acquire and activate that font before you continue working on the document.
- **Try to automate repetitive tasks.** InDesign has many sophisticated features whose purpose you may not understand until you need them. For example, if you're constantly having to change the format of phone numbers (from using parentheses to hyphens), you can do that automatically using Wildcards in Find/Change. If you need to build a table of contents or index, you'll find features to help with both. Whenever you find yourself doing anything tedious, the InDesign Help file, or even a simple Google search (such as "creating styles in InDesign"), can help you find a better way.

You will learn more about all these features as you work through the lessons.

### **Review questions**

- 1 What tool allows you to create text frames?
- 2 What tool allows you to thread text frames?
- **3** What symbol indicates that a text frame has more text than it can display—that is, overset text?
- 4 What tool allows you to move both frames and graphics within frames?
- **5** Where is the command for creating a QR code?
- 6 How can you tell if an aspect of a layout will cause output problems?
- 7 List two best practices for creating InDesign documents.

#### **Review answers**

- 1 You create text frames with the Type tool.
- **2** You thread text frames with the Selection tool.
- **3** A red plus sign in the lower-right corner of a text frame indicates overset text.
- 4 The Selection tool lets you drag a graphics frame (and its graphic) to move it, and it lets you move a graphic within its frame.
- **5** The Generate QR Code command is in the Object menu.
- 6 The Preflight panel reports errors when something in the layout does not comply with the selected preflight profile. For example, if the selected profile specifies no RGB color usage but an RGB color or image is used in the document, an error is reported. Preflight errors are also reported in the lower-left corner of the document window.
- 7 InDesign best practices include the following: avoid stacking objects, thread text frames, use styles for all formatting, preflight early and often, and try to automate repetitive tasks.

## **INDEX**

| A  | Articles panel, 379–381                      |
|--|--|
| adding   | Autocorrect option, 196–197                  |
| adding   | Auto-Fit option, 104                         |
| colors to the swatches panel, 135<br>Adjust Layout feature, 77 | autoflowing text, 169–170                    |
| , ·  | semi-autoflow method, 166–167                |
| Adobe Acrobat Reader, 397–398                                  | automating repetitive tasks, 54, 115         |
| Adobe Bridge, 105  | Auto-Size feature for text frames, 162–163,  |
| Adobe Calary who its 156                                       | 183  |
| Adobe Color website, 156                                       |  |
| Adobe Exchange, 5  | В  |
| Adobe Fonts service, 2, 200, 207, 376–377                      |  |
| Adobe Media Encoder, 416                                       | Background layer, 91, 94, 331                |
| Adobe Paragraph Composer, 221, 223                             | backgrounds                                  |
| Adobe Single-Line Composer, 221, 223                           | dropped with paths, 304–306                  |
| Adobe Support Community, 5                                     | dropped with transparency, 307–308           |
| Advanced workspace, 17, 58, 290, 294, 299,                     | Background Tasks panel, 370                  |
| 333  | baseline grid, 177–180                       |
| alert icon, 192, 293, 295, 297                                 | basic styles, 235                            |
| aligning   | best practices, 54                           |
| multiple objects, 112–113, 418                                 | bitmap graphics, 291–292                     |
| paragraphs, 216–218  | bitmap images, 332, 337–339                  |
| tabs used for, 224–225   | bleed area, 37, 60, 79–81, 331, 370–371, 373 |
| text in frames, 66, 67, 177–180                                | bleed guides, 79–81, 85                      |
| to key object, 112–113, 125, 314, 418                          | Bleed Mode, 37                               |
| to page, 112   | Bleed Screen Mode, 368                       |
| to selection, 115  | blending modes, 333-341, 349, 350            |
| Align panel, 112, 113, 116, 314, 418                           | Body Paragraphs style, 173-175, 188          |
| anchored graphics frame, 310–312                               | borders                                      |
| anchor points, 96–98, 311                                      | paragraph, 228                               |
| animated bar chart, 415–416                                    | borders, table, 277–278                      |
| Animated Zoom, 29, 30  | break characters, 176, 215, 222              |
| Animation panel, 405, 407, 409, 411–413,                       | bulleted lists, 227                          |
| 416, 426, 427, A2, A7, A8                                      | buttons                                      |
| animations, 404–408  | animation, to play, 408-413                  |
| adjusting timing of, 407–408, 421                              | for interactive PDFs, 392-393, 395-396,      |
| buttons for playing, 408-413                                   | 396, 398–399                                 |
| custom motion paths for, 411-413                               | multi-state object, within, A5-A6            |
| motion presets for creating, 404–407                           | navigation, 413–414                          |
| multi-state objects, adding to, A7–A8                          | pop-up caption, to trigger, 414–415          |
| property settings, adding, 405, 416, 426,                      | slideshow, to play, 418–419                  |
| A7, A8   | sound, to play, 420                          |
| Arrange commands, 70, 93, 125, 318, 420                        | Buttons And Forms panel, 389–396, 399,       |
| arrowheads on lines, 122                                       | 409–416, 419, 420–421, A6                    |

|   | groups, 151  |
|---|--|
| captions  | management of, 129–132, 364–368                      |
| metadata, 105–106   | Mixed Ink, 140                                       |
| pop-up, 414–415   | onscreen proofing of, 132                            |
| Caption Setup, 105  | output requirements for, 133–135                     |
| Case Sensitive option in Find/Change, 191                                 | specifying settings for, 131                         |
| CC Libraries  | spot vs. process, 140                                |
| color themes added to, 155–156  | themes, 152–156                                      |
| creating and using, 321, 326  | viewing environment for, 130                         |
| styles added to, 248, 259   | Color Settings dialog, 131                           |
| cells (table)   | color themes, 152–156                                |
| fill color, 276   | adding to Swatches panel, 154                        |
| graphics added to, 278–282  | extracting from an image, 155, 230                   |
| merging adjacent, 273   | options managing, 156                                |
| modifying fit of text in, 271–273   | sharing to your CC library, 155–156                  |
| strokes, 276–277  | tool for creating, 152–153                           |
| strokes, 270–277<br>styles for, 252–255, 283–285                          | viewing, 153   |
| •   | columns, 40  |
| Character panel 30, 177, 207, 200, 220                                    | adjusting, 175–176, 215                              |
| Character panel, 39, 177, 207–209, 220 characters                         | creating, 167, 214                                   |
|   | flowing text across, 39–40, 164–165                  |
| formatting options, 39  | guides, 63   |
| fraction, 212–213   | straddle head spanning, 215                          |
| hidden, 37, 224, 309, 311   | tables, in, 271–273                                  |
| special, 210  | combo boxes in forms, 394, 396                       |
| styles applied to, 41, 42–44  | compound paths, 97–98, 117, 317–318                  |
| Character Style Options dialog, 241–242                                   | Content-Aware Fit, 300–301                           |
| character styles, 41, 241, 249  | Content-Aware Fit option, A3                         |
| applying, 43–44, 243  | content grabber, 46, 92, 102–103, 299–301, 307, 313, |
| creating, 43, 241, 241–242  | 332, 338   |
| formatting text for, 42–43  | context menus, 12, 66, 181, 196, 210, 298            |
| nesting inside paragraph styles, 243–247                                  | Contextual Task Bar, 12, 70, 91, 324, 331            |
| Character Styles panel  | Control panel, 21, 39, 64                            |
| applying styles in, 43–44, 241–243  | align options in, 113, 418                           |
| creating new styles in, 43, 241–242, 244–245                              | applying color in, 143–144, 396                      |
| checkboxes in forms, 393–394, 396, 399<br>check spelling dynamically, 196 | editing cell strokes in, 276–277                     |
| Check Spelling feature, 194–197   | frame fitting options, 300                           |
| circular frames, 16, 97, 107  | math calculations in, 67, 105, 124                   |
| Classroom in a Book training series, 1                                    | paragraph alignment buttons, 67                      |
| Clear Effects, 333, 334, 353  | scaling graphics in, 299                             |
| Clear Overrides, 235, 240, 249, 252, 255, 257                             | scaling graphics with, 111                           |
| Clear Overrides button, 42, 180   | scaling presets, 314                                 |
| clipping paths, 304–306, 327  | select container tool, 118, 118–119                  |
| CMYK color mode, 52, 133–140, 361–368                                     | select content tool, 118–119, 125                    |
| coated vs. uncoated paper, 363  | select next object tool, 118                         |
| colorizing images, 332  | select previous object tool, 119                     |
| Color panel, 137–138, 157, 365  | set reference point locator, 66, 67, 73              |
| colors, 129–156   | text formatting controls in, 39, 66–67, 227, 310     |
| applying, 141–145, 332  | Convert Direction Point tool, 98                     |
| creating, 135–139   | converting   |
| finding and changing, 145–146, 365–367                                    | color mode for a swatch, 135                         |
|   | frame shapes, 97                                     |

| converting (continued)                               | E   |
|--|---|
| path to motion path, 411–413                         | No. 1 as as   |
| table cells for graphics, 278-279                    | editing paths, 96–98                                |
| text to a table, 267–268                             | editing text, 189–199                               |
| type to outlines, 48, 317                            | Find/Change options for, 189–192                    |
| Convert Shape feature, 97                            | spell check features for, 194–197                   |
| corners  | Story Editor used for, 197–198                      |
| rounding, 98–99                                      | tracking changes and, 198–199                       |
| Create Guides dialog, 63                             | Edit Original feature, 293, 303–304, 323, 324       |
| Creative Cloud desktop application, 2                | educator resources, 5                               |
| crop marks, 371, 373                                 | effects, 342–353                                    |
| cropping graphics, 46, 299–300                       | applying multiple, 346–347                          |
| customizing the workspace, 9–11, 389                 | copying between objects, 347–348                    |
|  | drop shadow for text, 345                           |
| D  | editing and removing, 352–353                       |
|  | feathering, 342–344                                 |
| defaults file, 4                                     | isolate blending option, 354                        |
| Detect Edges, 109, 311, 324                          | knockout group option, 354                          |
| dictionary, spelling, 194–195                        | layered images and, 350–351                         |
| Direct Selection tool, 49, 96–98, 125, 311, 317, 413 | transparency, 343                                   |
| display performance settings, 130-131, 297-298, 337  | transparency settings, 349                          |
| Distribute Space options, 116                        | Effects panel, 333–337, 340, 341, 347, 353, 354     |
| distributing space between objects, 116              | Ellipse Frame tool, 15, 16                          |
| docking panels, 389, 406                             | embedded files, 291, 297, 417                       |
| document pages, 61-62, 71-74                         | em space, 66  |
| documents  | entering text, 38, 187–189                          |
| adding pages to, 72                                  | EPUB Interactivity Preview panel, 405–406, 427, A2, |
| Adjust Layout feature for, 77                        | A6, A8  |
| changing page size, 73–74                            | Essentials workspace, 9, 39                         |
| creating new, 59–61, 403                             | Expand Image feature, 322–323                       |
| deleting pages, 72                                   | expanding panels, 18                                |
| different page sizes within, 83                      | exporting   |
| magnification controls for, 28–30                    | Adobe Express, for, 384                             |
| navigating through, 26–27                            | fixed-layout EPUB files, 421–423                    |
| packaging, 376–378, 385                              | graphics for digital use, 378–381                   |
| preferences specific to, 11–12                       | interactive PDF files, 397                          |
| preflighting, 133–134, 358–361                       | PDF files, 369–372                                  |
| presets created for, 60–61                           | publishing EPUBs online, 424–425                    |
| previewing, 152, 368–369                             | social media and email, for, 381-383                |
| printing, 373–376                                    | extracting from images                              |
| rearranging pages, 72                                | color themes, 155                                   |
| document windows, 23–25                              | fonts, 230  |
| double arrow button, 18, 19, 20                      | Eyedropper tool, 137, 153                           |
| double arrow icon, 111, 115, 306                     | eye icon, 90, 308, 314, 331, 334, 350, 362          |
| dragging and dropping                                | •   |
| graphics into a frame, 301–303                       | F   |
| table rows, 271                                      | •   |
| drop cap, 218–219, 231                               | feathering, 342–344                                 |
| Drop Cap paragraph style, 174, 180                   | edges of images, 342-343                            |
| drop shadow effect, 250, 343, 345, 353               | gradient effect, 343–344                            |
| Dynamic Preview feature, 100                         | fills   |
| dynamic spelling feature, 196                        | applying across multiple objects, 117<br>object, 49 |
|  | objects, 141–143                                    |

| table, 275–276                               | forms, 388–399                             |
|--|--|
| text, 144–145, 212                           | check boxes in, 393-394                    |
| type with a graphic, 317–318                 | combo boxes in, 394                        |
| Find/Change feature                          | radio buttons in, 392–393                  |
| overview, 193                                | submit button in, 395-396                  |
| finding/changing                             | tab order setting for, 395                 |
| colors, 145–146, 365–367                     | testing in Acrobat Reader, 397–398         |
| extra paragraph returns, 172–173             | text fields in, 390–391                    |
| formatting, 191–192, 236                     | types of fields for, 396                   |
| text, 189–192                                | workspace setup for, 389                   |
| Find/Replace Font, 200                       | fraction characters, 212–213               |
| fixed-layout EPUBs, 402–427                  | •  |
| animations added to, 404–408, 415–416, A7–A8 | frame fitting options, 300–301, 307        |
|  | frames                                     |
| buttons configured for, 408–414              | changing shapes, 97, 123–124               |
| exporting, 421–423                           | placeholder, 70                            |
| multi-state objects, A5–A8                   | rounded corners added to, 98–99            |
| new documents created for, 403               | tools for creating, 15–16                  |
| popup captions for, 414–415                  |  |
| previewing, 406                              | G  |
| Publish Online feature for, 424–425          | C . 1 104 105                              |
| reflowable EPUBs vs., 403–404, 427           | Gap tool, 104–105                          |
| slide-in caption, A2–A8                      | generative AI features, 322–325            |
| slideshows added to, 418-419                 | Contextual Task Bar, 322, 324              |
| sounds added to, 419–421                     | Expand Image feature, 322–323              |
| videos added to, 416–417                     | Text To Image feature, 47, 324–325         |
| Flip Horizontal button, 318                  | Text To Image panel, 322–325               |
| floating panels, 19, 20                      | glyphs, 208–210, 213, 231                  |
| flowing text, 161–171                        | Glyphs panel, 210, 213                     |
| adding pages while, 171                      | Go To Link button, 293, 295, 298           |
| along a path, 119–120                        | Go To Page, 26, 174, 178, 180              |
| automatically, 169–170                       | GPU card, 30, 298                          |
| creating text frames while, 166–167          | Gradient Feather tool, 344                 |
| existing frames used for, 161–163            | Gradient panel, 117                        |
| manual process of, 164–165                   | gradients, 148–150                         |
| Font menus, 211                              | adjusting the direction of, 149–150        |
| fonts  | creating and applying, 148–149             |
| adding from Adobe Fonts, 207                 | feather effect for, 343–344                |
| applying and styling, 208–210                | Gradient Swatch tool, 149-150              |
| extracting from images, 230                  | graphic frames                             |
| finding in Font menu, 211                    | metadata captions added to, 105–106        |
| indicators of missing, 200                   | graphics, 45–47, 291–327                   |
| lesson file use of, 2                        | animating, 409–415, 426                    |
| •  | clipping paths for, 304–306                |
| packaged, 377                                | cropping, 299                              |
| Type 1 font format, 208                      | display settings, 298                      |
| footers, 67–68                               | display settings for, 130–131, 298         |
| tables, rows in, 282, 287                    | dropped backgrounds, working with, 304–308 |
| formatting                                   | editing original file for, 303–304         |
| Finding/changing, 191–192                    | Effective resolution, 294                  |
| objects for a style, 250                     | exporting for digital use, 378–383         |
| overriding manual, 42, 235, 240, 249         |  |
| styles used for, 54, 235–262, 363            | filling type with, 317–318                 |
| tables, 275–278                              | finding spot colors in, 366–367            |
| text, 39, 41–45, 173–175                     | generative AI, using, 322–325              |

| graphics (continued)                                   | headers  |
|--|--|
| importing, 45-46, 298-303, 312-314, 317                | parent page, 65–67                             |
| InDesign libraries for, 318-320                        | table, 282–283, 287                            |
| links to, 291–294                                      | Help menu, 5, 31                               |
| native formats for, 308                                | hidden characters, 37, 172, 187, 224, 267, 309 |
| placing, 45-46, 100-102, 298-303                       | History panel, 107–108                         |
| positioning, 45–47, 299–300, 302, 306–308              | Home screen, 8, 59                             |
| rotating, 306  | HTML Export feature, 379–381                   |
| rotating within frame, 111–112                         | hyphenation settings, 221–222                  |
| scaling, 45, 109, 294, 298–303, 299, 307, 313–314, 318 | 1  |
| table cells with, 278–282                              | •  |
| transparency applied to, 337–340                       | IDML files, 377, 385                           |
| updating revised, 295–296, 304                         | Ignore Text Wrap option, 316                   |
| vector vs. bitmap (pixel-based), 291–292               | Illustrator                                    |
| wrapping text around, 108–110, 310–312                 | importing files from, 312-314, 326             |
| graphics frames, 99–108                                | layered files from, 313-314                    |
| anchored, 310–312                                      | share colors with, 135                         |
| create grid of, 101–102                                | spot colors from, 366-367                      |
| drawing new, 99–100                                    | transparency in files from, 339–340            |
| fitting content into, 299–301                          | images   |
| placing graphics into, 100, 300–303                    | adjusting display quality, 298                 |
| resizing, 100  | applying transparency to, 338–339              |
| resizing and moving images within, 102–104             | bitmap (pixel-based), 291–292, 332, 338        |
| rotating contents of, 111–112                          | clipping paths for, 304–306                    |
|  | display settings, 130–131                      |
| space adjusted between, 104                            | dropped backgrounds in, 304–308                |
| grayscale images, 331–332                              | extract from, 155, 230                         |
| grid   | feathering edges of, 342–343                   |
| baseline, 177–179                                      | identifying imported, 292–294                  |
| grouped objects  | placing in graphic table cells, 279–280        |
| selecting and modifying, 118–119                       | resizing, 102–104, 109, 298–303, 306, 307, 318 |
| groups   | resolution of, 130–131, 294                    |
| color, 151   | rotating, 110–111, 306                         |
| objects, 49, 351, 354, A4                              | importing                                      |
| panel, 19, 20, 33                                      | graphics, 298–303, 304, 307                    |
| selecting objects within, 118–119                      | 0 1  |
| style, 174   | Illustrator files, 312–314, 326                |
| guides   | snippets, 70, 78                               |
| bleed, 79–81   | styles, 259–260                                |
| deleting unneeded, 65                                  | tables, 274                                    |
| dragging from rulers, 63–64                            | text, 39–40, 161, 188–189                      |
| parent page, 63–64                                     | InDesign                                       |
| Smart Guides feature, 113, 114, 340, 391               | defaults file, 4                               |
| Step And Repeat technique, 64                          | installing, 2                                  |
| viewing in documents, 37, 331                          | product home page, 5                           |
| gutter settings, 60                                    | training resources, 5                          |
|  | InDesign libraries, 318–320                    |
| Н  | Info panel, 17                                 |
|  | Ink Manager feature, 367–368                   |
| Hand tool, 14–15, 27, 65, 341, 347, 353                | Insert Break Character option, 176, 215, 222   |
| hanging indents, 227                                   | Insert Pages, 72                               |
|  | Inset Spacing options, 39                      |

| Interactive For PDF workspace, 388–389                | explained, 291                          |
|---|---|
| Item Information, library item, 320                   | relinking multiple, 303                 |
| ,   | revealing the location of on disk, 295  |
| J   | viewing information about, 293–294, 296 |
|   | Links panel, 292–297                    |
| jump lines, 181–183, 183                              | caption options, 105                    |
| justified text, 221                                   | editing original images from, 304       |
|   | link status icons in, 296               |
| K   | list of linked files in, 293–294        |
|   | managing links in, 292–294              |
| Keep Options, 177, 205                                | relinking files in, 296                 |
| kerning, 219–220, 231                                 | replacing images in, 295–296            |
| keyboard shortcuts, 14-15, 17, 33                     | updating revised files in, 296          |
| magnification controls, 28, 30, 95                    | list boxes in forms, 394, 396, 398      |
| number pad used for creating, 242                     |   |
| single-letter for tools, 14                           | lists, bulleted/numbered, 227           |
| text formatting with, 236, 238, 242                   | Live Preflight feature, 51–53           |
| Zoom tool, 98   | loaded graphics icon, 45, 101, 299, 331 |
| key objects, 112–113, 125, 314, 418                   | loaded text icon, 40, 161, 166–167, 169 |
| .,,,  | Load Styles feature, 259–260            |
| L   | local overrides, 240, 249               |
| L .   | Locate Color feature, 145–146, 365–367  |
| layers, 89-94, 331, 408                               | locked layers, 93–94, 331, 333–334      |
| creating new, 93–94, A4                               |   |
| effects applied to image layer, 350–351               | M                                       |
| explanation of, 89–91                                 | 10                                      |
| hiding or displaying document layers, 90, 331,        | magnification                           |
| 333–334, 339  | changing, 29                            |
| hiding or displaying object layers, 308, 314, 350–351 | magnification controls, 28–30, 33, 95   |
| Illustrator files with, 313–314                       | margins                                 |
| locking/unlocking, 93, 99, 333–334                    | hanging punctuation outside, 217–218    |
| moving items between, 91, 93, 94                      | specifying settings for, 60             |
| naming/renaming, 94                                   | masks, 304                              |
| Photoshop files with, 308, 350–351                    | math calculations, 67, 105, 124         |
| reordering, 91, 93                                    | measurement units, 59, 310              |
|   | Media panel, 417, 420                   |
| selecting objects in Layers panel, A7–A8              | Medium Light interface, 8               |
| selecting objects in Layers panel,, 92                | Menu Customization feature, 31          |
| Layers panel, 92                                      | menus                                   |
| selecting objects in, A7–A8                           | context, 12                             |
| leaders, tab, 224, 231                                | panel, 21–22                            |
| lesson files, 3                                       | Merge Cells option, 273                 |
| Levels, transparency settings, 333–334, 337, 341      | metadata                                |
| libraries   | captions, 105–106                       |
| Creative Cloud, 155–156, 321                          | EPUB file, 422                          |
| InDesign, 318   | Missing Fonts, 188, 200–201             |
| Ligatures, 210  | missing links, 297, 303, 319            |
| line breaks, 221–222                                  | Mixed Ink colors, 140                   |
| lines   | modified link icon, 295, 319, 327       |
| arrowheads on, 122                                    | monitor calibration, 132                |
| drawing, 14, 120-122                                  | motion paths, 405, 409, 426, 427        |
| line styles (nested), 246                             | *                                       |
| Line tool, 14, 120                                    | creating, 411–413                       |
| linked files  | motion presets, 404–407, 427            |

| movies in EPUBs, 416–417<br>multicolumn text frames, 168–169, 214<br>multimedia in EPUBs, 416–420<br>multi-state objects, 418–419, A5–A8<br>animations added to, A7–A8 | Opacity Slider, 335, 353 opacity values, 334, 335, 341, 345–347, 353 OpenType fonts, 209–210 Optical Margin Alignment, 217–218 output requirements, 133–135, 370–372 overriding manual formatting, 249 Overriding parent page objects, 69, 78 |
|--|---|
| N  | overset text, 40–41, 55, 97, 161, 163, 164, 166, 169, 183,  |
| navigating documents, 26–27, 65, 71, 94, 108, 292<br>navigation buttons for EPUB, 413–414  | 189, 198, 359, 385  |
| nested style prerequisites for creating, 263   | Р   |
| nested styles, 41, 243–247   | packaging files, 376–378, 385   |
| character styles created for, 244–245  | page numbering, 62  |
| creating within paragraph styles, 246–247  | changing the scheme for, 74–76  |
| individual line styles as, 246   | jump lines added with, 181–183, 183   |
| Next Page button, 26   | parent page marker for, 66–67, 85   |
| Normal Mode, 37  | tri-fold brochure and, 83   |
| Normal Screen Mode, 368  | pages   |
| Normal view mode, 200, 224   | adding new, 72, 171   |
| Notes panel, 31, 199   | deleting, 72  |
| Note tool, 199   | flowing text into, 171  |
| numbered lists, 227  | navigating, 26–27, 65, 71, 94, 108, 292   |
| Numbering & Section Options feature, 74–75, 76, 85   | numbering, 62, 66–67, 74–76, 85   |
| 1  | parent, 61, 62–70   |
| 0  | rearranging, 72   |
|  | resizing, 73–74, 77   |
| Object Layer Options, 308, 314, 350–351  | Pages panel, 18, 61   |
| objects, 13, 48–49, 89–125   | navigating pages in, 26, 75   |
| aligning multiple, 112–113   | page numbering in, 74–76  |
| aligning with key, 112–113   | parent pages applied in, 71   |
| aligning with Smart Guides, 114  | Pages tool, 83  |
| arrange commands, 93   | panel icons, 18   |
| colors applied to, 141–144   | panel menus, 21–22  |
| copying effects between, 347–348   | panels, 17–21   |
| Distribute Space options, 116  | creating grouped, 19, 33  |
| grouped, 118–119   | creating stacked, 20  |
| InDesign libraries for, 318–320  | docking, 389, 406   |
| moving, 48, 107, 124   | expanding and collapsing, 18  |
| moving between layers, 94, 125   | menus, 21   |
| multiple effects applied to, 346–347   | menus related to specific, 21–22  |
| multi-state, 418–419   | moving the Tools and Control, 21–22   |
| parent page, 66, 85  | opening and closing, 17   |
| rotating, 48, 110–111, 306<br>scaling multiple, 113  | rearranging and customizing, 19–20, 389   |
| space between with Gap tool, 104–105   | undocking, 15   |
| stroke and fill changes, 49  | PANTONE colors, 136, 363  |
| stroke and in changes, 49 styles applied to, 41, 51–52, 250–252  | Paragraph panel, 39, 179, 216–217   |
|  | paragraph rules, 229, 257–258   |
| transforming multiple, 115<br>transforming shapes, 95–99, 123–124  | paragraphs  |
| Object States panel, 418, A5–A7  | alignment changes, 216–217  |
| object states panel, 416, A3–A7 object styles, 41, 51–52, 179, 250–252, 263, 348, 389,   | changing extra returns for, 172–173   |
| 391  | formatting options, 39, 41, 177–180, 205, 215, 221–224, 227–228, 231, 310   |

| horizontal rules applied to, 229–230                    | PNG file format, 378–380, 422                       |
|---|---|
| hyphenation settings, 221-222                           | popup captions, 414–415                             |
| shading applied to, 228                                 | preferences   |
| spacing changes between, 206                            | application-specific, 11                            |
| styles applied to, 41–42, 162, 173–175, 239–240         | Autocorrect, 196–197                                |
| paragraph styles, 42–43, 237–240, 249                   | document-specific, 11                               |
| applying, 42–43, 162, 173–175, 239–240, 363             | Guides & Pasteboard, 114                            |
| creating new, 237–239                                   | Spelling, 196                                       |
| nested styles within, 41, 243–247                       | preflighting documents, 51–53, 54, 133–135, 358–361 |
| updating, 179-180, 257-259                              | preflight profiles, 51–52, 133–134, 359–361, 385    |
| Paragraph Styles panel                                  | Presentation mode, 37, 53                           |
| choosing styles in, 173–175                             | presets   |
| creating new styles in, 238                             | Adobe PDF, 369–372                                  |
| loading styles in, 260                                  | motion, 404–407, 427                                |
| parent pages, 61, 62–70                                 | new document, 59-61                                 |
| applying to document pages, 71                          | print, 373–374                                      |
| creating additional, 68–69                              | sharing, 372  |
| guides added to, 63–64                                  | press-ready PDFs, 370–372, 385                      |
| naming/renaming, 68                                     | pre-threading text frames, 164                      |
| overriding parent page objects, 69, 78                  | previewing  |
| parent-child (based on) structure for, 68–69, 70, 85    | animations, 405–409, 411–413, 416, A8               |
| placeholder frames added to, 70                         | documents, 152, 261–262, 368–369                    |
| text frames created on, 65–68                           | separations, 362–363                                |
| pasteboard, 23, 45, 64, 80-81, 106, 112-113             | Preview mode, 37, 308, 368                          |
| Paste In Place command, 65, 350, A4                     | Previous Page button, 26                            |
| Paste Into feature, 107                                 | Print Booklet feature, 375–376                      |
| Paste Remembers Layers feature, 92                      | printing  |
| Pathfinder feature, 95, 123–124                         | documents for proofing, 373–376                     |
| paths   | requirements for, 133–135                           |
| clipping, 304–306                                       | saving presets for, 373–374                         |
| compound, 97–98, 317–318                                | setting options for, 373–374                        |
| editing, 96–98, 311–312, 413                            | process colors, 140, 157, 364–365, 367–368          |
| flowing type along, 119–120                             | proofing  |
| motion, 405, 409, 411–413, 426, 427                     | booklets, 375–376                                   |
| PDF files   | colors onscreen, 132                                |
| creating press-ready, 370–372, 385                      | PDFs created for, 369–370                           |
| creating proofs, 369–370                                | Properties panel, 10, 13                            |
| exporting interactive, 397                              | align options in, 113                               |
| form fields for, 390–396                                | Appearance area, 49, 219, 237, 242, 352             |
| Pencil tool, 412  | Character controls, 38, 242                         |
| pen icon in layers panel, 92, 93, 331                   | Effects area, 352                                   |
| Pen tool, 98, 121, 311                                  | Frame fitting area, 50, 300                         |
| Photoshop   | importing from, 165                                 |
| clipping paths from, 304–306                            | Importing from, 45                                  |
| layered files from, 308, 350–351                        | Pathfinder tools in, 123                            |
| share colors with, 135                                  | Quick Actions, 117                                  |
| transparent backgrounds from, 307-308                   | Text area, 38, 42–43, 145, 162, 174, 189, 212       |
| pixel-based graphics, 291–292                           | Transform area, 16, 48, 110-111, 314                |
| Place command, 39, 70, 78, 100–102, 161, 164, 165, 188, | Publish Online feature, 424–425                     |
| 274, 279–280, 298, 304, 307, 317, 417                   | punctuation   |
| placeholder frames, 70                                  | hanging outside margins, 217–218                    |
| placeholder text, replacing, 78                         | styles applied to, 44                               |

| Q   | shapes, 95-99   |
|---|---|
| OP Code FO FF   | changing shapes with other shapes, 95–99, 123–124       |
| QR Code, 50, 55<br>Quick Apply dialog, 236              | compound, 97–98   |
| Quick Apply dialog, 250                                 | converting, 97, 117                                     |
| R   | cropping graphics with other shapes, 106–107            |
| n   | distribute space between, 115                           |
| radio buttons, 392-393, 396, 399                        | repeating and distributing, 116                         |
| raster graphics, 291                                    | wrapping text around, 108–110                           |
| Rectangle Frame tool, 15–16, 100, 114, 410, 413, 420,   | sharing   |
| A4  | color themes, 155–156<br>PDF presets, 372               |
| Rectangle tool, 391                                     | styles, 248, 259–260                                    |
| Redefine Style option, 180, 236, 259, 263               | signature fields in forms, 396                          |
| reference point locator, 48, 66, 73, 83, 110, 111, 124, | slideshows in EPUBs, 418–419                            |
| 302, 307, 313, 318, 392, A3                             | Slug view mode, 37                                      |
| reflowable EPUBs, 403–404                               | Smart Guides feature, 113, 114, 299, 340, 391           |
| Relink button, 293, 296, 319                            | Smart Text Reflow feature, 171                          |
| relinking files, 296, 303, 327                          | snippets  |
| resolution of images, 130, 294, 378–380, 382            | creating, 70  |
| restoring the InDesign defaults, 4                      | placing, 70, 78   |
| Reveal In options, 295                                  | soft proofing, 132                                      |
| reverse type, 144, 228                                  | software updates, 2                                     |
| rollover appearance, 396                                | sounds in EPUBs, 419–421                                |
| rotating  | spacing   |
| images, 302, 306  | between objects, 104                                    |
| objects, 48, 110–111                                    | between-paragraph, 206                                  |
| spreads, 81–82  | letter and word, 219–220                                |
| rounding corners, 98–99                                 | vertical, 177, 205–206                                  |
| rulers  | Span Columns controls, 215, 228                         |
| dragging guides from, 63–64                             | special characters, 210                                 |
| tabs in, 224–226  | spell check features, 194–197                           |
| rules   | adding words to dictionary, 195                         |
| paragraph, 229, 257                                     | Autocorrect option, 196–197                             |
|   | Check Spelling dialog, 194–195                          |
| S   | dynamic spelling, 196                                   |
| scaling, 392, A3  | spot colors, 136–137, 140, 157, 362, 364–367            |
| graphics, 45–46, 102–104, 107, 109, 111, 299–300,       | spreads   |
| 302, 306, 307   | rotating, 81–82   |
| groups, 107   | viewing, 63, 66, 68, 74, 78                             |
| multiple objects, 113                                   | square frames, 16, 97                                   |
| Screen Mode, 37, 53, 80, 286, 348, 368                  | stacked panels, 20                                      |
| section options, page numbers, 74–76                    | Step And Repeat technique                               |
| Section Prefix, 76                                      | for guides, 64–65                                       |
| selecting   | for shapes, 116   |
| content vs. frames, 92, 102, 307                        | stop markers for gradients, 148, 352                    |
| objects in groups, 49, 118–119, 125                     | stories, defined, 39, 54                                |
| objects on layers, 90, A7–A8                            | Story Editor, 197–199                                   |
| tools, 13, 33, 49                                       | straddle head, 215                                      |
| Selection tool, 13, 33, 46, 48, 55, 92, 106, 125, 307   | Stroke/Fill, applying color, 49, 121, 141–142, 144–145, |
| Send To Back, 70, 93, 318, 420                          | 147, 212, 332   |
| Separations Preview feature, 362–363, 367–368           | Stroke panel, 122                                       |
| shading paragraphs, 228                                 | arrowhead area, 122                                     |

| strokes  | cell strokes edited in, 276–277                  |
|--|--|
| color, 143–144                                       | converting text to, 267–268                      |
| object, 49   | creating new, 286                                |
| table cell, 276                                      | deleting rows and columns from, 270              |
| text, 212  | fill patterns and colors for, 275–276            |
| style overrides, 240, 249                            | formatting options for, 275–278                  |
| Style Packs feature, 262                             | graphics added to cells in, 278-282              |
| styles, 41–45, 235–263                               | header rows created for, 282–283                 |
| applying paragraph, 239                              | importing from other apps, 274                   |
| basing on existing styles, 248, 251                  | merge cells, 273                                 |
| best practices for, 248–249                          | rearranging rows and columns in, 271–273         |
| cell, 252–255, 283–285                               | styles for cells, 252–256, 283–286               |
| character, 41, 42-44, 241-243                        | Table Styles panel, 255–257                      |
| creating and applying, 235-236, 237-243              | tab order for form fields, 395                   |
| formatting with as best practice, 54                 | tabs, 224–227                                    |
| globally updating, 257–259                           | aligning text to, 224–225                        |
| groups of, 239, 248                                  | controls for working with, 226                   |
| loading or importing, 259–260                        | hanging indents and, 227                         |
| modifying and redefining, 236                        | leaders used with, 225                           |
| nested, 41, 243–247                                  | text, 38-41, 187-199                             |
| object, 41, 51–52, 250–252                           | adding text, 38–39                               |
| overview about, 235–236                              | aligning to grid, 177–180                        |
| paragraph, 41–42, 162, 179–180, 237–240              | colors applied to, 144–145                       |
| Quick Apply feature for, 236                         | context menu, 12                                 |
| redefine paragraph style, 180                        | editing, 187–199                                 |
| sharing, 248, 259–260                                | filling with a graphic, 317–318                  |
| table, 252–257, 283–285                              | finding/changing, 172–173                        |
| Subject-Aware Text Wrap feature, 315–316             | Finding/changing, 189–192                        |
| submit button in forms, 395–396, 399                 | flowing, 161–171                                 |
| Swash feature, 209–210                               | fonts applied to, 208–210                        |
| swatches   | formatting options, 39                           |
| color mode conversion, 135                           | form fields for, 390–391, 396                    |
| color theme, 152–156                                 | importing, 39–40, 188–189                        |
| creating, 136–139                                    | Importing, 161                                   |
| deleting, 151, 364–365                               | paragraph styles applied to, 41–42, 162, 173–175 |
| finding/changing, 145–146, 365–367                   | placeholder frames for, 70                       |
| gradient, 148–150                                    | placing in documents, 39                         |
| grouping, 151  | replacing placeholder, 78                        |
| libraries of, 364                                    | stroke and fill for, 212                         |
| naming/renaming, 139                                 | tables created from, 267–268                     |
| tint, 146–147, 353                                   | transparency applied to, 340–341                 |
| Swatches panel, 21, 70, 120, 121, 136, 139, 141–144, | vertical spacing of, 177, 205–206                |
| 146–147, 149, 154, 364–366, 385                      | wrapping around graphics, 108–110, 310–312,      |
| 110 117, 119, 131, 301 300, 303                      | 315–316  |
| т  | Text Frame Options, 316                          |
| Т  | text frames                                      |
| tab  | Auto-Size feature, 162–163                       |
| settings, 224–227                                    | columns in, 40–41, 214–215                       |
| tables, 267–287                                      | creating, 166–169                                |
| adding rows and columns to, 268–270                  | formatting options, 39                           |
| adjusting rows and columns in, 271–273, 280–281      | importing text into, 161                         |
| borders added to, 277–278                            | inset spacing options, 66                        |
|  | moce opacing options, oo                         |

| text frames (continued)                 | formatting text with, 162, 208–210                   |
|---|--|
| multicolumn, 168-169, 214               | loading with multiple files, 165                     |
| parent page, 65–68                      | releasing frame from parent page with, 78            |
| reshaping, 96–97                        | tables and use of, 286                               |
| resizing, 162–163                       | using with frame selected, 66–67, 317                |
| threaded, 54, 164–171                   | typography, 205–231                                  |
| Text To Image feature, 47, 324–325      | column options, 214–215                              |
| Text To Image panel, 293, 322, 324      | composition methods, 223                             |
| Prompt field, 47, 324                   | drop cap creation, 218–219                           |
| Text Wrap panel, 109, 310–311, 315–316  | fonts and type styles, 207–210                       |
| threaded text frames, 54, 164–171       | fraction characters, 212–213                         |
| TIFF file format, 331                   | line break adjustments, 221–222                      |
| Timing panel, 407–408, 421, A7, A8      | paragraph alignment, 216–218                         |
| tint slider, 353                        | paragraph rules, 229                                 |
| tint swatches, 146–147, 353             | tracking and kerning adjustments, 219–220            |
| Tool Hints, 31                          | vertical spacing adjustments, 205–206                |
| tools                                   | vertical spacing adjustments, 203–200                |
|   |  |
| display info about, 31                  | U  |
| overview of using, 13–16                | undocking panels, 15, 389                            |
| selecting, 33                           | Update Link button, 293, 296, 319, 327               |
| viewing hidden, 15–16                   | updating   |
| Tools panel, 10, 13–16                  | InDesign program, 2                                  |
| tool tips, 13, 14, 190, 235, 249, 398   | revised graphics, 291, 295–296, 327                  |
| tracked changes, 198–199                |  |
| tracking, typographical, 219–220        | styles, 179–180, 257–260                             |
| training resources, 5                   |  |
| Transform Again features, 115           | V  |
| transforming multiple objects, 115      | Variable Font format, 208                            |
| transforming objects                    | vector graphics, 291–292, 312–314, 317               |
| changing shapes with other shapes, 95   | and transparency, 337–338, 339–340                   |
| compound shapes, 97                     | Vertical Justification options, 39, 66, 67, 177, 205 |
| converting shapes, 97                   | vertical spacing adjustments, 177, 205               |
| repeating shapes, 99                    | videos in EPUBs, 416–417                             |
| rotating an image within its frame, 111 | view commands, 28                                    |
| rotating an object, 110                 | viewing environment for color, 130                   |
| Transform panel, 63–64                  | View Threshold menu, 178                             |
| transparency, 331–354                   | view Threshold menu, 178                             |
| applying to imported graphics, 337–340  |  |
| applying to text, 340–341               | W  |
| effects, 342–353                        | warning about stacking, 54                           |
| Illustrator files with, 339–340         | Web Edition of book, 3                               |
| overview of features for, 333-336       | workspace  |
| Photoshop backgrounds with, 307-308     | creating your own, 31, 389                           |
| settings and options for, 349           | customizing, 9–11                                    |
| using tints vs., 353                    | Interactive For PDF, 389                             |
| transparency effect settings, 349       | wrapping text, 108–110, 310–312, 315–316             |
| trifold layout, 83                      | wrapping text, 108–110, 510–512, 515–516             |
| Type 1 fonts, discontinued, 208         | _  |
| Type On A Path feature, 119–120         | Z  |
| Type On A Path tool, 119                | zoom, animated, 30                                   |
| Type tool, 14, 119                      | zooming in/out, 28, 95                               |
| creating a frame with, 65               | Zoom tool, 29–30, 33                                 |
| editing text with, 38–39, 187–189       | 20011 (001, 27 00, 00                                |