

---

# Index

## A

- Absolute expiry time, 739
- Abstract base classes, data provider, 504
- AbstractDA.cs, 568–572
- AbstractEntity.cs, 470–471
- Accept-Language HTTP value, 966
- Access control list (ACL), 757
- AccessDataSource control, 554, 562
- Accessible tables, creating, 154–158
- AccessibleHeaderText property,
  - DataControlField, 619
- AccessibleTable.aspx, 156
- AccessKey attribute, Label control, 109
- AccessKey property, WebControl class, 103
- AcquireRequestState event, 94
- Activate event, View control, 193
- Active Directory or Active Directory
  - Application Mode (ADAM), 793
- ActiveDirectoryMembershipProvider, 793
- ActiveStepChanged event handler, 220–221
- ActiveStepChanged event, Wizard control, 219
- ActiveViewChanged event, MultiView control, 193
- ActiveViewIndex property, MultiView control, 193
- AdCreated event, AdRotator control, 240
- Administration pages, 754
- ADO.NET, 503–576
  - abstract base classes, 504–505
  - architecture, 504
  - classes in, 503
  - coding, data provider-independent, 550–554
  - data providers, 503, 505
  - defined, 503
  - local transaction, 525–526
- AdRotator control, 100, 180, 237–241
  - AdCreated event, 240
  - advertisement XML file, 238–239
  - AdvertisementFile property, 237
  - AlternateTextField property, 237
  - displaying advertisements from a database, 239–240
  - events of, 240
  - ImageUrlField property, 237
  - KeywordFilter property, 237
  - NavigateUrlField property, 237
  - programming, 240–241
  - properties of, 237
  - Target property, 237
- AdvertisementFile property,
  - AdRotator control, 237
- Agile and Iterative Development* (Larman), 669
- AllowLayoutChange property,
  - WebPartZone control, 863

- AllowPaging property:
  - DetailsView control, 616
  - FormView control, 601
  - GridView control, 627
- AllowSorting property, GridView control, 627
- ALTER keyword, 519
- AlternateText property:
  - Image control, 139
  - ImageField element, 621
- AlternateTextField property,
  - AdRotator control, 237
- AlternatingItemTemplate, 582
- Amazon Web Services (AWS), 908–909
  - AmazonBookControl.ascx, 919–920
    - AmazonBookControl.ascx.cs, 920–923
    - consuming, 918–926
- Anonymous access, 756, 846–848
- Anonymous profiles:
  - deleting, 848–850
  - migrating, 850–851
- AnonymousID property, HttpRequest, 79
- AnonymousIdentificationModule, 91
- App\_Browsers folder, 22
- App\_Code folder, 22, 77
- App\_Data folder, 22
- App\_GlobalResources folder, 22, 77
- App\_LocalResources folder, 22, 77
- App\_Themes folder, 22
- App\_WebReferences folder, 22
- App\_WebResources folder, 77
- AppDomain, 89–90
- Appearance:
  - Cascading Style Sheets (CSS), using with controls, 314–319
  - common properties, 312–314
  - server controls, changing, 311–319
  - skins:
    - Cool.skin, 336
    - coolstyles.css, 339–340
    - creating, 323
    - defining, 321–322
    - named, 326–327
    - Professional.skin, 337
    - professionalStyles.css, 337–339
    - using, 320–322
- themes:
  - adding, 322–324
  - applying, 324
  - creating in Visual Studio, 322–323
  - and CSS, 328–331
  - dynamically setting, 331–333
  - how they work, 324–325
  - and images, 327–328
  - overriding, 325–326
  - ThemeTester.aspx, 333–334
  - ThemeTester.aspx.cs, 335
  - using, 320–322
- AppearanceEditorPart control, 883
- AppendDataBoundItems property,
  - ListControl class, 128
- Application data caching, 738–740
- Application domain, 87–88
- Application lifecycle:
  - ASP.NET, 81–94
    - ASP.NET core objects created for the request, 88–89
    - assigning HttpApplication object to request, 89–91
    - key steps in, 82
    - user request for ASP.NET resource from server, 82–88
    - user request processed using HttpApplication pipeline, 92–94
- Application logic, 671
- Application logic layer, 689
  - creating, 699–702
- Application pools, 85–86
- Application state, 725–727
  - Global.asax file, 726
  - storage of, 725
- ApplicationManager class, 87
- ApplicationPath property,
  - HttpRequest, 79
- ApplyFormatInEditMode property,
  - BoundField element, 620
- Architecture:
  - provider model, 781–784
    - Factory Method design pattern, 781
    - provider-based services, 782–783
    - Strategy design pattern, 781

- Array class, 451
- ArrayList collection, 451, 456–461
  - .asax, 22
  - .ascx, 22, 91
  - .ashx, 23
  - .asmx, 23, 91
- ASP (Active Server Pages), 4
- ASP.NET:
  - advantages of, 8
  - application class/file, 89
  - application design, 666–670
  - application lifecycle, 81–94
    - ASP.NET core objects created for the request, 88–89
    - assigning `HttpApplication` object to request, 89–91
    - key steps in, 82
    - user request for ASP.NET resource from server, 82–88
    - user request processed using `HttpApplication` pipeline, 92–94
  - built-in tags, 7
  - button controls, 115–123
  - cache, *See* ASP.NET cache.
  - code compilation, 72–78
  - code-behind file, 20
  - compilation order, 76–78
  - consuming Web services in, 910–914
  - control state, 58
  - core objects, creation of, 88–89
  - defined, 3–4
  - encountering errors, 43–46
  - event model, 53–71
  - event types, 57
  - expressions, 556–557
  - file types, 22–23
  - how it works, 53–95
    - `HttpHandlers`, 91
    - `HttpModules`, 90–91
  - impersonation, 758
  - NONE authentication mode, 764
  - parser, 45
  - Passport authentication mode, 764
  - postback, 55–57
  - profiles, 834–854
  - reserved application folders, 22
  - runtime, 88
  - security, 754–765, *See also* Security.
    - authentication, 754
    - process, 758–760
  - security checks, 759
  - state management, 717–750
  - trust levels, 760–761
  - validation controls, 272
  - view state, 57–58
  - Web application structure, 21–23
  - Web Forms, 15–23
    - creating, 29–50
    - processing cycle for, 55–56
  - Web server control, 17
  - Windows authentication mode, 764
  - worker process, 84–85
- ASP.NET 2.0:
  - code-behind page inheritance with, 74
  - compilation process with, 76
  - embedded code page inheritance with, 75
  - release of, 3
- ASP.NET AJAX, *See* Atlas.
- ASP.NET cache, 738–748
  - application data caching, 738–740
  - cache:
    - defined, 738
    - integrating with a layered design, 740–743
  - cache dependencies, 743–745
  - `DataCache.cs`, 741
  - page output caching, 745–748
    - full page caching, 745–746
    - partial page caching, 746–747
- ASP.NET SQL Server Registration Tool, 793
- ASP.NET Website Administration Tool (WAT), 793
  - .aspx, 23, 91
- Assemblies, MSIL, 11
- `AssociatedControlId` property, `Label` control, 108
- `AssociatedHeaderCellID` property, `TableCell` control, 151, 156
- Asynchronous Web services, 930–936
- Asynchronously, use of term, 930

- Atlas, 991–1015
    - architecture, 996–1000
    - client features, 996–1000
    - control extenders, 1009
      - Atlas Control Toolkit extenders, 1012–1015
      - AutoCompleteExtender, 1010–1012
    - defined, 991, 992
    - installing, 994–996
    - partial page updates, enabling, 1006–1008
    - server features, 1000–1001
    - site template files, 995
    - UpdateProgress control, using, 1008–1009
    - using, 1001–1006
  - Atlas Control Toolkit extenders, 1012–1015
  - Attributes, 719
  - Attributes property:
    - ListItem class, 129
    - WebControl class, 103
  - Authenticate event, 820
  - Authenticated identity, 754
  - AuthenticateRequest event, 92
  - Authentication, 754, *See also* Forms authentication.
    - basic, 756
    - certificate-based, 757
    - digest, 756–757
    - Secure Sockets Layer (SSL), 756
  - Authorization, 754
    - role-based, 754
  - AuthorizeRequest event, 92
  - AutoCompleteExtender, 1010–1012
  - AutoCompleteType property, TextBox control, 112
  - AutoGenerateColumns property, GridView control, 627
  - AutoGenerateDeleteButton property:
    - DetailsView control, 616
    - GridView control, 627, 651
  - AutoGenerateEditButton property:
    - DetailsView control, 616
    - GridView control, 627, 651
  - AutoGenerateInsertButton property, DetailsView control, 616
  - AutoGenerateRows property,
    - DetailsView control, 616, 618
  - AutoGenerateSelectButton property, GridView control, 628
  - AutoPostBack property, TextBox control, 112
  - .axd, 23
- B**
- BackColor property, WebControl class, 103
  - BackColorUrl property:
    - DetailsView control, 617
    - FormView control, 601
    - GridView control, 628
    - Panel control, 183
    - Table control, 150
    - WebPartZone control, 863
  - Base Class Library (BCL), .NET Framework, 13
  - BaseCompareValidator control, 284–285
    - properties of, 285
  - BaseWizardStep, 205–206
  - Basic authentication, 756
  - BeginRequest event, 92
  - BeginTransaction method,
    - DbConnection class, 525
  - BehaviorEditorPart control, 883–885
  - Bin folder, 22
  - BitArray collection, 451
  - BookCatalogLogic.cs, 701–702
    - ObjectDataSource, setting up, 704–705
  - BookDA.cs, 572–573
  - BookPortal.aspx, 703
  - BookWithThemes.master, 361–362
  - BookWithThemes.master.cs, 362–364
  - BorderColor property, WebControl class, 103
  - BorderStyle property, WebControl class, 103
  - BorderWidth property, WebControl class, 103
  - Bottom-level compilation item order, 77

BoundField element, 618

- ApplyFormatInEditMode property, 620
- ConvertEmptyStringToNull property, 620
- DataField property, 620
- DataFormatString property, 620
- HtmlEncode property, 620
- NullDisplayText property, 621
- properties of, 620–621
- ReadOnly property, 620

Break points, 46

Browse mode, 876

BufferOutput property, `HttpResponse`, 80

BulletedList control, 100, 127, 131–138

- `BulletedListTest.aspx`, 132–134
- `BulletedListTest.aspx.cs`, 133
- CheckBoxList control, 135–138
- properties of, 131–132
- RadioButtonList control, 135–138

`BulletedListConsumer.aspx`, 381–383

BulletImageUrl property, `BulletedList` control, 131

BulletStyle property, `BulletedList` control, 131

Business objects:

- defined, 674
- designing/implementing, 674–684
- samples of, 677
- using programmatically, 684–685
- using with `ObjectDataSource`, 685–689

Business rules, 672

- invalid, handling, 711–713

Button class, 115

- events, 117
- properties, 116

Button control, 100

- `ButtonTest.aspx.cs`, 117–118
- properties and events of, 116–117

Button controls, ASP.NET, 115–123

ButtonField field type, 618

ButtonType property, `CommandField` element, 624

**C**

C#, 10, 21

C++, 10

Cache, 88

- defined, 738
- dependencies, 743–745
- integrating with a layered design, 740–743

Cache property, `HttpResponse`, 80

CacheDuration property, 565

CacheExpirationPolicy property, 565

Calendar control, 100, 158–176

- `CalendarTest.aspx`, 160–161
- Caption property, 162
- CaptionAlign property, 162
- DayNameFormat property, 163
- DayRender event, 164

  - custom, 166–172
  - responding to, 165

events, 164

- FirstDayOfWeek property, 163
- NextMonthText property, 163
- NextPrevFormat property, 163
- pop-up calendar, creating, 173–176
- `Popup.aspx`, 174–175
- `Popup.aspx.cs`, 175–176
- `PopupCalendarTest.aspx`, 173–174
- PrevMonthText property, 163
- properties of, 162–163
- SelectedDate property, 163
- SelectedDates property, 163
- SelectionChanged event, 164
- SelectionMode property, 163
- SelectMonthText property, 163
- SelectWeekText property, 163
- ShowDayHeader property, 163
- ShowGridLines property, 163
- ShowNextPrevMonth property, 163
- ShowTitle property, 164
- style elements, 159–164
- TitleFormat property, 164
- Today's Date property, 164
- UseAccessibleHeader property, 164
- VisibleDate property, 164
- VisibleMonthChanged event, 164

- Calendar style templates, 160
- Cancel method, DbCommand classes, 516
- CancelButtonClick event, Wizard control, 219
- CancelImageUrl property, CommandField element, 624
- CancelText property, CommandField element, 624
- Caption property:
  - Calendar control, 162
  - FormView control, 601
  - Table control, 150
- CaptionAlign property:
  - Calendar control, 162
  - FormView control, 601
  - Table control, 150
- CartItem class, adding, 638–639
- Catalog, defined, 880
- Catalog mode, 876, 880–882
- Catalog Zone, 878
- CatalogIconImageUrl property, IWebPart, 867
- CatalogPart controls, 880–881
- CatalogZone control, 880
- CausesValidation property:
  - Button/ImageButton/LinkButton classes, 116
  - Checkbox control, 124
  - CommandField element, 624
- CellPadding property:
  - FormView control, 601
  - RadioButtonList/CheckBoxList controls, 135
  - Table control, 150
- Cells property, TableRow control, 151
- CellSpacing property:
  - FormView control, 601
  - RadioButtonList/CheckBoxList controls, 135
  - Table control, 150
- Certificate-based authentication, 757
- Certificates, defined, 757
- Change events, 68
- ChangePassword control, 814, 824–826
- ChangePassword method,
  - MembershipUser class, 800
- ChangePasswordQuestionAndAnswer method, MembershipUser class, 800
- CheckAndRadioLists.aspx, 135–136, 138
- CheckAndRadioLists.aspx.cs, 137
- CheckBox control, 100, 123–126
  - CheckBoxTest.aspx, 124–126
  - CheckBoxTest.aspx.cs, 125
  - events, 125
  - properties, 124
- CheckBoxField element, 618
- CheckBoxList control, 100, 127, 135–138
  - properties of, 135
- CheckBoxStyle login template, 816
- Checked property:
  - Checkbox control, 124
  - TreeNode control, 425
  - Web part verbs, 866
- CheckedChanged event, Checkbox class, 124
- ChildNodes property, TreeNode control, 425
- ChildNodesPadding property, 424
- Chrome, 857
- Class hierarchy, 859
- Class library hierarchy, .NET Framework, 13
- Click event, Button/ImageButton/LinkButton classes, 116
- Clicked event, ImageMap control, 142
- Client-based event system vs. ASP.NET event system, 54
- Client-side events, 121–123
  - ClientEvents.aspx, 122–123
- Client-stored state, 718–724
  - control state, 722
  - cookies, 723–724
  - hidden fields, 722
  - querystrings, 723
  - view state, 718–722
- ClientValidationFunction property,
  - CustomValidator control, 296
- Close (Web part verb), 866
- Code access security, 760
  - .NET Framework, 760

- Code compilation, ASP.NET, 72–78
- Code declaration block, 15
- Code render blocks, 40
- Code-behind file, 15
- Code-behind page inheritance, with ASP.NET 2.0, 74
- CodeFile attribute, 19
- Cohesive, use of term, 667
- ColdFusion (Adobe), 7
- CollapsiblePanelExtender, 1013–1014
- CollapsiblePanelProperties elements, 1013
- Collection classes, 450–451
- Collection interfaces, 451–453
- Collection properties, 106
- CollectionBase class, 451
- Collections, 450–461
  - common, using, 453–461
  - dictionary, 465–467
  - generic:
    - constraining, 469–472
    - making your own, 468–472
    - iterating through, 455–456
- Color-based properties, 105–106
- Columns property, TextBox control, 112
- ColumnSpan property, TableCell control, 152
- Command buttons, 116
- Command event, 119–121
  - Button/ImageButton/LinkButton classes, 116
  - CommandTest.aspx, 119
  - CommandTest.aspx.cs, 120
- CommandArgument property, Button/ImageButton/LinkButton classes, 116
- CommandEventArgs parameter, 54
- CommandField element, 618
  - ButtonType property, 624
  - CancelImageUrl property, 624
  - CancelText property, 624
  - CausesValidation property, 624
  - DeleteImageUrl property, 624
  - DeleteText property, 624
  - DetailsView control, 623–624
  - EditImageUrl property, 624
  - EditText property, 624
  - InsertImageUrl property, 624
  - InsertText property, 624
  - NewImageUrl property, 624
  - NewText property, 624
  - properties of, 624
  - SelectImageUrl property, 624
  - SelectText property, 624
  - ShowCancelButton property, 624
  - ShowDeleteButton property, 624
  - ShowEditButton property, 624
  - ShowInsertButton property, 625
  - ShowSelectButton property, 625
  - UpdateImageUrl property, 625
  - UpdateText property, 625
  - ValidationGroup property, 625
- CommandName property, 606
  - Button/ImageButton/LinkButton classes, 116
- Commands, 508
- CommandText property, DbConnection, 516, 519
- CommandTimeout, 516
- CommandType, 516
- Comment property, MembershipUser class, 799
- Common Intermediate Language (CIL/IL), 11
- Common Language Runtime (CLR), 11–13
- Common Language Specification (CLS), 10–11
- CompareValidator control, 272, 284–287
  - properties of, 285
- Compilation order, ASP.NET, 76–78
- Compilation process, with ASP.NET 2.0, 76
- Complex domain entity, creating, 696–699
  - .config, 23
- Configuration files, 754
- ConfigurationManager.AppSettings method, 267
- Connect mode, 876
- Connect (Web part verb), 866
- Connection, 516
- Connection point, 890
- Connection pooling, 509, 515, 532
- Connection strings, 509–510
  - storing, 513–514

- Connection to a data source, 508
- ConnectionString property, 509
- connectionString, Web.config file, 513
- ConnectionStringBuilder, using, 514–515
- ConnectionStringSettings, 514
- ConnectionTimeout property, 509
- Constraints, of a generic collection, 469–472
- Consumer Web part, 889, 894–896
  - creating the Web part page with, 899
  - defining, 897–898
- Container controls, 200
- Control caching, 746
- Control class, properties of, 104
- Control events, 57
- Control extenders, 1009
  - Atlas Control Toolkit extenders, 1012–1015
  - AutoCompleteExtender, 1010–1012
- Control state, 58, 722
  - ASP.NET, 58
- ControlParameter, 558
- Controls property, Control class, 104
- ControlStyle property,
  - DataControlField, 619
- ControlTester.aspx, 924–926
- ControlTester.aspx.cs, 926
- ControlToCompare property,
  - CompareValidator control, 285
- ControlToValidate property, validation controls, 279
- ConvertEmptyStringToNull property:
  - BoundField element, 620
  - ImageField element, 621
  - Parameter class, 558
- Cookieless authentication tickets, 779–780
- CookieParameter, 558
- Cookies, 723–724
  - expiration of, 724
  - reading/writing, 724
- Cookies property:
  - HttpRequest class, 79
  - HttpResponse class, 80
- Cool.skin, 336
- coolStyles.css, 339–341
- Copy Web Site command, 973
- Copy Web Site interface, 973–974
- Coupling, classes, 667
- CREATE PROCEDURE command, 519
- CreateChildControls method, 886
- CreateObject method,
  - HttpServerUtility, 81
- CreateParameter method, DbCommand classes, 516
- CreateUser method, Membership class, 797
- CreateUserImageUrl property, Login control, 817
- CreateUserText property, Login control, 817
- CreateUserUrl property, Login control, 817
- CreateUserWizard control, 814, 828–829
- CreationDate property, MembershipUser class, 799
- Credentials, 754
- Cross-page posting, 71
- CRUD (Create, Retrieve, Update, and Delete), 671
- CSS control adapters, 662
  - .css files, 21
- CssClass property, WebControl class, 103
- CTS (Common Type System), 9
- Culture, 952
- Culture ID, 959
- Culture property, Page class, 966
- CultureInvariantValues property,
  - BaseCompareValidator control, 285
- Current Weather user control, 915–917
- Custom controls:
  - BookListViewer.cs, 872–873
  - custom verb, adding, 874–876
  - making Web parts from, 872–876
- Custom providers:
  - creating, 784–791
  - defining for existing provider service, 784–786
  - new service, defining, 786–791
  - ReviewService.cs, 789–790
- Custom server controls, 99



`Customer.cs`, 453–454  
Customize Line Images option, `TreeView`  
task panel, 430  
`CustomProfile.cs`, 844–846  
`CustomValidator` control, 273, 296–302  
automatic client-side updating, 299–302  
`ClientValidationFunction`  
property, 296  
custom client-side validation, 298–299  
events of, 296  
properties of, 296  
`ServerValidate` event, 296  
`UsingCustomValidators.aspx`,  
300–301  
`UsingCustomValidators.aspx.cs`,  
302  
`ValidateEmptyText` property, 296  
validation groups, 302–308

## D

Data access classes, 568  
Data access layer, 671–672  
modifying, 692–696  
Data access objects, 554, 562, 567, 573  
Data adapters, 508, 553  
Data binding, 447–501, 530, 554, 562, 574,  
577–578  
defined, 392, 447  
Data containers, 503–504  
Data controls, 577–664  
data-binding expressions, 584–587  
`DetailsView` control, 614–626  
`GridView` control, 626–644  
multivalued, 577–587  
object model, 582  
templates, 582–583  
Data providers, 503–504  
ADO.NET, 505  
choosing, 506–508  
classes, 508  
Data readers, 508  
Data source controls, 554–573  
how they work, 561–562  
modifying data, 560–561  
parameters, using, 557  
query string parameters, 560  
Data transfer object, 691  
`DataAlternateTextField` property,  
`ImageField` element, 621  
`DataAlternateTextFormatString`  
property, `ImageField`  
element, 621  
Database commands, 508  
Database null, 531–532  
Database property, 509  
Database schema, 535  
Data-binding expressions, 392, 584–587  
`DataBoundControl` class, 127–128  
`DataCache.cs`, 741  
`DataColumn` class, 473  
`DataColumnCollection` class, 473  
`DataControlField`:  
    `AccessibleHeaderText` property, 619  
    base class, 618  
    `ControlStyle` property, 619  
    `FooterStyle` property, 619  
    `FooterText` property, 619  
    `HeaderImageUrl` property, 619  
    `HeaderStyle` property, 619  
    `HeaderText` property, 619  
    `InsertVisible` property, 619  
    `ItemStyle` property, 619  
    properties of, 619  
    `ShowHeader` property, 619  
    `SortExpression` property, 619  
    `Visible` property, 619  
`DataEditor.aspx.cs`, 536  
`DataField` property, `BoundField`  
element, 620  
`DataFile` attribute, 555  
`DataFormatString` property,  
`BoundField` element, 620  
`DataImageUrlField` property,  
`ImageField` element, 621  
`DataImageUrlFormatString` property,  
`ImageField` element, 621  
`DataItem` property:  
    `DetailsView` control, 617  
    `FormView` control, 601  
    `TreeNode` control, 425  
`DataItemCount` property:  
    `DetailsView` control, 617  
    `FormView` control, 601

- DataItemIndex property:
  - DetailsView control, 617
  - FormView control, 601
- DataKey property:
  - DetailsView control, 617
  - FormView control, 602
  - GridView control, 628
- DataKeyNames property:
  - DetailsView control, 617
  - FormView control, 602
  - GridView control, 628
- DataList control, 578, 587–595
  - linking pages with, 593–595
  - properties of, 589–590
  - templates, 591–593
- DataNavigateUrlField property,
  - HyperLinkField, 631
- DataNavigateUrlFormatString property, HyperLinkField, 631
- DataPath property, TreeNode control, 425
- DataRelation class, 473
- DataRelationCollection class, 473
- DataRow class, 473
- DataRowCollection class, 473
- DataSet, 472–499, 503
  - calculated columns, creating, 477
  - classes, 473–474
  - data containers:
    - choosing, 495
    - custom collections as, 496–497
    - .NET collections as, 496
    - typed DataSets as, 498–499
    - using a DataSet as, 497–498
  - DataTable class, using, 475
  - DataView, 478–481
  - defined, 473
  - relating DataTables, 486–487
  - typed DataSets, 483–485
  - using, 481–485
  - XML integration with, 488–495
- DataSet classes, 473–474
- DataSource property, 449
- DataTable class, 473, 503
- DataTableCollection class, 474
- DataTextField property:
  - HyperLinkField, 631
  - ListControl class, 128
- DataTextFormatString property:
  - HyperLinkField, 631
  - ListControl class, 128
- DataValueField property, ListControl class, 128
- DataView, 478–481
- DataViewTester.aspx, 479
- DataViewTester.aspx.cs, 479–481
- Date and time format strings, 586
  - custom, 588
- DayHeaderStyle element, 159
- DayNameFormat property, Calendar control, 163
- DayRender event:
  - Calendar control, 164
  - custom, 166–172
  - responding to, 165
- DayStyle element, 159
- DbCommand, 503, 504, 505, 508, 574
  - Cancel method, 516
  - classes, 515–529
    - transactions, 525–529
  - CreateParameter method, 516
  - creating, 517
  - DbParameter, using, 522–525
  - ExecuteNonQuery method, 516, 520
  - ExecuteReader method, 516
  - ExecuteScalar method, 516, 520
  - Prepare method, 516
- DbCommandBuilder, 506, 549–550
- DbConnection, 503, 504, 505, 508, 574
  - classes, 508–515
    - properties of, 509
    - connecting pooling, 515
    - connection strings, 509–510
    - storing, 513–514
  - programming, 511–512
  - SQL commands for retrieving, adding, updating, or deleting data, 517–518
  - stored procedures, 519–520
- DbConnectionStringBuilder, 506, 515
- DbDataAdapter, 503, 504, 505, 508, 574
  - classes, 544–550
    - methods, 544
    - properties of, 544

- DeleteCommand property, 547–548
- Fill method, 545–547
- InsertCommand property, 547–548
- Update method, 547–550
- DbDataPermission, 506
- DbDataReader, 503–504, 505, 508, 574
  - classes, 529–543
  - data binding of, 530
  - defined, 529–530
  - IsDBNull method, 532
  - multiple result sets, 533
  - NextResult method, 533
  - programming, 530–532
    - handling nulls, 531–532
    - implicit connection closing, 532–533
- DbException, 506
- DbParameter, 506, 522
  - classes, properties of, 523
- DbProviderFactories class, 551–552
- DbProviderFactory class, 553, 561
- DbTransaction, 506, 525
- DbType property, DbParameter classes, 523
- Debugger:
  - Visual Studio, 46–50
  - using, 46–50
- DeclarativeCatalogPart, 881–882
- Default resource values, 956
- Default.aspx, 359–360
- Default.aspx.cs, 360
- DefaultAuthenticationModule, 91
- DefaultButton property, Panel control, 183
- DefaultMode property:
  - DetailsView control, 617
  - FormView control, 602
  - GridView control, 628
- DefaultValue property, Parameter class, 558
- Delegate, 64
- Delete (Web part verb), 866
- DeleteCommand property, DbDataAdapter classes, 544
- DeleteImageUrl property, CommandField element, 624
- DeleteMethod property,
  - ObjectDataSource control, 563
  - DeleteText property, CommandField element, 624
- DeleteUser method, Membership class, 797
- Deployment, 972–987
  - controlling with the Web Deployment Project add-in, 980–981
  - manually copying files from development to deployment machine, 972–981
  - .NET Framework, 9
  - precompiling a Web site, 975–979
- Depth property, TreeNode control, 425
- Description property:
  - IWebPart, 867
  - Web part verbs, 866
- DescriptionUrl property, Image control, 139
- Deserialization, 719
- Design mode, 877, 878–880
- DestinationPageUrl property, Login control, 817
- DetailsView control, 560–561, 565, 579–580, 614–626
  - AllowPaging property, 616
  - AutoGenerateDeleteButton property, 616
  - AutoGenerateEditButton property, 616
  - AutoGenerateInsertButton property, 616
  - AutoGenerateRows property, 616, 618
  - BackImageUrl property, 617
  - CommandField in, 623
  - data, modifying, 622–626
  - DataItem property, 617
  - DataItemCount property, 617
  - DataItemIndex property, 617
  - DataKey property, 617
  - DataKeyNames property, 617
  - DefaultMode property, 617
  - defined, 614
  - edit and insert interface, customizing, 625–626
  - EmptyDataText property, 617
  - EnablePagingCallbacks property, 617

- DetailsView control (*continued*):
    - Fields element, 618–621
    - FooterText property, 617
    - GridLines property, 617
    - HeaderText property, 617
    - PageIndex property, 617
    - properties of, 616–617
    - SelectedValue property, 617
    - simple, example of, 615
    - styled, 616
  - DetailsView fields, customizing, 618–622
  - Development framework, .NET Framework
    - as, 9
  - Development server, 25
  - Dictionary, 465–467
  - Dictionary collections, 465–467
    - generics, 464
  - DictionaryBase class, 451
  - Digest, 756–757
  - Digest authentication, 756–757
  - Direct output, dynamic technology, 5
  - Direction property:
    - DbParameter classes, 523
    - Panel control, 183
  - Directionality, 965
  - Directives, 17
  - Display modes, changing, 876–878
  - Display property:
    - validation controls, 279
    - values, 280
  - DisplayMode property:
    - BulletedList control, 131
    - ValidationSummary control, 282
  - DisplayRememberMe property, Login
    - control, 817
  - Distributed transaction, 527–528
  - Document property, Xml control, 246
  - DocumentContent property, Xml control, 246
  - DocumentSource property, Xml control, 246, 247
  - Domain classes, 472
  - Domain layer, 689
  - Domain layer classes, 691–692
  - Domain Model pattern, 573
  - Domain-Driven Design* (Evans), 670
  - DotGNU Portable .NET, 12
  - DragHighlightColor property,
    - WebPartZone control, 863
  - DragOverlayExtender, 1010
  - DropDownList control, 100, 127, 558–560, 608–610
  - Dynamic connections, 901–902
  - Dynamic technology, types of, 5
  - Dynamic Web content, 4–5
- ## E
- eBay, 908
  - Edit mode, 877, 883–889
  - Edit (Web part verb), 866
  - EditFormView.aspx, 610–612
  - EditImageUrl property, CommandField
    - element, 624
  - EditItemTemplate, 583, 606–607
  - EditorPart controls, 883
  - EditText property, CommandField
    - element, 624
  - Ellipses (...), 78
  - Email property, MembershipUser class, 799
  - Embedded code page inheritance, with
    - ASP.NET 2.0, 75
  - EmptyDataText property:
    - DetailsView control, 617
    - FormView control, 602
    - GridView control, 628
  - EmptyZoneText property, WebPartZone
    - control, 864
  - EmptyZoneTextStyle element,
    - WebPartZone control, 862
  - EnableClientScript property:
    - validation controls, 279
    - ValidationSummary control, 282
  - Enabled property:
    - ListItem class, 129
    - validation controls, 279
    - Web part verbs, 867
    - WebControl class, 103
  - EnablePagingCallbacks property,
    - DetailsView control, 617
  - EnableSortingAndPagingCallbacks
    - property, GridView control, 628

- EnableViewState property, Control class, 104
- Encryption service, 783
- EndRequest event, 93
- EntityCollection classes, 573
- EntityCollection.cs, 471–472
- Enumerator, defined, 452
- ErrorHandlerModule, 91
- ErrorMessage property, validation controls, 279
- ErrorStyle element, WebPartZone control, 862
- Event handlers, 54
  - example (walkthrough), 64–67
- Event model, 53–71
- Event properties, 105
- Event viewer, 264
- EventArgs parameter, 54
  - event handlers, 54
- EventTest.aspx, 68–69
- EventTest.aspx.cs, 69–70
- Exception handling, 257–271
  - at the application level, 264–271
    - Application\_Error event handler, 264–269
    - common HTTP errors, 271
    - custom error pages, 270–271
  - at the class level using a try...catch block, 259–262
  - exception handling strategies, 261–262
  - exceptions, cost of, 260–261
  - at the page level, 262–264
- ExecuteNonQuery method, SqlCommand classes, 516, 520
- ExecuteReader method, SqlCommand classes, 516, 532–533
- ExecuteScalar method, SqlCommand class, 516, 520
- ExpandDepth property, TreeView control, 433
- Expanded property, TreeNode control, 425, 433
- Explicit resource expression, 962
- Export (Web part verb), 866
- ExtenderTester.aspx file, 1010
- ExtractTemplateRows property, DataList control, 589

**F**

- Factory class, 550–551
- FailureAction property, Login control, 817
- FailureText property, Login control, 817
- FailureTextStyle login template, 816
- FeatureBookControl.ascx, 369
- FeatureBookControl.ascx.cs, 368
- Fields element, DetailsView control, 618–621
- File system editor window, 983
- File system Web sites, 26–27
- File types, ASP.NET, 22–23
- FileAuthorizationModule, 91
- FileBytes property, FileUpload control, 223
- FileContent property, FileUpload control, 223
- FileName property, FileUpload control, 223
- FilePath property, HttpRequest, 79
- FileUpload control, 100, 180, 222–226
  - FileBytes property, 223
  - FileContent property, 223
  - FileName property, 223
  - HasFile property, 223
  - PostedFile property, 223
  - properties of, 223
  - uploaded file:
    - limiting size of, 226
    - processing, 225–226
- Fill method, DbDataAdapter classes, 545–547
- FillSchema method, DbDataAdapter classes, 544
- FindUsersByEmail method, Membership class, 797
- FindUsersByName method, Membership class, 797
- FinishButtonClick event, Wizard control, 219
- FinishedButtonClick event handler, 221
- FirstBulletNumber property, BulletedList control, 132

- FirstDayOfWeek property, Calendar control, 163
  - Font property, WebControl class, 103
  - FooterStyle element, WebPartZone control, 862
  - FooterStyle property,
    - DataControlField, 619
  - FooterTemplate, 583
  - FooterText property:
    - DataControlField, 619
    - DetailsView control, 617
    - FormView control, 602
    - GridView control, 628
  - ForeColor property:
    - validation controls, 279
    - ValidationSummary control, 282
  - Form property, HttpRequest, 79
  - FormParameter, 558
  - Forms authentication, 765–780
    - authentication tickets, security concerns with, 779–780
    - cookieless authentication tickets, 779–780
    - how it works, 775–779
    - log-in form, creating, 768–769
    - Login.aspx, 768–769
    - Login.aspx.cs, 770–771
    - mode, ASP.NET, 764–765
    - options, 778–779
    - ticket, 777
    - user credentials, storing in Web.config file, 773–775
    - using, 765–768
  - FormsAuthenticationModule, 90
  - FormView control, 560–561, 579–580, 599–614
    - defined, 599–600
    - modifying data, 604–614
    - moving from record to record, 602–604
    - sample, 600
    - two-way data binding, 607–608
  - Four-layer model, 689–714
    - application logic layer, 689
    - creating, 699–702
    - BookCatalogLogic.cs, 701–702
    - ObjectDataSource, setting up, 704–705
    - BookPortal.aspx, 703
    - complex domain entity, creating, 696–699
    - data access layer, modifying, 692–696
    - data transfer object, 691
    - designing with a four-layer architecture, 689–692
    - domain layer, 689
    - domain layer classes, 691–692
    - entities, 670
    - presentation layer, using the architecture in, 702–703
    - Template Method pattern, 693–694
  - Fowler, Martin, 567, 573, 668
  - Fowler, Susan, 631
  - Framework, Web parts, 854–902
  - FTP Web sites, 29
  - Full page caching, 745–746
  - Full (trust name), 760
- ## G
- GenerateEmptyAlternateText property, Image control, 139
  - GeneratePassword method,
    - Membership class, 797
  - Generic collections:
    - constraining, 468–472
    - making your own, 468–472
  - Generics, 461–465
    - collection classes, 464
    - function of, 463–465
    - need for, 461–463
  - geotrust.com, 757
  - GetAllUsers method, Membership class, 797
  - GetFactory method, 551–552
  - GetFactoryClasses method,
    - DbProviderFactories, 552–553
  - GetFillParameters method,
    - DbDataAdapter classes, 544
  - GetNumberOfUsersOnline method,
    - Membership class, 797
  - GetPassword method, MembershipUser class, 800
  - GetUser method, Membership class, 797

GetUserNameByEmail method,  
    Membership class, 797  
.gif files, 21  
Global resources, 964–966  
Global.asax, 77, 89, 396–397, 726  
Globalization, 952  
Google, 908  
GridLines property:  
    DataList control, 589  
    DetailsView control, 617  
    FormView control, 602  
    GridView control, 628  
    Table control, 150  
GridView control, 558, 560, 581, 626–644  
    AllowPaging property, 627  
    AllowSorting property, 627  
    AutoGenerateColumns property, 627  
    AutoGenerateDeleteButton  
        property, 627, 651  
    AutoGenerateEditButton property,  
        627, 651  
    AutoGenerateSelectButton  
        property, 628  
    BackImageUrl property, 628  
    ButtonField, 633–634  
        using, 633  
    columns, customizing, 629–633  
    DataKey property, 628  
    DataKeyNames property, 628  
    default editing, 651  
    DefaultMode property, 628  
    EditGridView.aspx, 652–654  
    editing data within, 651–655  
    EmptyDataText property, 628  
    EnableSortingAndPagingCallbacks  
        property, 628  
    FooterText property, 628  
    GridLines property, 628  
    HeaderText property, 628  
    HyperLinkField, using, 630–633  
    master-details form, 641–644  
    nested controls, 660–662  
    PageIndex property, 628  
    PageSize property, 628  
    and pagination, 645–648  
    performing calculations, 656–660

    programmatic row customization,  
        655–656  
    properties of, 627–629  
    rows, selecting, 639–644  
    SelectedDataKey property, 629  
    SelectedIndex property, 629  
    SelectedRow property, 629  
    SelectedValue property, 629  
    selection properties, 642  
    ShowFooter property, 629  
    ShowHeader property, 629  
    simple, sample of, 627  
    SortDirection property, 629  
    SortExpression property, 629  
    sorting, 648–650  
        with ObjectDataSource control,  
            650  
    walkthrough, 633–638  
GroupingText property, Panel control,  
    183

## H

HasFile property, FileUpload control,  
    223  
Hashtable collection, 452, 453  
HeaderImageUrl property,  
    DataControlField, 619  
HeaderStyle element, WebPartZone  
    control, 863  
HeaderStyle property,  
    DataControlField, 619  
HeaderTemplate, 583  
HeaderText property:  
    DataControlField control, 619  
    DetailsView control, 617  
    FormView control, 602  
    GridView control, 628  
    ValidationSummary control, 282  
    WebPartZone control, 864  
Height property, WebControl class, 103  
HelloWorldCodeBehind.aspx, 18–19  
HelloWorldCodeBehind.aspx.cs, 19  
HelloWorldEmbedded.aspx, 16  
Help (Web part verb), 866  
HelpPageIconUrl property, Login  
    control, 817

- HelpPageText property, Login control, 817
  - HelpPageUrl property, Login control, 817
  - Hidden fields, 722
  - HiddenField control, 100, 147–149
    - HiddenFieldTest.aspx, 147–148
    - HiddenFieldTest.aspx.cs, 148–149
    - Value property, 147
  - High (trust name), 760
  - HorizontalAlign property:
    - FormView control, 602
    - Panel control, 183
    - Table control, 150
    - TableCell control, 152
    - TableRow control, 151
  - HorizontalPadding property, 424
  - HotSpotMode property, ImageMap control, 142
  - HotSpots property, ImageControl control, 142
  - HTML attributes, 106–107
  - HTML server controls, 41, 98
  - HtmlDecode method,
    - HttpServerUtility, 81
  - HtmlEncode method,
    - HttpServerUtility, 81
  - HtmlEncode property, BoundField element, 620
  - HTTP cookies, using, 723–724
  - HTTP handlers, 77, 91
  - HTTP module, 89
  - HTTP protocol, 717
  - HttpApplication objects, 89–90
  - HttpApplication pipeline, processing requests using, 92–94
  - HttpApplicationFactory, 89
  - HttpApplicationState, 88
  - HttpContext, 88
  - HttpHandlers, 91
  - HttpModules, 90–91
  - HttpRequest, 88–89
    - AnonymousID property, 79
    - ApplicationPath property, 79
    - Cookies property, 79
    - FilePath property, 79
    - Form property, 79
    - Params property, 79
    - PhysicalPath property, 80
    - properties of, 79–80
    - QueryString property, 79
    - ServerVariables property, 80
  - HttpResponse, 88–89
    - BufferOutput property, 80
    - Cache property, 80
    - Cookies property, 80
    - properties/methods of, 80
    - Redirect method, 80
    - Write method, 80
  - HttpServerUtility, 88
    - CreateObject method, 81
    - HtmlDecode method, 81
    - HtmlEncode method, 81
    - MapPath method, 81
    - methods of, 81
    - Transfer method, 81
    - UrlDecode method, 81
    - UrlEncode method, 81
  - HttpSessionState, 88
  - Hybrid approach, dynamic technology, 5–6
  - HyperLink control, 100, 145–147
    - HyperLinkTest.aspx, 145–146
    - HyperLinkTest.aspx.cs, 146
    - properties of, 145
  - HyperLinkField:
    - DataNavigateUrlField property, 631
    - DataNavigateUrlFormatString property, 631
    - DataTextField property, 631
    - DataTextFormatString property, 631
    - NavigateUrl property, 631
    - Target property, 631
    - Text property, 631
    - using, 630–633
  - HyperLinkField element, 618
  - HyperLinkStyle login template, 816
- I**
- ICollection interface, 452
  - Id property, Control class, 104
  - IDataAdapter, 505



- IDataReader, 505
- IDataRecord, 505
- IDbCommand, 505
- IDbConnection, 505
- IDbDataAdapter, 505
- Identity fields, 518, 606
- IDictionary interface, 452
- IEnumerable interface, 449, 452
- IHttpAsyncHandler interface, 91
- IIS application pool, 85–86
- IIS security, 755–758
- IList interface, 452
- IListSource interface, 449
- Image control, 100, 138–141
  - ImageAlign property, 139
  - ImageTest.aspx, 139–140
  - ImageTest.aspx.cs, 140
  - properties of, 139
- ImageButton class:
  - events, 117
  - properties, 116
- ImageButton control, 100
  - properties and events of, 116–117
- ImageClickEventArgs parameter, 54
- ImageField element, 618
  - AlternateText property, 621
  - ConvertEmptyStringToNull property, 621
  - DataAlternateTextField property, 621
  - DataAlternateTextFormatString property, 621
  - DataImageUrlField property, 621
  - DataImageUrlFormatString property, 621
  - NullDisplayText property, 621
  - NullImageUrl property, 621
  - ReadOnly property, 621
  - using, 621–622
- ImageMap control, 100, 141–145
  - events, 142
  - ImageMapTest.aspx, 143–144
  - ImageMapTest.aspx.cs, 144
  - properties of, 142
- ImageToolTip property, TreeNode control, 425
- ImageUrl property:
  - HyperLink control, 145
  - ImageMap control, 139
  - TreeNode control, 425
  - Web part verbs, 867
- ImageUrlField property, AdRotator control, 237
- Impersonation, 758
- Implicit resource expression, 958
- ImportCatalogPart, 881
- Indexer property, 469
- Inherits attribute, 19
- InitializeCulture method, 967
- InitialValue control,
  - RequiredFieldValidator, 281
- In-place precompilation, 975–976
- InProc (in-process) session provider, 731
- InputAttributes property, Checkbox control, 124
- InsertCommand property, DbDataAdapter classes, 544
- InsertImageUrl property, CommandField element, 624
- InsertMethod property,
  - ObjectDataSource control, 563
- InsertText property, CommandField element, 624
- InsertVisible property,
  - DataControlField, 619
- Installer:
  - changing properties of, 985
  - creating using Web Setup Project, 981–987
- instantssl.com, 757
- InstructionText property, Login control, 817
- InstructionTextStyle login template, 816
- Integrated security, 510
- Integrated Windows Authentication, 756–758
- Internet Information Services (IIS), 26
- Invariant name, 552
- ISAPI extension, 82

- ISAPI filter, 82–83
  - IsApproved property, MembershipUser class, 799
  - IsDBNull method, DbDataReader, 532
  - IsLockedOut property, MembershipUser class, 799
  - IsNullable property, DbParameter classes, 523
  - IsOnline property, MembershipUser class, 799
  - IsValid property, validation controls, 279
  - Items property, ListControl class, 128
  - ItemStyle property,
    - DataControlField, 619
  - ItemTemplate, 582
  - IWebPart, 867–872
    - CatalogImageUrl property, 867
    - CustomWebPartBase.cs, 870–871
    - Description property, 867
    - LoginControl.ascx.cs, 871–872
    - properties, 867
    - SubTitle property, 867
    - Title property, 867
    - TitleImageUrl property, 867
    - TitleUrl property, 867
- J–K**
- J++, 10
  - Java, 7
  - JavaServer Faces and Struts, 7
  - Javascript, 17
    - .jpg files, 21
    - .js, files:
  - JScript.NET, 10
  - JSP (JavaServer Pages), 7
  - JVM (Java Virtual Machine), 12
  - Kerberos, 757
  - KeywordFilter property, AdRotator control, 237
- L**
- Label control, 100, 108–110
    - LabelHotKeys.aspx, 109, 110
    - properties of, 108
  - LabelAttributes property, Checkbox control, 124
  - Language interoperability, defined, 10
  - Larman, Craig, 669
  - LastActivityDate property,
    - MembershipUser class, 799
  - LastLockoutDate property,
    - MembershipUser class, 799
  - LastLoginDate property,
    - MembershipUser class, 799
  - LastPasswordChangedDate property,
    - MembershipUser class, 799
  - Layers, 667–670
    - compared to tiers, 669
    - consequences of using, 669–670
    - defined, 667
    - dependencies, 667
    - four-layer model, 689–714
    - goal of layering, 667
    - implementation, 667
    - interface, 667
    - three-layer model, 673–689
    - two-layer model, 670–672
    - visualizing, 668
  - LayoutEditorPart control, 883–884
  - LayoutOrientation property,
    - WebPartZone control, 864
  - Lazy initialization, 725
  - Leaf node, 423
  - LeafNodeStyle, 423
  - LinkButton class:
    - events, 117
    - properties, 116
  - LinkButton control, 100, 194–196
    - properties and events of, 116–117
  - LinkedList collection, generics, 464
  - List collection, generics, 464
  - ListBox control, 100, 127
  - ListBox tutorial, 534–544
  - ListControl class, 127
    - class hierarchy, 127
    - events, 128
    - properties of, 128
  - ListControlProgrammatic.aspx, 130, 131
  - ListControlProgrammatic.aspx.cs, 130
  - ListItem class, properties of, 129
  - List-style controls, 127–138

- List-to-object interaction pattern, 631
- Literal control, 100, 110–112
  - LiteralTest.aspx, 111
  - properties of, 110
- LiteralMode property, Literal control, 110
- LoadControl method, Page class, 78
- Local IIS Web sites, 27–28
- Local proxy class, 909
- Local transactions, 525–526
- Localization, 952
- LocalizationDemo.aspx, 955
- LocalTransactions.aspx.cs, 526–527
- LoggedIn event, 820
- LoggingIn event, 820
- Login control, 814–820
  - CreateUserImageUrl property, 817
  - CreateUserText property, 817
  - CreateUserUrl property, 817
  - defined, 814
  - DestinationPageUrl property, 817
  - DisplayRememberMe property, 817
  - event handling with, 819–820
  - FailureAction property, 817
  - FailureText property, 817
  - HelpPageImageUrl property, 817
  - HelpPageText property, 817
  - HelpPageUrl property, 817
  - InstructionText property, 817
  - login events, 820
  - LoginButtonImageUrl property, 817
  - LoginButtonText property, 817
  - LoginButtonType property, 817
  - MembershipProvider property, 817
  - properties, 817–818
  - sample, 815
  - style templates, 816
  - styling/customizing, 815–816
- Login controls, 814–829
- LoginButtonImageUrl property, Login control, 817
- LoginButtonStyle login template, 816
- LoginButtonText property, Login control, 817
- LoginButtonType property, Login control, 817
- LoginError event, 820

- LoginImageUrl property, LoginStatus control, 821
- LoginName control, 814, 820
- LoginStatus control, 814, 821–822
  - LoginImageUrl property, 821
  - LoginText property, 821
  - LogoutAction property, 821
  - LogoutImageUrl property, 821
  - LogoutPageUrl property, 821
  - LogoutText property, 821
- LoginText property, LoginStatus control, 821
- LoginView control, 814, 822–824
- LogoutAction property, LoginStatus control, 821
- LogoutImageUrl property, LoginStatus control, 821
- LogoutPageUrl property, LoginStatus control, 821
- LogoutText property, LoginStatus control, 821
- Low (trust name), 760

## M

- Managed code, 12
- MapPath method, HttpServerUtility, 81
- Markup, 39
  - .master, 23
- Master-details form, 641–644
  - sample, 640
- MaximumValue property, RangeValidator control, 287
- MaxLength property, TextBox control, 112
- Medium (trust name), 760
- Membership, 791–802
  - Membership API, 792
    - using, 796–802
  - membership providers, 792–793
  - service, 783
  - system, overview of, 792–793
- Membership class:
  - CreateUser method, 797
  - DeleteUser method, 797
  - FindUsersByEmail method, 797

- Membership class (*continued*):
    - FindUsersByName method, 797
    - GeneratePassword method, 797
    - GetAllUsers method, 797
    - GetNumberOfUsersOnline method, 797
    - GetUser method, 797
    - GetUserNameByEmail method, 797
    - UpdateUser method, 797
    - ValidateUser method, 797
  - MembershipProvider property, Login control, 817
  - MembershipUser class:
    - ChangePassword method, 800
    - ChangePasswordQuestionAndAnswer method, 800
    - Comment property, 799
    - CreationDate property, 799
    - Email property, 799
    - GetPassword method, 800
    - IsApproved property, 799
    - IsLockedOut property, 799
    - IsOnline property, 799
    - LastActivityDate property, 799
    - LastLockoutDate property, 799
    - LastLoginDate property, 799
    - LastPasswordChangedDate property, 799
    - PasswordQuestion property, 799
    - ProviderName property, 799
    - ProviderUserKey property, 799
    - ResetPassword method, 800
    - UnlockUser method, 800
    - UserName property, 799
  - MenuCheckImageStyle element, WebPartZone control, 863
  - MenuCheckImageUrl property, WebPartZone control, 864
  - MenuLabelHoverStyle element, WebPartZone control, 863
  - MenuLabelStyle element, WebPartZone control, 863
  - MenuLabelText property, WebPartZone control, 864
  - MenuMapping.xml, 417–418
  - MenuPopupImageUrl property, WebPartZone control, 864
  - MenuPopupStyle element, WebPartZone control, 863
  - MenuStyling.aspx, 409–410
  - MenuStyling.css, 410–411
  - MenuVerbHoverStyle element, WebPartZone control, 863
  - MenuVerbStyle element, WebPartZone control, 863
  - Menu.xml, 242
  - Menu.xslt, 244–245
  - Microsoft Intermediate Language (MSIL), 11, 513
  - Microsoft Internet Information Server (IIS), 754
  - Microsoft SQL Server databases, data provider for, 504
  - Microsoft Web Services Enhancements Toolkit, 948
  - Microsoft's Internet Information Services (IIS), 27
    - virtual directory, 29
  - Minimal (trust name), 760
  - Minimize (Web part verb), 866
  - MinimumValue property, RangeValidator control, 287
  - ModifyProductSiteMapNode, 396
  - Mono project, 12
  - MultiView control, 101, 180, 191–200
    - creating tabbed panels, 194–199
    - events of, 193
    - MultiViewTest.aspx, 197–199
    - MultiViewTest.aspx.cs, 199
    - navigation between views, 193–194
    - properties of, 193
- ## N
- Name property, Parameter class, 558
  - Namespaces, 13
  - Naming containers, 200
  - NavigateUrl property:
    - HyperLink control, 145
    - HyperLinkField, 631
    - TreeNode control, 425
  - NavigateUrlField property, AdRotator control, 237
  - Nested GridView controls, 660–662

- .NET Framework, 8–15
  - Base Class Library (BCL), 13
  - class library hierarchy, 13
  - code access security, 760
  - components of, 10–13
  - core features of, 9
  - defined, 4, 8–9
  - as development framework, 9
  - execution, 14–15
  - language compilers, 10–12
  - membership providers, 793
  - namespaces, 13
  - as software platform, 9
- .NET Framework 2.0, 10
- .NET Framework 3.0, 9–10
- .NET Framework Base Class Library (BCL), 13
- New resource entry, adding, 962
- NewImageUrl property, CommandField element, 624
- NewText property, CommandField element, 624
- NextButtonClick event handler, 219–220
- NextButtonClick event, Wizard control, 219
- NextMonthText property, Calendar control, 163
- NextPrevFormat property, Calendar control, 163
- NextPrevStyle element, 159
- NextResult method, DbDataReader, 533
- Node, 244
- NodeSpacing property, 424
- NONE authentication mode, ASP.NET, 764
- Non-postback, controls, 68–70
- NullDisplayText property:
  - BoundField element, 621
  - ImageField element, 621
- NullImageUrl property, ImageField element, 621
- Numeric format strings, 585, 586–587
- O**
- Obfuscator, 12
- object parameter, event handlers, 54
- ObjectCreating event handler, 563
- ObjectDataEditor.aspx, 566–567
- ObjectDataSource control, 554, 562–563
  - caching, 565
  - example, 565–573
  - modifying data with, 613–614
  - pagination with, 646–647
- Odbc, 507
- OleDb, 507
- OleDbCommand, 505
- OleDbConnection, 505, 511
- OleDbDataAdapter, 505
- OleDbDataReader, 505
- OnClickClick property, Button/  
ImageButton/LinkButton classes, 116
- Operator property, CompareValidator control, 285
- Oracle, 508
  - ODP.NET, 506
- Oracle databases, data provider for, 504
- Orientation property, Login control, 818
- OutputCacheModule, 90
- P**
- Padding property, WebPartZone control, 864
- Page class, 78
  - LoadControl method, 78
  - RegisterClientScriptBlock method, 78
  - Request property, 79
  - Response property, 80
  - Server property, 80–81
  - Validate method, 78
- Page events, 57
- Page lifecycle, 58–64
- Page output caching, 745–748
  - full page caching, 745–746
  - partial page caching, 746–747
- Page property, Control class, 104
- Page scripting dynamic technology, 5–6
- PageCatalogPart, 881–882
- PageIndex property:
  - DetailsView control, 617
  - FormView control, 602
  - GridView control, 628

- Page-level culture settings, 966–971
- PageSize property, GridView control, 628
- Pagination:
  - custom, creating a stored procedure to implement, 647–648
  - and GridView control, 645–648
  - with ObjectDataSource control, 646–647
- Panel control, 101, 180, 182–191
  - PizzaPanelTest.aspx, 184–185, 191
  - PizzaPanelTest.aspx.cs, 186–189
  - properties of, 183
  - Wrap property, 183
- Parameter class, properties of, 558
- Parameterized queries, 521
- ParameterName property, DbParameter classes, 523
- Parameters, 516, 521
  - control types, 558
- Params property, HttpRequest, 79
- Parent node, 423
- Parent property:
  - Control class, 104
  - TreeNode control, 425
- ParentNodeStyle, 423
- ParentPage.cs, 357–358
- Parser error, 45–46
- PartChromeStyle element,
  - WebPartZone control, 863
- Partial page caching, 746–747
- Partial page updates, enabling, 1006–1008
- PartStyle element, WebPartZone control, 863
- PartTitleStyle element, WebPartZone control, 863
- Passport authentication mode, ASP.NET, 764
- PassportAuthenticationModule, 90
- Password property, Login control, 818
- PasswordLabelText property, Login control, 818
- PasswordQuestion property,
  - MembershipUser class, 799
- PasswordRecovery control, 826–827
- PasswordRecoveryIconUrl property, Login control, 818
- PasswordRecoveryText property,
  - Login control, 818
- PasswordRecoveryUrl property, Login control, 818
- PasswordRequiredErrorMessage property, Login control, 818
- Patterns of Enterprise Application Architecture* (Fowler), 567, 667
- PayPal, 908
- Personalizable attribute, 886
- Personalization, 859–860
  - information, 833
- PHP (PHP Hypertext Preprocessor), 6
- PhysicalPath property, HttpRequest, 80
- Pipeline, 200
  - defined, 92
- Placeholder control, 101, 180, 227–236
  - file browser, creating, 228–236
  - FileBrowser.aspx, 228–229
  - FileBrowser.aspx.cs, 231–236
- PopulateOnDemand property, TreeNode control, 425, 434
- Pop-up calendar, creating, 173–176
- Portal, defined, 854
- PostAcquireRequestState event, 93
- PostAuthenticateRequest event, 92
- PostAuthorizeRequest event, 92
- PostBack, 55–57
  - controls, 68–70
  - detecting, 67–68
  - flow, 56
- PostBackUrl property, Button/ImageButton/LinkButton classes, 116
- Post-cache substitution, 746–747
- PostedFile property, FileUpload control, 223
- PostMapRequestHandler event, 93
- PostReleaseRequestState event, 93
- PostRequestHandlerExecute event, 93
- PostResolveRequestCache event, 92
- PostUpdateRequestCache event, 93
- Precompilation for deployment, 975, 976–979
- Prepare method, DbCommand classes, 516
- PreRequestHandlerExecute event, 93

Presentation layer, 670–671  
    using the architecture in, 702–703  
PressReleaseRSS.cs, 886–888  
PreviousButtonClick event, Wizard control, 219  
PrevMonthText property, Calendar control, 163  
ProcessRequest method, 93  
Production server, 25  
Professional.skin, 337  
professionalStyles.css, 337  
Profile:  
    properties, 77, 737  
    service, 783  
ProfileBase, 88  
ProfileModule, 91  
ProfileParameter, 558  
Profiles, 834–854  
    anonymous access, 846–848  
    anonymous profiles:  
        deleting, 848–850  
        migrating, 850–851  
    custom types, 843  
    CustomProfile.cs, 844–846  
    defining, 834–836  
    how they work, 840–842  
    profile data:  
        saving/retrieving, 842–843  
        using, 836–840  
    profile groups, 840  
    profile save behavior, controlling, 843  
    when to use, 852–854  
PropertyGridEditorPart, 883–884, 886–889  
Provider, defined, 780  
Provider factories, 551  
Provider model, 780–791  
    architecture, 781–784  
        Factory Method design pattern, 781  
        provider-based services, 782–783  
        Strategy design pattern, 781  
    benefits of, 780–781  
    custom providers, creating, 784–791  
    proficer classes, 784  
Provider Web part, 889  
ProviderName property, MembershipUser class, 799

ProviderUserKey property,  
    MembershipUser class, 799  
Proxy, 909  
    timeout, setting, 929–930  
ProxyWebPartManager control, 901  
PublisherRSSControl Web part, 889

## Q

Query strings, 560, 723  
QueryString property, HttpRequest, 79  
QueryStringParameter, 558, 560  
Queue collection, 452  
    generics, 464  
Quote service:  
    creating, 938–945  
    Quote.cs, 940–941  
    QuoteService.asmx, 943  
    QuoteService.cs, 941–943  
    testing, 943–945  
    WS-I, 939

## R

RadioButton control, 101  
    programming, 126–127  
RadioButtonList control, 101, 127, 135–138  
    properties, 135  
RangeValidator control, 273, 284  
ReadOnly property:  
    BoundField element, 620  
    ImageField element, 621  
ReadOnlyCollectionBase class, 452  
ReadXML.aspx, 492, 494  
ReadXML.aspx.cs, 492–494  
Redirect method:  
    HttpResponse, 80  
    Response property, 78  
RegisterClientScriptBlock method,  
    Page class, 78  
RegularExpressionValidator control,  
    273, 288–296  
Regex class, using, 293–295  
regular expressions:  
    common, 288–289, 291  
    defined, 288  
    and security, 295–296

- RegularExpressionValidator control
    - (continued):
    - ScrapeHeadings.aspx, 293
    - ScrapeHeadings.aspx.cs, 293–294
  - ReleaseRequestState event, 94
  - RememberMeSet property, Login control, 818
  - RememberMeText property, Login control, 818
  - RepeatColumns property:
    - DataList control, 590
    - RadioButtonList/CheckBoxList controls, 135
  - RepeatDirection property:
    - DataList control, 590
    - RadioButtonList/CheckBoxList controls, 135
  - Repeater control, 578–579, 595–598
    - templates, 595
  - RepeatLayout property:
    - DataList control, 589
    - RadioButtonList/CheckBoxList controls, 135
  - Request property, Page class, 79
  - RequiredFieldValidator control, 272, 280
    - unique property of, 281
  - Reserved application folders, 22
  - ResetPassword method,
    - MembershipUser class, 800
  - ResolveRequestCache event, 92
  - Resource editor, Visual Studio, 961
  - Resource files, 952–954
    - generating, 954–959
    - localizing, 959–964
  - Resource hierarchy, 960
  - Resource key prefix value, 958
  - Resources:
    - adding, 961–964
    - defined, 952
    - explicit resource expression, 962
    - global, 964–966
    - implicit resource expression, 958
  - Response property, Page class, 80
  - Response.Redirect vs.
    - Server.Transfer, 81
  - Restore (Web part verb), 866
  - Result set, 530
    - .resx, 23
  - ReviewService.cs, 789–790
  - Role management, 803–813
    - defined, 803
    - management technique, 803–806
    - Role class, methods of, 807–808
    - role management API, 806–814
    - role provider, 803
    - RoleManager.aspx, 809–810
    - RoleManager.aspx.cs, 811–813
    - service, 783
  - Role-based authorization, 754
  - RoleManagerModule, 90
  - Root node, 423
  - RootNodeStyle, 423
  - Round trip, defined, 56
  - RowCommand event handler, adding, 636–637
  - Rows property:
    - Table control, 150
    - TextBox control, 112
  - RowSpan property, TableCell control, 152
  - RSS feed, processing, 248–253
  - RssReader.aspx, 250–251
  - RssReader.aspx.cs, 251–252
  - RssTransform1.xsl, 249
  - RssTransform2.xsl, 249–250, 502
  - Ruby on Rails, 7
- ## S
- SCOPE\_IDENTITY () function, 524
  - ScrapeHeadings.aspx, 293
  - ScrapeHeadings.aspx.cs, 293–294
  - ScrollBars property, Panel control, 183
  - Secure Sockets Layer (SSL), 756
  - Security, 754–765
    - ASP.NET authentication, 764–765
    - authenticated identity, 754
    - authorization, 754
      - role-based, 754
    - credentials, 754
    - IIS, 755–758
    - provider model, 780–791
  - Security checks, ASP.NET, 759



- SelectCommand attribute, 555
- SelectCommand property,
  - DbDataAdapter classes, 544
- Selected property:
  - ListItem class, 129
  - TreeNode control, 425
- SelectedDataKey property, GridView control, 629
- SelectedDate property, Calendar control, 163
- SelectedDates property, Calendar control, 163
- SelectedDayStyle element, 159
- SelectedIndex property:
  - GridView control, 629
  - ListControl class, 128
- SelectedIndexChanged event, 68
  - ListControl class, 128
- SelectedItem property, ListControl class, 128
- SelectedItemTemplate, 583
- SelectedNode property, TreeView control, 436–437
- SelectedNodeChanged event, 435
- SelectedPartChromeStyle element,
  - WebPartZone control, 863
- SelectedRow property, GridView control, 629
- SelectedValue property:
  - DetailsView control, 617
  - FormView control, 602
  - GridView control, 629
  - ListControl class, 128
- SelectGridView.aspx, 642–644
- SelectGridView.aspx.cs, 644
- SelectImageUrl property, CommandField element, 624
- SelectionChanged event, 164–165
  - Calendar control, 164
- SelectionMode property, Calendar control, 163
- SelectMonthText property, Calendar control, 163
- SelectorStyle element, 159
- SelectParameters element, 557
- SelectText property, CommandField element, 624
- SelectWeekText property, Calendar control, 163
- SeparatorTemplate, 583
- Serialization, 719
- Server controls, 41
- Server property, Page class, 80–81
- Server-side comments, 40
- ServerValidate event,
  - CustomValidator control, 296
- ServerVariables property,
  - HttpRequest, 80
- Service-oriented architecture (SOA), 907
- Services, defined, 906
- Session ID, 728
- Session state, 727–737
  - ASP.NET session process, 730
  - how it works, 728–730
  - optimizing, 735–737
  - profile properties, 737
  - service, 783
  - state providers, 729–731
    - in-process session provider, 731
    - SQL Server session provider, 734–736
    - state server session provider, 732–733
- SessionParameter, 558
- SessionStateModule, 90
- SetFocusOnError property, validation controls, 279
- Setup Wizard Project, Visual Studio, 982
- Shared scope, 860
- SharePoint 2003, 55–56
- ShowCancelButton property,
  - CommandField element, 624
- ShowCheckBox property, TreeNode control, 425
- ShowDayHeader property, Calendar control, 163
- ShowDeleteButton property,
  - CommandField element, 624
- ShowEditButton property,
  - CommandField element, 624
- ShowFooter property:
  - DataList control, 589
  - GridView control, 629
- ShowGridLines property, Calendar control, 163

- ShowHeader property:
  - DataControlField, 619
  - DataList control, 589
  - GridView control, 629
- ShowInsertButton property,
  - CommandField element, 625
- ShowMessageBox property,
  - ValidationSummary control, 282
- ShowNextPrevMonth property,
  - Calendar control, 163
- ShowSelectButton property,
  - CommandField element, 625
- ShowSummary property,
  - ValidationSummary control, 282
- ShowTitle property, Calendar control, 164
- ShowTitleIcons property,
  - WebPartZone control, 864
- ShowWeatherControl.ascx.cs, 927–928
- SideBarButtonClick event, Wizard control, 219
- Single book data, adding ability to view and edit, 709–711
- Site culture, letting the user control, 969–971
- Site map service, 783
  - .sitemap, 23
- SiteMapDataSource, 555
- Size property, DbParameter classes, 523
  - .skin, 23
- SkinID property, Control class, 104
- Skins:
  - Cool.skin, 336
  - coolstyles.css, 339–340
  - creating, 323
  - defining, 321–322
  - named, 326–327
  - Professional.skin, 337
  - professionalStyles.css, 337–339
- Sliding expiry time, 739
- SOAP (Simple Object Access Protocol), 906–907
- Software development, errors in, 43–46
- Software platform, .NET Framework as, 9
- Software projects, and shifting requirements, 666
- Solution definition file (.sln), 26
- Solution user options file (.suo), 26
- SortDirection property, GridView control, 629
- SortedDictionary collection, generics, 464
- SortedList collection, 452
  - generics, 464
- SortExpression property:
  - DataControlField, 619
  - GridView control, 629
- SourceColumn property, DbParameter classes, 523
- Spaghetti code, 7
- SQL commands:
  - DELETE, 518–519
  - INSERT, 518, 520
  - SELECT, 517–518, 533
  - UPDATE, 518, 607
- SQL injection attack, 521
- SQL Server Authentication, 510
- SQL Server session provider, 734–736
- SqlClient, 507
- SqlCommand, 505
- SqlConnection, 504–505
- SqlDataAdapter, 505
- SqlDataReader, 505
- SqlDataSource control, 554, 561
  - problems with, 561–562
- SqlDataSourceView class, 561
- SqlMembershipProvider:
  - configuring, 793–796
  - defined, 793
  - using in conjunction with WAT, 794
- Stack collection, 452
  - generics, 464
- Staging server, 25
- Stanwick, Victor, 631
- State management, 717–750
  - application state, 725–727
  - ASP.NET, 717
  - client-stored state, 718–724
  - session state, 727–730
- State property, 509
- State providers, in-process session provider, 731
- State server session provider, 732–733

- StateBag, 718
- Statelessness, defined, 717
- Static connection, creating, 890–891
- Static vs. dynamic Web content, 4–5
- Stored procedures, 519–520
- Style elements, 159–164
- Submit buttons, 116
- Subproperties, 103
- Subscription-only content, 754
- Substitution control, 747
- SubTitle property, IWebPart, 867
- Synchronization, 975
- System.Collections namespace, 450
- System.Collections.Generic namespace, 450
- System.Collections.Specialized namespace, 450
- System.Transaction namespace, 529
- System.Transactions.dll, 529

## T

- TabIndex property, WebControl class, 103
- Table control, 101
  - object model for, 150
  - properties of, 150–151
    - TableTest.aspx, 152–153
    - TableTest.aspx.cs, 153–154
- Table Module pattern, 567, 573
- TableCell control:
  - properties of, 151–152
  - Wrap property, 152
- TableRow control, properties of, 151
- TableSection property, TableRow control, 151
- Target property:
  - AdRotator control, 237
  - BulletedList control, 132
  - HyperLink control, 145
  - HyperLinkField, 631
  - ImageMap control, 142
- Template Method pattern, 693–694
- TemplateControl class, 78
- TemplateField field type, 618, 625–626
- Templates, 582–583
  - DataList control, 591–593
  - Repeater control, 595
- TerraService (Microsoft), 910–914
- Text property:
  - Button/ImageButton/LinkButton classes, 116
  - Checkbox control, 124
  - HyperLink control, 145
  - HyperLinkField, 631
  - Label control, 108
  - ListItem class, 129
  - Literal control, 110
  - TableCell control, 152
  - TreeNode control, 426
  - validation controls, 279
  - Web part verbs, 867
- TextAlign property:
  - Checkbox control, 124
  - RadioButtonList/CheckBoxList controls, 135
- TextBox control, 101, 112–115
  - events, 114
  - properties of, 112
  - TextBoxEvent.aspx, 114
  - TextBoxEvent.aspx.cs, 114–115
  - TextBoxTest.aspx, 113
  - Wrap property, 112
- TextBoxStyle login template, 816
- TextChanged event, TextBox control, 114
- TextLayout property, Login control, 818
- TextMode property, TextBox control, 112
- thawte.com, 757
- Themes:
  - adding:
  - applying, 324
  - creating in Visual Studio, 322–323
  - and CSS, 328–331
  - dynamically setting, 331–333
  - how they work, 324–325
  - and images, 327–328
  - overriding, 325–326
  - ThemeTester.aspx, 333–334
  - ThemeTester.aspx.cs, 335
  - using, 320–322
- ThemeTester.aspx, 333–334
- ThemeTester.aspx.cs, 335
- Third-party design resources, using, 714

- Three-layer model, 673–689
  - AbstractBO.cs, 678–679
  - business layer, 673
  - business objects:
    - defined, 674
    - designing/implementing, 674–684
    - samples of, 677
    - using programmatically, 684–685
    - using with ObjectDataSource, 685–689
  - namespaces, using, 683–684
  - PublisherBO.cs, 680–683
- Tiers, compared to layers, 669
- Title property, IWebPart, 867
- TitleBarVerbButtonType property, WebPartZone control, 864
- TitleBarVerbStyle element, WebPartZone control, 863
- TitleFormat property, Calendar control, 164
- TitleImageUrl property, IWebPart, 867
- TitleStyle element, 160
- TitleText property, Login control, 818
- TitleTextStyle login template, 816
- TitleUrl property, IWebPart, 867
- TodayDayStyle element, 160
- TodaysDate property, Calendar control, 164
- ToolTip property:
  - TreeNode control, 426
  - WebControl class, 103
- Top-level compilation item order, 77
- Trace.axd, 91
- TraceContext, 88
- Transactions, 516, 525–529
- TransactionScope class, 528–529
- Transfer method, HttpServerUtility, 81
- Transform property, Xml control, 246
- TransformArgumentList property, Xml control, 246
- TransformSource property, Xml control, 246, 247
- TreeEventHandling.aspx, 437–441
- TreeEventHandling.aspx.cs, 438
- TreeNode control:
  - Checked property, 425
  - ChildNodes property, 425
  - DataItem property, 425
  - DataPath property, 425
  - Depth property, 425
  - Expanded property, 425, 433
  - ImageToolTip property, 425
  - ImageUrl property, 425
  - NavigateUrl property, 425
  - Parent property, 425
  - PopulateOnDemand property, 425, 434
  - Selected property, 425
  - ShowCheckBox property, 425
  - Text property, 426
  - ToolTip property, 426
  - Value property, 426
- TreeNodeCheckChanged event, 435
- TreeNodeCollapsed event, 435
- TreeNodeDataBound event, 435
- TreeNodeExpanded event, 435
- TreeNodePopulate event, 433, 435
- TreeNodePopulate handler, creating, 434
- TreeView control, 423–424
  - changing appearance properties/styles, 427–430
  - events, 433
  - ExpandDepth property, 433
  - ImageSet property, 428–430
  - LineSets property, 430
  - populate on demand, 433–435
  - using, 426–427
  - using database data, 431–433
  - using XML data, 431
- TreeView Line Image Generator, 430
- Trust exception, 763
- T-SQL stored procedure, 519
- Two-layer model, 670–672
  - data access layer, 671–672
  - presentation layer, 670
- Two-way data binding, 607–608
- Type parameter, 468–469
- Type property:
  - BaseCompareValidator control, 285
  - Parameter class, 558

Typed DataSet, 483–485  
TypeName property, 563

## U

UICulture property, Page class, 966  
Unit-based measurement properties, 105  
UnLockUser method, MembershipUser class, 800  
Update method, DbDataAdapter, 544, 547–550  
UpdateCommand property, DbDataAdapter classes, 544  
UpdatedRowSource, 516  
UpdateImageUrl property, CommandField element, 625  
UpdateMethod property, ObjectDataSource control, 563  
UpdateProgress control, using, 1008–1009  
UpdateRequestCache event, 93  
UpdateText property, CommandField element, 625  
UpdateUser method, Membership class, 797  
URL-encoded querystring, 723  
UrlAuthorizationModule, 90  
UrlDecode method, HttpServerUtility, 81  
UrlEncode method, HttpServerUtility, 81  
Use cases, 666, 689, 699  
UseAccessibleHeader property, Calendar control, 164  
User controls, 99  
User credentials, storing in Web.config file, 773–775  
User scope, 860  
UserName property: Login control, 818 MembershipUser class, 799  
UserNameLabelText property, Login control, 818  
UserNameRequiredErrorMessage property, Login control, 818

UseSubmitBehavior property, Button/ImageButton/LinkButton classes, 116  
UsingCSS.aspx, 315, 316–318  
UsingCSS.aspx.cs, 318–319

## V

Validate method, Page class, 78  
ValidateEmptyText property, CustomValidator control, 296  
ValidateUser method, Membership class, 797  
Validation: controls, 99, 272 groups, 302–308 GroupingValidators.aspx, 305–307 GroupingValidators.aspx.cs, 308 server controls, 271–308 ASP.NET form validation process, 273–308 client-side validation process, 274–276 common validation properties, 278–279 defined, 272 server-side validation process, 276–278 static vs. dynamic display of, 279–280 types of, 272–273  
ValidationExpression property, RangeValidator control, 288  
ValidationGroup property: Checkbox control, 124 CommandField element, 625 validation controls, 279 ValidationSummary control, 282  
ValidationSummary control, 273, 282–284 DisplayMode property, 282 EnableClientScript property, 282 ForeColor property, 282 HeaderText property, 282

- ValidationSummary control (*continued*):
    - properties of, 282
    - ShowMessageBox property, 282
    - ShowSummary property, 282
    - ValidationGroup property, 282
  - ValidatorTextStyle login template, 816
  - Value property:
    - DbParameter classes, 523
    - ListItem class, 129
    - TreeNode control, 426
  - ValueToCompare property,
    - CompareValidator control, 285
  - VaryByParam attribute, 746
  - VBScript, 7, 17
  - VerbButtonType property, WebPartZone control, 864
  - Verbs, 857
  - VerbStyle element, WebPartZone control, 863
  - VeriSign.com, 757
  - VerticalAlign property:
    - TableCell control, 152
    - TableRow control, 151
  - VerticalPadding property, 424
  - View control, 101, 180, 191–200
    - events of, 193
  - View state, 57–58, 718–722
    - ASP.NET, 57–58
    - uses/misuses of, 721–722
    - using, 720
  - Views property, MultiView control, 193
  - Virtual directory, Microsoft's Internet Information Services (IIS), 29
  - Visible property:
    - Control class, 104
    - DataControlField, 619
    - Web part verbs, 867
  - VisibleDate property, Calendar control, 164
  - VisibleMonthChanged event, Calendar control, 164
  - VisibleWhenLoggedIn property, Login control, 818
  - Visual Basic.NET (VB.NET), 10
  - Visual Studio:
    - Add Reference option, 529
    - creating a stored procedure in, 519–520
    - creating a Web site in, 30–31
    - debugger, using, 46–50
    - encountering errors, 43–46
    - formatting Calendar control, 161–162
    - Intellisense feature, 70
    - specifying a code separation file in, 21
    - using the Configure Data Source Wizard in, 556
    - Web Deployment Project add-in, 972
    - Web projects, 25–26
    - Web Setup Project/Setup Wizard Project, 972
  - Visual Studio 2005, 24–29
    - file system Web sites, 26–27
    - local IIS Web sites, 27–28
    - opening a Web project in, 26–27
  - Visual Studio Designer, 555, 666
  - Visual Studio projects, 26
  - Visual Web Developer 2005 Express Edition, 24
- W**
- Web application projects, 26
  - Web applications:
    - anonymous access to, 756
    - design and ASP.NET, 666–670
    - design, layers, 667–670
    - internationalizing, 952–971
    - roles in, 754
  - Web Deployment Project add-in, Visual Studio, 972
  - Web events service, 783
  - Web farm, 732
  - Web Forms, 15–23
    - adding, 31–32
    - adding event handlers to, 707–708
    - adding GridView controls to, 705–707
    - adding HTML content to, 33–36
    - adding markup content to, 535–536, 634–635
    - code render blocks, 40
    - creating, 29–50
    - HTML server controls, 41–42

- processing cycle for, 55–56
  - programming logic, adding, 39–43
  - server controls, 41
  - viewing, 36–39
  - Web server controls, 42–43
- Web garden, 732
- Web parts, 783, 854–902
- chrome, 857
  - class hierarchy, 859
  - components, 856
  - connections:
    - data flow with, 891
    - defined, 889
    - dynamic connections, 901–902
    - static connection, creating, 890–891
  - creating/using, 860–864
  - defined, 856
  - display mode, 876–878
  - framework, 854–902
  - making from user controls, 867–872
  - personalization, 859–860
  - portal, defined, 854
  - shared scope, 860
  - simple example, 862
  - user scope, 860
  - verbs, 857, 865–866
    - Checked property, 866
    - Description property, 866
    - Enabled property, 867
    - ImageUrl property, 867
    - properties, 866–867
    - Text property, 867
    - Visible property, 867
  - Web part manager, 858
  - Web part zones, 857
  - WebPartZone control, style elements, 862–863
- Web reference, adding in Visual Studio, 909, 911
- Web server controls, 42–43
- ASP.NET, 17
  - client-side events, 121–123
  - collection properties, 106
  - color-based properties, 105–106
  - command event, 119–121
  - common members, 101–104
  - defined, 98
  - essential standard, 107–176
  - event properties, 105
  - HTML attributes, 106–107
  - manipulating properties
    - programmatically, 104–107
  - overview of, 99–107
  - standard:
    - additional, 180–181
    - working with, 97–178
  - unit-based measurement properties, 105
- Web service data, preserving, 927–929
- Web Service Enhancements (WSE), 948
- Web services, 905–950
- asynchronous, 930–936
  - benefits of, 907–909
  - consuming, 909–936
    - Amazon Web Services (AWS), 918–926
    - and performance, 927–930
    - in a user control, 914–917
    - using Visual Studio, 909–914
  - creating, 936–948
    - guidelines for, 947–948
    - on a local machine (walkthrough), 937–938
  - creating a front-end, 945–947
  - defined, 906
  - as interface, 946
  - platform independence of, 907
  - simple quote service, creating, 938–945
- Web services-enabled integration, 908
- Web Setup Project:
  - creating an installation program using, 981–987
  - creating in Visual Studio, 982
- Web site projects, 26
- Web.config file, 92
- WebConfigurationManager class, 514
- WebControl class, 101
  - inheritance from Control class, 104
  - properties of, 103
- WebDescription attribute, 886
- WebDisplayName attribute, 886
- WebPartManager control, 901
- WebPartVerbRenderMode property,
  - WebPartZone control, 864

- WebPartZone control:
    - AllowLayoutChange property, 863
    - BackImageUrl property, 863
    - DragHighlightColor property, 863
    - EmptyZoneText property, 864
    - EmptyZoneTextStyle element, 862
    - ErrorStyle element, 862
    - FooterStyle element, 862
    - HeaderStyle element, 863
    - HeaderText property, 864
    - LayoutOrientation property, 864
    - MenuCheckImageStyle element, 863
    - MenuCheckImageUrl property, 864
    - MenuLabelHoverStyle element, 863
    - MenuLabelStyle element, 863
    - MenuLabelText property, 864
    - MenuPopupImageUrl property, 864
    - MenuPopupStyle element, 863
    - MenuVerbHoverStyle element, 863
    - MenuVerbStyle element, 863
    - Padding property, 864
    - PartChromeStyle element, 863
    - PartStyle element, 863
    - PartTitleStyle element, 863
    - SelectedPartChromeStyle element, 863
    - ShowTitleIcons property, 864
    - TitleBarVerbButtonType property, 864
    - TitleBarVerbStyle element, 863
    - VerbButtonType property, 864
    - VerbStyle element, 863
    - Web parts, style elements, 862–863
    - WebPartVerbRenderMode property, 864
  - Web.sitemap, 377
  - WeekendDayStyle element, 160
  - Width property, WebControl class, 103
  - Windows Authentication, 510
  - Windows authentication mode, ASP.NET, 764
  - Windows NT Challenge/Response, 757
  - WindowsAuthenticationModule, 90
  - Wizard control, 101, 180, 200–221
    - ActiveStepChanged event, 219
    - CancelButtonClick event, 219
    - customizing, 210–218
    - events of, 219
    - FinishButtonClick event, 219
    - layout of, 208–209
    - multipage Web wizard, maintaining state information in, 201
    - NextButtonClick event, 219
    - object model, 205
    - PreviousButtonClick event, 219
    - properties of, 203–205
    - SideBarButtonClick event, 219
    - using, 205–207
    - Web wizard processing, 202
    - wizard event handling, 219–221
      - ActiveStepChanged event handler, 220–221
      - FinishedButtonClick event handler, 221
      - NextButtonClick event handler, 219–220
    - WizardStep control, properties of, 207
  - Worker process, 84–85
  - Wrap property:
    - Panel control, 183
    - TableCell control, 152
    - TextBox control, 112
  - Write method, HttpResponseMessage, 80
  - WS-Attachments, 948
  - WSDL (Web Services Description Language), defined, 906–907
  - WS-I (Web Services Interoperability Organization), 939
  - WS-Security, 948
- ## X
- Xbox Live subscription-based online gaming
    - Web service, 909
  - Xml control, 101, 180, 241–253
    - Menu.xml, 242
    - Menu.xslt, 244–245
    - programming, 247–253
    - properties of, 246
    - RSS feed, processing, 248–253
    - RssReader.aspx, 250–251
    - RssReader.aspx.cs, 251–252
    - RssTransform1.xsl, 249



Xml control (*continued*):

- RssTransform2.xsl, 249–250, 502
  - XmlProgramming.aspx.cs, 247
  - XSLT file, creating, 243–246
- XML documentation comments, 70
- XmlDataSource, 555
- XPathNavigator property, Xml control,  
246, 247
- XSLT file, creating, 243–246