

# Index

- Abstract functions, 281
- Accelerators, 215–216
- Accessibility, 57, 472–480
- Active Accessibility feature, 480
- AddRef method, 274
- Address spaces, large, 451–455
- Adjustor thunks, 274–275
- Advanced Options dialog, 2–3, 57
- All Programs list, 403–404
- Alt key for blinking caret, 343–344
- Alt+Esc hotkey, 58
- Alt+Tab order, 58–59
- Always on top, 58, 436
- Analog clocks, 51
- Animal-named functions, 22–23
- Animations, stealing, 305
- ANSI code page, 379–390
  - converting with Unicode, 391–392
  - UTF-8 as, 431–432
- ANSI strings, 164
- Anti-aliased fonts, 459–462
- Anti-piracy holograms, 25–26
- Anti-symmetry rule, 243
- AOL CDs, 487
- Application Compatibility Toolkit, 287–288
- Application Data *vs.* My Documents, 450–451
- Application Verifier, 288
- Arithmetic library for Calc, 337
- Arrows, up-down controls, 354–355
- Auto-reset events, 112–114
- Background operations in power management, 455–457
- Backward compatibility, 283
  - 16-bit DOS and Windows, 288–290
  - BIOS clock, 301–302
  - bugs in, 293–294
  - Deer Hunter, 293
  - DirectX video driver, 298–299
  - Display Control Panel, 308–309
  - drive letters, 292–293
  - error code, 297–298
  - GetWindowText, 45–46
  - hardware, 141–142
  - intentional crashes, 283
  - listview controls, 300–301
  - operating system patches, 299–300
  - Printers Control Panel, 306–307

- Backward compatibility (Continued)
  - QueryInterface, 303–305
  - reserved filenames, 290–292
  - Shell Folders key, 294–296
  - undocumented behavior, 286–288
  - undocumented functions, 23–24
  - undocumented resources, 305
  - undocumented structures, 284–286
  - version numbers, 302–303
  - visual style, 309
- Balloon tips, 4, 427–428
- Base addresses, DLL, 351–353
- Based pointers, 401
- Battery power detection, 455–457
- BEAR function, 22–23
- Behavior, undocumented, 286–288
- Beta release numbers, 38–39
- Betamax format, 249
- BIOS clock, 301–302
- BitBlt function, 442
- Bitmap brushes, 95–98
- Bitmaps on high DPI displays, 464–465
- Black clock icon, 54
- Blank taskbar buttons, 59–60
- Blaster worm, 67
- Blinking caret, 343–344
- Blue-screen crashes, 396–397
- Blue swirling arrows icon, 53
- BN\_CLICKED notification, 236
- Boeing 747, modems on, 147
- Boldface on menus, 62
- Boot sectors, Windows setup for, 409–410
- Booting in Windows 95, 20–22
- Border wars, 20
- BOZOSLIVEHERE function, 24
- Brady Bunch, The*, 312
- Brickell, Edie, 28
- BROADCAST\_QUERY\_DENY value, 421
- Broadcasting messages, 340–341
- Brushes
  - DC, 98–100
  - hollow, 119
  - for tiling effects, 95–98
- BS\_\* button styles, 232, 234
- “Bug Bunny,” 494
- Bug reports, whimsical, 482–483
- Bugs
  - debugging as security hole, 397–398
  - identifying, 293–294
- Build numbers
  - service pack, 39–40
  - Windows 95, 38–39
- BUNNY function, 22–23
- CabView PowerToy, 36
- Caches, memory leaks from, 259–266
- Calc tool, unnoticed changes to, 336–337
- Callback functions, 23–24
- Cancel button
  - as default, 3–5
  - and X buttons, 237
- Caption icon, 85–86
- Caret, blinking, 343–344
- Carriage return (CR) in line terminators, 334–335
- Cars
  - check engine lights, 5
  - door locks, 15–16
  - electric, 249
- Case mapping, 373–375
- Casts to LPARAM, 321–322
- CComPtr template, 267–269
- CD AutoPlay PowerToy, 36
- CD-ROM ghost drives, 142–143
- CDs
  - AOL, 487
  - autoplay settings, 406–407
  - ejecting, 408–409
- Certification process for drivers, 145–146, 397
- Changes
  - nonlocal effects of, 484–485
  - timestamp, 241–242
  - unnoticed, 336–337
- Check engine lights, 5
- CheckDlgRecursion macro, 156
- Class brush, 118–119, 96–97

- Classic templates
  - 16-bit, 164–172
  - 32-bit, 172–181
- ClearType technique, 459–462
- Client areas
  - in frame windows, 199–200
  - sunken, 432
- Clocks
  - BIOS, 301–302
  - black, 54
  - on taskbar, 50–51
  - painting, 89–93
- Clocks chips, overclocking, 148–150
- CloseHandle function, 425
- CoCreateGuid function, 298–299
- Code bloat, 31
- Code-modality vs. UI-modality, 123–126
- Code pages, 379–388
  - ANSI, 388
  - OEM, 388–390
- Code segments, 72
- CoGetMalloc function, 324–329
- Color displays, monochrome text on, 459–462
- Color, icon label, 56–57
- COLOR\_WINDOW, 119
- Columnists, 28, 34–35, 76
- COM objects
  - layout, 272–274
  - teardown, 268
- COMCTL32.DLL file, 338
- Command Prompt Here PowerToy, 36
- Comments? button, 408
- Commutative diagrams, 187–188
- comp.unix.wizards problem, 490–491
- Compaction process, 72
- Compatibility. *See* Backward compatibility
- Compatibility subsystems, 289
- Compilers
  - code pages with, 383
  - Visual C++. *See* Visual C++ compiler
- CON filename, 290–292
- Connectivity, network, 457–459
- Connectors, blowing dust out of, 68–69
- Content Watson, 329
- Context menus
  - boldface on, 62
  - for caption icon, 85–86
  - timed, 138–139
- Contracts, interface, 245–248
- Control Panel applications, 245–248
  - and Tweak UI, 33
  - and Windows 95 installation, 34
- Controls
  - for dialogs, 202–204
  - focus on, 227–229
  - IDs for, 225–227
- Converting
  - DLUs to pixels, 199, 202–203
  - nonmodal dialog boxes to modal, 207–211
  - between Unicode and ANSI, 391–392
- Cooperative multitasking, 45
- Coordinated universal time (UTC)
  - and BIOS clock, 301–302
  - and daylight saving time, 239–240
- Copying
  - timestamps changes in, 241–242
  - when dragging files, 64–65
- Costs, product-support, 32
- CoTaskMemAlloc function, 324–329
- CoUninitialize function, 268–269
- Countries in geopolitics, 20, 439
- Covered windows, determining, 93–95
- CP/M operating system, 333–334
- CPU meter, 63
- CPU usage, 411–412
- CR (carriage return) in line terminators, 334–335
- Crashes
  - intentional, 283
  - from uncertified drivers, 396–397
- CreateActCtx function, 248
- CreateDialog function, 197, 222
- CreateDialogIndirectParam function, 197–198, 206
- CreateDialogParam function, 197–198, 213, 221

- CreateEvent function, 112
- CreateFile function, 331
- CreateFileMapping function, 398
- CreateMenu function, 86–88
- CreateMutex function, 332
- CreatePatternBrush function, 96–97
- CreatePopupMenu function, 86–88
- CreateProcess function, 249
- CreateStdAccessibleObject function, 478
- CreateThread function, 332
- CreateWindowEx function, 166, 201, 203
- Critical sections, 110–111
- CSIDL\_APPDATA directory, 451
- CSIDL\_LOCAL\_APPDATA directory, 451
- CSIDL\_MYDOCUMENTS directory, 450
- CSRSS.EXE program, 423
- CTL3D.DLL library, 16
- Ctrl+Z, 333–334
- Custom right-click menus, 85–86
- Customers, death threats from, 486–487
- Customized Web site icons, 62–63
  
- DAD (Desktop Applications Division), 490
- Data tampering attacks, 393
- Date/Time Control Panel, 350–351
- Davis, Jeff, 493
- Daylight saving time, 239–241
- DBCS (double byte character sets), 431
- DC brush, 98–100
- DDE (Dynamic Data Exchange)
  - messages, 371
- ddeexec key, 66
- Death threats, 486–487
- Deaths from improper case mapping, 374–375
- Debugging
  - as security hole, 397–398
  - psychic, 410–412
  - vtables in, 401
- Decoys, 306–309
- Deer Hunter game, 293
- DEFAULT\_GUI\_FONT font, 353–354
- Defaults
  - dialog box answers, 3–5, 151–159
  - dialog box IDs, 232–233
  - menu commands, 62
  - selectors, 319
  - shell font, 412–415
  - Taskbar position, 49–50
- DefDlgProc function, 152–159, 226–227
- DefDlgProcEx macro, 156
- Defect tracking system, 289
- DeferWindowPos function, 435–436
- Defragmenting undefragmentable structures, 284
- Defrauding WHQL, 145–146
- DefWindowProc function, 85
  - for accessibility, 479
  - for default colors, 99
- Delay-load feature, 418
- DeleteObject function, 96–97
- Deleting
  - Device Manager, 65–66
  - options, 12
- DeliverIncomingSentMessages
  - pseudo-function, 360, 368, 370
- DeliverMessage pseudo-function, 359–360
- Denial-of-service attacks, 393
- Descriptors, 73–75
- DeskMenu Power Toy, 36
- Desktop
  - disabling, 433–434
  - Remote Desktop Connection, 440–443
  - taskbar on, 343
  - window, 120–121
- Desktop Applications Division (DAD), 490
- Desktop composition, 95, 466–467
- desktop.ini file
  - opening at logon, 55–56
  - for folders, 59
- Desktop Window Manager (DWM), 95, 466–467
- Destroyed windows, messages for, 139–140
- Destroying
  - menus, 88–89
  - modal dialogs, 121–122
- DestroyWindow function, 203
- Destructors, 267–272

- Dev O'Day hat, 494–495
- Device Manager, deleting, 65–66
- Dialog boxes, 151
  - accelerators in, 215–216
  - alternative designs, 154–163
  - controls for, 202–204
    - focus on, 227–229
    - IDs for, 225–227
  - converting nonmodal to modal, 207–211
  - creating, 197–198
  - default answers to, 3–5, 151–159
  - default IDs for, 232–233
  - DefDlgProc for, 226–227
  - destroying, 121–122
  - frame windows for, 198–202
  - hidden, 335–336
  - IsDialogMessage for, 229–236
  - loops, 204
    - basic, 204–207
    - need for, 224–225
    - structure, 207
    - subtleties in, 211–214
  - navigation in, 214–215
  - nested, 216–224
  - procedures, 151–163
  - resizing, 222–224
  - with unanswerable questions, 7, 8–9
  - unexpected, 3–5, 489
- Dialog templates, 163–164
  - 16-bit
    - classic, 164–172
    - extended, 181–187
  - 32-bit
    - classic, 172–181
    - extended, 187–194
  - purpose, 195
  - summary, 195, 196
- Dialog units (DLUs), 165
  - converting to pixels, 199
  - for dialog templates, 414–415
  - in high DPI displays, 462
- DialogBox function, 129, 208
- DialogBoxIndirectParam function, 205
- DIALOGEX resource, 187, 194, 412, 415
- Dictionaries, spell-checking, 27
- Direct Annotation feature, 480
- DirectX
  - DirectX 4, 330–331
  - video driver interface, 298–299
- Disabled controls
  - focus on, 228
  - X buttons, 237
- Disabling
  - desktops, 433–434
  - vs. removing, 12
  - windows, 120–122
- Discardable resources, 313
- Discarding code, 72
- Disco parties, 495
- Disk quotas, 394
- DispatchMessage function,
  - 130–131, 214, 224–225, 365
- Display Control Panel, 308–309
- Displaying
  - pop-up windows, 471–472
  - strings, 103–110
- Displays
  - high DPI, 462–467
  - monochrome text on, 459–462
- Distribution list names, 490–491
- DLGC\_\* flags, 232, 233–236
- DLLs. See Dynamic link libraries (DLLs)
- DLUs (dialog units), 165
  - converting to pixels, 199, 202–203
  - for dialog templates, 414–415
  - in high DPI displays, 462
- DM\_GETDEFID message, 229, 232–233
- DM\_SETDEFID message, 227–229, 232–233
- Documents, printing order, 66–67
- DoesDriverSupport function, 298
- DoModal function, 157, 208–212
- Dongle rumor, 28
- Door locks, 15–16
- DOS
  - backward compatibility for, 288–290
  - code page in, 389

- Double byte character sets (DBCS), 431
- Downward-pointing blue arrow icon, 53
- DPI in high DPI displays, 462–467
- Dr. Watson feature, 329–330
- Dragging files, 64–65
- DragQueryFile function, 76
- Drawing
  - with Remote Desktop Connection, 440–443
  - solid rectangles
    - with ExtTextOut, 100–102
    - with StretchBlt, 102–103
- DRAWITEMSTRUCT structure, 462
- DrawSolidRect function, 100–102, 300
- Drive letters in UNC paths, 292–293
- Driver Verifier, 145, 147
- Drivers
  - Direct X, 298–299
  - uncertified, 70, 396–397
  - versions, 8
  - WHQL certification process, 145–146
  - In Visual Basic, 485
- Drives in dragging files, 64–65
- DropTarget key, 67
- DS\_3DLOOK style, 16
- DS\_ABSALIGN style, 200
- DS\_CONTROL style, 198, 216–224
- DS\_FIXEDSYS style, 199, 413–414
- DS\_NOFAILCREATE style, 203
- DS\_SETFONT style
  - for 16-bit templates
    - classic, 165, 167, 172
    - extended, 181
  - for 32-bit templates
    - classic, 173, 176, 180
    - extended, 191
  - and DS\_SHELLFONT, 413–414
  - for frame windows, 199
- DS\_SHELLFONT style, 412–415
- Dual-booting, BIOS clock in, 301–302
- Dust in connectors, 68–69
- DWLP\_MSGRESULT, 152–153, 156
- DWM (Desktop Window Manager), 466–467
- Dynamic Data Exchange (DDE) messages, 371
- Dynamic link libraries (DLLs)
  - 16-bit Windows resources, 314
  - calling functions in, 338
  - in large address spaces, 451–453
  - rebasing, 254, 351–353
  - with Visual C++ compiler, 268
- Easter egg music, 28
- EditWndProc function, 24
- Egghead Software, 35
- 8-bit characters, 390
- Ejecting CDs, 408–409
- Electric cars, 249
- Ellipses (...) on menus, 13
- Embarrassment, whimsical, 493–494
- “Enable Dubious Optimizations” switch, 146
- EnableWindow function, 206, 211
- Enabling windows, 121–122
- Encoding integers as pointers, 452
- EndDialog function, 129, 210–212
- Eno, Brian, 27–28
- EnumDisplayMonitors function, 468
- Error code backward compatibility, 297–298
- Error reporting, Dr. Watson,
  - 283–284, 329–330
- ES\_OEMCONVERT style, 345–346
- ETO\_OPAQUE flag, 92, 101
- Event, auto-reset, 112–113
- “Ex” suffix for registry function
  - names, 322–324
- ExitThread function, 271
- Expert mode, requests for, 2–3
- Explore From Here PowerToy, 36
- Explorer
  - CD ejection by, 408
  - filename sorting in, 347–350
  - hiding files from, 394–395
  - parsing, 285
- Extended templates
  - 16-bit, 181–187
  - 32-bit, 187–194

- ExtTextOut function
  - patched version, 299
  - for solid rectangles, 100–102
- Face-saving aspect in product support, 68–69
- Fast task switching, 58
- Fast User Switching, 443–444
- FAT file system, times and dates in, 241–242
- favicon.ico icon, 62–63
- Features, thinking through, 9–11
- FILE\_ATTRIBUTE\_HIDDEN flag, 394–395
- FILE\_ATTRIBUTE\_OFFLINE flag, 54, 438–439
- FILE\_ATTRIBUTE\_SYSTEM flag, 395
- File system tunneling, 346–347
- Filenames
  - reserved, 290–292
  - sorting, 347–350
- Files
  - Ctrl-Z in, 333–334
  - dragging, 64–65
  - hiding, 394–395
  - Hierarchical Storage Management, 438–439
  - text label colors for, 56–57
  - timestamp changes in, 241–242
  - unwanted, opened at logon, 54–56
  - world-writable, 393–394
- FILETIME structure, 239–240
- FileTimeToLocalFileTime function, 239–240
- Filling shapes, 98
- FillRect function, 100
- FindFirstFile function, 347, 391
- FindResource function, 312
- FindWindow function, 42
- Fixed memory, 72
- Flashing hard drive lights, 29–30
- Flat look, 16–17
- FlexiCD PowerToy, 36
- Floating-point library for Calc, 337
- Floppy disks as semaphore tokens, 492
- Floppy drives
  - file copies to, 241–242
  - USB, 485–486
- FlushInstructionCache function, 337
- Focus in dialog boxes, 227–229
- Folders
  - opened at logon, 54–56
  - read-only property for, 59
  - redirected, 447–450
- Fonts
  - and ClearType, 459–462
  - default shell, 412–415
  - for dialogs, 202
  - on high DPI displays, 462
  - linking, 104–110
  - support for, 103–104
- “For test/evaluation purposes only,” 70
- Frame windows, 198–202
- FreeLibraryAndExitThread
  - function, 271
- FreeResource function, 313
- Function pointer tables, 273
- Functions
  - memory management, 324–329
  - registry, 322–324
  - return addresses of, 242–243
  - strangely named, 22–24
  - virtual, 280–282
- Games
  - Deer Hunter, 293
  - Rat Poker, 489–490
  - Spider Solitaire, 488
- Garbage collector, 282
- Generated posted messages, 365–367
- Geopolitics, 20, 439
- GetAsyncKeyState function, 372
- GetClientRect function, 95
- GetClipboardData function, 78
- GetClipBox function, 93–94
- GetClipRgn function, 95
- GetCurrentProcess function, 333
- GetDC function, 93

- GetDesktopWindow function, 120, 132
- GetDisplayNameOf method, 429
- GetDlgCtrlID function, 189
- GetFileAttributes function, 54
- GetInstanceData function, 316
- GetKeyState function, 372
- GetMenuDefaultItem function, 62
- GetMessage function, 359, 361, 363–364
  - for cooperative multitasking, 45, 340
  - information on, 357
  - in message loops, 211–214
  - for mouse move messages, 116
  - WM\_QUIT with, 127
- GetModuleHandleEx function, 242, 271
- GetMonitorInfo function, 469–470
- GetNextDlgTabItem function, 221
- GetProcAddress function, 418
- GetQueueState function, 372
- GetRegionData function, 95
- GetStockObject function, 98, 100, 353–354
- GetStrCodePages method, 104–106
- GetSubMenu function, 87
- GetSysColorBrush function, 98
- GetSystemMetrics function, 468
- GetVersion function, 302–303
- GetWindowContextHelpId function, 181
- GetWindowLong function, 24, 136, 152
- GetWindowLongPtr function, 24, 136, 152
- GetWindowPlacement function, 50, 122, 471
- GetWindowText function, 41–42
  - operation, 42–43
  - rules in, 43–46
- Ghost CD-ROM drives, 142–143
- Gigabytes, 69–70
- Glasser, Danny, 356
- GlobalAlloc function, 71
  - 16-bit, 71–75
  - 32-bit 75–78
  - vs. LocalAlloc, 318–320
- GlobalFlags function, 76
- GlobalLock function, 72–73, 77
- GlobalReAlloc function, 73, 75–76
- GlobalWire function, 317
- GMEM\_FIXED flag, 77
- GMEM\_MOVEABLE flag, 73, 77–78
- GMEM\_SHARE flag, 76, 320–321
- Grier, Michael, 431
- Group Policy, 33
- Grouping on taskbar, 9–11
- GUID generation, 298–299
- GWLP\_USERDATA constant, 136
- Halloween-themed lobby, 495–496
- Hand, palm up icon, 53
- Handle table in hardware, 74
- HANDLE\_WM\_CONTEXTMENU
  - macro, 86
- Handles
  - memory, 77
  - return values, 331–333
- Hangs from error code compatibility, 297
- Hard drive flashing lights, 29–30
- Hardware, 141
  - backward compatibility, 141–142
  - ghost CD-ROM drives, 142–143
  - overclocking, 148–150
  - Plug and Play tests, 146
  - USB Cart of Death, 147
  - vendor misspellings, 144–145
  - WHQL tests, 143–146
- HDROP handle, 76
- Height of dialog controls, 202
- Hell test, 143–146
- HGLOBAL handle, 72, 77–78, 319
- Hidden attribute, 55–56
- Hidden dialog boxes, 335–336
- Hidden variables, 251
- Hiding files, 394–395
- Hierarchical Storage Management, 438–439
- High DPI displays, 462–467
- HINSTANCE handle *vs.* HMODULE, 313–316
- Historical topics, 311
  - blinking caret, 343–344
  - broadcast-based mechanisms, 340–341
  - changes unnoticed, 336–337



- Ctrl+Z, 333–334
- Date/Time Control Panel, 350–351
- dialog boxes, 335–336
- DirectX 4, 330–331
- DLL rebase, 254, 351–353
- Dr. Watson, 329–330
- ES\_OEMCONVERT flag, 345–346
- file system tunneling, 346–347
- filename sorting, 347–350
- FlushInstructionCache, 337
- GlobalWire, 317
- GMEM\_SHARE flag, 320–321
- HANDLE return values, 331–333
- HINSTANCE *vs.* HMODULE, 313–316
- InitCommonControls, 338
- InterlockedIncrement and
  - InterlockedDecrement, 339–340
- line terminators, 334–335
- LocalAlloc *vs.* GlobalAlloc, 318–320
- LPARAM redundant casts, 321–322
- memory management functions, 324–329
- monitors, 312
- registry file names, 312
- registry functions, 322–324
- resource management, 312–313
- spinners, 354–355
- SYSTEM\_FONT and
  - DEFAULT\_GUI\_FONT, 353–354
- taskbar on desktop, 343
- text macros, 335
- Windows 95 launch, 355–356
- windows minimized, 341–343
- WinMain hPrevInstance parameter,
  - 316–317
- WPARAM and LPARAM, 311–312
- WSASetLastError, 340
- “Hives,” derivation of, 312
- HKEY\_CURRENT\_USER hive, 444
- HKEY\_LOCAL\_MACHINE hive, 444, 446
- HLT instruction, 141–142
- HMODULE handle *vs.* HINSTANCE,
  - 313–316
- HMONITOR handle, 468
- Holistic view of performance, 255–256
- Hollow brush, 119
- Holograms, anti-piracy, 25–26
- Howard, Michael, 67
- hPrevInstance parameter, 316–317
- HRESULTS, 453–454
- HWND\_TOP handle *vs.* HWND\_TOPMOST, 435–436
- Hyperlinks in notification icon balloon
  - tips, 427–428
- IAccessible interface, 477–480
- Icons
  - Alt+Tab order for, 58–59
  - caption, 85–86
  - notification, 427–428
  - overlay, 53–54, 256
  - Web site, 62–63
- IDCANCEL button, 236–237
- Idea kernel, 104
- IDNO button, 237
- IDs
  - dialog box controls, 225–227
  - dialog boxes, 232–233
- IDYES button, 237
- IMLangFontLink2 interface, 104–105
- Imports, optional, 418
- InitCommonControls function, 83, 338
- InitCommonControlsEx function, 203, 338
- Inkblot test, 25–26
- Input messages for dialogs, 207
- Input simulation, 371–372
- Installation
  - boot sectors for, 409–410
  - Windows 95, 34–35
- Intellimenu, 403–404
- Intellivision, 249
- Intentional crashes, 283
- Inter-thread sent messages, 363
- Interface contracts, 245–248
- InterlockedDecrement function, 339–340
- InterlockedIncrement function, 339–340
- Intermittent network connectivity, 457–459

- Internal distribution list names, 490–491
- International programming, 373
  - 0409 and 1033 directories, 379
  - case mapping, 373–375
  - code pages, 379–388
    - ANSI, 388
    - OEM, 388–390
  - converting between Unicode and ANSI, 391–392
  - grammar, 379
  - rotating text, 375–379
- Internet Explorer security, 402
- Intranet security, 402
- INVALID\_HANDLE\_VALUE, 331–333
- Invalid instruction exceptions, 30–31
- Invalidation in painting, 91
- IsDialogMessage function, 207
  - in message loops, 125, 224, 365
  - for navigation, 214–215, 226, 229–233
  - operation, 235–236
  - WM\_GETDLGCODE with, 233–235
- Itanium computers, power surges from, 487–488
- ITaskbarList interface, 60
- IUnknown interface, 273–274, 303–305
  
- Juxtaposition, separation through, 17
  
- Kaplan, Michael, 373
- Kernel Toys, 36–37
- Keyboard input simulation, 371–372
- Killed processes in Task Manager, 424–425
- Killing programs, 422–423
- Kilo prefix, 69
- Klondike Solitaire, 488
  
- L in LPARAM, 311–312
- Label colors for files, 56–57
- Languages in keyboard
  - input simulation, 372
- Large address spaces, 451–455
- LARGEADDRESSAWARE flag, 451
- LastWriteTime function, 240
  
- Leno, Jay, 19, 355
- Less-is-more interface approach, 17
- LF (line feed) in line terminators, 334–335
- Line-of-business (LOB) applications, 289–290
- Line terminators, 334–335
- Linking fonts, 104–110
- Links folder, re-created, 65–66
- Listview controls, 300–301
- Load failures, module, 417–418
- LoadMenu function, 86
- LoadResource function, 313
- LOB (line-of-business) applications, 289–290
- LocalAlloc function, 76, 318–320
- LocalFileTimeToFileTime function, 240
- LocalInit function, 318
- Localization, dialog templates for, 195, 196
- Locked memory, 72–73
- Locks, car door, 15–16
- Logon, picture, 26–27
- Logon, unwanted files/folders opened at, 54–56
- Loops, dialog, 204
  - basic, 204–207
  - need for, 224–225
  - structure, 207
  - subtleties in, 211–214
- LPARAM
  - redundant casts to, 321–322
  - vs. WPARAM, 311–312
- LresultFromObject function, 479
- Luna visual style, 309
  
- M3 Beta, 294–295
- MAKEINTRESOURCE macro, 453–454
- Mallard visual style, 309
- Managers vs. programmers, 491–492
- MapFont method, 104–105
- Mapping
  - case, 373–375
  - Unicode and ANSI, 391
- Maps, geopolitical issues in, 20, 439
- Mariani, Rico, 266

- Marketing, problems caused by, 482
- Marshalling, 43
- Martial arts logon picture, 26–27
- Mascara, 16–17
- Matched set of files in setup, 8
- Maximum number of monitors, 312
- MBCS (multi-byte character set), 431
- Mega prefix, 69
- Member functions, pointers to, 276–280
- Memory and memory management
  - 16-bit Windows resources, 312–313
  - for COM objects, 273–274
  - dialog templates for, 195
  - exception handling in, 74–75
  - fixed memory, 72
  - functions for, 324–329
  - GlobalAlloc for. *See* GlobalAlloc function
  - leaks
    - from caches, 259–266
    - identifying, 258–259
    - on servers, 253–254
  - reports, 29, 69–70
  - shared, 398–402, 426
  - in Windows 95, 20–22
- Menus
  - boldface on, 62
  - for capture icon, 85–86
  - creating, 86–88
  - destroying, 88–89
  - disabling *vs.* removing, 12
  - ellipses on, 13
  - nesting limits, 435
  - Start
    - Intellimenu on, 403–404
    - pin list, 404–406
  - timed, 138–139
- Message boxes
  - timed, 133–134, 136–138
  - X buttons disabled in, 237
- MessageBeep function, 91, 130
- MessageBox function, 132, 224, 382–384
- Messages
  - dialog loop
    - basic, 204–207
    - need for, 224–225
    - structure, 207
    - subtleties in, 211–214
  - window. *See* Window messages
- MFU (most frequently used) programs list, 403–404
- Milk carton bug report, 482–483
- Minimize All feature, 60–61
- Minimized windows, 341–343
- Modal dialog boxes
  - converting nonmodal to, 207–211
  - destroying, 121–122
  - loops, 204
    - basic, 204–207
    - need for, 224–225
    - structure, 207
    - subtleties in, 211–214
- Modality
  - dialog loops for, 224
  - disabling owner, 120–122, 206, 211
  - interacting with, 132
  - UI *vs.* code, 123–126
  - UI owners, 129–132
  - and WM\_QUIT messages, 126–129, 206, 211, 213
- Modems on Boeing 747, 147
- Module load failures, 417–418
- MonitorFromWindow function, 468
- MONITORINFO structure, 470
- Monitors
  - maximum number of, 312
  - multiple, 308–309, 467–470
- Monochrome text on color displays, 459–462
- Most frequently used (MFU) programs list, 403–404
- Mouse twitches, taskbar changes from, 10
- Movable memory, 72–73
- MoveToEx function, 105
- Moving in dragging files, 64–65
- MS-DOS
  - backward compatibility for, 288–290
  - code page in, 389

- MsgWaitForMultipleObjects function, 359, 372
- Multi-byte character set (MBCS), 431
- Multi-select documents printing order, 66–67
- MultiLanguage object, 106–107
- Multilingual User Interface, 305
- Multiple monitors, 308–309, 312, 467–470
- Multiple users, 444–445
- Multitasking
  - broadcast-based mechanisms with, 341
  - in Windows 1.0, 45
- Mutexes, 110–111
- My Documents *vs.* Application Data, 450–451
- Myths, message processing, 370–371
- Naked baby hologram, 25–26
- Names
  - internal distribution lists, 490–491
  - function, strangely named, 22–24
  - product groups, 490
  - registry functions, 322–324
- Navigation
  - in dialog boxes, 214–215
  - Tab key for, 229–232
- Near pointers, 318
- Negative coordinates for monitors, 467–468
- Nesting
  - dialog boxes, 216–224
  - menus, 435
- NetBEUI protocol, 144
- Network card packet stress test, 143–144
- Network connectivity, 457–459
- Newline character, 335
- NIF\_PARSELINKS flag, 427–428
- NMHDR structure, 371
- “No action required” action items, 481
- Nonlocal effects of changes, 484–485
- Nonmodal dialog boxes, converting
  - to modal, 207–211
- Notepad
  - copies of, 315
  - unnoticed changes to, 336–337
- Notification icons
  - hyperlinks in, 427–428
  - for X button clicks, 52
- NotifyAddrChange function, 458–459
- novtable optimization, 281–282
- NTFS system
  - alternate data stream, 394
  - filename sorting in, 347–350
  - times and dates in, 241–242
- NUL filename, 290–292
- NULL pointers, 304–305
- Null-terminated ANSI strings, 164
- ODA\_FOCUS flag, 462
- OEM code page, 379–388
- Office disco parties, 495
- Office redecoration, 495–496
- Offline files, 53–54, 438–439, 450
- OLE Chicken, 326–327
- Operating systems
  - program patches to, 299–300
  - setup file versions, 7–9
  - size, 31
- Optimization, 250–253
- Optional imports, 418
- Options, disabling *vs.* removing, 12
- Order
  - Alt+Tab, 58–59
  - dialog box tabs, 221
  - disabling and enabling windows, 121–122
  - printing, 66–67
- Orr, Brian, 28
- Overclocking, 148–150
- Overlay icons, 53–54, 256
- Owner-draw and overprinting, 462
- Owners
  - modal UI, 129–132
  - semaphore, 110–112
- Page boundaries, 352
- Paging
  - performance with, 254
  - on servers, 253–254

- Painting
  - with Remote Desktop Connection, 440–443
  - visible windows only, 89–93
- PAINTSTRUCT structure, 81–82
- Parsing Explorer view data structures, 285
- Passwords, stealing, 395–396
- Patches to operating systems, 299–300
- PathMakeSystemFolder function, 59
- Paths, drive letters in front of, 292–293
- PBT\_APMBATTERYLOW
  - notification, 457
- PBT\_APMPOWERSTATUSCHANGE
  - notification, 457
- PeekMessage function, 357
  - for cooperative multitasking, 45, 340
  - vs.* GetMessage, 213–214
  - for sent and posted messages, 359–361, 364, 366–367
  - for timed message boxes, 134
  - WM\_QUIT with, 127
- Pens, DC, 100
- Performance
  - holistic view of, 255–256
  - paging, 254
  - polling, 257
- PIGLET function, 22–23
- Pin list, 404–406
- Plug and Play tests, 146
- Plympton, Bill, 28
- PM\_NOREMOVE flag, 367
- Pointers
  - to member functions, 276–280
  - near, 318
  - NULL, 304–305
- Political issues, 20, 439
- Polling performance, 257
- Pop-up windows display, 471–472
- Position
  - dialog controls, 202
  - pop-up windows, 471–472
  - Taskbar, 49–50
  - window, restoring, 122–123
- Posted messages, 358–362
  - generated, 365–367
  - life of, 364–365
- PostMessage function, 358, 370–372
- PostQuitMessage function, 127–129
- PostThreadMessage function, 358
- Power management, 437, 455–457
- Power outage, 487–488
- PowerPoint presentations, 491–492
- PowerToys, 35–37
  - calculator, 337
- Pragmatism *vs.* purity, 249–250
- Preemptive multitasking, 341
- Prefixes, memory, 69
- PRINTDLG structure, 78
- Printers Control Panel compatibility, 306–307
- Printing order, 66–67
- printit function, 399
- PRN filename, 291
- Processors
  - affinity, 410–411
  - and CPU usage, 411–412
  - hidden variables in, 251
- Product group names, 490
- Product support
  - costs, 32
  - for developers, 67–69
- Profiles, roaming user
  - handling, 445–447
  - redirected folders for, 447–450
- Programmatic access to Start menu pin list, 404–406
- Programmers *vs.* managers, 491–492
- Programming, 79
  - bitmap brushes, 95–98
  - CreateMenu *vs.* CreatePopupMenu, 86–88
  - DC brushes in, 98–100
  - displaying strings, 103–110
  - international. *See* International programming
  - menu destruction in, 88–89
  - painting in, 89–93
  - right-click menus for caption icon, 85–86

- Programming (Continued)
  - scratch program, 79–84
  - semaphores in, 110–114
  - solid rectangles
    - with ExtTextOut, 100–102
    - with StretchBlt, 102–103
  - window coverage determination, 93–95
- Programs
  - supporting data for, 451
  - unkillable, 422–423
- Property sheet pages, 414–415
- Protected mode, 73
- Psychic debugging, 410–412
- Pure virtual functions, 281
- \_\_purecall symbol, 280–282
- Purity vs. pragmatism, 249–250
- Puzzle Collection, 489–490
  
- Quarks, 347
- QueryInterface method, 274–275, 303–305
- Questions, unanswerable, 7, 8–9
- Queued messages, 358
- QuickRes PowerToy, 36
  
- Rat Poker, 489–490
- Read-only folder property, 59
- ReadProcessMemory function, 316
- Rebasing DLLs, 254, 351–353
- Recalculating vs. saving, 254
- Rectangles, solid
  - ExtTextOut for, 100–102
  - StretchBlt for, 102–103
- Red dot on car door locks, 15
- Red Moon Desert, 26
- Redirected folders, 447–450
- Redundant casts to LPARAM, 321–322
- Reflexivity rule, 243
- Regions in geopolitics, 439
- Registering dialog classes, 160
- Registry
  - for blocked applications, 286
  - for document printing order, 66–67
  - function names for, 322–324
  - “hive” name for, 312
  - Run key, 54–55
  - Shell Folders key, 294–295
- regsvr32 program, 451
- Relative pointers, 318
- Release method, 274
- ReleaseSemaphore function, 110–112
- Remote Desktop Connection, 440–443
- Removing options vs. disabling, 12
- ReplyMessage function, 363
- Reprimands, whimsical embarrassment for, 493–494
- Reserved filenames, 290–292
- Resizing dialog boxes, 222–224
- Resources
  - in 16-bit Windows, 312–313
  - undocumented, 305
- Restoring window position, 122–123
- Return address prediction, 251–253
- Return addresses, 242–243
- Return values
  - dialog procedures, 151–153
  - HANDLE, 331–333
- \_ReturnAddress intrinsic, 242–243
- Right-click menus
  - boldface on, 62
  - for capture icon, 85–86
  - timed, 138–139
- Roaming user profiles
  - handling, 445–447
  - redirected folders for, 447–450
- Rorschach test, 25–26
- Rotating text, 375–379
- Round Clock PowerToy, 36
- Rumors columns, 28–29
- Run registry key, 54–55
  
- Sample URLs, 483–484
- Saving vs. recalculating, 254
- SBCS (single byte character sets), 431
- Schedule Chicken, 327
- Scratch program, 79–84
- Scratch windows, 135

- ScratchAccessible class, 477–480
- Screen reader, 57
- ScriptStringAnalyse function, 110
- Secondary monitors, 467–470
- Seconds display on taskbar clock, 50–51
- Sections, shared, 398–402
- Security, 393
  - debugging, 397–398
  - file hiding, 394–395
  - intranet, 402
  - passwords, 395–396
  - shared sections, 398–402
  - uncertified drivers, 396–397
  - world-writable files, 393–394
- Selectors, 73–75, 318–319, 321–322
- Selvin, Joel, 27
- Semaphores
  - auto-reset events as, 112–114
  - floppy disks as, 492
  - owners for, 110–112
- SendInput function, 358, 372
- SendMessage function, 358, 361–363
- SendMessageCallback function, 362, 368–369
- SendMessageTimeout function, 362, 369
- SendNotifyMessage function, 370–371
- Sent messages
  - generated, 358–362
  - life of, 363–364
- Separation through juxtaposition, 17
- Servers, paging on, 253–254
- Service packs
  - build numbers for, 39–40
  - and CD autoplay settings, 406–407
- Services, 394
- SetDCBrushColor function, 98
- SetDialogFocus function, 204, 227
- SetDlgMsgResult macro, 156
- SetFileAPIsToOEM function, 390
- SetFileAttributes function, 54
- SetFocus function, 227–228
- SetLastError function, 340
- setlocale directive, 383, 385
- SetMenuDefaultItem function, 62
- SetProcessAffinityMask function, 411
- SetProcessDPIAware function, 467
- SetTextAlign function, 105–106
- SetTimer function
  - for clock painting, 89
  - for timed message boxes, 134
  - for timed context menus, 139
- Settings, 3–4, 6
- Setup
  - for boot sectors, 409–410
  - operating system file versions in, 7–9
- SetWindow Placement function, 122
- SetWindowContextHelpId function, 188, 203
- SetWindowFont macro, 202–203
- SetWindowLongPtr function, 136, 152–153, 201
- SetWindowPlacement function, 471
- SetWindowPos function, 50, 471
- SHAlloc function, 324–329
- Shared memory, 398–402, 426
- Shared resources, 394
- Shared sections, 398–402
- Shell Folders key, 294–296
- Shell verbs, 66–67
- Shell32.dll file, 305
- ShellExecute function, 315
- Sherlock tool, 329–330
- SHGetFolderPath function, 296
- SHGetMalloc function, 324–329
- SHGetSpecialFolderLocation function, 295
- SHLoadOLE function, 329
- Shortcut Target Menu PowerToy, 36
- Show Desktop feature, 60–61
- SHSetLocalizedName function, 56
- Shutdown, Start button for, 1–2
- Sibling windows, 436
- Silent driver installs, 396–397
- Simulation, keyboard input, 371–372
- Single byte character sets (SBCS), 431
- 16-bit DOS and Windows
  - backward compatibility for, 288–290
  - resource memory management, 312–313



- 16-bit templates
  - classic, 164–172
  - extended, 181–187
- Size
  - dialog boxes, 222–224
  - dialog controls, 202
  - operating system, 31
  - structures, 418–421
- sizeof operator, 279–280
- Small arrow icon, 53
- Smuggling integers inside pointers, 453
- Software issues, 239
  - daylight saving time, 239–241
  - interface contracts, 245–248
  - memory leaks
    - from caches, 259–266
    - identifying, 258–259
  - optimization, 250–253
  - performance
    - holistic view, 255–256
    - polling, 257
  - pragmatism vs. purity, 249–250
  - return addresses, 242–243
  - saving vs. recalculating, 254
  - server paging, 253–254
  - sort comparisons, 243–245
  - tests, 35
  - timestamp changes, 241–242
- Solid rectangles, drawing
  - with ExtTextOut, 100–102
  - with StretchBlt, 102–103
- Solitaire, Spider, 488
- Sorting
  - filenames, 347–350
  - rules for, 243–245
- Sorting It All Out*, 373
- Special Edition box, 25
- Spell checkers
  - complaints about, 26–27
  - dictionaries, 27
- SPI\_SETFASTTASKSWITCH setting, 58
- Spider Solitaire, 488
- Spinner controls, 354–355
- SS\_CENTERIMAGE style, 102, 466
- SS\_NOPREFIX style, 236
- SS\_REALSIZECONTROL style, 465
- Stacks
  - in backward compatibility, 285–286
  - return address, 251–253
  - structures allocated on, 420
- Start button, 1–2, 51
- Start menu
  - Intellimenu on, 403–404
  - pin list, 404–406
- Startup sound, 27–28
- Stealing
  - animations, 305
  - passwords, 395–396
- Stealth overclocked computers, 149
- STGMEDIUM structure, 78, 319
- Strangely named functions, 22–24
- Stress testing, 258
- StretchBlt function
  - for solid rectangles, 102–103
  - working with, 465
- Strings
  - displaying, 103–110
  - null-terminated, 164
- STRRET structure, 429–430
- Structures
  - size checks, 418–421
  - undocumented, 284–286
- Substitution principle, 244
- Subsystems, compatibility, 289
- Sunken client areas, 432
- \_\_super keyword, 158
- Superset versions of Windows, 433
- Supporting data for programs, 451
- Syscall traps, 30–31
- System attribute, 55–56
- System button, 1–2
- SYSTEM font, 104, 353–354
- System menu, 344
- System policies, 33, 405–406
- System Properties memory report, 29
- SystemParametersInfo function, 354



- systray.exe program, 48
- \_T macro, 335
- TA\_UPDATECP mode, 105
- Tab key for navigation, 229–232
- Tab order in dialog boxes, 221
- Tables of function pointers, 273
- TABTHETEXTOUTFORWIMPS
  - function, 24
- Tag bits, 452
- Task Manager, killed processes in, 424–425
- Taskbar
  - blank buttons on, 59–60
  - clocks on, 50–51
  - default position, 49–50
  - on desktop, 343
  - grouping on, 9–11
  - pre-history, 342
  - Start indicator on, 51
  - in tiny footprint mode, 63–64
  - vs. tray, 47–49
  - in work area, 470
- Taxes
  - accessibility, 472–480
  - anti-aliased fonts and ClearType, 459–462
  - Fast User Switching and terminal services, 443–444
  - geopolitics, 439
  - Hierarchical Storage Management, 438–439
  - high DPI displays, 462–467
  - intermittent network connectivity, 457–459
  - large address spaces, 451–455
  - multiple monitors, 467–470
  - multiple users, 444–445
  - My Documents vs. Application Data, 450–451
  - pop-up windows, 471–472
  - power management, 437, 455–457
  - redirected folders, 447–450
  - Remote Desktop Connection and painting, 440–443
  - roaming user profiles, 445–447
  - work area, 470–471
- TCP/IP protocol, 144
- Teletypewriters, 334
- %TEMP% directory, 451
- Templates, dialog. See Dialog templates
- Temporary Internet Files directory, 451
- 1033 directory, 379
- Terminal services, 443–444
- TerminateProcess function, 424
- Terminators, line, 334–335
- Text
  - GetWindowText for, 41–42
  - operation, 42–43
  - rules in, 43–46
  - managing, 41–42
  - monochrome, 459–462
  - multilingual, 103–110
  - rotating, 375–379
- Text files, Ctrl+Z in, 333–334
- Text label colors for files, 56–57
- TEXT macro, 335
- \_TEXT macro, 335
- TextOut function
  - font-linked-enabled version, 104–110
  - with Remote Desktop Connection, 442
- this pointer, 276–278
- Threads and messages, 368
- Threats, death, 486–487
- 3D shadow and outlining, 16–17
- 32-bit templates
  - classic, 172–181
  - extended, 187–194
- Thunks, adjustor, 274–275
- Tickets to Windows 95 launch, 355–356
- Tiling effects, brushes for, 95–98
- Time bomb, 70
- Time zones, 19–20, 240
- Timed context menus, 138–139
- Timed message boxes, 133–134, 136–138
- Timeouts for window messages, 369
- Timers in painting, 89–92
- Timestamp changes, 241–242
- Tiny footprint mode, 63–64
- Toasters, 6
- Tokens, changing meanings of, 492–493

- Topmost windows, 58, 436
- Transitivity rule, 243–244
- TranslateAccelerator function, 216
- Translucent plastic floppy drives, 485–486
- Traps
  - syscall, 30–31
  - TerminateProcess function, 424
- Tray *vs.* taskbar, 47–49
  - See also* Notification icons
- Tree view control, 429
- Tunneling, file system, 346–347
- Tweak UI, 32–33, 37
- TYPE command, 380
- Typeahead, 335–336, 343–344
- Typographical errors, 27, 326
  
- UAE (Unrecoverable Application Error), 74
- Ugly boxes in string display, 103–110
- UI-modality *vs.* code-modality, 123–126
- UMA (Unified Memory Architecture)
  - machine, 29
- Unanswerable questions in dialogs, 7, 8–9
- UNC paths, 292–293
- Uncertified drivers, 70, 396–397
- Undocumented behavior, 286–288
- Undocumented resources, 305
- Undocumented structures, 284–286
- Unexpected dialogs, 3–5, 489
- ungetch function, 431–432
- Ungrouping on taskbar, 9–11
- Unicode
  - case mapping in, 373–375
  - and code pages, 380, 383–384, 390
  - converting with ANSI, 391–392
- UNICODE macro, 335
- \_UNICODE macro, 335
- Unified Memory Architecture (UMA)
  - machine, 29
- Uniscribe library, 109–110
- Unkillable programs, 422–423
- UnlockResource function, 313
- Unnoticed changes, 336–337
- Unrecoverable Application Error (UAE), 74
  
- Unsafe device removal dialog, 407–408
- Unwanted files/folders opened at logon, 54–56
- Up-down controls, 354–355
- URLs, sample, 483–484
- Usability sessions, 67
- USB Cart of Death, 147
- USB devices
  - floppy drives, 485–486
  - removing, 407–408
- User interface, 1
  - Advanced Options dialog, 57
  - best settings, 6
  - boldface on menus, 62
  - dialog box default answers, 3–5
  - document printing order, 66–67
  - dragging files, 64–65
  - ellipses on menus, 13
  - evolution of, 16–17
  - expert mode, 2–3
  - “For test/evaluation purposes only,” 70
  - icon order, 58–59
  - interior door locks, 15–16
  - Links folder, 65–66
  - memory reporting in, 69–70
  - Minimize All *vs.* Show Desktop, 60–61
  - operating system file versions, 7–9
  - options, disabling *vs.* removing, 12
  - overlay icons, 53–54, 256
  - product support for, 67–69
  - read-only property for folders, 59
  - Start button, 1–2
  - taskbar
    - blank buttons on, 59–60
    - grouping on, 9–11
  - text label colors for files, 56–57
  - tiny footprint mode, 63–64
  - unwanted files/folders, 54–56
  - vending machines, 13–15
  - Web site icons, 62–63
- User profiles, roaming
  - handling, 445–447
  - redirected folders for, 447–450
- User Shell Folders key, 296

- User switching, 443–444
- %USERPROFILE% directory, 446
- Users
  - death threats from, 486–487
  - multiple, 444–445
  - vs. programs, 422–423
- UTC (coordinated universal time)
  - and BIOS clock, 301–302
  - and daylight saving time, 239–240
- UTF-8 characters, 431–432
  
- Vending machine user interface, 13–15
- Vendors, misspellings by, 144–145
- Verbs, shell, 66–67
- Versions
  - checking, 302–303
  - operating system files, 7–9
  - Windows superset, 433
- Vertical taskbar, 51
- Vertical text, 376–379
- Video displays, high DPI, 462–467
- Video drivers
  - certification process, 145
  - DirectX, 298–299
- Virtual functions, 280–282
- Virtual memory, 71–72
- Visible windows, painting, 89–93
- Visual C++ compiler, 267
  - adjustor thinks in, 274–275
  - COM object layout in, 272–274
  - destructors in, 267–272
  - pointers to member functions in, 276–280
  - \_\_purecall in, 280–282
- Visual Studio compiler, 383
- Visual style backward compatibility, 309
- vtables, 273, 281–282, 401
  
- W in WPARAM, 311–312
- WAIT\_ABANDONED status code, 425–427
- WaitForSingleObject function, 111, 333
- WaitMessage function, 213, 359
- Waking receivers, 359
  
- Wallpaper, Red Moon Desert, 26
- Web site icons, 62–63
- Whimsical bug reports, 482–483
- Whimsical embarrassment, 493–494
- White windows, 118–119
- WHQL (Windows Hardware Quality Labs), 143–146
- WideCharToMultiByte function, 385
- Width of dialog controls, 202
- Win32 design issues, 417
  - desktop disabling, 433–434
  - HWND\_TOP vs. HWND\_TOPMOST, 435–436
  - hyperlinks in notification icon balloon tips, 427–428
  - menu nesting limits, 435
  - module load failures, 417–418
  - programs vs. users, 422–423
  - STRRET structure, 429–430
  - structure size checks, 418–421
  - sunken client areas, 432
  - Task Manager and killed processes, 424–425
  - TerminateProcess, 424
  - transitioning to, 75–76
  - tree items, 429
  - UTF-8 code page, 431–432
  - WAIT\_ABANDONED, 425–427
  - Windows superset versions, 433
  - WM\_DEVICECHANGE, 421–422
- Window management, 115
  - coverage determination, 93–95
  - desktop window, 120–121
  - disabling and enabling windows, 121–122
  - GWLP\_USERDATA in, 136
  - hollow brush, 119
  - menu destruction, 88–89
  - messages for destroyed windows, 139–140
  - minimized, 341–343
  - modal program interaction, 132
  - modal UI owners, 129–132
  - restoring position, 122–123
  - scratch windows, 135
  - timed context menu, 138–139

- Window management (Continued)
  - timed message boxes, 133–134, 136–138
  - UI-modality vs. code-modality, 123–126
  - white windows, 118–119
  - WM\_MOUSEENTER messages, 118
  - WM\_MOUSEMOVE messages, 115–118
  - WM\_QUIT messages, 126–129, 206, 211, 213
- Window messages, 357
  - keyboard input simulation, 371–372
  - myths, 370–371
  - sender and poster identification, 371
  - SendMessageCallback function, 368–369
  - SendMessageTimeout function, 369
  - sent and posted, 358–362
    - generated, 365–367
    - life of, 363–365
- WINDOWPLACEMENT structure, 471
- Windows operating systems
  - broadcast-based mechanisms in, 340–341
  - superset versions of, 433
- Windows 2000, 403
  - boot sectors, 409–410
  - CPU usage, 411–412
  - DS\_SHELLFONT style, 412–415
  - processor affinity, 410–411
  - Start menu Intellimenus, 403–404
  - unsafe device removal dialog, 407–408
- Windows 95
  - anti-piracy hologram, 25–26
  - booting in, 20–22
  - build numbers, 38–40
  - code bloat, 31
  - hard drive light flashes, 29–30
  - hardware, 141–143
  - installing, 34–35
  - launch, 19, 355–356
  - M3 beta release, 294
  - martial arts logon picture, 26–27
  - memory size report, 29
  - PowerToys, 35–37
  - product-support call costs, 32
  - Rumors columns, 28–29
  - service packs, 39–40
  - software tests, 35
  - Special Edition box, 25
  - startup sound, 27–28
  - strangely named functions, 22–24
  - syscall traps, 30–31
  - time zones, 19–20
  - Tweak UI, 32–33
- Windows Hardware Quality Labs (WHQL), 143–146
- Windows Presentation Foundation, 225
- Windows XP, 403
  - CD autoplay settings, 406–407
  - CD ejection, 408–409
  - Comments? button, 408
  - Start menu pin list, 404–406
  - unsafe device removal dialog, 407–408
- windowsx.h header file, 80
- WinExec function, 315
- WINLOGON.EXE program, 423
- WinMain function
  - hPrevInstance parameter, 316–317
  - in scratch program, 84
- Winsock functions, 340
- WINVER setting, 419
- Wissink, Kathy, 388
- WM\_ACTIVATE message, 230, 232
- WM\_CANCELMODE message, 138–139
- WM\_COMMAND message, 216, 364
- WM\_CONTEXTMENU message, 85–86
- WM\_CREATE message, 81, 83
- WM\_CTLCOLOR messages, 98, 99, 119
- WM\_DESTROY message, 81, 83
- WM\_DEVICECHANGE message, 421–422
- WM\_DRAWITEM message, 462
- WM\_ERASEBKGND message, 462
- WM\_FONTCHANGE message, 340
- WM\_GETDLGCODE message, 232–235
- WM\_GETOBJECT message, 478–479
- WM\_GETTEXT message, 41–44
- WM\_INITDIALOG message, 156, 161, 219
- WM\_KEYDOWN message, 224
- WM\_MOUSEENTER message, 118

- WM\_MOUSEMOVE message, 115–118, 366–367
- WM\_NCCREATE message, 41
- WM\_NEXTDLGCTL message, 227–228
- WM\_NOTIFY message, 222, 371
- WM\_NULL message, 212
- WM\_PAINT message, 81–82, 89–91, 254, 366
- WM\_POWERBROADCAST message, 456–457
- WM\_PRINTCLIENT message, 82, 91
- WM\_QUERYENDSESSION message, 421
- WM\_QUIT message
  - generated on the fly, 366
  - in message loops, 206, 211, 213–214
  - and modality, 126–129
  - for timed message boxes, 133–134
- WM\_SETCURSOR message, 118, 158
- WM\_SETFOCUS message, 232
- WM\_SETFONT message, 202
- WM\_SETTEXT message, 42
- WM\_SIZE message, 81, 83
- WM\_TABSTOP message, 229
- WM\_TIMER message, 365–367
- WM\_USER message, 229
- WM\_WTSSESSIONCHANGE message, 443–444
- Work area, 343, 470–471
- World-writable files, 393–394
- WPARAM, 311–312
- wprintf function, 383–385
- WriteConsole function, 385
- WS\_CAPTION style, 198
- WS\_CHILD style, 198, 220
- WS\_EX\_APPWINDOW style, 59
- WS\_EX\_CLIENTEDGE style, 432
- WS\_EX\_CONTROLPARENT style, 198, 220–221
- WS\_EX\_NOPARENTNOTIFY style, 203
- WS\_GROUP style, 229, 236
- WS\_SYSMENU style, 198
- WS\_TABSTOP style, 229, 236
- WS\_VISIBLE style, 220
- WSASetLastError function, 340
- X buttons
  - disabled, 237
  - in notification balloons, 52
- XADD instruction, 339
- xcopy
  - death threat, 486–487
  - for Windows 95 installation, 34–35
- Z-order, 58, 121, 436
- 0409 directory, 379

