



A

- accessibility, 51
 - accessibility myths (Web sites), 203-205
 - operating systems, 54-55
 - Section 508, 52
 - Web Content Accessibility Guidelines, 52-54
- Active Server Pages (ASP), 10
- Address bar, 27
- advanced users, needs of, 143
- Aero interface, 6, 38
- affordances, 127
- AJAX, 13, 25
- ALT tags, 204-205
- Alto, 2-3
- America Online (AOL), 9
- Americans with Disabilities Act, 52
- analyzing usability test data, 241-243
- animals associated with personality types, 118
- animation, Web design myths, 202
- AOL (America Online), 9
- Apple II series, 3
- Apple Lisa, 3
- Apple Macintosh, 3-4
- application service providers (ASPs), 44
- applications
 - application sites, 206-210
 - Internet-based applications, 200
 - Web-based applications, 44
- Aqua interface, 3-4, 39-40
- Archi interface, 45-46
- ARPANET, 8
- The Art of Unix Usability* (Raymond), 27
- artifact walkthrough, discourse-based interviews
 - with, 237
- ASP (Active Server Pages), 10
- ASPs (application service providers), 44
- assistants, 190-191
- assistive technologies, 51

- assumptions in software design, 138
- attentive interfaces, 44
- audience for usability test reports, 243-244
- audio information cues, 187
- auxiliary applications, 175, 205, 213

B

- Back button, 27
- back-end programming (Web sites), 213
- background sound, Web design myths, 202
- backward compatibility, Web accessibility myths,
 - 204
- Bash (Bourne Again SHell) shell, 30
- batch files, 29
- batch interface, 28
- batch programming, 29
- Bates, Marilyn, 117
- beginners, needs of, 141
- behavior. *See* user behavior
- behavioral design patterns, 173
- behaviors in GUIs, 177
 - mouse pointers, 178-180
 - windows, 181-185
- bell curve. *See* experience bell curve
- Berners-Lee, Tim, 9
- beta testing, 49, 92, 102, 136
- Bias, Randolph, 71. *See also* Vienna (Windows code name)
- blaming oneself (reasons for failure), 114
- blaming wrong cause (reasons for failure), 115
- blogs, 104
- brain-computer interface, 46
- brain, knowledge in, 122-124
- brainstorming sessions, 165
- bread crumbs, Web site design, 217
- breaking Web site design rules, 219-220
- Briggs, Katherine, 115
- browsers. *See* Web browsers

- Bush, Vannevar, 1
- business case for usability
 - benefits of good design, 64-67
 - framework for, 63-64
 - Mike's Bikes case study, 76-82
 - profitability, 67-69
 - ROI (return on investment) analysis, 69-71
 - stakeholder expectations, 60-63
 - Usability Engineering Life Cycle (UEL), 71-72
 - design, testing, and development phase, 73-75
 - installation and feedback phase, 75-76
 - requirements analysis phase, 72-73
- business case for usability, 60
- business goals, 150
- business requirements, 166
- buttons, 20

- C**
- calculating dollar amount of benefit (ROD), 70-71
- case study. *See* Mike's Bikes case study
- CERN, 9
- checklists for documentation design, 98-102
- CLI (command-line interface), history of, 28-30
- clicking
 - clicking and dragging, 179
 - left mouse button, 178-179
 - right mouse button, 180
- closing windows, 185
- colors
 - in Web site design, 215-216
 - Web-safe colors, 42, 199
- command-line interface (CLI), history of, 28-30
- communication with users
 - assistants and wizards, 190-191
 - online help systems, 190
 - paper prototyping advantages in, 94
 - standards, 189-190
- competitive temperament, 120-121
- conceptual-level principles, 172
- conceptual models
 - creating, 127-129
 - design, 74
 - Mike's Bikes case study, 129-131
 - mockups, 74
- concurrent, contextual interviews, 236
- conducting usability tests, 233
 - interviewing skills needed, 236-238
 - observation skills needed, 234-236
 - ongoing relationships, establishing, 238-239
 - pilot tests, 233-234, 248-251
 - rapport with participants, establishing, 239
 - resolving problems during, 239-241
- conscious behavior, subconscious behavior versus, 125
- consistency in Web site design, 215, 218
- constraints
 - defined, 127
 - on designers, 88-89
 - on users, 88
 - Web site design versus GUI design, 198-200
- consumer-oriented Web portals, 210
- context scenarios, 165
- contextual needs, 165
- contextual text analysis, 73
- controlled usability evaluations, 227
- cookies, 208
- Cooper, Alan, 49, 86, 139-140, 143, 164, 171, 173, 209
- critical incident interviews, 237
- cued recall interviews, 236
- cues. *See* information cues
- cultural constraints, 88
- current information in Web site design, 219
- cursor, 178
- customer partnering, 237
- customer personas, 155
- customer requirements, 166
- customer retention, 67
- customer segments, factors affecting interface usage, 93-94
- customer support costs, 66
- customers' goals, 150
- customizability of GUIs, 31

- D**
- daemon applications, 175, 205
- data elements, 167
- data needs, 165
- databases, Web site interaction with, 215
- deep and narrow task structures, 124
- defining usability tests, 228-229
 - goals, creating, 229
 - measures, determining, 231-232
 - participants, selecting, 229-230

- test materials, preparing, 232-233
- test scenarios, creating, 230-231
- demographics in personas, 147
- descriptive statistics, 241
- design myths (Web sites), 202-203
- design team, 228
- design, testing, and development phase (UEL), 73-75
- design. *See* Goal-Directed Design Process; user interface design
- designers
 - constraints on, 88-89
 - expectations of, 61
- detailed user interface design, 75
- DHTML (Dynamic HTML), 25
- dialog boxes, 181
- difficult tasks, transforming into simple tasks, 126-127
- disabled users. *See* accessibility
- discourse-based interviews with artifact walk-through, 237
- distributions (Linux), 7
- Dock in Mac OS GUI, 11-12, 39
- documentation,
 - defined, 48
 - good design for, 96-97
 - planning process, 97-103
- dollar amount of benefit (ROI), calculating, 70-71
- Donoghue, Karen, 68
- DOS, history of CLI (command-line interface), 29
- double-clicking, 179
- drop-down menus, 20
- Dubberly, Hugh, 86
- Dumas, Joseph, 47, 228, 242
- Dynamic HTML (DHTML), 25

E

- edge cases, 149, 192
- Eisenberg, Bryan and Jeffrey, 117, 147-148
- elastic users, 149
- elegant, good design as, 87, 171
- embedded links, 26
- end goals, 150
- end user design, 149
- Engelbart, Douglas, 1
- engineers, expectations of, 61
- enterprise Web portals, 210
- environmental Web portals, 211

- error messages, poor design of, 138
- ethical, good design as, 86, 171
- ethnographic interviews, 237
- ethnography, 144
- evaluating personas, 154
- expectations
 - of personas, 165
 - of stakeholders, 60-63
- experience bell curve, 140-141
 - advanced users, needs of, 143
 - beginners, needs of, 141
 - intermediate users, needs of, 142-143
- experience goals, 150
- Extensible Markup Language (XML), 41
- extreme usability, 152
- extroversion/introversion dichotomy, 116

F

- failures, reasons for, 114-115
- feedback, 225. *See also* usability tests
 - in conceptual models, 129
 - on documentation design, 102
 - feedback phase (UEL), 75-76
- feeling/thinking dichotomy, 116
- fingerprint scanning, 35
- Firefox, 10
- Flash, 13, 25
- focus groups, 227, 237
- fonts in Web site design, 199, 215-216
- Fore, David, 86
- form factor, 166
- form processing (Web sites), 214-215
- formative usability testing, 49
- formatting conventions for documentation, 102
- Forward button, 27
- framework, 166-169
- framework phase (Goal-Directed Design Process), 144
- Free Software Foundation, 7
- front end (Web sites), 213
- functional elements, 167
- functional groups, 168
- functional needs, 165
- future of user interface design, 44-46
 - Mac OS, 43
 - Web browsers, 43-44
 - Windows Vienna, 43

G

gesture interfaces, 45
GNOME, 7, 12-13, 40
GNU operating system, 7
Goal-Directed Design Process, 49, 143-146
 framework, defining, 166-169
 refinement stage, 191-194
 requirements, obtaining, 164-166
 user and task analysis
 observing users, 152-154
 personas, constructing, 147-159
 personas, evaluating, 154
 personas, prioritizing, 154-156
 qualitative research, 146-147
goals
 constructing personas, 149-150
 creating for usability tests, 229
 of good design, 85-87, 171
good design
 designers and users, constraints of, 87-90
 for documentation, 96-103
 goals of, 85-87, 171
 importance of, 104-105
 paper prototyping
 advantages of, 93-95
 disadvantages of, 95-96
 Mike's Bikes case study, 105-110
 overview of, 91
 product mockups versus, 91
 skepticism toward, overcoming, 92-93
 storyboarding versus, 91
 wireframes versus, 91
 paper prototyping, 90
 patterns of, 172-173
 principles of, 172
Goodwin, Kim, 86
Google Spreadsheet, 44
Gore, Al, 9
graphical user interfaces. *See* GUIs
graphics
 in Web site design, 216-217
 Web accessibility myths, 204-205
 Web design myths, 202
group interviews, 237
GUIs (graphical user interfaces), 30-32
 behaviors
 mouse pointers, 178-180

 refining, 191-194
 windows, 181-185
 behaviors, 177
 defined, 18
 differences among
 Linux GUI, 12-13
 Mac OS GUI, 11-12
 Web pages, 13-14
 Web programs, 14
 Windows GUI, 11
 differences among, 10
 GUI design, Web site design versus, 198-200
 history of
 Apple Macintosh, 3-4
 Linux, 7-8
 Microsoft Windows, 5-6
 Xerox Alto, 2-3
 history of, 1-2
 operating systems, 18-19
 parts of, 19-23
 rules for interaction with, 198

H

Hackos, JoAnn, 153
haptic feedback, 36
hardware, security interfaces, 34-36
help. *See* information cues; online help systems
helplessness (reasons for failure), 115
hierarchy of functional groups, defining, 168
High-Performance Computing Act of 1991, 9
highlight presentations of usability test results, 246-247
Hippocrates, 116
history
 of CLI (command-line interface), 28-30
 of GUIs, 1-2
 Apple Macintosh, 3-4
 Linux, 7-8
 Microsoft Windows, 5-6
 Xerox Alto, 2-3
 of Web design, 8
 Internet Explorer, 9-10
 Internet, beginning of, 8
 Mosaic, 9
 Netscape Navigator, 9
HTML (Hypertext Markup Language), 24
human characteristics of user interface design, 171

humanistic temperament, 120
hyperlinks, 25-26
Hypertext Markup Language (HTML), 24

I

I-shaped bar as mouse pointer, 178
de Icaza, Miguel, 7
images. *See* graphics
immediate recall interviews, 236
implementation model, 139
individuality constraints, 89
inferential statistics, 241
information cues
 audio cues, 187
 pop-up messages, 187
 search engines, 188
 visual cues, 186-187
informational sites, 205, 208
input methods, defining, 166
installation and feedback phase (UEL), 75-76
Intel 80386 chips, 5
interaction design, 171
 goals of good design, 171
 patterns of good design, 172-173
 principles of good design, 172
interaction framework, sketching, 168
interaction-level principles, 172
interfaces, 1. *See also* GUIs
 interface design, 49
 interface-level principles, 172
intermediate users
 needs of, 142-143
 perpetual intermediates, 140
Internet
 defined, 23
 history of, 8
Internet-based applications, 200
Internet Explorer, 9-10
interviewing users when constructing personas,
 151-152
interviewing skills for conducting usability tests,
 236-238
introversion/extroversion dichotomy, 116
intuition/sensing dichotomy, 116, 122-124
iterative conceptual model evaluation, 74
iterative design standards evaluation, 75
iterative detailed user interface design evaluation, 75

J

Java, 14, 24
JavaScript, 25
judging/perceiving dichotomy, 117
Jung, Carl, 116

K

KDE, 7, 12-13, 40
Keirse, David, 117
key path scenarios, constructing, 169
key path variants, 192
kiosks, Section 508 accessibility, 52
knowledge in brain versus in world, 122-124
Korman, Jonathan, 86

L

left mouse button, clicking, 178-179
legal documents, preparing for usability tests, 232
Leopard (Mac OS X), 40
Level 1 design (UEL), 74
Level 2 design (UEL), 74-75
Level 3 design (UEL), 75
life goals, 149
links. *See* hyperlinks
Linux, 7-8
 as GUI operating system, 19
 interface design issues and improvements, 40
 unique GUI features, 12-13
Lisa, 3
logical constraints, 88
long-term production costs, 65

M

Mac OS, 3-4
 future of user interface design, 43
 as GUI operating system, 19
 OS X, 3-4
 interface design issues and improvements,
 39-40
 unique GUI features, 11-12
managers, expectations of, 62-63
mapping process in conceptual models, 129
Marble Answering Machine, 45
marketing people, expectations of, 62
maximizing windows, 19, 184
Mayhew, Deborah, 71

MBTI (Myers-Briggs Type Indicator), 115-117, 130

MDI (multiple-document interface), 19, 181-182

measures, determining for usability tests, 231-232

mechanical-age design, result of, 138-139

memex, 1

Mena, Federico, 7

mental model. *See* users' mental model

menu bar in Mac OS GUI, 11

menus, 20-21

methodical temperament, 119

Microsoft Internet Explorer, 9-10

Microsoft Windows, 5-6

Mike's Bikes case study

- business case for usability, 76-82
- conceptual models, creating, 129-131
- paper prototyping, 105-110
- personas, constructing, 156
- personas, constructing, 157-159
- pilot usability tests, conducting, 248-251
- refining paper prototype test, 192-194
- Web site navigation features, 220-222

minimizing windows, 19, 184

Minority Report (film), 45

Mirsky, Steve, 98

misconceptions, adhering to (reasons for failure), 115

misunderstandings in seven stages of human action, 121-122

mockups, paper prototyping versus, 91

modal windows, 184

modeling phase (Goal-Directed Design Process), 144

- personas, constructing, 147-152, 156-159
- personas, evaluating, 154
- personas, prioritizing, 154-156

Mosaic, 9

mouse pointers, 178-180

moving

- mouse pointers, 178
- windows, 184-185

MSN.com Maps, 45

multimedia products, Section 508 accessibility, 52

multiple-document interface (MDD), 19, 181-182

multitasking, 5

Myers, Isabelle, 115

Myers-Briggs Type Indicator (MBTI), 115-117, 130

myths about Web site design, 200-205

N

narratives for personas, 154

National Center for Supercomputing Applications (NCSA), 9

navigation in Web site design, 217-222

navigation buttons, 27

NCSA (National Center for Supercomputing Applications), 9

necessary use scenarios, 192

needs of personas, identifying, 165

negative personas, 156

net present value (NPV) amount, calculating, 70

Netscape Navigator, 9

NLS (oN-Line System), 2

Norman, Donald, 121, 128

notes, writing during usability tests, 235-236

NPV (net present value) amount, calculating, 70

O

obscurity in software design, 138

observation skills while conducting usability tests, 152-154, 226-227, 234-236

ongoing relationships, establishing, 238-239

online help systems, 100, 190

open-source software, 7

opening windows, 181-183

Opera, 10

operating systems

- accessibility features, 54-55
- GUI operating systems, list of, 18-19

outlines for documentation, creating, 102

P

Palo Alto Research Center (PARC), 2

paper documentation, 98

paper prototyping, 90

- advantages of, 93-95
- conducting pilot tests, 248-251
- constructing key path scenarios, 169
- defined, 85
- disadvantages of, 95-96
- Mike's Bikes case study, 105-110
- overview of, 91
- product mockups versus, 91
- refining, 192-194
- skepticism toward, overcoming, 92-93

- storyboarding versus, 91
 - wireframes versus, 91
 - Paper Prototyping* (Snyder), 90
 - PARC (Palo Alto Research Center), 2
 - participants in usability tests
 - establishing rapport with, 239
 - selecting, 229-230
 - partner requirements, 166
 - path scenarios, constructing, 169
 - patterns of good design, 172-173
 - PDF (Portable Document Format)
 - documentation, 99
 - perceiving/judging dichotomy, 117
 - performance measures, 231-232
 - perpetual intermediate users, 140
 - perpetual intermediates, 189
 - personality types
 - animals associated with, 118
 - MBTI (Myers-Briggs Type Indicator), 115-117, 130
 - primary temperaments, 117-118
 - competitive temperament, 120-121
 - humanistic temperament, 120
 - methodical temperament, 119
 - spontaneous temperament, 119-120
 - personas
 - advantages of, 148-149
 - constructing, 147-152, 156-159
 - evaluating, 154
 - expectations of, 165
 - identifying needs of, 165
 - prioritizing, 154-156
 - requirements, obtaining, 164-166
 - persuasion process in sales, 148
 - photographs for personas, 154
 - PHP, 25
 - physical constraints, 88
 - pilot usability tests, conducting, 233-234, 248-251
 - planning process
 - for good documentation design, 97-103
 - paper prototyping advantages in, 93-94
 - platform capabilities/constraints in requirements analysis, 73
 - platform-independent, 24
 - pointing devices in GUIs, 31. *See also* mouse pointers
 - pop-up menus, 20
 - pop-up messages, 187
 - Portable Document Format (PDF) documentation, 99
 - portal sites, 206, 210-213
 - postural design patterns, 173
 - postures. *See* software postures; Web postures
 - PowerShell, 30
 - pragmatic, good design as, 87, 171
 - presenting usability test results, 245-247
 - primary personas, 155-159
 - primary temperaments, 117-118
 - competitive temperament, 120-121
 - humanistic temperament, 120
 - methodical temperament, 119
 - spontaneous temperament, 119-120
 - principles of good design, 172
 - prioritizing personas, 154-156
 - problem statements, 164
 - problems during usability tests, resolving, 239-241
 - process interviews, 237
 - product engineers/designers, expectations of, 61
 - product mockups, 91
 - production costs, 65-66
 - professionalism of paper prototyping, 92
 - profitability of usability design, 67-69
 - programming languages for Web pages, 24-25
 - project teams, 97-98
 - prototyping design standards, 75. *See also* paper prototyping
 - psychographics in personas, 148
 - psychology of user behavior
 - MBTI (Myers-Briggs Type Indicator), 115-117
 - primary temperaments
 - competitive temperament, 120-121
 - humanistic temperament, 120
 - methodical temperament, 119
 - spontaneous temperament, 119-120
 - primary temperaments, 117-118
 - reasons for failure, 114-115
 - seven stages of human action, 121-122
 - purposeful, good design as, 87, 171
- ## Q
- qualitative research, 146-147
 - quantitative research, 146
 - questionnaires, preparing for usability tests, 233
 - quick and dirty usability testing, 49

R

Radio Frequency Identification (RFID) tags, 35
rapport with test participants, establishing, 239
Raskin, Jef, 45
Raymond, Eric, 27
real-world requirements, 166
Red Hat, 7
Redish, Ginny, 153
Redish, Janice, 47, 228, 242
refinement phase (Goal-Directed Design Process),
145, 191-194
reflexive interfaces, 45
Rehabilitation Act of 1973, 52
Reimann, Robert, 49, 86, 139, 140, 143, 164, 171,
173, 209
Reimer, Jeremy, 1
relationships, establishing ongoing relationships,
238-239
reports, writing on usability tests, 243-245
requirements analysis phase (UEL), 72-73
requirements-gathering sessions, 228
requirements phase (Goal-Directed Design
Process), 144, 164-166
research phase (Goal-Directed Design Process),
144-147
resizing windows, 184
resolution of Web pages, 33
resolving problems during usability tests, 239-241
results of usability tests, presenting, 245-247
retina scanning, 35
return on investment (ROI), 69-71, 92
review process for documentation, 103
RFID (Radio Frequency Identification) tags, 35
RIAS (Rich Internet Application System), 13, 44
right mouse button, clicking, 180
ROI (return on investment) analysis, 69-71, 92
rules for Web site design, breaking, 218-220

S

sales, persuasion process, 148
sales people, expectations of, 62
scenarios, creating for usability tests, 230-231
scope of usability test data, 242
scrollbars, 22
SDIs (single document interfaces), 19
search engines, 188
secondary personas, 155

Section 508 accessibility, 52
security
 Web engineering, 214
 Windows Vista, 38
 security interfaces, 34-36
selecting
 participants for usability tests, 229-230
 usability test techniques, 226-228
self-referential design, 149
semantic constraints, 88
sensing/intuition dichotomy, 116, 122-124
served personas, 155
seven stages of human action, 121-122
severity of usability test data, 243
SGML (Standard Generalized Markup Language),
41
shallow task structures, 124
short-term production costs, 65
simple tasks, transforming difficult tasks into,
126-127
simplicity
 in conceptual models, 128
 in users' mental models, 139
 in Web site design, 218
single document interfaces (SDIs), 19
site visits for observing users, 226-227
smart cards, 34
Snyder, Carolyn, 90
social constraints, 88
software development
 bad behaviors of, 138-139
 phases of, 136-137
 Section 508 accessibility, 52
software postures, 173-177, 205
sound, Web design myths, 202
sovereign applications, 173, 205, 208
spontaneous temperament, 119-120
Sputnik, 8
stakeholder expectations, 60-63
Stallman, Richard, 7
Standard Generalized Markup Language (SGML),
41
standards
 in level 2 design, 74-75
 in user interface design, 189-190
 in Web site design
 colors and text, 215-216
 consistency, 215

- graphics, 216-217
- navigation, 217-222
- Star, 3
- Start button, 11
- statistics, types of, 241
- storyboarding, 90. *See also* paper prototyping
 - constructing key path scenarios, 169
 - paper prototyping versus, 91
- structural design patterns, 173
- structuring tasks, 124-125
- style guide development, 75
- style sheets, defining for documentation, 102
- stylus, 37
- subconscious behavior, 125
- subjective measures, 231
- summative usability testing, 50
- supplemental personas, 155

T

- table of contents for documentation, 103
- tabs in MDI (multiple-document interface), 181-182
- tactile interfaces, 36
- tangible interfaces, 45
- task structures, 124-125
- taskbars, 11, 23
- tasks
 - conceptual models
 - creating, 127-129
 - Mike's Bikes case study, 129-131
 - scenarios, creating for usability tests, 230-231
 - transforming from difficult to simple, 126-127
 - user and task analysis
 - observing users, 152-154
 - personas, constructing, 147-159
 - personas, evaluating, 154
 - personas, prioritizing, 154-156
 - qualitative research, 146-147
- TCP/IP, 8
- teams for documentation design, 97-98
- technical goals, 150
- technical requirements, 166
- telecommunications products, Section 508
 - accessibility, 52
- temperaments. *See* primary temperaments
- test materials, preparing for usability tests, 232-233

- test scenarios, creating for usability tests, 230-231
- testing methods. *See* usability testing
- testing scripts, preparing for usability tests, 232
- tests. *See* usability tests
- text in Web site design, 215-216
- text user interface (TUI), 30-31
- thinking/feeling dichotomy, 116
- three-click rule, 128, 219
- time constraints, 89
- toolbars, 11, 21-22, 26
- ToolTips, 187
- topology in personas, 148
- Torvalds, Linus, 7
- touch interfaces, 36
- trade shows, meeting users at, 228
- training costs, 66
- transforming difficult tasks into simple tasks, 126-127
- transient applications, 174, 205
 - application Web sites as, 209-210
 - informational Web sites as, 208
 - portal sites as, 213
- triangulating data, 242
- trough (of scrollbar), 22
- TUI (text user interface), 30-31

U

- UEL (Usability Engineering Life Cycle), 71-72
 - design, testing, and development phase, 73-75
 - installation and feedback phase, 75-76
 - requirements analysis phase, 72-73
- UNIX-based CLIs, 30
- URL (Uniform Resource Locator), 24
- usability design
 - business case for, 60
 - benefits of good design, 64-67
 - framework for, 63-64
 - Mike's Bikes case study, 76-82
 - profitability, 67-69
 - ROI (return on investment) analysis, 69-71
 - stakeholder expectations, 60-63
 - Usability Engineering Life Cycle (UEL), 71-76
 - connection with user interface design and usability testing, 60
 - defined, 47
 - importance of, 59
 - types of, 48-49

- Usability Engineering Life Cycle (UEL), 71-72
 - design, testing, and development phase, 73-75
 - installation and feedback phase, 75-76
 - requirements analysis phase, 72-73
- usability engineers, 48
- usability goal settings in requirements analysis, 73
- usability roundtables, 227, 237
- usability scientists, 48
- usability services, 48
- usability tests, 49-50
 - analyzing data, 241-243
 - changes based on, 247
 - conducting
 - interviewing skills needed, 236-238
 - observation skills needed, 234-236
 - ongoing relationships, establishing, 238-239
 - pilot tests, 233-234, 248-251
 - rapport with participants, establishing, 239
 - resolving problems during, 239-241
 - conducting, 233
 - connection with user interface design and usability design, 60
 - defining
 - goals, creating, 229
 - measures, determining, 231-232
 - participants, selecting, 229
 - participants, selecting, 230
 - test materials, preparing, 232-233
 - test scenarios, creating, 230-231
 - defining, 228-229
 - paper prototyping. *See* paper prototyping
 - presenting results of, 245-247
 - techniques for, 226-228
 - types of data from, 241
 - writing report on, 243-245
- usage myths (Web sites), 201-202
- usage patterns, discovering, 144
- user and task analysis
 - defined, 50
 - Goal-Directed Design Process, 49
 - observing users, 152-154
 - personas, constructing, 147-159
 - personas, evaluating, 154
 - personas, prioritizing, 154-156
 - qualitative research, 146-147
 - trends in, 50-51
 - usability testing, 49-50
- user behavior
 - conceptual models
 - creating, 127-129
 - Mike's Bikes case study, 129-131
 - conscious versus subconscious
 - behavior, 125
 - knowledge in brain versus knowledge in world, 122-124
 - psychology of
 - MBTI (Myers-Briggs Type Indicator), 115-117
 - primary temperaments, 117-121
 - reasons for failure, 114-115
 - seven stages of human action, 121-122
 - task structures, 124-125
 - transforming difficult tasks into simple tasks, 126-127
- user goals, Goal-Directed Design Process, 143-146
 - framework, defining, 166-169
 - refinement stage, 191-194
 - requirements, obtaining, 164-166
 - user and task analysis, 146-159
- user interface design. *See also* GUIs; user interface models
 - accessibility issues
 - operating systems, 54-55
 - Section 508, 52
 - Web Content Accessibility Guidelines, 52-54
 - accessibility issues, 51
 - communication with users
 - assistants and wizards, 190-191
 - online help systems, 190
 - standards, 189-190
 - connection with usability design and testing, 60
 - framework, defining, 166-169
 - future of, 44-46
 - Mac OS, 43
 - Web browsers, 43-44
 - Windows Vienna, 43
 - good design. *See* good design
 - GUI behaviors, 177
 - mouse pointers, 178-180
 - refining, 191-194
 - windows, 181-185
 - human characteristics of, 171
 - information cues
 - audio cues, 187
 - pop-up messages, 187

- search engines, 188
 - visual cues, 186-187
 - interaction design
 - goals of good design, 171
 - patterns of good design, 172-173
 - principles of good design, 172
 - interaction design, 171
 - issues and improvements
 - Linux, 40
 - Mac OS X, 39-40
 - Web interfaces, 41-42
 - Windows Vista, 38-39
 - issues and improvements, 42
 - requirements, obtaining, 164-166
 - software postures, 173-177
 - user interface models
 - batch interface, 28
 - button interfaces, 37
 - CLI (command-line interface), history of, 28-30
 - GUI (graphical user interface), 30-32
 - security interfaces, 34-36
 - tactile interfaces, 36
 - telephone user interfaces, 37
 - touch interfaces, 36
 - TUI (text user interface), 30-31
 - types of, 27-28
 - Web interfaces, 32-35
 - user profile in requirements analysis, 73
 - user surveys, 228
 - users. *See also* user interface design
 - behavior
 - conceptual models, 127-131
 - conscious versus subconscious behavior, 125
 - knowledge in brain versus knowledge in world, 122-124
 - psychology of, 114-122
 - task structures, 124-125
 - transforming difficult tasks into simple tasks, 126-127
 - constraints on, 88
 - expectations of, 61
 - experience bell curve, 140-141
 - advanced users, needs of, 143
 - beginners, needs of, 141
 - intermediate users, needs of, 142-143
 - goals, Goal-Directed Design Process, 143-146
 - framework, defining, 166-169
 - refinement stage, 191-194
 - requirements, obtaining, 164-166
 - user and task analysis, 146-159
 - interviewing when constructing personas, 151-152
 - observing, 152-154, 226-227
 - users' mental model
 - bad software development behaviors, 138-139
 - implementation model versus, 139
 - phases of software development, 136-137
- ## V
- validation scenarios, 192
 - validity of paper prototyping, 92
 - videos, Section 508 accessibility, 52
 - Vienna (Windows code name), 43
 - views, defining, 167
 - visibility in conceptual models, 129
 - vision statements, 164
 - VisiOn, 5
 - visual information cues, 186-187
 - voice mail hell, 37
- ## W
- W3C (World Wide Web Consortium), Web Content Accessibility Guidelines, 52-54
 - Web, 9, 23
 - Web-based applications, 44
 - Web browsers
 - Address bar, 27
 - defined, 23-24
 - Firefox, 10
 - future of user interface design, 43-44
 - Internet Explorer, 9-10
 - Mosaic, 9
 - navigation buttons, 27
 - Netscape Navigator, 9
 - Opera, 10
 - toolbars, 26
 - Web accessibility myths, 204
 - Web Content Accessibility Guidelines, 52-54
 - Web engineering, 213-215
 - Web interfaces, 32-35, 41-42
 - Web postures, 205-207
 - application sites, 208-210
 - informational sites, 208
 - portal sites, 210-213
 - Web programs, unique GUI features, 14

- Web site design
 - defined, 49
 - GUI design versus, 198-200
 - history of, 8
 - Internet Explorer, 9-10
 - Internet, beginning of, 8
 - Mosaic, 9
 - Netscape Navigator, 9
 - hyperlinks, 25
 - interaction with Web sites, 199
 - myths about, 200-205
 - programming languages for, 24-25
 - resolution of, 33
 - rules for, breaking, 218-220
 - Section 508 accessibility, 52
 - standards
 - colors and text, 215-216
 - consistency, 215
 - graphics, 216-217
 - navigation, 217-222
 - three-click rule, 128
 - unique GUI features, 13-14
 - Web engineering, 213-215
 - Web postures, 205-207
 - application sites, 208-210
 - information sites, 208
 - portal sites, 210-213
 - Web-safe colors/fonts, 42, 199, 215
 - Web sites as documentation, 101
 - wide and deep task structures, 124
 - widgets, 19
 - Wilson, Chauncy, 47, 50
 - Windows, 5-6
 - as GUI operating system, 18
 - history of CLI (command-line interface), 29
 - unique GUI features, 11
 - Windows Vienna, 43
 - Windows Vista, 38-39
 - windows
 - behaviors of, 181-185
 - closing, 185
 - defined, 19-20
 - moving, 184-185
 - opening, 181-183
 - resizing, 184
 - wireframes, paper prototyping versus, 91
 - wizards, 190-191
 - work re-engineering, 74
 - World Wide Web, 9, 23
 - World Wide Web Consortium (W3C), Web Content Accessibility Guidelines, 52-54
 - world, knowledge in, 122-124
 - writing
 - notes during usability tests, 235-236
 - reports on usability tests, 243-245
 - WWW (World Wide Web), 9, 23
- X-Y-Z**
- X Window system, 9
 - Xerox
 - Alto, 2-3
 - PARC (Palo Alto Research Center), 2
 - Star, 3
 - XGA resolution, 33
 - XHTML, 41
 - XML (Extensible Markup Language), 41
 - zooming interfaces, 45
 - ZUI (zooming user interface), 45