

Index

A

- Abort Queue, schedulers, 380
- ACCESS METHODS *, nonpage latches, 21
- access violations, database consistency errors, 110
- activated tasks, displaying in dynamic views, 360
- Active Service Broker, 334
- active worker count, 384
- adding
 - disks to clusters, 438
 - nodes to clusters, 432-435
 - SQL Server 2000, 434-435
 - SQL Server 2005, 434
- affinity mask, configuring, 386-388
- algebraic trees, 185
- ALLOC EXTENT CACHE, nonpage latches, 21
- ALLOC FREESPACE CACHE, nonpage latches, 21
- allocation structures, 62-66
- allocators, 148
- ALTER DATABASE, 52
- ALTER DATABASE SET OFFLINE, 49
- ALTER DATABASE SET ONLINE, 50
- amalgam.blocking chain view, 12
- amalgam.dm os wait stats filtered, 8
- analyzing root cause before recovering, 124-125
- APPEND ONLY STORAGE, nonpage latches, 21
- architecture of Service Broker, 333-334
- assertions, stack dumps, 309-311
- ASYNC NETWORK IO, 38
- attaching database failures, troubleshooting
 - user database inaccessibility, 98-99

Audit Broker Conversation event class, 338

Audit Broker Login event class, 338

Audits, SQL Server IO audits, 132

Auto Restart feature, 315

autoparameterization, 198

avoiding network drive backups, 73

AWE mode, SQLOS, 155-156

B

BACKUP

best practices, 72-73

enhancements, 68

failures, 99

CHECKSUM failures, 101-103

media failures, 99-100

memory, 103-104

BACKUP CHECKSUM, 72

backups

avoiding network drive backups, 73

BACKUP, 68

DBCC CHECKDB, 69

DATA PURITY, 70

database snapshots, 71

DBCC CHECKCATALOG, 71

emergency mode repair, 71

“last known good,” 70-71

progress reporting, 70

RESTORE, 68-69

BAD PAGE PROCESS, 37

best practices

BACKUP/RESTORE, 72-73

database and transaction logs, 73-74

DBCC CHECKDB, 74-76

Blocked Process Report event, 8

Blocked Process Threshold event, 9

blocking

causes of blocking, page latches, 15-18

deadlocks. *See* deadlocks

defined, 3

identifying

statistically, 6

statistically (notification-based

detection), 8-9

statistically (performance counters), 8

statistically (sys.dm os wait state), 6-8

with sys.dm exec requests, 5-6

with sys.dm os waiting tasks, 3-5

with sysprocesses, 5-6

identifying cause of, 9

blocking chains, 11-12

blocking patterns, 10-11

statements and plans, 10

locks. *See* locks

monitoring, 41

current wait information, 42-44

wait statistics, 41

troubleshooting, 3

blocking chains, cause of blocking, 11-12

blocking information, latches, 13-14

blocking order, locks, 22-24

blocking patterns, cause of blocking, 10-11

BRKR ASYNC CONN, 363

BRKR CMLPTN HDLR, 363

BRKR EVENT HDLDR, 363

BRKR INITIALIZER, 363

BRKR MSG DSPTCHR, 363

BRKR MSG XMITTER, 363

BRKR TASK, 364

broker activation, perfmon (Service Broker), 364-365

broker connections, displaying in dynamic views, 358-360

broker event category, Service Broker, 336

Broker:Activation, 336

Broker:Connection, 336

Broker:Conversation, 336

Broker:Conversation Group, 337

Broker:Corrupted Message, 337

Broker:Forwarded Message Dropped, 337

Broker:Forwarded Message Sent, 337

Broker:Message Classify, 338

Broker:Remote Message Ack, 338

BROKER EVENTHANDLER, 38

Broker Login, 338

broker statistics, perfmon (Service Broker), 365-366

BROKER TRANSMITTER, 37

broker/DBM transport, perfmon (Service Broker), 366-367

Broker:Activation event class, 336

Broker:Connection event class, 336

Broker:Conversation event class, 336

Broker:Conversation Group event class, 337

Broker:Corrupted Message event class, 337

Broker:Forwarded Message Dropped event class, 337

Broker:Forwarded Message Sent event class, 337

Broker:Message Classify event class, 338

Broker:Remote Message Ack event class, 338

buffer pools, SQLOS, 153-155

AWE and locked pages mechanisms, 155-156

Memory Broker, 158-159

memory pressure, 156

VAS memory pressure, 158

C

C++, exceptions, unhandled C++ exceptions (crash scenarios), 318

cache lookups, 199-200

high CPU due to excessive cache lookup time, 221

cache store

hash tables, 152

SQLOS, 151-152

cached objects, 184-187

algebraic trees, 185

compiled plans, 184, 187-189

cursors, 185

execution contexts, 184, 187-189

leaks, 222-223

procedure cache. *See* procedure cache

cached plans, reuse, 200-202

cachestore for cached objects, 189-190

CACHESTORE OBJCP, 190

CACHESTORE PHDR, 191

CACHESTORE SQLCP, 191

CACHESTORE XPROC, 191

caching framework, SQLOS, 150-151

catalog views, 52-58

resource database, 58-62

SQL 2000 equivalent system table, 62

sys.allocation units, 64

sys.partitions, 63

sysobjects, 61

cc-NUMA (computer architectures as Non-Uniform Memory Access), 369

SQLOS, 371

certificates, Service Broker, 363

CHECKDB, 75

evaluating results, 129

on backup servers, 76

CHECKPOINT QUEUE, 37

checkpointed keys, 429

CHECKSUM failures, BACKUP failures, 101-103

CHECKTABLE, 116-117

CHKDSK.EXE, running, 129

Classifier, Service Broker, 334

clock algorithm, SQLOS, 152

CLR, 39

CLR fatal error, crash scenarios, 319-321

Cluster Administration, 430

cluster groups, 427

cluster log, 429

cluster resources, 427

clusters, 425

DAC, 430

dependency, 428

example 1, 426-428

getting performance to acceptable levels, 430-432

adding disks, 438

adding nodes, 432-435

after failover no one can connect, 438

moving databases, 439

replacing disks, 439

SQL Server 2000, 434-435

SQL Server 2005, 434

what caused the fail over, 436-437

why does it take so long to fail over, 437

nodes, adding, 432-435

SQL Server 2000, 434-435

SQL Server 2005, 434

tools, 429-430

troubleshooting, 428

CMEMTHREAD, 39

compilation, high compile time due to poor plans, 216

detecting excessive compilation, 216-218

improving plan reuse with explicit parameterization, 218-219

improving plan reuse with forced parameterization, 219-220

compiled plans, 184, 187-189

complex memory managers, 142

computer architectures as Non-Uniform Memory Access. *See* cc-NUMA

configuring

- affinity mask, 386-388
- hardware
 - hyperthreaded (HT) machines, 404-405
 - multi-node machines, 403-404
 - multicore machines, 405-406
- lightweight pooling, 384-386
- max worker threads, 383-384
- nodes, SQLOS, 375-376

connection endpoint, Service Broker, 333

contention, page latches (choosing which page latch to focus on), 19

CONTINUE AFTER ERROR, 69, 105

contracts, 333

conversation, Service Broker, 333

conversation endpoints

- displaying in semi-static views (Service Broker), 355
- Service Broker, 333

conversation group id, 355

conversation groups

- displaying in semi-static views (Service Broker), 357
- Service Broker, 333

conversation handle, 335, 355

conversation id, 355

copying data versus repairing, 125

corruption, finding cause of, 126, 128-133

CPU, high CPU due to excessive cache lookup time, 221

cpu id, 388

CPU nodes, SQLOS, 371-373

crash scenarios, 314-315

- CLR fatal error, 319-321
- critical errors, 323-325
- ExitProcess, 321-323
- external process terminate, 323
- runtime library errors, 319
- server protection, 319
- SQL Server shutdown, 315-316
- TerminateProcess, 321-322
- unhandled C++ exceptions, 318
- unhandled Windows exceptions, 316-318

crashes, 292

create index, 422

create table, 423

current wait information, 42-44

Current Worker, schedulers, 380

cursor leaks, identifying, 223

cursors, 185

CXPACKET, 39

D

DAC (dedicated admin connection), 282-283, 325, 408

- clusters, 430
- connecting with, 328

DATA PURITY, 70

data recovery

- BACKUP/RESTORE best practices, 72-73
- troubleshooting scenarios, 76
 - failure to create tempdb, 85
 - reinstalling operating systems, 85-86
 - resource database recovery, 84-85
 - system database recovery, 76-84

database checksum, 66

database consistency errors, 106

- copying data versus repairing, 125
- DBCC CHECKDB errors, 111-121
- finding cause of corruption, 126-133
- REPAIR ALLOW DATA LOSS, 124
- repairing versus restoring, 122
- repairs that don't work, 125
- root cause analysis before recovering, 124-125
- runtime errors, 106-107
 - access violations, 110
 - failed rollback, 110
 - Msg 5242, 108-110
 - Msg 5243, 108-110
 - Msg 605, 110
 - Msg 823, 106
 - Msg 824, 107-108
 - Msg 825, 108
- understanding what errors mean, 122-123
- user actions, 123

database mirroring features, Service Broker, 366-367

database recovery

- deferred transactions, 67
- fast recovery, 66
- read-only compressed databases, 67

database snapshots, DBCC CHECKDB, 71

database states, 49-51

database/log replay technique, 131-132

databases

- best practices, 73-74
- inspecting damaged databases, 129-131
- moving, 439

DBCC CHECKCATALOG, 71**DBCC CHECKDB, 69**

- best practices, 74-76
- DATA PURITY, 70
- database consistency errors, 111-121
- database snapshots, 71
- DBCC CHECKCATALOG, 71
- emergency mode repair, 71
- “last known good,” 70-71
- progress reporting, 70
- Service Broker, 348, 367-368

DBCC CHECKTABLE, 116**DBCC DUMPTRIGGER, 313****DBCC FREEPROCCACHE, 206, 210****dbcc memstatus, 159****DBCC PAGE, 17****DBCC SSB CHECK, 364****dbghelp.dll, 300****dbid tag, 31****DBMIRROR EVENTS QUEUE, 37****DBMIRRORING CMD, 38****deadlock detection, 9****deadlocks, 40-41**

- potential scheduler deadlocks, Scheduler Monitor, 401-403

dedicated admin connection. See DAC**deferred transactions, 67**

- troubleshooting user database inaccessibility, 95-96

dependency, clusters, 428**detecting excessive compilation, 216-218****dialog timer, 356****disk I/O completion, processing, 388-389****DISKIO SUSPEND, 38****disks**

- adding to clusters, 438
- replacing, 439

displaying

- activated tasks, dynamic views, 360
- broker connections, dynamic views, 358-360
- contracts that are used by a service, static views (Service Broker), 352

conversation endpoints, Service Broker, 355

conversation groups, Service Broker, 357

endpoints, static views (Service Broker), 353

message types, static views (Service Broker), 350-351

queue contents, Service Broker, 352, 357-358

queue monitors, dynamic views, 361

remote service bindings, static views (Service Broker), 353

routes to other brokers, static views (Service Broker), 352

service contracts, static views (Service Broker), 350

service queue definitions, static views (Service Broker), 351

static views, Service Broker, 349

DMV (dynamic management views), 2, 280-282**DT, latches (blocking information), 13****dump files, 285****dumps, 283-284**

short stack dumps, 293

stack dumps, 284, 292-295

- assertions, 309-311

- conclusions, 305-306

- errors, 311-313

- exception signatures, 306-309

- short stack dumps, 304-305

- stack headers, 298-304

- troubleshooting checklist, 313-314

- Windows exceptions, 295-298

- user dumps, 283

dynamic management views, Service Broker, 349**dynamic management views. See DMV****dynamic views, Service Broker**

displaying

- activated tasks, 360

- broker connections, 358-360

- queue monitors, 361

E**eliminating memory scribbler software, 133****EMERGENCY, 50****emergency mode repair, DBCC CHECKDB, 71****end dialog sequence, 356**

endpoints

- displaying static view (Service Broker), 353
- Service Broker, 362

engine errors, SQL Server, 280**enhancements (SQL Server 2005), 280**

- DAC, 282-283
- DMV, 280-282
- dumps, 283-284
- public symbols, 285
- Surface Area Configuration Manager, 284
- tempdb, 413-416

enqueue time, 335**error handling, recovery internals, 279-280****error log, Service Broker, 339****ERRORLOG, 50**

- reviewing, 126-127

errors

- CLR fatal error, crash scenarios, 319-321
- critical errors, crash scenarios, 323-325
- database consistency errors. *See* database consistency errors
- engine errors, SQL Server, 280
- RecBase, 108-110
- runtime errors. *See* runtime errors
- runtime library errors, crash scenarios, 319
- stack dumps, 311-313

evaluating CHECKDB results, 129**event logs, 429**

- reviewing, 126-127

EX, latches (blocking information), 13**ex handle except, 318****ex terminator, 318****EXCEPTION ACCESS VIOLATION, 279****exception handling, recovery internals, 279-280****EXCEPTION INVALID HANDLE, 316****exception signatures, stack dumps, 306-309****exceptions**

- SQL Server, 279
- Windows, 279
- stack dumps, 295-298

excessive cache lookup time, igh CPU, 221**excessive compilation, detecting, 216-218****EXCHANGE, 39****EXECSYNC, 39****execution contexts, 184, 187-189****ExitProcess, 319**

- crash scenarios, 321-323

explicit parameterization, improving plan reuse, 218-219**external memory pressure, resource monitor and buffer pool, 157****external physical memory, 143-144**

- memory pressure, recognizing, 165-169

external process terminate, crash scenarios, 323**external virtual memory, 141****external virtual memory pressure, 144****external wait types, 36****External waits, 2****F****failed rollback, 110****failure**

- to create tempdb, 85
- to open master database file, 76

failures

- BACKUP, 99
- CHECKSUM failures, 101-103
- media failures, 99-100
- memory, 103-104
- RESTORE, 104-106

far broker instance, 356**far principal id, 356****far service, 356****FCB (File Control Block), 20****FCB ADD REMOVE, nonpage latches, 20****FCB REPLICA, nonpage latches, 20****FCB REPLICA READ, 38****FCB REPLICA WRITE, 38****fibers, 384****file grow operations, 20****FILE MANAGER, nonpage latches, 20****file states, 49, 51****FILEGROUP MANAGER, nonpage latches, 20****files, relocating to alternative locations, 133****first out of order sequence, 357****flushing procedure cache, 202****forced parameterization, 198**

- improving plan reuse, 219-220
- parameter sniffing and, 215

from broker instance, 335**from service name, 335**

G**GetNumaAvailableMemoryNode**, 147**grant order**

- latches, 14
- locks, 22-24

H**hardware, updating**, 128**hardware configuration**

- hyperthreaded (HT) machines, 404-405
- multi-node machines, 403-404
- multicore machines, 405-406

hardware evaluations, performing, 128**hash tables, cache store**, 152**hidden schedulers**, 379**HT (hyperthreaded) machines, configuring**, 404-405**I****I/O Queue, schedulers**, 380**id**, 31**identifying**

- blocking
 - statistically, 6
 - statistically (notification-based detection), 8-9
 - statistically (performance counters), 8
 - statistically (sys.dm os wait stats), 6-8
 - with sys.dm exec requests, 5-6
 - with sys.dm os waiting tasks, 3-5
 - with sysprocesses, 5-6
- cause of blocking, 9
 - blocking chains, 11-12
 - blocking patterns, 10-11
 - statements and plans, 10
- cursor leaks, 223
- expensive queries, with procedure cache, 202-204
 - sys.dm exe query stats, 204-205

Idle Worker, schedulers, 380**inbound session key identifier**, 356**incremental memory objects**, 149**INFORMATION SCHEMA**, 52**input buffer**, 302**inspecting damaged databases**, 129-131**installing Windows PAE Fix (KB 838765)**, 128**interleaved NUMA**, 146**Internal Activation Manager, Service Broker**, 334**internal memory managers**, 142**internal memory pressure, resource monitor and buffer pool**, 158**internal objects, tempdb**, 417-418**internal physical memory**, 141-142

- memory pressure, recognizing, 169-171
- Windows support for sophisticated memory managers, 142-143

internal virtual memory, VAS, 138-139

- size, 139
- tracking, 140-141

IO wait types, 38-39**is conversation error**, 335**is end of dialog**, 335**is initiator**, 355**is online**, 388**is system**, 357**K****KernelModeTime**, 395**keys, locks**, 30-35**KILL**, 328**KSOURCE WAKEUP**, 37**L****“last known good,” DBCC CHECKDB**, 70-71**last out of order frag**, 357**last out of order sequence**, 357**last send tran id**, 356**LATCH**, 13**latch class descriptions, nonpage latches**, 20**latch classes, nonpage latches**, 19**latch contention, tempdb**, 421-423**latch mode usage, page latches**, 15**latches**, 13

- blocking information, 13-14
- grant order, 14
- nonpage latches, 19
 - ACCESS METHODS *, 21
 - ALLOC EXTENT CACHE, 21
 - ALLOC FREESPACE CACHE, 21
 - APPEND ONLY STORAGE, 21

- FCB, 20
- FCB ADD REMOVE, 20
- FCB REPLICA, 20
- FILE MANAGER, 20
- FILEGROUP MANAGER, 20
- latch class descriptions, 20
- latch classes, 19
- LOG MANAGER, 21
- MSQL TRANSACTION MANAGER, 21
- NESTING TRANSACTION FULL, 21
- NESTING TRANSACTION READONLY, 21
- resource description, 19-20
- TRACE *, 21
- TRANSACTION *, 21
- VERSIONING, 21
- page latches, 14
 - causes of blocking, 15-18
 - choosing which page latch contention to focus on, 19
 - latch mode usage, 15
 - PAGELATCH versus PAGEIOLATCH, 15
 - resource description, 15
- wait time, 14
- lazywriter, 190**
- LAZYWRITER SLEEP, 37**
- LeakDiag tool, 141**
- lifetime, 355**
- lightweight pooling, configuring, 384-386**
- Load Factor, schedulers, 380**
- load-balancing tasks, between schedulers, 383**
- lock escalation, 29-30**
- lock resources, 22**
- locked pages mechanisms, SQLOS, 155-156**
- %%lockres%%, 34**
- locks**
 - grant/blocking order, 22-24
 - keys, 30-35
 - objects, 27-30
 - object compile locks, 30
 - page, 30-35
 - range locks, 35
 - resource definition, 22
 - resource descriptions, 27
 - row locks, 30-35
 - when are they required, 24-27
- LOG MANAGER, nonpage latches, 21**
- LOGBUFFER, 38**
- LOGMGR QUEUE, 37**

M

- master databases**
 - failure to open master database file, 76
 - recovering, 76
 - recovery failure, 79
- master.mdf, 276**
- max worker threads, configuring, 383-384**
- MAXTRANSFERSIZE, 104**
- media failures, BACKUP failures, 99-100**
- memory, 137**
 - and procedure cache, 190
 - SQL Server 2000, 190
 - SQL Server 2005, 190-193
 - BACKUP failures, 103-104
 - external physical memory, 143
 - external virtual memory, 141
 - internal physical memory, 141-142
 - Windows support for sophisticated memory managers, 142-143
 - internal virtual memory. *See* internal virtual memory
 - memory pressure, 144-146
 - NUMA, 146-147
 - physical memory, 138
 - remote memory, 146
 - VAS, 138-139
 - size, 139
 - tracking, 140-141
 - virtual memory, 138
- Memory Broker, SQLOS, 158-159**
- memory caches, SQLOS, 150**
 - cache store and user store, 151-152
 - caching framework, 150-151
 - object store, 153
 - tracking caches and pools, 153
- memory clerks, SQLOS, 149, 156-157**
 - external memory pressure, 157
 - internal memory pressure, 158
- memory management**
 - SQL Server. *See* SQLOS
 - Windows. *See* Windows
- memory managers**
 - complex memory managers, 142
 - internal memory managers, 142
 - Windows support for, 142-143
- memory nodes, SQLOS, 148-149, 371-373**
- memory objects, SQLOS, 149-150**

- memory pressure, 144-146**
 - effects of, 172
 - external physical memory, recognizing, 165-169
 - internal physical memory, recognizing, 169-171
 - procedure cache, 221-222
 - cached object leaks, 222-223
 - identifying cursor leaks, 223
 - SQLOS, 156
 - swap file, recognizing, 171-172
 - VAS, recognizing, 159-165
 - memory scribbler software, eliminating, 133**
 - MemoryUtilization, 395**
 - message body, 335**
 - Message Dispatcher, Service Broker, 334**
 - message sequence number, 335**
 - message type name, 335**
 - message types**
 - displaying, static view (Service Broker), 350-351
 - Service Broker, 333
 - mini-dump files, 294**
 - MISCELLANEOUS, 39**
 - model databases, recovering, 81-82**
 - modifying parameter values, 213-214**
 - monitoring blocking, 41**
 - current wait information, 42-44
 - wait statistics, 41
 - moving**
 - databases, 439
 - resource database, 74
 - msdb databases, recovering, 82-84**
 - Msg 5242, 108-110**
 - Msg 5243, 108-110**
 - Msg 605, 110**
 - Msg 823, 106**
 - Msg 824, 106-108**
 - Msg 825, 108**
 - Msg 8909, 116**
 - MSQL DQ, 36**
 - MSQL TRANSACTION MANAGER, nonpage latches, 21**
 - MSQL XP, 36**
 - MSSEARCH, 36**
 - mssqlsystemresource.ldf, 51**
 - mssqlsystemresource.mdf, 51**
 - multi-node machines, configuring, 403-404**
 - multicore machines, configuring, 405-406**
- ## N
- NESTING TRANSACTION FULL, nonpage latches, 21**
 - NESTING TRANSACTION READONLY, nonpage latches, 21**
 - network connection affinity, SQL Server, 376-379**
 - Network I/O, preemptive I/O completion processing, 389**
 - Network Interface Cards (NICs), 378**
 - NEWSEQUENTIALID, 39**
 - NICs (Network Interface Cards), 378**
 - node configuration, SQLOS, 375-376**
 - non-cached plans, 193**
 - non-yielding scheduler, troubleshooting, 391-400**
 - nonintent locks, 28**
 - nonpage latches, 19**
 - ACCESS METHODS *, 21
 - ALLOC EXTENT CACHE, 21
 - ALLOC FREESPACE CACHE, 21
 - APPEND ONLY STORAGE, 21
 - FCB, 20
 - FCB ADD REMOVE, 20
 - FCB REPLICCA, 20
 - FILE MANAGER, 20
 - FILEGROUP MANAGER, 20
 - latch class descriptions, 20
 - latch classes, 19
 - LOG MANAGER, 21
 - MSQL TRANSACTION MANAGER, 21
 - NESTING TRANSACTION FULL, 21
 - NESTING TRANSACTION READONLY, 21
 - resource description, 19-20
 - TRACE *, 21
 - TRANSACTION *, 21
 - VERSIONING, 21
 - notification-based detection, statistically identifying blocking, 8-9**
 - NT event log, Service Broker, 334, 339**
 - NUMA, 146-147**
 - NUMA-specific memory-related issues, troubleshooting, 180-181**

O

object compile locks, 30
OBJECT NAME function, 28
object store, SQLOS, 153
objectlock, 27-30
objects
 internal objects, tempdb, 417-418
 locks, 27-30
 object compile locks, 30
 Service Broker, 333
 user objects, tempdb, 416-417
 version stored objects, tempdb, 418-419
OLEDB, 36
ONDEMAND TASK QUEUE, 37
ONLINE, 50
operating systems, reinstalling, 85-86
OPTIMIZE FOR, solving problems caused by parameter sniffing, 210-211
OPTION (PARAMETERIZATION FORCED), 215
OPTION (RECOMPILE), 214
outbound session key identifier, 356

P

page allocators, 148
page latches, 14
 causes of blocking, 15-18
 choosing which page latch contention to focus on, 19
 latch mode usage, 15
 PAGELATCH versus PAGEIOLATCH, 15
 resource description, 15
page splits, 18
page-level restore, 73
PageFaults, 395
pageid, 31
PAGEIOLATCH, 13
 versus PAGELATCH, 15
PAGELATCH, 13
 versus PAGEIOLATCH, 15
pages, locks, 30-35
parameter sniffing, 205-207
 forced parameterization and, 215
 OPTIMIZE FOR, 210-211

performance problems, 207-209
 RECOMPILE, 209-210
 replacing parameters with local variables, 211-212

parameterization, 195-197
 autoperparameterization, 198
 explicit parameterization, improving plan reuse, 218-219
 forced parameterization, 198
 improving plan reuse, 219-220
 parameter sniffing and, 215
 parameter sniffing, 205-207
 OPTIMIZE FOR, 210-211
 performance problems, 207-209
 RECOMPILE, 209-210
 replacing parameters with local variables, 211-212
 plan guides, 212-213
 simple parameterization, 198-199

parameters
 modifying parameter values, 213-214
 for troubleshooting cases or running tests against server engine, 274

Pending Queue of Tasks, schedulers, 379

PerfMon, 430

Service Broker, 348, 364
 broker activation, 364-365
 broker statistics, 365-366
 broker/DBM transport, 366-367

performing hardware evaluations, 128

performance

getting to acceptable levels with clusters, 430-432
 adding disks, 438
 adding nodes, 432-435
 after failover no one can connect, 438
 moving databases, 439
 replacing disks, 439
 SQL Server 2000, 434-435
 SQL Server 2005, 434
 what caused the fail over, 436-437
 why takes it take so long to fail over, 437
 problems caused by parameter sniffing, 207-209

performance counters, statistically identifying blocking, 8

Performance Monitor, 430

PFS free space error, 124

physical memory, 138
 external physical memory, 143
 internal physical memory, 141-142
 Windows support for sophisticated
 memory managers, 142-143

plan guides, 212-213

plan sharing, 193-194

plans
 cause of blocking, 10
 high compile time due to poor plans, 216
 detecting excessive compilation,
 216-218
 improving plan use with explicit
 parameterization, 218-219
 improving plan use with forced
 parameterization, 219-220

**platform-agnostic memory-related issues,
 troubleshooting, 177, 179**

**platform-specific memory-related issues,
 troubleshooting, 172, 174-176**

pools, SQLOS, 153

**preemptive I/O completion, processing,
 389-390**

principal id, 356

procedure cache, 186
 flushing, 202
 identifying expensive queries, 202-204
 sys.dm exec query stats, 204-205
 memory and, 190
 SQL Server 2000, 190
 SQL Server 2005, 190-193
 memory pressure, 221-222
 cached object leaks, 222-223
 identifying cursor leaks, 223
 size limits for system memory, 192
 structure of, 189

Process Explorer, 90

processing
 disk I/O completion, 388-389
 preemptive I/O completion, 389-390

ProcessUtilization, 395

progress reporting, DBCC CHECKDB, 70

**protection, server protection (crash
 scenarios), 319**

PSSDiag, 429

public symbols, 285

pure NUMA, 146

Q

**queries, identifying expensive queries with
 procedure cache, 202-204**
 sys.dm exec query stats, 204-205

**QUERY EXECUTION INDEX SORT EVENT
 OPEN, 39**

**queue contents, displaying in semi-static
 views (Service Broker), 357-358**

**queue monitors, displaying in dynamic
 views, 361**

queues, Service Broker, 333

quorum, 428

R

RAM pressure, 144

range locks, 35

read-only compressed databases, 67

RecBase error, 108-110

receive sequence, 356

receive sequence frag, 357

recompilation, 194-195

**RECOMPILE, solving problems caused by
 parameter sniffing, 209-210**

RECOVERING, 49

recovering
 master databases, 76
 model databases, 81-82
 msdb databases, 82-84
 resource databases, 84-85

recovery failure, master databases, 79

recovery internals, 274
 SQL Server engine startup, 274-279
 SQL Server error and exception handling,
 279-280

RECOVERY PENDING, 50
 troubleshooting user database
 inaccessibility, 86-95

registry cloning, 429

reinstalling operating systems, 85-86

relocating files to alternative locations, 133

remote memory, 146

remote service bindings
 displaying static view (Service
 Broker), 353
 Service Broker, 333

REPAIR, 75
REPAIR ALLOW DATA LOSS, 124
REPAIR REBUILD, 118
repairing
 data versus copying, 125
 versus restoring, 122
replacing
 disks, 439
 parameters with local variables, parameter sniffing, 211-212
REPLICA WRITES, 38
REQUEST DISPENSER PAUSE, 38
REQUEST FOR DEADLOCK SEARCH, 37
Resource, wait types, 2
 latches. *See* latches
resource database, 51-52
 catalog views, 58-62
 moving, 74
resource database recovery, troubleshooting scenarios, 84-85
resource databases, recovering, 84-85
resource description
 nonpage latches, 19-20
 page latches, 15
resource descriptions, locks, 27
RESOURCE MEMPHYSICAL LOW, 167
resource monitor, SQLOS, 156-157
 external memory pressure, 157
 internal memory pressure, 158
RESTORE, 72
 best practices, 72-73
 enhancements, 68-69
 failures, 104-106
 page-level restore, 73
RESTORE DATABASE, 105
RESTORE VERIFYONLY, 68
RestorePending, 67
RESTORING, 51
restoring versus repairing, 122
reusing cached plans, 200-202
reviewing
 ERRORLOG, 126-127
 event logs, 126-127
root cause, analyzing before recovering, 124-125
routes, Service Broker, 333

routes to other brokers, displaying static view (Service Broker), 352
row locks, 30-35
Runnable Queue, schedulers, 380
running CHKDSK.EXE, 129
runtime errors, 74, 106
 database consistency, 106-107
 access violations, 110
 analyzing root cause before recovering, 124-125
 copying data versus repairing, 125
 DBCC CHECKDB errors, 111-121
 failed rollback, 110
 finding cause of corruption, 126-133
 Msg 5242, 108-110
 Msg 5243, 108-110
 Msg 605, 110
 Msg 823, 106
 Msg 824, 107-108
 Msg 825, 108
 REPAIR ALLOW DATA LOSS, 124
 repairing versus restoring, 122
 repairs that don't work, 125
 understanding what errors mean, 122-123
 user actions, 123
runtime library errors, crash scenarios, 319

S

Scheduler Monitor, 390-391
 potential scheduler deadlocks, 401-403
 troubleshooting, 391
 non-yielding scheduler, 391-400
schedulers, 379-381
 hidden schedulers, 379
 load-balancing tasks between, 383
 SQLOS, 374
Security Audit event category, 338
security timestamp, 356
semi-static views, Service Broker, 348, 355
 displaying
 conversation endpoints, 355
 conversation groups, 357
 queue contents, 357-358
send sequence, 356
SERIALIZABLE ISOLATION, 35
server hangs, troubleshooting, 325-329
server protection, crash scenarios, 319

- server startup failures, troubleshooting, 285**
 - failed hardware check, 291
 - server network cannot start, 289-290
 - service-specific problems, 285-289
- server-critical errors, troubleshooting, 291-292**
 - crash scenarios. *See* crash scenarios
 - stack dumps. *See* stack dumps
- Service Broker, 332-333**
 - architecture of, 333-334
 - DBCC CHECKDB, 348, 367-368
 - dynamic views, displaying
 - activated tasks, 360
 - broker connections, 358-360
 - queue monitors, 361
 - error log, 339
 - NT event log, 339
 - objects, 333
 - perfmon, 348, 364
 - broker activation, 364-365
 - broker statistics, 365-366
 - broker/DBM transport, 366-367
 - SQL error log/NT event log, 334
 - SQL Profiler, 334-336
 - broker event category. *See* broker event category
 - Security Audit event category, 338
 - Transmission Queue, 334-335
 - troubleshooting, 339-348
 - views, 348
 - dynamic management views, 349
 - semi-static views. *See* semi-static views
 - static views. *See* static views
 - sys.certificates, 363
 - sys.databases, 361-362
 - sys.endpoints, 362
 - sys.symmetric keys, 363
 - sys.sysprocesses, 363
- Service Broker Manager, 333**
- service contract id, 355**
- service contract name, 335**
- service contracts, displaying static view (Service Broker), 350**
- service id, 355**
- service queue definitions, displaying static view (Service Broker), 351**
- service-specific problems, troubleshooting**
 - server startup failures, 285-289**
- services**
 - displaying static view (Service Broker), 349
 - Service Broker, 333
- SET STATISTICS TIME ON, 210**
- set terminate, 318**
- shared disks, 428**
- shared memory allocators, 148**
- short stack dumps, 293, 304-305**
- SIGNAL HANDLER, 279**
- simple parameterization, 198-199**
- size, VAS, 139**
- SNI (SQL Networking Interface), 406**
- SOS SCHEDULER YIELD, 40**
- sp configure, 157**
- sp create plan guide, 213**
- sp execute, 303**
- sp executesql, 214**
- sp get query template, 215**
- sp getapplock, 26**
- sp prepare, 303**
- sp spaceused, 417**
- SQL Configuration Manager, 286**
- SQL error log, Service Broker, 334**
- SQL ERRORLOG, 287, 389**
- sql handle, 10**
- SQL Networking Interface (SNI), 406**
- SQL OS system, failed hardware check, 291**
- SQL Profiler, Service Broker, 334-336**
 - broker event category. *See* broker event category
 - Security Audit event category, 338
- SQL Server**
 - crash scenarios. *See* crash scenarios
 - engine errors, 280
 - exceptions, 279
 - memory management. *See* SQLOS
 - network connection affinity, 376-379
 - SQLOS and, 375
 - stack dumps. *See* stack dumps
- SQL Server 2000**
 - adding nodes, 434-435
 - procedure cache and memory, 190
- SQL Server 2005**
 - adding nodes, 434
 - enhancements, 280
 - DAC, 282-283
 - DMV, 280-282
 - dumps, 283-284
 - public symbols, 285

- Surface Area Configuration Manager, 284
- procedure cache and memory, 190-193
- SQL Server engine, startup (recovery internals), 274-279**
- SQL Server health check, 325-329**
- SQL Server IO audits, 132**
- SQL Server Profiler, 430**
- SQL Server shutdown, 315-316**
- SQLDiag, 41**
- SQLDiag.exe, 429**
- SQLIOSTRESS, 131-132**
- SQLOS, 147, 370**
 - buffer pools, 153-155
 - AWE and locked pages mechanisms, 155-156
 - Memory Broker, 158-159
 - memory pressure, 156
 - VAS memory pressure, 158
 - cc-NUMA, 371
 - clock algorithm, 152
 - CPU nodes, 371-373
 - memory caches, 150
 - cache store and user store, 151-152
 - caching framework, 150-151
 - object store, 153
 - tracking caches and pools, 153
 - memory clerks, 149, 156-157
 - external memory pressure, 157
 - internal memory pressure, 158
 - memory nodes, 148-149, 371-373
 - memory objects, 149-150
 - node configuration, 375-376
 - resource monitor, 156-157
 - external memory pressure, 157
 - internal memory pressure, 158
 - schedulers, 374
 - SQL Server and, 375
 - tasks and workers, 374
 - troubleshooting, 159
 - effects of memory pressure, 172
 - NUMA-specific memory-related issues, 180-181
 - platform-agnostic memory-related issues, 177, 179
 - platform-specific memory-related issues, 172-176
 - recognizing external physical memory pressure, 165-169
 - recognizing internal physical memory pressure, 169-171
 - recognizing swap file memory pressure, 171-172
 - recognizing VAS pressure, 159-165
- SQLSERVER.EXE, 285, 288**
- SQLTRACE BUFFER FLUSH, 37**
- stack dump headers, 299**
- stack dumps, 284, 292-295**
 - assertions, 309-311
 - conclusions, 305-306
 - errors, 311-313
 - exception signatures, 306-309
 - short stack dumps, 304-305
 - stack headers, 298-304
 - troubleshooting checklist, 313-314
 - Windows exceptions, 295-298
- stack hash, 306**
- stack headers, 298-304**
- stale read, 132-133**
- state, 356**
- statements**
 - cause of blocking, 10
 - create index, 422
 - create table, 423
- static views, Service Broker, 348-349**
 - displaying
 - endpoints, 353
 - message types, 350-351
 - remote service bindings, 353
 - routes to other brokers, 352
 - service contracts, 350
 - service queues definitions, 351
 - services, 349
 - what contracts are used by a service, 352
 - what message types are used by contracts, 350
 - what services are using a queue, 352
- statistically identifying blocking, 6**
 - notification-based detection, 8-9
 - performance counters, 8
 - sys.dm os wait stats, 6-8
- storage**
 - allocation structures, 62-66
 - catalog views, 52-58
 - resource database, 58-62
 - SQL 2000 equivalent system table, 62
 - database and file states, 49, 51
 - database checksum, 66
 - resource database, 51-52
 - system tables, 52, 58

stored procedures, recompilation, 194-195
 Surface Area Configuration Manager, 284
 SUSPECT, 50
 troubleshooting user database
 inaccessibility, 96-98
 swap file, recognizing memory pressure,
 171-172
 swap file pressure, 144
 symmetric keys, Service Broker, 363
 symptom dumps, 313
 synchronization, latches. *See* latches
 sys.allocation units, 64
 sys.certificates, 363
 sys.conversation endpoints, 355
 sys.conversation groups, 357
 sys.databases, 361-362
 sys.dm broker activated tasks, 360
 sys.dm broker connections, 358, 360
 sys.dm broker queue monitors, 361
 sys.dm db index operational stats, 16
 sys.dm exec cached plans, 187
 sys.dm exec query stats, 16, 203
 identifying expensive queries, 204-205
 sys.dm exec requests, 5-6, 31, 327
 sys.dm io pending ios, 380, 389
 sys.dm os latch stats, 14, 19
 sys.dm os memory cache counters,
 153, 191
 sys.dm os memory cache hash tables, 153
 sys.dm os memory clerks dmv, 149
 sys.dm os memory objects, 150
 sys.dm os performance counters, 8
 sys.dm os ring buffers, 323, 393
 sys.dm os schedulers, 379, 384, 389
 sys.dm os virtual dump, 159
 sys.dm os wait stats, 2, 19
 statistically identifying blocking, 6-8
 sys.dm os waiting tasks, 2-5
 sys.dm tran locks, 25, 31
 sys.endpoints, 362
 sys.m os memory cache clock handles, 153
 sys.objects, 51
 sys.partitions, 63

sys.remote service bindings, 353
 sys.routes, 352
 sys.service broker endpoints, 353
 sys.service contract message usages, 350
 sys.service message types, 350
 sys.service queue messages, 352
 sys.service queues, 351
 sys.symmetric keys, 363
 sys.sysprocesses, 363
 sys.system internals allocation units, 65
 sys.system sql modules, 61
 sysdatabases, 49, 51
 syslockinfo, 280
 SysMon, 430
 sysobjects catalog view, 61
 sysprocesses, 5-6
 system database recovery, troubleshooting
 scenarios, 76-84
 System Monitor, 430
 system sequence, 357
 system tables, 52, 58
 SystemIdle, 395

T

tasks, 381-382
 SQLOS, 374
 tempdb, 411-413
 enhancements in SQL Server 2005,
 413-416
 failure to create, troubleshooting
 scenarios, 85
 internal objects, 417-418
 troubleshooting, 419
 latch contention, 421-423
 running out of space, 419-421
 user objects, 416-417
 version stored objects, 418-419
 TerminateProcess, 323
 crash scenarios, 321-322
 TerritoryID, 205-206
 THREADPOOL, 39
 timer and queue wait types, 36-38
 timer Queue, schedulers, 380
 Timer/Event, wait types, 2
 TLB (translation look-aside buffer), 142

to broker instance, 335

to service name, 335

tools

clusters, 429-430

LeakDiag, 141

trace events, Service Broker, 335-336

trace flag 818, 132-133

TRACE*, nonpage latches, 21

traceflags, 383

tracking

caches, SQLOS, 153

VAS, 140-141

TRANMARKLATCH, 13

TRANSACTION *, nonpage latches, 21

transaction logs, best practices, 73-74

transactional consistency, 94

translation look-aside buffer (TLB), 142

Transmission Que, Service Broker, 334-335

transmission queues, 335

transmission status, 335, 341, 343-344

Transmitter, Service Broker, 334

Transport, Service Broker, 334

troubleshooting

blocking, 3

clusters, 428

Scheduler Monitor, 391

non-yielding Scheduler, 391-400

server hangs, 325-329

server startup failures, 285

failed hardware check, 291

server network cannot start, 289-290

service-specific problems, 285-289

server-critical errors, 291-292

crash scenarios. *See* crash scenarios

stack dumps. *See* stack dumps

Service Broker, 339-348

SQL Server 2005, 32-bit version, 172-174

SQL Server 2005, 64-bit version, 174-179

SQLOS, 159

effects of memory pressure, 172

NUMA-specific memory-related issues, 180-181

platform-agnostic memory-related issues, 177, 179

platform-specific memory-related issues, 172, 174-176

recognizing external physical memory pressure, 165-169

recognizing internal physical memory

pressure, 169-171

recognizing swap file memory pressure, 171-172

recognizing VAS pressure, 159-165

stack dumps, 313-314

tempdb, 419

latch contention, 421-423

running out of space, 419-421

troubleshooting scenarios

database recovery, 76

failure to create tempdb, 85

reinstalling operating systems, 85-86

resource database recovery, 84-85

system database recovery, 76-84

user database inaccessibility

attaching database failures, 98-99

deferred transactions, 95-96

RECOVERY_PENDING, 86-95

SUSPECT, 96-98

U

UMS (User Mode Scheduler), 384

UP, latches (blocking information), 13

updating hardware, 128

user actions, database consistency

errors, 123

user database inaccessibility,

troubleshooting scenarios

attaching database failures, 98-99

deferred transactions, 95-96

RECOVERY_PENDING, 86-95

SUSPECT, 96-98

user dumps, 283

user objects, tempdb, 416-417

user store, SQLOS, 151-152

UserModeTime, 395

V

VAD (virtual address descriptor), 139

VAS (virtual address space), 138-139

memory pressure

recognizing, 159-165

SQLOS, 158

size, 139

tracking, 140-141

VERIFYONLY, 69

version stored objects, tempdb, 418-419

VERSIONING, nonpage latches, 21

views, Service Broker, 348

- dynamic management views, 349
- semi-static views. *See* semi-static views
- static views. *See* static views
- sys.certificates, 363
- sys.databases, 361-362
- sys.endpoints, 362
- sys.symmetric keys, 363
- sys.sysprocesses, 363

virtual address descriptor (VAD), 139

virtual address space. *See* VAS

virtual allocators, 148

virtual memory, 138

- external virtual memory, 141
- VAS, 138-139
 - size, 139
 - tracking, 140-141

virtual memory objects, 149

VirtualAlloc, 138

visible buffer pool, 190

W

wait statistics, monitoring blocking, 41

wait time, latches, 14

wait types, 1-2

- CLR, 39
- CMEMTHREAD, 39
- CXPACKET, 39
- EXCHANGE, 39
- EXESYNC, 39
- external wait types, 36
- IO wait types, 38-39
- MISCELLANEOUS, 39
- NEWSEQUENTIALID, 39
- Resource, 13
- SOS SCHEDULER YIELD, 40
- THREADPOOL, 39
- timer/queue wait types, 36-38

WAITFOR, 37

waiting, defined, 1

Windows

- exceptions, 279
- stack dumps, 295-298
- unhandled Windows exceptions (crash scenarios), 316-318

- memory management, 137
 - external physical memory. *See* external physical memory
 - external virtual memory, 141
 - internal physical memory. *See* internal physical memory
 - internal virtual memory. *See* VAS
 - memory pressure. *See* memory pressure
 - NUMA. *See* NUMA
 - support for memory managers, 142-143

Windows PAE Fix (KB 838765), 128

WITH CHECKSUM, 68

WITH CONTINUE AFTER ERROR, 68

WITH RECOMPILE, 210

worker pool, schedulers, 379

workers, 381-382

- SQLOS, 374

WorkerUtilization, 395

WorkingSetDelta, 395

WRITELOG, 38

X

xp crash, 317

Z

zero cost plans, 193