

# Index

## Numbers

**2D Cartesian coordinates, 24**

### **2D graphics**

2D Bézier curves, 391-396

bitmaps

    BITMAPS sample program, 253-257

    definition of, 252

    drawing, 257

    pixel packing, 257-258

    raster position, 256

color matrix, 288-289

color tables

    bias values, 291

    color lookup, 289-290

    proxies, 290-291

    rendering, 291

    replacing, 291-292

    scaling factors, 291

convolutions

    applying, 293

    border modes, 296-297

    combining with other imaging operations,  
    293-294

    definition of, 292

    kernels, 292

    loading from color buffer, 295

    one-dimensional filters, 296

    separable filters, 296

histograms, 297-300

history of, 10

imaging pipeline, 288

IMAGING sample program

    glColorTable function, 290

    glConvolutionFilter2D function, 293

    glMatrixMode function, 288

    histograms, 298-300

    RenderScene function, 284-287

imaging subset, 283-284

minmax operations, 301

OPERATIONS sample program

    glPixelMap function, 282

    glPixelTransferf function, 279

    glPixelZoom function, 275-277

    ProcessMenu function, 269, 274

- RenderScene function, 270-275
- SetupRC function, 269, 274
- source code, 268-275
- overview, 251
- pixel mapping, 281-282
- pixel packing, 257-258
- pixel transfer, 277-281
- pixel zoom, 275-277
- pixmap
  - copying pixels, 265
  - data types, 259-260
  - definition of, 252
  - drawing, 258
  - IMAGELOAD, 261-265
  - moving pixels, 265-266
  - packed pixel formats, 260
  - pixel formats, 259
  - reading pixels, 265
  - saving pixels, 266-268
- primitives, 27
- targa files
  - loading, 262-265
  - writing to, 266-268
- textures, 311-316
- 3D Cartesian coordinates, 27**
- 3D graphics. *See also* GLSL (OpenGL Shading Language)**
  - actors
    - actor frames, 161-163
    - definition of, 161
  - antialiasing, 18
  - applications
    - non-real-time 3D, 22
    - real-time 3D, 19-22
    - shaders, 22-23
  - Bézier curves
    - 2D curves, 391-396
    - 3D Bézier surfaces, 397-400
    - breakpoints, 390
    - continuity, 390-391
    - control points, 390
    - cubic curves, 390
    - degree of, 390
    - evaluating, 396-397
    - lighting and normal vectors, 400-401
    - order of, 390
    - overview, 388
    - parametric equation, 388-389
    - piecewise curves, 390
    - quadratic curves, 390
  - bitmaps, drawing, 796-797
  - blending, 18
  - buffers. *See* buffers
  - color. *See* color
  - coordinate systems
    - 2D Cartesian coordinates, 24
    - 3D Cartesian coordinates, 27
    - coordinate clipping, 25-26
    - overview, 24
    - vertices, 27
    - viewports, 26-27
  - display lists
    - batch processing, 423-424
    - converting to, 426-428
    - creating, 425
    - deleting, 425
    - executing, 425-426
    - immediate mode rendering, 423
    - limitations of, 426
    - naming, 425
    - overview, 422-423
    - preprocessed batches, 424-426
  - Euler angles, 163-164
  - feedback
    - feedback buffer, 471, 478-480
    - feedback data, 472
    - labeling objects for, 473-475
    - overview, 458, 471
    - passthrough markers, 473
    - SELECT sample program, 473-480
  - filtering, 16
  - fixed functionality rendering pipeline
    - antialiasing application, 521
    - clipping, 519-520
    - color sum, 520
    - fog application, 521
    - lighting, 518
    - overview, 515-516
    - texture application and environment, 520
    - texture coordinate generation and transformation, 519
    - vertex transformation, 518
  - further reading, 773-774
  - general polygons, 108-109
  - history of, 10-14
    - CRTs (cathode ray tubes), 10
    - development of 3D graphic techniques, 11-13
    - foreshortening, 14
    - overview, 9-10
    - real-time graphics, 10-11
  - immediate mode, 23
  - lines, drawing
    - curves, approximating with straight lines, 88-89
    - glBegin function, 85

- glEnd function, 85
- line loops, 87-88
- line strips, 87-89
- line width, 89-91
- LINES program example, 85-87
- stippling, 91-93
- matrices
  - column-major matrix ordering, 154-155
  - creating, 157-159
  - definition of, 134
  - identity matrices, 140-142
  - loading, 156-160
  - modelview matrices, 136
  - orthonormal vectors, 155
- perspective
  - definition of, 14
  - foreshortening, 14
  - hidden surface removal, 14
  - overview, 11-13
- points, drawing
  - glBegin function, 78
  - glEnd function, 78
  - glVertex function, 76-77
  - overview, 74
  - point parameters, 85, 1040-1041
  - point size, 81-85, 1042-1043
  - POINTS program example, 78-80
  - POINTSZ program example, 82-85
- projections
  - orthographic projections, 29
  - overview, 28
  - perspective projections, 30
- quad strips, 108
- quadrics
  - cylinders, 382
  - disks, 384-385
  - drawing, 108, 381-384
  - modeling with, 385-388
  - overview, 378
  - quadric states, 379-381
  - SNOWMAN sample program, 385-388
  - spheres, 381-382
- rendering
  - definition of, 14
  - full-screen rendering on Mac OS X, 706-711
  - immediate mode rendering, 423
  - with vertex arrays, 434-435
- retained mode, 23
- scalars, 135
- scissor test, 119-121
- selection
  - definition of, 457
  - hierarchical picking, 466-471
  - naming primitives, 458-460
  - overview, 458
  - picking, 457, 464-466
  - rendering modes, 460-461
  - selection buffer, 461-463
- shaders. *See* shaders
- shading, 15
- shadows, 15-16
- solid objects, drawing
  - backface culling, 104-106
  - colors, 101-102, 182-183
  - depth testing, 103
  - edge flags, 114-116
  - hidden surface removal, 102-103
  - polygon construction rules, 113-114
  - polygon modes, 107
  - shading, 183-186
  - stippling, 109-113
  - TRIANGLE program example, 98-101
- surfaces. *See* surfaces
- textures
  - anisotropic texture filtering, 344-346
  - beach ball texture fragment shader, 592-595
  - binding, 795-796
  - checkerboard texture fragment shader, 589-591
  - compressing, 347-349
  - coordinate generation parameters, 966-967
  - coordinates, 1084-1087, 1091-1093
  - data types, 306-307
  - dependent texture lookups, 572
  - environment parameters, 964-966, 1087-1091
  - filtering, 318-319
  - floating-point textures, 622-630
  - internal formats, 305
  - isotropic texture filtering, 345
  - loading, 304-307
  - loading compressed textures, 349-350
  - making active, 785
  - mipmapping, 325-330
  - multiple textures, managing, 331-338
  - multitexture, 362-369
  - one-dimensional texture images, specifying, 1094-1099
  - overview, 16, 303-304
  - parameters, 318, 1110-1114
  - point sprites, 371-374

- priorities, 1046-1047
- procedural texture mapping vertex shader, 588-589
- PYRAMID sample program, 311-316
- resident textures, 338, 787
- returning compressed textures, 937-938
- secondary specular color, 341-344
- selecting active texture, 814
- state, 304
- subimages. *See* subimages
- texels, 304-306
- texture combiners, 369-371
- texture coordinates, 308-310, 350-361, 1018-1020
- texture environment mode, 316-318
- texture matrix, 311
- texture objects, 330-339
- texture priorities, 339
- three-dimensional texture images, specifying, 1105-1110
- toon-shading (cell-shading), 321-325
- toy ball texture fragment shader, 595-599
- two-dimensional texture images, specifying, 1099-1104
- updating, 307-308
- wrap modes, 320-321
- transformations. *See* transformations
- transparency, 18
- triangles, drawing
  - overview, 94
  - simple example, 94-95
  - triangle fans, 97-98
  - triangle strips, 96-97
  - windings, 95-96, 201
- vectors, 134
- vertex arrays
  - enabling, 432-433
  - indexed vertex arrays, 435-449
  - loading geometry, 432
  - overview, 428-429
  - pointer functions, 433-434
  - rendering with, 434-435
  - sizes and data types, 434
  - STARRYNIGHT sample program, 429-431
  - texture, 434
  - viewing volume, 74-76
- 4-bit color mode, 179**
- 8-bit color mode, 179**
- 16-bit color mode, 180**
- 24-bit color mode, 180**
- 32-bit color mode, 180**
- 8514 graphics cards, 178**

## A

- accumulation buffers, 244-248, 784-785**
- active texture, selecting, 814**
- actors**
  - actor frames, 161-163
  - definition of, 161
- AddTriangle method, 445**
- AGL**
  - full-screen rendering support, 708-711
  - overview, 686
  - pixel formats, 692-693
  - rendering context, 694-695
- AGL\_ACCUM\_ALPHA\_SIZE constant, 693**
- AGL\_ACCUM\_BLUE\_SIZE constant, 693**
- AGL\_ACCUM\_GREEN\_SIZE constant, 693**
- AGL\_ACCUM\_RED\_SIZE constant, 693**
- AGL\_ALL\_RENDERERS constant, 692**
- AGL\_ALPHA\_SIZE constant, 693**
- AGL\_AUX\_BUFFERS constant, 693**
- AGL\_AUX\_DEPTH\_STENCIL constant, 693**
- AGL\_BLUE\_SIZE constant, 693**
- AGL\_BUFFER\_SIZE constant, 692**
- AGL\_COLOR\_FLOAT constant, 693**
- AGL\_DEPTH\_SIZE constant, 693**
- AGL\_DOUBLEBUFFER constant, 692**
- AGL\_FULLSCREEN constant, 693**
- AGL\_GREEN\_SIZE constant, 693**
- AGL\_LEVEL constant, 692**
- AGL\_MAXIMUM\_POLICY constant, 693**
- AGL\_MINIMUM\_POLICY constant, 693**
- AGL\_MULTISAMPLE constant, 693**
- AGL\_NONE constant, 692**
- AGL\_OFFSCREEN constant, 693**
- AGL\_PIXEL\_SIZE constant, 693**
- AGL\_RED\_SIZE constant, 693**
- AGL\_RGBA constant, 692**
- AGL\_SAMPLES\_ARB constant, 693**
- AGL\_SAMPLE\_ALPHA constant, 693**
- AGL\_SAMPLE\_BUFFERS\_ARB constant, 693**
- AGL\_STENCIL\_SIZE constant, 693**
- AGL\_STEREO constant, 693**
- AGL\_SUPERSAMPLE constant, 693**
- aglChoosePixelFormat function, 692, 710**
- aglCreateContext function, 694**
- aglDestroyPixelFormat function, 694**
- aglEnable function, 710**
- AGLPixelFormat data type, 692**
- aglSetCurrentContext function, 694**
- aglSetDrawable function, 694**
- aglSetFullScreen function, 710**
- aglSwapBuffers function, 696**

**aglUpdateContext function, 696**  
**aglUseFont function, 697-698**  
**aliasing, 18**  
**allocating texture objects, 330**  
**alpha testing, 249, 506, 786**  
**ambient light**  
 AMBIENT program, 195-196  
 calculating light effects, 190-191  
 Cosmic Background Radiation (global ambient light), 192-193  
 material properties, 193-196  
 overview, 187-188  
 shadows, 500-501  
**AMBIENT program, 195-196**  
**AMD/ATI's developer home page, 774**  
**animation**  
 bouncing square example, 62-64  
 double buffering, 64-65  
 frames, 423  
 keyboard polling, 171  
 overview, 61  
**ANISOTROPIC program, 346**  
**anisotropic texture filtering, 344-346**  
**antialiasing, 18, 85, 234-238, 521**  
**API wars, 36**  
**ApplyActorTransform function, 169**  
**ApplyCameraTransform function, 164**  
**applying convolution filters, 293**  
**approximation, 217**  
**ARB (Architecture Review Board), 35**  
**ARB\_prefix, 71**  
**arrays**  
 of colors, defining, 819-820  
 of generic vertex attribute data, 1134-1135  
 indexing, 538  
 interleaved arrays, enabling, 984-985  
 of normals, defining, 1025-1026  
 overview, 534-535  
 of secondary colors, defining, 1069-1070  
 of texture coordinates, 1085-1087  
 vertex arrays  
 enabling, 432-433  
 indexed vertex arrays, 435-449  
 loading geometry, 432  
 overview, 428-429  
 pointer functions, 433-434  
 rendering with, 434-435  
 sizes and data types, 434  
 STARRYNIGHT sample program, 429-431  
 texture, 434  
 of vertex data, 1136-1137

**ATI\_prefix, 71**  
**ATOM program, 143-146**  
**attaching**  
 images to FBOs (framebuffer objects), 610-611  
 program objects to shaders, 530  
 shaders, 788-789, 929-930  
**attribute qualifier, 535**  
**averaging normal vectors, 211-213**  
**axes (2D Cartesian coordinate systems), 24**

## B

**B-splines, 402**  
**backface culling, 104-106**  
**batch processing**  
 flushing buffer, 423-424  
 preprocessed batches, 424-426  
**beach ball texture fragment shader, 592-595**  
**BeginPaint function, 665**  
**BEZ3D program, 397-399**  
**Bézier curves**  
 2D curves, 391-396  
 3D Bézier surfaces, 397-400  
 breakpoints, 390  
 continuity, 390-391  
 control points, 390  
 cubic curves, 390  
 degree of, 390  
 evaluating, 396-397  
 lighting and normal vectors, 400-401  
 order of, 390  
 overview, 388  
 parametric equation, 388-389  
 piecewise curves, 390  
 quadratic curves, 390  
**BEZIER program, 391-393**  
**BEZLIT program, 401**  
**bi-cubic splines, 402**  
**bias values, applying with color tables, 291**  
**binding**  
 texture objects, 330, 795-796  
 vertex buffer objects, 450, 793-795  
**bitmaps**  
 bitmap fonts (Carbon)  
 CARBONGLFONTS sample program, 698  
 setting up fonts, 697-698  
 BITMAPS sample program, 253-255  
 glBitmap function, 257  
 glRasterPos2i function, 256  
 glWindowPos2i function, 256  
 RenderScene function, 255

definition of, 252

drawing, 257, 796-797

pixel packing, 257-258

raster position, 256

### **BITMAPS program, 253-255**

glBitmap function, 257

glRasterPos2i function, 256

glWindowPos2i function, 256

RenderScene function, 255

### **bitwise color logical operations, 248**

#### **blending**

color, 229

antialiasing, 234-238

blend color, 798

blending equation, 230, 234, 798-799

destination color, 230

enabling blending, 230

glBlendColor function, 234

glBlendEquation function, 234

glBlendFunc function, 230-232

glBlendFuncSeparate function, 234

multisampling, 238-240

pixel arithmetic, 801, 803-806

REFLECTION sample program, 232-233

source color, 230

overview, 18

vertex blending, 563-566

#### **bloom effect**

bright pass, 633-634

drawing scene, 630-633

framebuffer, 636-638

Gaussian blur, 634-636

overview, 630

PBOs (pixel buffer objects), 638

#### **blurring images, 575-576**

blur fragment shader, 575-576

Gaussian blur, 634-636

#### **bodies of programs, 50**

#### **books**

3D graphics books, 773-774

OpenGL books, 773

#### **bool data type, 533**

#### **border modes (convolutions), 296-297**

#### **bouncing square program, 62-64**

#### **bounding boxes**

bounding volumes, 485

creating, 485-486

rendering, 487-490

#### **bounding volumes, 485**

#### **breakpoints (Bézier curves), 390**

#### **buffer swaps, 423, 705-706**

#### **buffers**

accumulation buffers, 244-248, 784-785

clearing, 811-812

binding, 793-795

bloom effect

bright pass, 633-634

drawing scene, 630-633

framebuffer, 636-638

Gaussian blur, 634-636

overview, 630

PBOs (pixel buffer objects), 638

buffer swaps, 423, 705-706

buffer targets, 117-119

clearing, 810-811

color buffer, 117

clearing, 52-53, 812

loading convolution kernels from, 295

loading textures from, 307

specifying, 868-870, 1057

color index buffers

clearing, 813

controlling writing to, 981-982

data store

creating and initializing, 806-807

mapping, 1009-1010

returning pointers to, 932-933

returning subset of, 933

updating subset of, 807-808

depth buffer, 119, 497-498

clearing, 812-813

enabling/disabling, 865

double-buffered rendering, 64-65, 117

EGL, 764-765

FBOs (framebuffer objects)

attaching images, 610-611

creating, 609-610

destroying, 609-610

draw buffers, 611

environment map generation sample

program, 615-618

framebuffer completeness, 612-613

mipmap generation, 613

multiple target rendering, 619-621

offscreen rendering, 613-615

overview, 608-609

shadow mapping sample program,

613-615

feedback buffer

glFeedbackBuffer function, 471

loading and parsing, 478-480

placing markers in, 1028

types, 471

- floating-point textures
    - High Dynamic Range (HDR), 622-623
    - OpenEXR file format, 623-626
    - overview, 622
    - tone mapping, 626-630
  - flushing, 423-424
  - frame buffer, 53
    - color components, enabling/disabling, 817-818
    - copying pixels in, 848-850
    - reading pixels from, 1057-1060
    - writing block of pixels to, 871-876
  - multisampled buffers, 652
  - named buffer objects
    - deleting, 861
    - generating names, 900
    - querying names, 985
  - OpenGL ES 2.0, 749-750
  - overview, 117, 601
  - parameters, returning, 931-932
  - PBOs (pixel buffer objects)
    - benefits of, 603-604
    - functions, 602-603, 608
    - motion blur sample program, 604-608
    - overview, 601-602
  - selection buffer, 461-463, 1070-1071
  - single-buffered rendering, 117-119
  - stencil buffer, 121-126
    - clearing, 813
  - vertex buffer objects
    - binding, 450
    - creating, 450
    - initializing arrays, 452-453
    - loading, 451
    - mixing static and dynamic data, 453-454
    - overview, 450
    - rendering from, 451-455
  - built-in variables, 536-537**
  - bvec2 data type, 533**
  - bvec3 data type, 533**
  - bvec4 data type, 533**
  - byte coordinates (ES 1.0), 741**
- C**
- C calling convention, 41**
  - calculating**
    - ambient light effects, 190-191
    - blending equation, 230, 234
    - diffuse light effects, 191
    - fog equations, 242-244
    - normal vectors, 202-203
    - specular light effects, 191
  - callback functions, tessellator callbacks, 412-413**
  - calling functions (GLSL), 543**
  - camera transformations, 164-165**
  - campfire graphics**
    - campfire bitmap program (BITMAPS), 253-255
      - glBitmap function, 257
      - glRasterPos2i function, 256
      - glWindowPos2i function, 256
      - RenderScene function, 255
    - campfire pixmap program (IMAGELOAD)
      - glLoadTGA function, 262-265
      - RenderScene function, 261-262
  - canvases. See viewing volumes**
  - capturing display, 707**
  - Carbon**
    - bitmap fonts, 697
      - CARBONGLFONTS sample program, 698
      - setting up, 697-698
    - Carbon window, initializing, 690-691
    - cleanup, 695
    - event handling, 695-696
    - OpenGL setup, 689-690
    - overview, 689
    - pixel format, 692-693
    - rendering context, 694-695
  - CARBONGLFONTS program, 698**
  - Cartesian coordinates**
    - 2D Cartesian coordinates, 24
    - 3D Cartesian coordinates, 27
  - cartoons with texture, 321-325**
  - cathode ray tube (CRT), 10, 176**
  - cell-shading (toon-shading), 321-325**
  - centroid varying qualifier, 535**
  - CGA (Color Graphics Adapter) cards, 178**
  - CGDisplayBestModeForParameters function, 707**
  - CGDisplayCapture function, 707**
  - CGDisplayPixelsHigh function, 707**
  - CGDisplayPixelsWide function, 707**
  - CGDisplaySwitchToMode function, 707**
  - CGL, 686**
  - CGMainDisplayID function, 707**
  - CGReleaseAllDisplays function, 707**
  - ChangeDisplaySettings function, 675**
  - ChangeSize function, 58, 75, 394, 499, 696, 711**
  - changing display modes, 707**
  - checkerboard texture fragment shader, 589-591**
  - checking for extensions, 69-71**
  - ChoosePixelFormat function, 653-654**
  - Clarke, Arthur C., 173**
  - classes**
    - CTriangleMesh, 448
    - CVBOMesh, 454

- GLFrame, 162-164
- ThunderGLView, 701-705
- cleanup**
  - Carbon, 695
  - OpenGL ES applications, 771-772
- clearing**
  - buffers, 810-811
    - accumulation buffers, 811-812
    - color buffers, 52-53, 812
    - color index buffers, 813
    - depth buffers, 812-813
    - stencil buffers, 813
  - windows, 51-52
- client-side capability, enabling/disabling, 884-885**
- clients, pushing attributes onto attribute stack, 1052**
- clipped viewing volumes, defining, 59-60**
- clipping**
  - clipping planes
    - specifying, 814-815
    - returning coefficients of, 934
  - clipping regions, 25
  - fixed vertex processing, 519-520
  - overview, 524
- clockwise windings, 95**
- Cocoa**
  - COCOAGL program, 699-700
    - buffer swaps, 705-706
    - OpenGL views, creating, 700-701
    - ThunderGLView class, 701-705
  - overview, 699
  - source module, 688
- COCOAGL program, 699-700**
  - buffer swaps, 705-706
  - OpenGL views, creating, 700-701
  - ThunderGLView class, 701-705
- code, indenting, 78**
- collecting**
  - histogram data, 298-300
  - minmax data, 301
- color**
  - accumulation buffers, 244-248
  - alpha testing, 249
  - array of colors, defining, 819-820
  - blending, 229
    - antialiasing, 234-238
    - blending equation, 230, 234, 798-799
    - destination color, 230
    - enabling, 230
    - glBlendColor function, 234
    - glBlendEquation function, 234
    - glBlendFunc function, 230-232
    - glBlendFuncSeparate function, 234
    - multisampling, 238-240
    - overview, 18
    - pixel arithmetic, 801, 803-806
    - REFLECTION sample program, 232-233
    - setting blend color, 798
    - source color, 230
  - color buffer, 52-53, 117
    - clearing, 812
    - loading convolution kernels from, 295
    - loading textures from, 307
    - specifying, 868-870, 1057
  - color depth, 179-180
  - color index
    - defining array of, 982-983
    - logical pixel operation, 1002-1003
    - setting, 980-981
  - color index buffers
    - clearing, 813
    - controlling writing to, 981-982
  - color masking, 248
  - color matrix, 288-289
  - color sum, 520
  - color tables
    - bias values, 291
    - color lookup, 289-290
    - copying pixels into, 843-845
    - defining, 821-824
    - parameters, 824-825, 936-937
    - proxies, 290-291
    - rendering, 291
    - replacing, 291-292
    - respecifying portion of, 820-821, 843
    - retrieving contents of, 934-935
    - scaling factors, 291
  - color tracking, 194
  - composite colors, 52
  - computer monitors and, 176-177
  - converting
    - color inversion fragment shader, 570-571
    - grayscale conversion fragment shader, 568-569
    - sepia-tone conversion fragment shader, 569-570
  - depth buffers, clearing, 812-813
  - display modes, 179-180
  - dithering, 250
  - drawing colors, setting, 182-183
  - fog
    - creating, 240-241
    - enabling/disabling, 241
    - fog coordinates, 244, 896



- fog equations, 242-244
- fog parameters, 894-895
- glFog function, 242
- graphics cards, 177-179
- heat signature effect, 571-572
- light particles, 175
- light sources
  - direction, specifying, 197
  - material properties, 205
  - normal averaging, 211-213
  - overview, 196
  - polygons, specifying, 205-206
  - setting up, 203-205
  - surface normals, 197-200
  - unit normals, 201-203
- light wavelengths, 174
- lighting conditions
  - adding to materials, 190
  - ambient light, 187-196
    - Cosmic Background Radiation (global ambient light), 192-193
    - diffuse light, 188, 191
    - enabling lighting, 192
    - material properties, 190, 193-196, 205
    - normal averaging, 211-213
    - overview, 186-187, 207
    - RGBA values, 189
    - SHINYJET sample program, 210-211
    - specular exponent, 209-210
    - specular highlights, 207
    - specular light, 188-191, 208
    - specular reflectance, 208-209
    - SPOT sample program, 213-220
- logical operations, 248-249
- OpenGL ES specifications, 740
- overview, 15, 174
- perception by eye, 176
- polygon colors, setting, 101-102, 182-183
- RGB colorspace, 180-181
- secondary colors
  - defining array of, 1069-1070
  - setting, 1067-1069
  - specular color, 341-344
- setting, 815-817
- shading
  - definition of, 183
  - flat shading, 186
  - smooth shading, 183-185
- shadows
  - ambient lighting, 500-501
  - definition of, 222
  - depth buffer, 497-498
  - depth textures, 498-500
  - FBO shadow mapping, 613-615
  - GL\_ARB\_shadow\_ambient extension, 509
  - modelview matrix, 496
  - overview, 221, 495-496
  - polygon offset, 510
  - projection matrix, 496-497
  - shadow maps, 501-509
  - shadow projection matrix, 223-225
  - SHADOW sample program, 223-226
  - SPHEREWORLD sample program, 227
- spotlights
  - creating, 214-216
  - drawing, 216-220
- stencil buffers, clearing, 813
- color buffer, 52-53, 117**
  - clearing, 812
  - loading convolution kernels from, 295
  - loading textures from, 307
  - specifying, 868-870, 1057
- Color Graphics Adapter (CGA) cards, 178**
- color index**
  - defining array of, 982-983
  - logical pixel operation, 1002-1003
  - setting, 980-981
- color index buffers**
  - clearing, 813
  - controlling writing to, 981-982
- color inversion fragment shader, 570-571**
- color masking, 248**
- color matrix, 288-289**
- color space (RGB), 180-181**
- color tables**
  - bias values, 291
  - color lookup, 289-290
  - copying pixels into, 843-845
  - defining, 821-824
  - parameters, 824-825, 936-937
  - proxies, 290-291
  - rendering, 291
  - replacing, 291-292
  - respecifying portion of, 820-821, 843
  - retrieving contents of, 934-935
  - scaling factors, 291
- column-major matrix ordering, 154-155**
- combining**
  - textures with texture combiners, 369-371
  - transformations, 160-161
- commands**
  - compiling, 424
  - glxinfo, 714, 718
- comparison functions (alpha testing), 249**

**compiling**

- commands, 424
- shaders, 529-530, 825-826

**component selectors, 540-541****composite colors, 52****compressed paletted texture (ES 1.0), 742****compressed textures**

- loading, 349-350
- returning, 937-938

**compressing textures, 347-349****cone cells (eyes), 176****config management**

- GLX 1.2, 722-723
- GLX 1.3+, 719-721

**configuring OpenGL on Linux**

- GLUT, 716-717
- glxinfo command, 714
- hardware drivers, 715
- Mesa installation, 715
- OpenGL programs, building, 716-717
- X Server, 715-716

**conformance, 35-36****const qualifier, 535****constructors, 538-540****context management**

- EGL, 763-764
- GLX
  - GLX 1.2, 726
  - GLX 1.3+, 724-726

**continuity of Bézier curves, 390-391****control points (Bézier curves), 390****conventions used in book, 5****converting**

- colors
  - color inversion fragment shader, 570-571
  - grayscale conversion fragment shader, 568-569
  - sepia-tone conversion fragment shader, 569-570
- display lists, 426-428

**convex polygons, 114****convolutions**

- applying, 293
- border modes, 296-297
- combining with other imaging operations, 293-294
- definition of, 292
- kernels, 292
- loading from color buffer, 295
- one-dimensional filters, 296
  - copying pixels into, 845-846
  - defining, 836-838
- parameters, 841-842, 940-941

returning, 938-940

separable filters, 296, 959-960

separable two-dimensional filters, 1072-1074

two-dimensional filters

- copying pixels into, 846-848
- defining, 839-841

**coordinate clipping, 25-26****coordinate generation parameters (textures),****returning, 966-967****coordinate systems**

2D Cartesian coordinates, 24

3D Cartesian coordinates, 27

coordinate clipping, 25-26

eye coordinates, 129

fog coordinates, 244, 896-897

overview, 24

texture coordinate generation, 350-354

cube mapping, 357-361

disabling, 350

enabling, 350

eye linear mapping, 355-356

object linear mapping, 354

sphere mapping, 356-357

TEXGEN sample program, 351-354

texture coordinates, 308-310

arrays of coordinates, 1085-1087

controlling generation of, 1091-1093

setting, 1018-1020, 1084-1085

vertices, 27

viewports, 26-27

**copying**

pixels, 265

into 1D texture image, 850-852

into 2D texture image, 852-854

into color table, 843-845

in frame buffer, 848-850

into one-dimensional convolution filters,

845-846

into two-dimensional convolution filters,

846-848

texture subimages

one-dimensional, 854-855

three-dimensional, 857-858

two-dimensional, 855-857

**core additions**

ES 1.0

OES\_byte\_coordinates, 741

OES\_compressed\_paletted\_textures, 742

OES\_fixed\_point, 741

OES\_query\_matrix, 742

OES\_read\_format, 742

OES\_single\_precision\_commands, 742

- ES 1.1
    - OES\_draw\_texture, 745
    - OES\_matrix\_get, 745
    - OES\_matrix\_palette, 744
    - OES\_point\_sprite, 745
  - ES 2.0
    - OES\_compressed\_ETC1\_RGB8\_texture, 750
    - OES\_element\_index\_uint, 750
    - OES\_fbo\_render\_mipmap, 749
    - OES\_fragment\_precision\_high, 750
    - OES\_framebuffer\_object, 749
    - OES\_mapbuffer, 750
    - OES\_shader\_binary, 751-752
    - OES\_shader\_source, 751
    - OES\_stencil8, 749
    - OES\_texture\_3D, 750
    - OES\_texture\_float, 750
    - OES\_texture\_half\_float, 750
    - OES\_texture\_npot, 750
    - OES\_vertex\_half\_float, 749
  - ES SC, 754
  - Cosmic Background Radiation (global ambient light), 192-193**
  - counterclockwise windings, 95**
  - CreateWindow function, 657, 659, 672**
  - CRT (cathode ray tube), 10, 176**
  - CTriangleMesh class, 448**
  - cube mapping, 357-361**
    - creating mirrored surface effect with, 360-361
    - loading cube maps, 358-360
  - CUBEDX program, 436-439**
  - CUBEMAP program, 358-362**
  - cubic curves, 390**
  - culling, backface, 104-106, 860**
  - curves**
    - approximating with straight lines, 88-89
    - Bézier
      - 2D curves, 391-396
      - 3D Bézier surfaces, 397-400
      - breakpoints, 390
      - continuity, 390-391
      - control points, 390
      - cubic curves, 390
      - degree of, 390
      - evaluating, 396-397
      - lighting and normal vectors, 400-401
      - order of, 390
      - overview, 388
      - parametric equation, 388-389
      - piecewise curves, 390
      - quadratic curves, 390
    - NURBS, 409
  - CVBOMesh class, 454**
  - cylinders, drawing, 382**
- ## D
- data store (buffer)**
    - creating and initializing, 806-807
    - mapping, 1009-1010
    - returning pointers to, 932-933
    - returning subset of, 933
    - updating subset of, 807-808
  - data types, 532-533**
    - AGLPixelFormat, 692
    - corresponding C/C++ data types, 44-45
    - for pixel data, 306-307
    - of vertex arrays, 434
    - overview, 45
    - pixel data, 259-260
  - declaring**
    - arrays, 534
    - functions (GLSL), 542-543
    - NURBS surfaces, 404-406
    - structures, 534
  - Deep Exploration, 440**
  - degree of Bézier curves, 390**
  - deleting**
    - buffer objects, 861
    - Cocoa source module, 688
    - display lists, 425, 861
    - program objects, 530, 862
    - query objects, 487, 862-863
    - rendering contexts, 660-663
    - shader objects, 528, 863
    - texture objects, 330, 863-864
  - delimiting**
    - queries, 791-792
    - vertices of primitives, 789-791
  - dependent texture lookups, 572**
  - depth buffers, 119, 497-498**
    - enabling/disabling, 865
  - depth of color, 179-180**
  - depth testing, 103**
  - depth textures**
    - overview, 498-499
    - size, 499-500
  - DescribePixelFormat function, 650-651**
  - destination color, 230**
  - destroying FBOs (framebuffer objects), 609-610**
  - detaching**
    - program objects from shaders, 530
    - shaders, 866-867
  - detecting edges, 580, 582**

**device contexts**

- GDI device contexts, 646
- GLRECT program, 657-660

**diffuse light**

- calculating light effects, 191
- diffuse lighting fragment shader, 582-584
- diffuse lighting vertex shader, 549, 551
- overview, 188

**dilating images, 578-579****dilation fragment shader, 578-579****direction of light sources, specifying, 197****disabling**

- alpha testing, 249
- client-side capability, 884-885
- depth buffer, 865
- fog, 241
- multisampling, 239
- scissor test, 120
- state variables, 65-66
- texture coordinate generation, 350
- vertex attribute arrays, 886

**discard keyword (GLSL), 542****disks, drawing, 384-385****display callback functions, 51****display configs (EGL), 759-763****display lists**

- batch processing, 423-424
- converting to, 426-428
- creating, 425, 1023-1024
- deleting, 425, 861
- executing, 425-426, 808-810
- generating, 900-901
- immediate mode rendering, 423
- limitations of, 426
- naming, 425
- overview, 422-423
- preprocessed batches, 424-426
- querying, 988-989

**display modes**

- color depth, 179-180
- double-buffered, 50
- overview, 179
- screen resolution, 179
- single-buffered, 50

**displays**

- EGL, 758-759
- GLX, 718

**dithering, 250****double buffering, 64-65**

- double-buffered rendering, 117
- double-buffered windows, 50

**draw buffers, 611****Draw method**

- CTriangleMesh class, 448
- CVBOMesh class, 454

**DrawBody function, 440****DrawGeometry function, 246****DrawGround function, 166-168****drawing**

- bitmaps, 257, 796-797
- buffers
  - buffer targets, 117-119
  - color buffers, 117
  - depth buffer, 119
  - double-buffered rendering, 117
  - overview, 117
  - single-buffered rendering, 117-119
  - stencil buffer, 121-126
- color, setting, 182-183
- general polygons, 108-109
- lines
  - curves, approximating with straight lines, 88-89
  - glBegin function, 85
  - glEnd function, 85
  - line loops, 87-88
  - line strips, 87-89
  - line width, 89-91
  - LINES program example, 85-87
  - stippling, 91-93
- pixmap, 258
- points
  - glBegin function, 78
  - glEnd function, 78
  - glVertex function, 76-77
  - overview, 74
  - point parameters, 85
  - point size, 81-85
  - POINTS program example, 78, 80
  - POINTSZ program example, 82-85
- quad strips, 108
- quadrics, 108, 381-384
- rectangles, 56, 1061-1062
- scaling drawings to window, 56
- solid objects
  - backface culling, 104-106
  - colors, 101-102, 182-183
  - depth testing, 103
  - edge flags, 114-116
  - hidden surface removal, 102-103
  - polygon construction rules, 113-114
  - polygon modes, 107
  - shading, 183-186
  - stippling, 109-113
  - TRIANGLE program example, 98-101

- triangles
    - overview, 94
    - simple example, 94-95
    - triangle fans, 97-98
    - triangle strips, 96-97
    - windings, 95-96, 201
    - viewing volume, 74-76
  - DrawModels function, 487**
  - DrawObjects function, 474**
  - DrawOccluder function, 482**
  - DrawPoints function, 392-394**
  - DrawSphere function, 484, 490**
  - DrawThunderBird function, 446-447**
  - DrawTorus function, 158**
  - drivers, 715**
    - extended OpenGL, 644-645
    - ICD (Installable Client Driver), 642-643
    - Mini-Client Driver (MCD), 643
    - mini-drivers, 643-644
    - OpenGL on Vista, 644
- ## E
- earth/sun/moon program, 151-154**
  - edge detection fragment shader, 580-582**
  - edge flags, 114-116, 878-879**
  - edges of polygons, 114-116**
  - effects**
    - fog**
      - creating, 240-241
      - enabling/disabling, 241
      - fog coordinates, 244
      - fog equations, 242-244
      - glFog function, 242
    - lighting effects**
      - normal averaging, 211-213
      - overview, 207
      - SHINYJET sample program, 210-211
      - specular exponent, 209-210
      - specular highlights, 207
      - specular light, 208
      - specular reflectance, 208-209
    - mirrored surface effect, 360-361
  - EGA (Enhanced Graphics Adapter) cards, 178**
  - EGL**
    - buffers, 764-765
    - context management, 763-764
    - display configs, 759-763
    - displays, 758-759
    - embedded system diagram, 758
    - errors, 765
    - extending, 765-766
    - initializing, 758
    - overview, 757
    - rendering surfaces, 763
    - rendering synchronization, 764-765
    - strings, 765
    - EGL\_ALPHA\_MASK\_SIZE config attribute, 760**
    - EGL\_ALPHA\_SIZE config attribute, 760**
    - EGL\_BIND\_TO\_TEXTURE\_RGB config attribute, 760**
    - EGL\_BIND\_TO\_TEXTURE\_RGBA config attribute, 760**
    - EGL\_BLUE\_SIZE config attribute, 760**
    - EGL\_BUFFER\_SIZE config attribute, 760**
    - EGL\_COLOR\_BUFFER\_TYPE config attribute, 760**
    - EGL\_CONFIG\_CAVEAT config attribute, 760**
    - EGL\_CONFIG\_ID config attribute, 760**
    - EGL\_DEPTH\_SIZE config attribute, 760**
    - EGL\_GREEN\_SIZE config attribute, 760**
    - EGL\_LEVEL config attribute, 760**
    - EGL\_LUMINANCE\_SIZE config attribute, 760**
    - EGL\_MAX\_PBUFFER\_HEIGHT config attribute, 761**
    - EGL\_MAX\_PBUFFER\_PIXELS config attribute, 761**
    - EGL\_MAX\_PBUFFER\_WIDTH config attribute, 761**
    - EGL\_MAX\_SWAP\_INTERVAL config attribute, 760**
    - EGL\_MIN\_SWAP\_INTERVAL config attribute, 760**
    - EGL\_NATIVE\_RENDERABLE config attribute, 760**
    - EGL\_NATIVE\_VISUAL\_ID config attribute, 760**
    - EGL\_NATIVE\_VISUAL\_TYPE config attribute, 760**
    - EGL\_RED\_SIZE config attribute, 760**
    - EGL\_RENDERABLE\_TYPE config attribute, 760**
    - EGL\_SAMPLES config attribute, 760**
    - EGL\_SAMPLE\_BUFFERS config attribute, 760**
    - EGL\_STENCIL\_SIZE config attribute, 760**
    - EGL\_SURFACE\_TYPE config attribute, 760**
    - EGL\_TRANSPARENT\_BLUE\_VALUE config attribute, 761**
    - EGL\_TRANSPARENT\_GREEN\_VALUE config attribute, 761**
    - EGL\_TRANSPARENT\_RED\_VALUE config attribute, 760**
    - EGL\_TRANSPARENT\_TYPE config attribute, 760**
    - eglBindAPI function, 759**
    - eglChooseConfig function, 761**
    - eglCreateContext function, 763, 769**
    - eglCreateWindowSurface function, 763, 768-769**
    - eglDestroyContext function, 764, 772**
    - eglDestroySurface function, 763**
    - eglGetConfigAttrib function, 762**
    - eglGetConfigs function, 763**
    - eglGetDisplay function, 758**
    - eglGetError function, 765**

**eglGetProcAddress function, 766**  
**eglInitialize function, 758, 768**  
**eglMakeCurrent function, 764, 769-771**  
**eglQueryString function, 765**  
**eglReleaseThread function, 759**  
**eglSwapBuffers function, 764, 771**  
**eglSwapInterval function, 764**  
**eglTerminate function, 759**  
**eglWaitGL function, 765**  
**eglWaitNative function, 765**  
*Eliminate Surface Acne with Gradient Shadow Mapping, 510*  
**embedded environments**  
   embedded hardware, 766  
   operating systems, 766  
   vendor-specific extensions, 767  
**enabling**  
   alpha testing, 249  
   antialiasing, 236  
   blending, 230  
   client-side capability, 884-885  
   color logical operations, 248  
   color tracking, 194  
   cube mapping, 359  
   depth buffer, 865  
   depth testing, 103, 119  
   dithering, 250  
   fog, 241  
   histograms, 298  
   interleaved arrays, 984-985  
   lighting, 192, 203  
   minmax operations, 301  
   multisampling, 239  
   normalization, 201  
   point sprites, 372  
   polygon stippling, 109  
   program objects, 532  
   scissor test, 119-121  
   secondary specular color, 344  
   state variables, 65-66  
   stippling, 91  
   texture coordinate generation, 350  
   texture mapping, 316  
   vertex arrays, 432-433, 886  
**EndMesh method, 452-453**  
**EndPaint function, 665**  
**Enhanced Graphics Adapter (EGA) cards, 178**  
**enumerating pixel formats, 650-652**  
**environment parameters (textures)**  
   returning, 964-966  
   setting, 1087-1091

**environments**  
   embedded environments  
     embedded hardware, 766  
     operating systems, 766  
     vendor-specific extensions, 767  
   environment mapping, 615-618  
   texture, 316-318  
**equations**  
   blending equation, 230, 234  
   fog equations, 242-244  
   parametric equation for curves, 388-389  
   second-order exponential fog factor, 557  
   specular lighting, 551  
**Ericsson compressed texture format, 750**  
**eroding images, 580**  
**erosion fragment shader, 580**  
**errors**  
   EGL, 765  
   error codes, 68  
   error flags, displaying, 67-68  
   FBOs (framebuffer objects), 612-613  
   GL\_STACK\_OVERFLOW, 143  
   GL\_STACK\_UNDERFLOW, 143  
   glAccum function, 785  
   glActiveTexture function, 785  
   glAlphaFunc function, 786  
   glAreTexturesResident function, 787  
   glArrayElement function, 788  
   glAttachShader function, 789  
   glBegin function, 790  
   glBeginQuery function, 792  
   glBindAttribLocation function, 793  
   glBindBuffer function, 795  
   glBindTexture function, 796  
   glBitmap function, 797  
   glBlendColor function, 798  
   glBlendEquation function, 799  
   glBlendFunc function, 803  
   glBlendFuncSeparate function, 806  
   glBufferData function, 807  
   glBufferSubData function, 808  
   glCallLists function, 810  
   glClear function, 811  
   glClearAccum function, 812  
   glClearColor function, 812  
   glClearDepth function, 813  
   glClearIndex function, 813  
   glClearStencil function, 813  
   glClientActiveTexture function, 814  
   glClipPlane function, 815  
   glColorMask function, 818  
   glColorMaterial function, 818

glColorPointer function, 820  
glColorSubTable function, 821  
glColorTable function, 824  
glColorTableParameter function, 825  
glCompileShader function, 825  
glCompressedTexImage1D function, 827  
glCompressedTexImage2D function, 829  
glCompressedTexImage3D function, 831  
glCompressedTexSubImage1D function, 832  
glCompressedTexSubImage2D function, 834  
glCompressedTexSubImage3D function, 836  
glConvolutionFilter1D function, 838  
glConvolutionFilter2D function, 840  
glConvolutionParameter function, 842  
glCopyColorSubTable function, 843  
glCopyColorTable function, 844  
glCopyConvolutionFilter1D function, 846  
glCopyConvolutionFilter2D function, 848  
glCopyPixels function, 850  
glCopyTexImage1D function, 852  
glCopyTexImage2D function, 854  
glCopyTexSubImage1D function, 855  
glCreateShader function, 860  
glCullFace function, 860  
glDeleteBuffers function, 861  
glDeleteLists function, 861  
glDeleteProgram function, 862  
glDeleteQueries function, 863  
glDeleteShader function, 863  
glDeleteTextures function, 864  
glDepthFunc function, 865  
glDepthMask function, 865  
glDepthRange function, 866  
glDetachShader function, 866  
glDrawArrays function, 867  
glDrawBuffer function, 869  
glDrawBuffers function, 870  
glDrawElements function, 871  
glDrawPixels function, 876  
glDrawRangeElements function, 877  
glEdgeFlagPointer function, 879  
glEnable function, 884  
glEnableClientState function, 885  
glEnableVertexAttribArray function, 886  
glEvalMesh function, 890  
glFeedbackBuffer function, 893  
glFinish function, 893  
glFlush function, 894  
glFog function, 895  
glFogCoordPointer function, 897  
glFrontFace function, 898  
glFrustum function, 899  
glGenBuffers function, 900  
glGenLists function, 901  
glGenTextures function, 902  
glGet function, 926  
glGetActiveAttrib function, 927  
glGetActiveUniform function, 929  
glGetAttachedShaders function, 930  
glGetAttribLocation function, 931  
glGetBufferParameteriv function, 932  
glGetBufferPointerv function, 932  
glGetBufferSubData function, 933  
glGetClipPlane function, 934  
glGetColorTable function, 935  
glGetColorTableParameter function, 937  
glGetCompressedTexImage function, 938  
glGetConvolutionFilter function, 939-940  
glGetConvolutionParameter function, 941  
glGetError function, 942  
glGetHistogram function, 943  
glGetHistogramParameter function, 944  
glGetLight function, 946  
glGetMap function, 947  
glGetMaterial function, 949  
glGetMinmax function, 950  
glGetMinmaxParameter function, 951  
glGetPixelMap function, 952  
glGetPointerv function, 953  
glGetPolygonStipple function, 954  
glGetProgramInfoLog function, 956  
glGetProgramiv function, 955  
glGetQueryiv function, 957  
glGetQueryObject function, 958  
glGetSeparableFilter function, 960  
glGetShaderInfoLog function, 962  
glGetShaderiv function, 961  
glGetString function, 964  
glGetTexEnv function, 966  
glGetTexImage function, 969  
glGetTexLevelParameter function, 971  
glGetTexParameter function, 973  
glGetUniform function, 974  
glGetUniformLocation function, 975  
glGetVertexAttrib function, 977  
glGetVertexAttributePointerv function, 978  
glHint function, 979  
glHistogram function, 980  
glIndexMask function, 982  
glIndexPointer function, 983  
glInitNames function, 983  
glInterleavedArrays function, 984  
glIsBuffer function, 985  
glIsEnabled function, 988

- glIsList function, 988
  - glIsProgram function, 989
  - glIsQuery function, 989
  - glIsShader function, 990
  - glIsTexture function, 991
  - glLight function, 993
  - glLightModel function, 995
  - glLineStipple function, 996
  - glLineWidth function, 997
  - glLinkProgram function, 998
  - glListBase function, 999
  - glLoadIdentity function, 999
  - glLoadMatrix function, 1000
  - glLoadName function, 1001
  - glLoadTransposeMatrix function, 1002
  - glLogicOp function, 1003
  - glMap1 function, 1005
  - glMap2 function, 1008
  - glMapBuffer function, 1010
  - glMapGrid function, 1012
  - glMaterial function, 1014
  - glMatrixMode function, 1014
  - glMinmax function, 1015
  - glMultiDrawArrays function, 1016
  - glMultiDrawElements function, 1018
  - glMultMatrix function, 1021
  - glMultTransposeMatrix function, 1022
  - glNewList function, 1024
  - glOrtho function, 1027
  - glPassThrough function, 1028
  - glPixelMap function, 1030
  - glPixelStore function, 1035
  - glPixelTransfer function, 1039
  - glPixelZoom function, 1040
  - glPointParameter function, 1041
  - glPointSize function, 1043
  - glPolygonMode function, 1044
  - glPolygonOffset function, 1045
  - glPolygonStipple function, 1046
  - glPrioritizeTextures function, 1047
  - glPushAttrib function, 1051
  - glPushClientAttrib function, 1052
  - glPushMatrix function, 1053
  - glPushName function, 1054
  - glRasterPos function, 1056
  - glReadBuffer function, 1057
  - glReadPixels function, 1060
  - glRect function, 1062
  - glRenderMode function, 1063
  - glResetHistogram function, 1063
  - glResetMinmax function, 1064
  - glRotate function, 1065
  - glSampleCoverage function, 1065
  - glScale function, 1066
  - glScissor function, 1067
  - glSecondaryColorPointer function, 1070
  - glSelectBuffer function, 1071
  - glSeparableFilter2D function, 1073-1074
  - glShaderSource function, 1076
  - glStencilFunc function, 1077
  - glStencilFuncSeparate function, 1079
  - glStencilMask function, 1079
  - glStencilMaskSeparate function, 1080
  - glStencilOp function, 1082
  - glStencilOpSeparate function, 1083
  - glTexCoordPointer function, 1086
  - glTexEnv function, 1091
  - glTexGen function, 1093
  - glTexImage1D function, 1098-1099
  - glTexImage2D function, 1104
  - glTexImage3D function, 1109-1110
  - glTexSubImage1D function, 1116
  - glTexSubImage2D function, 1118-1119
  - glTexSubImage3D function, 1120-1121
  - glTranslate function, 1122
  - glUniform function, 1125-1126
  - glUseProgram function, 1127
  - glValidateProgram function, 1129
  - glVertexAttrib function, 1134
  - glVertexAttribPointer function, 1135
  - glVertexPointer function, 1136
  - glViewport function, 1137
  - glWindowPos function, 1139
  - returning information about, 941-942
  - overview, 67
- ES. See OpenGL ES**
- Essential Mathematics for Games and Interactive Applications, 757***
- Euler angles, 163-164**
- evaluating Bézier curves, 396-397**
- evaluators**
- definition of, 391
  - glMap1f, 395
  - glMap2f, 399
  - one-dimensional evaluators, defining, 1003-1005
  - parameters, returning, 946-947
  - two-dimensional evaluators, defining, 1006-1009
- event handling (Carbon), 695-696**
- event-driven programming, 660**
- executing display lists, 425-426**
- expressions**
- array access, 538
  - component selectors, 540-541



- constructors, 538-540
  - operators, 537-538
  - EXT\_prefix, 71**
  - extended OpenGL, 644-645**
  - extending**
    - EGL, 765-766
    - GLX, 729
  - extensions**
    - checking for, 69-71
    - ES 1.0
      - OES\_byte\_coordinates, 741
      - OES\_compressed\_paletted\_textures, 742
      - OES\_fixed\_point, 741
      - OES\_query\_matrix, 742
      - OES\_read\_format, 742
      - OES\_single\_precision\_commands, 742
    - ES 1.1
      - OES\_matrix\_get, 745
      - OES\_matrix\_palette, 744
      - OES\_point\_sprite, 745
    - ES 2.0
      - OES\_compressed\_ETC1\_RGB8\_texture, 750
      - OES\_element\_index\_uint, 750
      - OES\_fbo\_render\_mipmap, 749
      - OES\_fragment\_precision\_high, 750
      - OES\_framebuffer\_object, 749
      - OES\_mapbuffer, 750
      - OES\_shader\_binary, 751-752
      - OES\_shader\_source, 751
      - OES\_stencil8, 749
      - OES\_texture\_3D, 750
      - OES\_texture\_float, 750
      - OES\_texture\_half\_float, 750
      - OES\_texture\_npot, 750
      - OES\_vertex\_half\_float, 749
    - ES SC, 754
    - overview, 69
    - prefix identifiers, 71
    - WGL. *See* WGL extensions
  - eye coordinates, 129**
  - eye linear mapping, 355-356**
  - eyes, perception of color, 176**
- ## F
- F-16 Thunderbird model. *See* THUNDERGL program**
  - Fahrenheit, 36-37**
  - FBOs (framebuffer objects)**
    - attaching images, 610-611
    - color components, enabling/disabling, 817-818
    - copying pixels in, 848-850
    - creating, 609-610
    - destroying, 609-610
    - draw buffers, 611
    - environment map generation sample program, 615-618
    - framebuffer completeness, 612-613
    - mipmap generation, 613
    - multiple target rendering, 619-621
    - offscreen rendering, 613-615
    - OpenGL ES specifications
      - ES 1.0, 741
      - ES 2.0, 749
    - overview, 40, 53, 608-609
    - reading pixels from, 1057-1060
    - shadow mapping sample program, 613-615
    - writing block of pixels to, 871-876
  - feedback**
    - feedback buffer
      - glFeedbackBuffer function, 471
      - loading and parsing, 478-480
      - placing markers in, 1028
      - types, 471
    - feedback data, 472
    - labeling objects for, 473-475
    - overview, 458, 471
    - passthrough markers, 473
    - SELECT sample program
      - labeling objects for feedback, 473-475
      - loading and parsing feedback buffer, 478-480
      - selecting objects, 476-477
  - feedback buffer**
    - glFeedbackBuffer function, 471
    - loading and parsing, 478-480
    - placing markers in, 1028
    - types, 471
  - feedback mode, 891-893**
  - files**
    - gl.h, 42
    - glee.h, 43
    - gltools.cpp, 43
    - gltools.h, 42-43
    - glu.h, 42
    - glut.h, 43
    - OpenEXR format, 623-626
    - targa files
      - loading, 262-265
      - writing to, 266-268
  - filters**
    - anisotropic texture filtering, 344-346
    - convolution filters. *See* convolutions

- definition of, 16
- isotropic texture filtering, 345
- mipmap filters, 327-328
- percentage-closer filtering, 506
- textures, 318-319
- finding normal vectors, 202-203**
- fixed functionality**
  - antialiasing application, 521
  - clipping, 519-520
  - color sum, 520
  - fixed functionality rendering pipeline, 515
  - fog application, 521
  - lighting, 518
  - overview, 516
  - texture application and environment, 520
  - texture coordinate generation and transformation, 519
  - vertex transformation, 518
- fixed-point data type (ES 1.0), 741**
- fixed-point math, 756-757**
- flagging edges, 878-879**
- flat shading, 186**
- float data type, 533**
- floating-point textures**
  - High Dynamic Range (HDR), 622-623
  - OpenEXR file format, 623-626
  - OpenGL ES specifications, 750
  - overview, 622
  - tone mapping, 626-630
- FLORIDA program, 414-419**
  - complex polygon, tessellating, 417-418
  - convex polygon, drawing, 415-416
  - vertex data and drawing code for state outline, 414-415
- flow control (GLSL)**
  - discard keyword, 542
  - functions
    - calling, 543
    - declaring, 542-543
    - function name overloading, 543
    - main, 542
    - texture lookup functions, 544-545
  - if/else clauses, 542
  - loops, 541
- flushing**
  - buffer, 423-424
  - queue, 53
- fog**
  - creating, 240-241
  - enabling/disabling, 241
  - fixed fragment processing, 521
  - fog coordinates, 244, 896
  - fog equations, 242-244
  - fog fragment shader, 572-574
  - fog parameters, 894-895
  - fog vertex shader, 557-559
  - glFog function, 242
  - overview, 17
  - second-order exponential fog factor, 557
- font.c program, 728-729**
- fonts**
  - bitmap fonts, 697-698
  - Windows fonts
    - 2D fonts and text, 669, 671
    - 3D fonts and text, 666-668
    - overview, 666
  - X fonts, 728-729
- forcing command execution, 893-894**
- foreshortening, 14, 133**
- fragment operations (OpenGL ES)**
  - ES 2.0, 748
  - ES SC, 753
- fragment shaders**
  - beach ball texture fragment shader, 592-595
  - blur fragment shader, 575-576
  - capabilities of, 525-526
  - checkerboard texture fragment shader, 589-591
  - color inversion fragment shader, 570-571
  - diffuse lighting fragment shader, 582-584
  - dilation fragment shader, 578-579
  - edge detection fragment shader, 580-582
  - erosion fragment shader, 580
  - fog fragment shader, 572-574
  - grayscale conversion fragment shader, 568-569
  - heat signature fragment shader, 571-572
  - overview, 567-568
  - sepia-tone conversion fragment shader, 569-570
  - sharpen fragment shader, 577-578
  - simple example, 527
  - three colored lights fragment shader, 586-587
  - toy ball texture fragment shader, 595-599
- framebuffer objects. See FBOs**
- frameless windows, creating, 672**
- frames, 423**
  - actor frames, 161-163
  - GLFrame class, 162-164
- freeglut, 47. See also GLUT**
- front-facing polygons, defining, 898**
- frustums, 30, 148-149, 898-899**

**full-screen rendering**

- Mac OS X

- AGL full-screen support, 708-711
  - display management, 706-707
  - overview, 706

- Windows, 671

- frameless windows, creating, 672
  - full-screen windows, creating, 672-675

**full-screen windows, creating, 672-675****functions, 542-545. See also specific functions**

- calling, 543
- declaring, 542-543
- evaluators, 391
- main, 542
- naming conventions, 45-46
- name overloading, 543
- texture lookup functions, 544-545

**future of OpenGL, 37****G****Gaussian blur, 634-636****GDI (graphics device interface), 38****GDI device contexts, 646****generating**

- buffer names, 900
- display lists, 900-901
- mip levels, 328-329
- query names, 901
- texture coordinates, 350-354
  - cube mapping, 357-361
  - disabling, 350
  - enabling, 350
  - eye linear mapping, 355-356
  - object linear mapping, 354
  - sphere mapping, 356-357
  - TEXGEN sample program, 351-354
- texture names, 902

**generic implementations, 38-39, 642****geometric primitives. See primitives, drawing****geometric transformations. See transformations****geometry throughput**

- display lists
  - batch processing, 423-424
  - converting to, 426-428
  - creating, 425
  - deleting, 425
  - executing, 425-426
  - immediate mode rendering, 423
  - limitations of, 426
  - naming, 425

- overview, 422-423

- preprocessed batches, 424-426

- overview, 421-422

- vertex arrays

- enabling, 432-433

- indexed vertex arrays, 435-449

- loading geometry, 432

- overview, 428-429

- pointer functions, 433-434

- rendering with, 434-435

- sizes and data types, 434

- STARRYNIGHT sample program, 429-431

- texture, 434

- vertex buffer objects

- binding, 450

- creating, 450

- initializing arrays, 452-453

- loading, 451

- mixing static and dynamic data, 453-454

- overview, 450

- rendering from, 451-455

**GetDC function, 657-658****GetDeviceCaps function, 673****GetMatrix function, 162-163****GetWindowPortBounds function, 696****GL Easy Extension (GLEE) library, 679****gl.h file, 42****GL\_ACCUM\_ALPHA\_BITS constant (glGet function), 903****GL\_ACCUM\_BLUE\_BITS constant (glGet function), 903****GL\_ACCUM\_CLEAR\_VALUE constant (glGet function), 903****GL\_ACCUM\_GREEN\_BITS constant (glGet function), 903****GL\_ACCUM\_RED\_BITS constant (glGet function), 903****GL\_ACTIVE\_TEXTURE constant (glGet function), 903****GL\_ADD texture environment mode, 317, 370****GL\_ADD\_SIGNED constant, 370****GL\_ALIASED\_LINE\_WIDTH\_RANGE constant (glGet function), 903****GL\_ALIASED\_POINT\_SIZE\_RANGE constant (glGet function), 903****GL\_ALPHA pixel format, 259****GL\_ALPHA\_BIAS constant (glGet function), 903****GL\_ALPHA\_BITS constant (glGet function), 903****GL\_ALPHA\_SCALE constant (glGet function), 903****GL\_ALPHA\_TEST constant (glGet function), 903**

- GL\_ALPHA\_TEST\_FUNC constant (glGet function), 903
- GL\_ALPHA\_TEST\_REF constant (glGet function), 904
- GL\_AMBIENT parameter
  - glGetLight function, 945
  - glLight function, 992
  - glMaterial function, 1013
- GL\_AMBIENT\_AND\_DIFFUSE parameter (glMaterial function), 1013
- GL\_ARB\_color\_buffer\_float extension. *See* floating-point textures
- GL\_ARB\_shadow\_ambient extension, 509
- GL\_ARRAY\_BUFFER\_BINDING constant (glGet function), 904
- GL\_ATTRIB\_STACK\_DEPTH constant (glGet function), 904
- GL\_AUTO\_NORMAL constant (glGet function), 904
- GL\_AUX\_BUFFERS constant (glGet function), 904
- gl\_BackColor built-in variable, 537
- gl\_BackSecondaryColor built-in variable, 537
- GL\_BGR pixel format, 259
- GL\_BGRA pixel format, 259
- GL\_BITMAP data type, 259, 306
- GL\_BLEND constant (glGet function), 904
- GL\_BLEND texture environment mode, 317
- GL\_BLEND\_COLOR constant (glGet function), 904
- GL\_BLEND\_DST\_ALPHA constant (glGet function), 904
- GL\_BLEND\_DST\_RGB constant (glGet function), 904
- GL\_BLEND\_EQUATION\_ALPHA constant (glGet function), 904
- GL\_BLEND\_EQUATION\_RGB constant (glGet function), 904
- GL\_BLEND\_SRC\_ALPHA constant (glGet function), 904
- GL\_BLEND\_SRC\_RGB constant (glGet function), 904
- GL\_BLUE pixel format, 259
- GL\_BLUE\_BIAS constant (glGet function), 904
- GL\_BLUE\_BITS constant (glGet function), 904
- GL\_BLUE\_SCALE constant (glGet function), 904
- GL\_BYTE data type, 259, 306
- GL\_CLAMP wrap mode, 321
- GL\_CLAMP\_TO\_BORDER wrap mode, 321
- GL\_CLAMP\_TO\_EDGE wrap mode, 321
- GL\_CLIENT\_ACTIVE\_TEXTURE constant (glGet function), 905
- GL\_CLIENT\_ATTRIB\_STACK\_DEPTH constant (glGet function), 905
- GL\_CLIP\_PLANEi constant (glGet function), 905
- gl\_ClipVertex built-in variable, 536
- gl\_Color built-in variable, 536-537
- GL\_COLOR\_ARRAY constant (glGet function), 905
- GL\_COLOR\_ARRAY\_BUFFER\_BINDING constant (glGet function), 905
- GL\_COLOR\_ARRAY\_SIZE constant (glGet function), 905
- GL\_COLOR\_ARRAY\_STRIDE constant (glGet function), 905
- GL\_COLOR\_ARRAY\_TYPE constant (glGet function), 905
- GL\_COLOR\_CLEAR\_VALUE constant (glGet function), 905
- GL\_COLOR\_INDEXES parameter (glMaterial function), 1013
- GL\_COLOR\_LOGIC\_OP constant (glGet function), 905
- GL\_COLOR\_MATERIAL constant (glGet function), 905
- GL\_COLOR\_MATERIAL\_FACE constant (glGet function), 905
- GL\_COLOR\_MATERIAL\_PARAMETER constant (glGet function), 905
- GL\_COLOR\_MATRIX constant (glGet function), 905
- GL\_COLOR\_MATRIX\_STACK\_DEPTH constant (glGet function), 905
- GL\_COLOR\_SUM constant (glGet function), 905
- GL\_COLOR\_TABLE constant (glGet function), 906
- GL\_COLOR\_WRITEMASK constant (glGet function), 906
- GL\_COMPRESSED\_TEXTURE\_FORMATS constant (glGet function), 906
- GL\_CONSTANT constant, 370
- GL\_CONSTANT\_ATTENUATION parameter
  - glGetLight function, 946
  - glLight function, 993
- GL\_CONVOLUTION\_1D constant (glGet function), 906
- GL\_CONVOLUTION\_2D constant (glGet function), 906
- GL\_CULL\_FACE constant (glGet function), 906
- GL\_CULL\_FACE\_MODE constant (glGet function), 906
- GL\_CURRENT\_COLOR constant (glGet function), 906

- GL\_CURRENT\_FOG\_COORD constant (glGet function), 906
- GL\_CURRENT\_INDEX constant (glGet function), 906
- GL\_CURRENT\_NORMAL constant (glGet function), 906
- GL\_CURRENT\_PROGRAM constant (glGet function), 906
- GL\_CURRENT\_RASTER\_COLOR constant (glGet function), 906
- GL\_CURRENT\_RASTER\_DISTANCE constant (glGet function), 906
- GL\_CURRENT\_RASTER\_INDEX constant (glGet function), 906
- GL\_CURRENT\_RASTER\_POSITION constant (glGet function), 906
- GL\_CURRENT\_RASTER\_POSITION\_VALID constant (glGet function), 907
- GL\_CURRENT\_RASTER\_SECONDARY\_COLOR constant (glGet function), 907
- GL\_CURRENT\_RASTER\_TEXTURE\_COORDS constant (glGet function), 907
- GL\_CURRENT\_SECONDARY\_COLOR constant (glGet function), 907
- GL\_CURRENT\_TEXTURE\_COORDS constant (glGet function), 907
- GL\_DECAL texture environment mode, 317
- GL\_DEPTH\_BIAS constant (glGet function), 907
- GL\_DEPTH\_BITS constant (glGet function), 907
- GL\_DEPTH\_CLEAR\_VALUE constant (glGet function), 907
- GL\_DEPTH\_COMPONENT pixel format, 259
- GL\_DEPTH\_FUNC constant (glGet function), 907
- GL\_DEPTH\_RANGE constant (glGet function), 907
- GL\_DEPTH\_SCALE constant (glGet function), 907
- GL\_DEPTH\_TEST constant (glGet function), 907
- GL\_DEPTH\_WRITEMASK constant (glGet function), 907
- GL\_DIFFUSE parameter
  - glGetLight function, 945
  - glLight function, 992
  - glMaterial function, 1013
- GL\_DITHER constant (glGet function), 907
- GL\_DOT3\_RGB constant, 370
- GL\_DOT3\_RGBA constant, 370
- GL\_DOUBLEBUFFER constant (glGet function), 907
- GL\_DRAW\_BUFFER constant (glGet function), 908
- GL\_DRAW\_BUFFERi constant (glGet function), 908
- GL\_DYNAMIC\_DRAW usage hint, 451
- GL\_EDGE\_FLAG constant (glGet function), 908
- GL\_EDGE\_FLAG\_ARRAY constant (glGet function), 908
- GL\_EDGE\_FLAG\_ARRAY\_BUFFER\_BINDING constant (glGet function), 908
- GL\_EDGE\_FLAG\_ARRAY\_STRIDE constant (glGet function), 908
- GL\_ELEMENT\_ARRAY\_BUFFER\_BINDING constant (glGet function), 908
- GL\_EMISSION parameter (glMaterial function), 1013
- GL\_EXP fog mode, 242
- GL\_EXP2 fog mode, 242
- GL\_EXT\_texture\_compression\_s3tc texture compression format, 349
- GL\_EYE\_LINEAR texture generation mode, 355-356
- GL\_FEEDBACK rendering mode, 461
- GL\_FEEDBACK\_BUFFER\_SIZE constant (glGet function), 908
- GL\_FEEDBACK\_BUFFER\_TYPE constant (glGet function), 908
- GL\_FLOAT data type, 259, 306
- GL\_FOG constant (glGet function), 908
- GL\_FOG\_COLOR constant (glGet function), 909
- GL\_FOG\_COORD\_ARRAY constant (glGet function), 908
- GL\_FOG\_COORD\_ARRAY\_BUFFER\_BINDING constant (glGet function), 908
- GL\_FOG\_COORD\_ARRAY\_STRIDE constant (glGet function), 908
- GL\_FOG\_COORD\_ARRAY\_TYPE constant (glGet function), 908
- GL\_FOG\_COORD\_SRC constant (glGet function), 908
- GL\_FOG\_DENSITY constant (glGet function), 909
- GL\_FOG\_END constant (glGet function), 909
- GL\_FOG\_HINT constant (glGet function), 909
- GL\_FOG\_INDEX constant (glGet function), 909
- GL\_FOG\_MODE constant (glGet function), 909
- GL\_FOG\_START constant (glGet function), 909
- gl\_FogCoord built-in variable, 536
- gl\_FogFragCoord built-in variable, 537
- gl\_FragColor built-in variable, 537
- gl\_FragCoord built-in variable, 537
- gl\_FragData[ ] built-in variable, 537
- gl\_FragDepth built-in variable, 537
- GL\_FRAGMENT\_SHADER\_DERIVATIVE\_HINT constant (glGet function), 909

- GL\_FRAMEBUFFER\_COMPLETE\_EXT error condition, 612
- GL\_FRAMEBUFFER\_INCOMPLETE\_ATTACHMENT\_EXT error condition, 612
- GL\_FRAMEBUFFER\_INCOMPLETE\_DIMENSIONS\_EXT error condition, 612
- GL\_FRAMEBUFFER\_INCOMPLETE\_DRAW\_BUFFER\_EXT error condition, 612
- GL\_FRAMEBUFFER\_INCOMPLETE\_FORMATS\_EXT error condition, 612
- GL\_FRAMEBUFFER\_INCOMPLETE\_READ\_BUFFER\_EXT error condition, 612
- GL\_FRAMEBUFFER\_UNSUPPORTED\_EXT error condition, 612
- GL\_FRONT\_FACE constant (glGet function), 909
- gl\_FrontColor built-in variable, 536
- gl\_FrontFacing built-in variable, 537
- gl\_FrontSecondaryColor built-in variable, 537
- GL\_FUNC\_ADD constant, 234
- GL\_FUNC\_REVERSE\_SUBTRACT constant, 234
- GL\_FUNC\_SUBTRACT constant, 234
- GL\_GENERATE\_MIPMAP\_HINT constant (glGet function), 909
- GL\_GREEN pixel format, 259
- GL\_GREEN\_BIAS constant (glGet function), 909
- GL\_GREEN\_BITS constant (glGet function), 909
- GL\_GREEN\_SCALE constant (glGet function), 909
- GL\_HISTOGRAM constant (glGet function), 909
- GL\_INDEX\_ARRAY constant (glGet function), 909
- GL\_INDEX\_ARRAY\_BUFFER\_BINDING constant (glGet function), 909
- GL\_INDEX\_ARRAY\_STRIDE constant (glGet function), 909
- GL\_INDEX\_ARRAY\_TYPE constant (glGet function), 910
- GL\_INDEX\_BITS constant (glGet function), 910
- GL\_INDEX\_CLEAR\_VALUE constant (glGet function), 910
- GL\_INDEX\_LOGIC\_OP constant (glGet function), 910
- GL\_INDEX\_MODE constant (glGet function), 910
- GL\_INDEX\_OFFSET constant (glGet function), 910
- GL\_INDEX\_SHIFT constant (glGet function), 910
- GL\_INDEX\_WRITEMASK constant (glGet function), 910
- GL\_INT data type, 259, 306
- GL\_INTERPOLATE constant, 370
- GL\_INVALID\_ENUM error code, 68
- GL\_INVALID\_FRAMEBUFFER\_OPERATION\_EXT error condition, 613
- GL\_INVALID\_OPERATION error code, 68
- GL\_INVALID\_VALUE error code, 68
- GL\_LIGHT\_MODEL\_AMBIENT constant (glGet function), 910
- GL\_LIGHT\_MODEL\_COLOR\_CONTROL constant (glGet function), 910
- GL\_LIGHT\_MODEL\_LOCAL\_VIEWER constant (glGet function), 910
- GL\_LIGHT\_MODEL\_TWO\_SIDE constant (glGet function), 910
- GL\_LIGHTi constant (glGet function), 910
- GL\_LIGHTING constant (glGet function), 910
- GL\_LINE\_LOOP primitive, 87-88
- GL\_LINE\_SMOOTH constant (glGet function), 910
- GL\_LINE\_SMOOTH\_HINT constant (glGet function), 910
- GL\_LINE\_STIPPLE constant (glGet function), 910
- GL\_LINE\_STIPPLE\_PATTERN constant (glGet function), 911
- GL\_LINE\_STIPPLE\_REPEAT constant (glGet function), 911
- GL\_LINE\_STRIP primitive, 87-89
- GL\_LINE\_WIDTH constant (glGet function), 911
- GL\_LINE\_WIDTH\_GRANULARITY constant (glGet function), 911
- GL\_LINE\_WIDTH\_RANGE constant (glGet function), 911
- GL\_LINEAR constant, 242, 327
- GL\_LINEAR\_ATTENUATION parameter
  - glGetLight function, 946
  - glLight function, 993
- GL\_LINEAR\_MIPMAP\_LINEAR mipmap filter, 327
- GL\_LINEAR\_MIPMAP\_NEAREST mipmap filter, 327
- GL\_LINES primitive. *See* lines, drawing
- GL\_LIST\_BASE constant (glGet function), 911
- GL\_LIST\_INDEX constant (glGet function), 911
- GL\_LIST\_MODE constant (glGet function), 911
- GL\_LOGIC\_OP\_MODE constant (glGet function), 911
- GL\_LUMINANCE pixel format, 259
- GL\_LUMINANCE\_ALPHA pixel format, 259
- GL\_MAP\_COLOR constant (glGet function), 912
- GL\_MAP\_STENCIL constant (glGet function), 912
- GL\_MAP1\_COLOR\_4 constant (glGet function), 911
- GL\_MAP1\_GRID\_DOMAIN constant (glGet function), 911
- GL\_MAP1\_GRID\_SEGMENTS constant (glGet function), 911
- GL\_MAP1\_INDEX constant (glGet function), 911

- GL\_MAP1\_NORMAL constant (glGet function), 911
- GL\_MAP1\_TEXTURE\_COORD\_1 constant (glGet function), 911
- GL\_MAP1\_TEXTURE\_COORD\_2 constant (glGet function), 911
- GL\_MAP1\_TEXTURE\_COORD\_3 constant (glGet function), 911
- GL\_MAP1\_TEXTURE\_COORD\_4 constant (glGet function), 911
- GL\_MAP1\_VERTEX\_3 constant (glGet function), 912
- GL\_MAP1\_VERTEX\_4 constant (glGet function), 912
- GL\_MAP2\_COLOR\_4 constant (glGet function), 912
- GL\_MAP2\_GRID\_DOMAIN constant (glGet function), 912
- GL\_MAP2\_GRID\_SEGMENTS constant (glGet function), 912
- GL\_MAP2\_INDEX constant (glGet function), 912
- GL\_MAP2\_NORMAL constant (glGet function), 912
- GL\_MAP2\_TEXTURE\_COORD\_1 constant (glGet function), 912
- GL\_MAP2\_TEXTURE\_COORD\_2 constant (glGet function), 912
- GL\_MAP2\_TEXTURE\_COORD\_3 constant (glGet function), 912
- GL\_MAP2\_TEXTURE\_COORD\_4 constant (glGet function), 912
- GL\_MAP2\_VERTEX\_3 constant (glGet function), 912
- GL\_MAP2\_VERTEX\_4 constant (glGet function), 912
- GL\_MATRIX\_MODE constant (glGet function), 912
- GL\_MAX blending mode, 234
- GL\_MAX\_3D\_TEXTURE\_SIZE constant (glGet function), 912
- GL\_MAX\_ATTRIB\_STACK\_DEPTH constant (glGet function), 913
- GL\_MAX\_CLIENT\_ATTRIB\_STACK\_DEPTH constant (glGet function), 913
- GL\_MAX\_CLIP\_PLANES constant (glGet function), 913
- GL\_MAX\_COLOR\_MATRIX\_STACK\_DEPTH constant (glGet function), 913
- GL\_MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS constant (glGet function), 913
- GL\_MAX\_CUBE\_MAP\_TEXTURE\_SIZE constant (glGet function), 913
- GL\_MAX\_DRAW\_BUFFERS constant (glGet function), 913
- GL\_MAX\_ELEMENTS\_INDICES constant (glGet function), 913
- GL\_MAX\_ELEMENTS\_VERTICES constant (glGet function), 913
- GL\_MAX\_EVAL\_ORDER constant (glGet function), 913
- GL\_MAX\_FRAGMENT\_UNIFORM\_COMPONENTS constant (glGet function), 913
- GL\_MAX\_LIGHTS constant (glGet function), 913
- GL\_MAX\_LIST\_NESTING constant (glGet function), 913
- GL\_MAX\_MODELVIEW\_STACK\_DEPTH constant (glGet function), 913
- GL\_MAX\_NAME\_STACK\_DEPTH constant (glGet function), 913
- GL\_MAX\_PIXEL\_MAP\_TABLE constant (glGet function), 913
- GL\_MAX\_PROJECTION\_STACK\_DEPTH constant (glGet function), 914
- GL\_MAX\_TEXTURE\_COORDS constant (glGet function), 914
- GL\_MAX\_TEXTURE\_IMAGE\_UNITS constant (glGet function), 914
- GL\_MAX\_TEXTURE\_LOD\_BIAS constant (glGet function), 914
- GL\_MAX\_TEXTURE\_SIZE constant (glGet function), 914
- GL\_MAX\_TEXTURE\_STACK\_DEPTH constant (glGet function), 914
- GL\_MAX\_TEXTURE\_UNITS constant (glGet function), 914
- GL\_MAX\_VARYING\_FLOATS constant (glGet function), 914
- GL\_MAX\_VERTEX\_ATTRIBS constant (glGet function), 914
- GL\_MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS constant (glGet function), 914
- GL\_MAX\_VERTEX\_UNIFORM\_COMPONENTS constant (glGet function), 914
- GL\_MAX\_VIEWPORT\_DIMS constant (glGet function), 914
- GL\_MIN blending mode, 234
- GL\_MINMAX constant (glGet function), 914
- GL\_MODELVIEW\_MATRIX constant (glGet function), 914
- GL\_MODELVIEW\_STACK\_DEPTH constant (glGet function), 914
- GL\_MODULATE texture environment mode, 317, 370
- gl\_MultiTexCoordn built-in variable, 536

- GL\_NAME\_STACK\_DEPTH constant (glGet function), 915
- GL\_NEAREST mipmap filter, 327
- GL\_NEAREST\_MIPMAP\_LINEAR mipmap filter, 327
- GL\_NEAREST\_MIPMAP\_NEAREST mipmap filter, 327
- GL\_NO\_ERROR error code, 68
- gl\_Normal built-in variable, 536
- GL\_NORMAL\_ARRAY constant (glGet function), 915
- GL\_NORMAL\_ARRAY\_BUFFER\_BINDING constant (glGet function), 915
- GL\_NORMAL\_ARRAY\_STRIDE constant (glGet function), 915
- GL\_NORMAL\_ARRAY\_TYPE constant (glGet function), 915
- GL\_NORMAL\_MAP texture generation mode, 357
- GL\_NORMALIZE constant (glGet function), 915
- gl\_NormalMatrix function, 551
- GL\_NUM\_COMPRESSED\_TEXTURE\_FORMATS constant (glGet function), 915
- GL\_OBJECT\_LINEAR texture generation mode, 354
- GL\_ONE\_MINUS\_SRC\_ALPHA constant, 371
- GL\_ONE\_MINUS\_SRC\_COLOR constant, 371
- GL\_OUT\_OF\_MEMORY error code, 68
- GL\_PACK\_ALIGNMENT constant
  - glGet function, 915
  - glPixelStore function, 1033
- GL\_PACK\_IMAGE\_HEIGHT constant
  - glGet function, 915
  - glPixelStore function, 1032
- GL\_PACK\_LSB\_FIRST constant
  - glGet function, 915
  - glPixelStore function, 1032
- GL\_PACK\_ROW\_LENGTH constant
  - glGet function, 915
  - glPixelStore function, 1032
- GL\_PACK\_SKIP\_IMAGES constant
  - glGet function, 915
  - glPixelStore function, 1033
- GL\_PACK\_SKIP\_PIXELS constant
  - glGet function, 915
  - glPixelStore function, 1033
- GL\_PACK\_SKIP\_ROWS constant
  - glGet function, 915
  - glPixelStore function, 1033
- GL\_PACK\_SWAP\_BYTES constant
  - glGet function, 915
  - glPixelStore function, 1032
- GL\_PERSPECTIVE\_CORRECTION\_HINT constant (glGet function), 915
- GL\_PIXEL\_MAP\_A\_TO\_A\_SIZE constant (glGet function), 916
- GL\_PIXEL\_MAP\_B\_TO\_B\_SIZE constant (glGet function), 916
- GL\_PIXEL\_MAP\_G\_TO\_G\_SIZE constant (glGet function), 916
- GL\_PIXEL\_MAP\_I\_TO\_A\_SIZE constant (glGet function), 916
- GL\_PIXEL\_MAP\_I\_TO\_B\_SIZE constant (glGet function), 916
- GL\_PIXEL\_MAP\_I\_TO\_G\_SIZE constant (glGet function), 916
- GL\_PIXEL\_MAP\_I\_TO\_I\_SIZE constant (glGet function), 916
- GL\_PIXEL\_MAP\_I\_TO\_R\_SIZE constant (glGet function), 916
- GL\_PIXEL\_MAP\_R\_TO\_R\_SIZE constant (glGet function), 916
- GL\_PIXEL\_MAP\_S\_TO\_S\_SIZE constant (glGet function), 916
- GL\_PIXEL\_PACK\_BUFFER\_BINDING constant (glGet function), 916
- GL\_PIXEL\_UNPACK\_BUFFER\_BINDING constant (glGet function), 916
- GL\_POINT\_DISTANCE\_ATTENUATION constant (glGet function), 916
- GL\_POINT\_FADE\_THRESHOLD\_SIZE constant (glGet function), 916
- GL\_POINT\_SIZE constant (glGet function), 916
- GL\_POINT\_SIZE\_GRANULARITY constant (glGet function), 916
- GL\_POINT\_SIZE\_MAX constant (glGet function), 916
- GL\_POINT\_SIZE\_MIN constant (glGet function), 917
- GL\_POINT\_SIZE\_RANGE constant (glGet function), 917
- GL\_POINT\_SMOOTH constant (glGet function), 917
- GL\_POINT\_SMOOTH\_HINT constant (glGet function), 917
- GL\_POINT\_SPRITE constant (glGet function), 917
- gl\_PointCoord built-in variable, 537
- GL\_POINTS primitive. *See* points, drawing
- glPointSize built-in variable, 536
- GL\_POLYGON primitive, 108-109
- GL\_POLYGON\_MODE constant (glGet function), 917
- GL\_POLYGON\_OFFSET\_FACTOR constant (glGet function), 917



- GL\_POLYGON\_OFFSET\_FILL constant (glGet function), 917
- GL\_POLYGON\_OFFSET\_LINE constant (glGet function), 917
- GL\_POLYGON\_OFFSET\_POINT constant (glGet function), 917
- GL\_POLYGON\_OFFSET\_UNITS constant (glGet function), 917
- GL\_POLYGON\_SMOOTH constant (glGet function), 917
- GL\_POLYGON\_SMOOTH\_HINT constant (glGet function), 917
- GL\_POLYGON\_STIPPLE constant (glGet function), 917
- gl\_Position built-in variable, 536
- GL\_POSITION parameter
  - glGetLight function, 945
  - glLight function, 992
- GL\_POST\_COLOR\_MATRIX\_ALPHA\_BIAS constant (glGet function), 918
- GL\_POST\_COLOR\_MATRIX\_ALPHA\_SCALE constant (glGet function), 918
- GL\_POST\_COLOR\_MATRIX\_BLUE\_BIAS constant (glGet function), 918
- GL\_POST\_COLOR\_MATRIX\_BLUE\_SCALE constant (glGet function), 918
- GL\_POST\_COLOR\_MATRIX\_COLOR\_TABLE constant (glGet function), 917
- GL\_POST\_COLOR\_MATRIX\_GREEN\_BIAS constant (glGet function), 918
- GL\_POST\_COLOR\_MATRIX\_GREEN\_SCALE constant (glGet function), 918
- GL\_POST\_COLOR\_MATRIX\_RED\_BIAS constant (glGet function), 917
- GL\_POST\_COLOR\_MATRIX\_RED\_SCALE constant (glGet function), 918
- GL\_POST\_CONVOLUTION\_ALPHA\_BIAS constant (glGet function), 918
- GL\_POST\_CONVOLUTION\_ALPHA\_SCALE constant (glGet function), 918
- GL\_POST\_CONVOLUTION\_BLUE\_BIAS constant (glGet function), 918
- GL\_POST\_CONVOLUTION\_BLUE\_SCALE constant (glGet function), 918
- GL\_POST\_CONVOLUTION\_COLOR\_TABLE constant (glGet function), 918
- GL\_POST\_CONVOLUTION\_GREEN\_BIAS constant (glGet function), 918
- GL\_POST\_CONVOLUTION\_GREEN\_SCALE constant (glGet function), 918
- GL\_POST\_CONVOLUTION\_RED\_BIAS constant (glGet function), 918
- GL\_POST\_CONVOLUTION\_RED\_SCALE constant (glGet function), 918
- GL\_PREVIOUS constant, 370
- GL\_PRIMARY\_COLOR constant, 370
- GL\_PROJECTION\_MATRIX constant (glGet function), 918
- GL\_PROJECTION\_STACK\_DEPTH constant (glGet function), 919
- GL\_QUAD\_STRIP primitive, 108
- GL\_QUADRATIC\_ATTENUATION parameter
  - glGetLight function, 946
  - glLight function, 993
- GL\_QUADS primitive, 108
- GL\_READ\_BUFFER constant (glGet function), 919
- GL\_RED pixel format, 259
- GL\_RED\_BIAS constant (glGet function), 919
- GL\_RED\_BITS constant (glGet function), 919
- GL\_RED\_SCALE constant (glGet function), 919
- GL\_REFLECTION\_MAP texture generation mode, 357
- GL\_RENDER rendering mode, 460
- GL\_RENDER\_MODE constant (glGet function), 919
- GL\_REPEAT wrap mode, 320-321
- GL\_REPLACE texture environment mode, 317, 370
- GL\_RESCALE\_NORMAL constant (glGet function), 919
- GL\_RGB pixel format, 259
- GL\_RGBA pixel format, 259
- GL\_RGBA\_MODE constant (glGet function), 919
- GL\_SAMPLES constant (glGet function), 919
- GL\_SAMPLE\_BUFFERS constant (glGet function), 919
- GL\_SAMPLE\_COVERAGE\_INVERT constant (glGet function), 919
- GL\_SAMPLE\_COVERAGE\_VALUE constant (glGet function), 919
- GL\_SCISSOR\_BOX constant (glGet function), 919
- GL\_SCISSOR\_TEST constant (glGet function), 919
- GL\_SECONDARY\_COLOR\_ARRAY constant (glGet function), 919
- GL\_SECONDARY\_COLOR\_ARRAY\_BUFFER\_BINDING constant (glGet function), 919
- GL\_SECONDARY\_COLOR\_ARRAY\_SIZE constant (glGet function), 919
- GL\_SECONDARY\_COLOR\_ARRAY\_STRIDE constant (glGet function), 920
- GL\_SECONDARY\_COLOR\_ARRAY\_TYPE constant (glGet function), 920
- gl\_SecondaryColor built-in variable, 536-537

- GL\_SELECTION\_BUFFER\_SIZE constant (glGet function), 920
- GL\_SEPARABLE\_2D constant (glGet function), 920
- GL\_SHADE\_MODEL constant (glGet function), 920
- GL\_SHININESS parameter (glMaterial function), 1013
- GL\_SHORT data type, 259, 306
- GL\_SMOOTH\_LINE\_WIDTH\_GRANULARITY constant (glGet function), 920
- GL\_SMOOTH\_LINE\_WIDTH\_RANGE constant (glGet function), 920
- GL\_SMOOTH\_POINT\_SIZE\_GRANULARITY constant (glGet function), 920
- GL\_SMOOTH\_POINT\_SIZE\_RANGE constant (glGet function), 920
- GL\_SPECULAR parameter
  - glGetLight function, 945
  - glLight function, 992
  - glMaterial function, 1013
- GL\_SPHERE\_MAP texture generation mode, 356-357
- GL\_SPOT\_CUTOFF parameter
  - glGetLight function, 946
  - glLight function, 993
- GL\_SPOT\_DIRECTION parameter
  - glGetLight function, 946
  - glLight function, 992
- GL\_SPOT\_EXPONENT parameter
  - glGetLight function, 946
  - glLight function, 992
- GL\_SRC\_ALPHA constant, 371
- GL\_SRC\_COLOR constant, 371
- GL\_STACK\_OVERFLOW error code, 68, 143
- GL\_STACK\_UNDERFLOW error code, 68, 143
- GL\_STATIC\_DRAW usage hint, 451
- GL\_STENCIL\_BACK\_FAIL constant (glGet function), 920
- GL\_STENCIL\_BACK\_FUNC constant (glGet function), 920
- GL\_STENCIL\_BACK\_PASS\_DEPTH\_FAIL constant (glGet function), 920
- GL\_STENCIL\_BACK\_PASS\_DEPTH\_PASS constant (glGet function), 920
- GL\_STENCIL\_BACK\_REF constant (glGet function), 920
- GL\_STENCIL\_BACK\_VALUE\_MASK constant (glGet function), 920
- GL\_STENCIL\_BACK\_WRITEMASK constant (glGet function), 920
- GL\_STENCIL\_BITS constant (glGet function), 920
- GL\_STENCIL\_CLEAR\_VALUE constant (glGet function), 921
- GL\_STENCIL\_FAIL constant (glGet function), 921
- GL\_STENCIL\_FUNC constant (glGet function), 921
- GL\_STENCIL\_INDEX pixel format, 259
- GL\_STENCIL\_PASS\_DEPTH\_FAIL constant (glGet function), 921
- GL\_STENCIL\_PASS\_DEPTH\_PASS constant (glGet function), 921
- GL\_STENCIL\_REF constant (glGet function), 921
- GL\_STENCIL\_TEST constant (glGet function), 921
- GL\_STENCIL\_VALUE\_MASK constant (glGet function), 921
- GL\_STENCIL\_WRITEMASK constant (glGet function), 921
- GL\_STEREO constant (glGet function), 921
- GL\_STREAM\_DRAW usage hint, 451
- GL\_SUBPIXEL\_BITS constant (glGet function), 921
- GL\_SUBTRACT constant, 370
- GL\_TABLE\_TOO\_LARGE error code, 68
- gl\_TexCoord[ ] built-in variable, 537
- GL\_TEXTURE constant, 370
- GL\_TEXTURE\_1D constant (glGet function), 921
- GL\_TEXTURE\_2D constant (glGet function), 922
- GL\_TEXTURE\_3D constant (glGet function), 922
- GL\_TEXTURE\_BINDING\_1D constant (glGet function), 921
- GL\_TEXTURE\_BINDING\_2D constant (glGet function), 922
- GL\_TEXTURE\_BINDING\_3D constant (glGet function), 922
- GL\_TEXTURE\_BINDING\_CUBE\_MAP constant (glGet function), 922
- GL\_TEXTURE\_COMPRESSION\_HINT constant (glGet function), 922
- GL\_TEXTURE\_COORD\_ARRAY constant (glGet function), 922
- GL\_TEXTURE\_COORD\_ARRAY\_BUFFER\_BINDING constant (glGet function), 922
- GL\_TEXTURE\_COORD\_ARRAY\_SIZE constant (glGet function), 922
- GL\_TEXTURE\_COORD\_ARRAY\_STRIDE constant (glGet function), 922
- GL\_TEXTURE\_COORD\_ARRAY\_TYPE constant (glGet function), 922
- GL\_TEXTURE\_CUBE\_MAP constant (glGet function), 922
- GL\_TEXTURE\_GEN\_Q constant (glGet function), 922

- GL\_TEXTURE\_GEN\_R constant (glGet function), 922
- GL\_TEXTURE\_GEN\_S constant (glGet function), 922
- GL\_TEXTURE\_GEN\_T constant (glGet function), 922
- GL\_TEXTURE\_MATRIX constant (glGet function), 922
- GL\_TEXTURE\_STACK\_DEPTH constant (glGet function), 923
- GL\_TRANSPOSE\_COLOR\_MATRIX constant (glGet function), 923
- GL\_TRANSPOSE\_MODELVIEW\_MATRIX constant (glGet function), 923
- GL\_TRANSPOSE\_PROJECTION\_MATRIX constant (glGet function), 923
- GL\_TRANSPOSE\_TEXTURE\_MATRIX constant (glGet function), 923
- GL\_TRIANGLES primitive. *See* triangles, drawing
- GL\_TRIANGLE\_FAN primitive, 97-98
- GL\_TRIANGLE\_STRIP primitive, 96-97
- GL\_UNPACK\_ALIGNMENT constant
  - glGet function, 923
  - glPixelStore function, 1034
- GL\_UNPACK\_IMAGE\_HEIGHT constant
  - glGet function, 923
  - glPixelStore function, 1033
- GL\_UNPACK\_LSB\_FIRST constant
  - glGet function, 923
  - glPixelStore function, 1033
- GL\_UNPACK\_ROW\_LENGTH constant
  - glGet function, 923
  - glPixelStore function, 1033
- GL\_UNPACK\_SKIP\_IMAGES constant (glGet function), 923
- GL\_UNPACK\_SKIP\_PIXELS constant
  - glGet function, 923
  - glPixelStore function, 1034
- GL\_UNPACK\_SKIP\_ROWS constant
  - glGet function, 923
  - glPixelStore function, 1034
- GL\_UNPACK\_SWAP\_BYTES constant
  - glGet function, 923
  - glPixelStore function, 1033
- GL\_UNSIGNED\_BYTE data type, 259, 306
- GL\_UNSIGNED\_INT data type, 259-260, 306
- GL\_UNSIGNED\_SHORT data type, 259-260, 306
- gl\_Vertex built-in variable, 536
- GL\_VERTEX\_ARRAY constant (glGet function), 923
- GL\_VERTEX\_ARRAY\_BUFFER\_BINDING constant (glGet function), 923
- GL\_VERTEX\_ARRAY\_SIZE constant (glGet function), 923
- GL\_VERTEX\_ARRAY\_STRIDE constant (glGet function), 924
- GL\_VERTEX\_ARRAY\_TYPE constant (glGet function), 924
- GL\_VERTEX\_PROGRAM\_POINT\_SIZE constant (glGet function), 924
- GL\_VERTEX\_PROGRAM\_TWO\_SIDE constant (glGet function), 924
- GL\_VIEWPORT constant (glGet function), 924
- GL\_ZOOM\_X constant (glGet function), 924
- GL\_ZOOM\_Y constant (glGet function), 924
- glAccum function, 244-246, 784-785
- glActiveTexture function, 363, 785
- glAlphaFunc function, 249, 506, 786
- glAreTexturesResident function, 338, 787
- glArrayElement function, 435, 788
- glAttachShader function, 530, 747, 788-789
- glBegin function, 422, 789-791
  - GL\_LINES parameter, 85
  - GL\_LINE\_STRIP parameter, 87
  - GL\_POINTS parameter, 78
  - GL\_TRIANGLES parameter, 94
- glBeginQuery function, 487, 791-792
- glBindAttribLocation function, 747, 792-793
- glBindBuffer function, 450-454, 602-603, 793-795
- glBindFramebufferEXT function, 609
- glBindRenderbufferEXT function, 609
- glBindTexture function, 330, 337, 505, 795-796
- glBitmap function, 257, 796-797
- glBlendColor function, 234, 798
- glBlendEquation function, 234, 798-799
- glBlendEquationSeparate function, 799-801
- glBlendFunc function, 230-232, 236, 801-803
- glBlendFuncSeparate function, 234, 803-806
- glBufferData function, 451, 602, 806-807
- glBufferSubData function, 602, 807-808
- glCallList function, 425, 808-809
- glCallLists function, 425, 668, 698, 728, 809-810
- glClear function, 52, 123, 810-811
- glClearAccum function, 811-812
- glClearColor function, 51-52, 812
- glClearDepth function, 812-813
- glClearIndex function, 813
- glClearStencil function, 123, 813
- glClientActiveTexture function, 434, 814

- glClipPlane function, 814-815
- glColor function, 182-183, 815-817
- glColor3f function, 56, 182
- glColor3ub function, 182
- glColor4ub function, 742
- glColorMask function, 248, 817-818
- glColorMaterial function, 194, 205, 818-819
- glColorPointer function, 433-434, 819-820
- glColorSubTable function, 291, 820-821
- glColorTable function, 289-290, 821-824
- glColorTableParameter function, 291, 824-825
- glColorTableParameterfv function, 291
- glColorTableParameteriv function, 291
- glCompileShader function, 529, 751, 825-826
- glCompressedTexImage1D function, 349, 826-827
- glCompressedTexImage2D function, 349, 827-829
- glCompressedTexImage3D function, 350, 830-831
- glCompressedTexSubImage function, 350
- glCompressedTexSubImage1D function, 832-833
- glCompressedTexSubImage2D function, 833-835
- glCompressedTexSubImage3D function, 835-836
- glConvolutionFilter1D function, 296, 836-838
- glConvolutionFilter2D function, 293-294, 839-841
- glConvolutionParameter function, 296, 841-842
- glConvolutionParameterf function, 296
- glConvolutionParameterfv function, 296
- glConvolutionParameteri function, 296
- glConvolutionParameteriv function, 296
- glCopyColorSubTable function, 292, 843
- glCopyColorTable function, 291, 843-845
- glCopyConvolutionFilter1D function, 845-846
- glCopyConvolutionFilter2D function, 295, 846-848
- glCopyPixels function, 265, 848-850
- glCopyTexImage function, 638
- glCopyTexImage1D function, 307, 850-852
- glCopyTexImage2D function, 307, 498-499, 574, 618, 852-854
- glCopyTexSubImage function, 308
- glCopyTexSubImage1D function, 308, 854-855
- glCopyTexSubImage2D function, 308, 855-857
- glCopyTexSubImage3D function, 308, 857-858
- glCreateProgram function, 530, 747, 858-859
- glCreateShader function, 528, 747, 859-860
- glCullFace function, 860
- glDeleteBuffers function, 602, 861
- glDeleteFramebuffersEXT function, 609
- glDeleteLists function, 425, 861
- glDeleteProgram function, 530, 862
- glDeleteQueries function, 487, 862-863
- glDeleteRenderbuffersEXT function, 609
- glDeleteShader function, 528, 863
- glDeleteTextures function, 330, 863-864
- glDepthFunc function, 249, 864-865
- glDepthMask function, 119, 865
- glDepthRange function, 865-866
- glDetachShader function, 530, 866-867
- glDisable function, 66, 91, 290
  - GL\_ALPHA\_TEST parameter, 249
  - GL\_DITHER parameter, 250
  - GL\_FOG parameter, 241
  - GL\_MULTISAMPLE parameter, 239
  - GL\_TEXTURE\_GEN\_\* parameter, 351
- glDisableClientState function, 432
- glDrawArrays function, 435, 771, 867
- glDrawBuffer function, 117, 266, 611, 706, 868-869
- glDrawBuffers function, 611, 869-870
- glDrawElements function, 438, 870-871
- glDrawPixels function, 258, 279-280, 602-603, 871-876
- glDrawRangeElements function, 439, 876-877
- glDrawTex function, 745
- glEdgeFlag function, 115-116, 878
- glEdgeFlagPointer function, 433-434, 878-879
- glee.h file, 43
- glEnable function, 65, 91, 879-884
  - GL\_ALPHA\_TEST parameter, 249
  - GL\_BLEND parameter, 230, 236
  - GL\_COLOR\_LOGIC\_OP parameter, 248
  - GL\_COLOR\_MATERIAL parameter, 194
  - GL\_COLOR\_SUM parameter, 344
  - GL\_DEPTH\_TEST parameter, 103, 119
  - GL\_DITHER parameter, 250
  - GL\_FOG parameter, 241
  - GL\_HISTOGRAM parameter, 298
  - GL\_LIGHT0 parameter, 203
  - GL\_LIGHTING parameter, 192
  - GL\_LINE\_STIPPLE parameter, 91
  - GL\_MINMAX parameter, 301
  - GL\_MULTISAMPLE parameter, 239
  - GL\_NORMALIZE parameter, 201
  - GL\_POINT\_SPRITE parameter, 372
  - GL\_POLYGON\_STIPPLE parameter, 109
  - GL\_RESCALE\_NORMALS parameter, 201
  - GL\_SCISSOR\_TEST parameter, 120
  - GL\_STENCIL\_TEST parameter, 122
  - GL\_TEXTURE\_2D function, 316
  - GL\_TEXTURE\_CUBE\_MAP parameter, 359
  - GL\_TEXTURE\_GEN\_\* parameter, 350

- glEnableClientState** function, 432-433, 884-885
- glEnableVertexAttribArray** function, 886
- glEnd** function, 422
  - GL\_LINES parameter, 85
  - GL\_LINE\_STRIP parameter, 87
  - GL\_POINTS parameter, 78
  - GL\_TRIANGLES parameter, 95
- glEndList** function, 424-426
- glEndQuery** function, 487
- glEvalCoord** function, 396, 886-888
- glEvalCoord1f** function, 396
- glEvalMesh** function, 396, 400, 888-890
- glEvalMesh2** function, 400
- glEvalPoint** function, 890-891
- glFeedbackBuffer** function, 471, 891-893
- glFinish** function, 424, 893
- glFlush** function, 53, 424, 893-894
- glFog** function, 242, 894-895
- glFogCoord** function, 896
- glFogCoordf** function, 244
- glFogCoordPointer** function, 433-434, 896-897
- glFogf** function, 242-243
- glFogfv** function, 242
- glFogi** function, 242, 244
- glFogiv** function, 242
- GLFrame** class, 162-164
- glFramebufferRenderbufferEXT** function, 610
- glFramebufferTexture1DEXT** function, 610
- glFramebufferTexture2DEXT** function, 610
- glFramebufferTexture3DEXT** function, 610
- glFrontFace** function, 96, 898
- glFrustumf** function, 770
- glFrustum** function, 149, 898-899
- glGenBuffers** function, 450, 602, 900
- glGenerateMipmapEXT** function, 613, 618, 634
- glGenFramebuffersEXT** function, 609
- glGenLists** function, 425, 900-901
- glGenQueries** function, 486
- glGenRenderbuffersEXT** function, 609
- glGenTextures** function, 330, 337, 505, 902
- glGet** function, 143
- glGet** function, 902-924
  - C specification, 902
  - constants
    - GL\_ACCUM\_ALPHA\_BITS, 903
    - GL\_ACCUM\_BLUE\_BITS, 903
    - GL\_ACCUM\_CLEAR\_VALUE, 903
    - GL\_ACCUM\_GREEN\_BITS, 903
    - GL\_ACCUM\_RED\_BITS, 903
    - GL\_ACTIVE\_TEXTURE, 903
    - GL\_ALIASED\_LINE\_WIDTH\_RANGE, 903
    - GL\_ALIASED\_POINT\_SIZE\_RANGE, 903
    - GL\_ALPHA\_BIAS, 903
    - GL\_ALPHA\_BITS, 903
    - GL\_ALPHA\_SCALE, 903
    - GL\_ALPHA\_TEST, 903
    - GL\_ALPHA\_TEST\_FUNC, 903
    - GL\_ALPHA\_TEST\_REF, 904
    - GL\_ARRAY\_BUFFER\_BINDING, 904
    - GL\_ATTRIB\_STACK\_DEPTH, 904
    - GL\_AUTO\_NORMAL, 904
    - GL\_AUX\_BUFFERS, 904
    - GL\_BLEND, 904
    - GL\_BLEND\_COLOR, 904
    - GL\_BLEND\_DST\_ALPHA, 904
    - GL\_BLEND\_DST\_RGB, 904
    - GL\_BLEND\_EQUATION\_ALPHA, 904
    - GL\_BLEND\_EQUATION\_RGB, 904
    - GL\_BLEND\_SRC\_ALPHA, 904
    - GL\_BLEND\_SRC\_RGB, 904
    - GL\_BLUE\_BIAS, 904
    - GL\_BLUE\_BITS, 904
    - GL\_BLUE\_SCALE, 904
    - GL\_CLIENT\_ACTIVE\_TEXTURE, 905
    - GL\_CLIENT\_ATTRIB\_STACK\_DEPTH, 905
    - GL\_CLIP\_PLANEi, 905
    - GL\_COLOR\_ARRAY, 905
    - GL\_COLOR\_ARRAY\_BUFFER\_BINDING, 905
    - GL\_COLOR\_ARRAY\_SIZE, 905
    - GL\_COLOR\_ARRAY\_STRIDE, 905
    - GL\_COLOR\_ARRAY\_TYPE, 905
    - GL\_COLOR\_CLEAR\_VALUE, 905
    - GL\_COLOR\_LOGIC\_OP, 905
    - GL\_COLOR\_MATERIAL, 905
    - GL\_COLOR\_MATERIAL\_FACE, 905
    - GL\_COLOR\_MATERIAL\_PARAMETER, 905
    - GL\_COLOR\_MATRIX, 905
    - GL\_COLOR\_MATRIX\_STACK\_DEPTH, 905
    - GL\_COLOR\_SUM, 905
    - GL\_COLOR\_TABLE, 906
    - GL\_COLOR\_WRITEMASK, 906
    - GL\_COMPRESSED\_TEXTURE\_FORMATS, 906
    - GL\_CONVOLUTION\_1D, 906
    - GL\_CONVOLUTION\_2D, 906
    - GL\_CULL\_FACE, 906
    - GL\_CULL\_FACE\_MODE, 906
    - GL\_CURRENT\_COLOR, 906
    - GL\_CURRENT\_FOG\_COORD, 906
    - GL\_CURRENT\_INDEX, 906
    - GL\_CURRENT\_NORMAL, 906
    - GL\_CURRENT\_PROGRAM, 906
    - GL\_CURRENT\_RASTER\_COLOR, 906
    - GL\_CURRENT\_RASTER\_DISTANCE, 906

GL\_CURRENT\_RASTER\_INDEX, 906  
GL\_CURRENT\_RASTER\_POSITION, 906  
GL\_CURRENT\_RASTER\_POSITION\_VALID, 907  
GL\_CURRENT\_RASTER\_SECONDARY\_COLOR, 907  
GL\_CURRENT\_RASTER\_TEXTURE\_COORDS, 907  
GL\_CURRENT\_SECONDARY\_COLOR, 907  
GL\_CURRENT\_TEXTURE\_COORDS, 907  
GL\_DEPTH\_BIAS, 907  
GL\_DEPTH\_BITS, 907  
GL\_DEPTH\_CLEAR\_VALUE, 907  
GL\_DEPTH\_FUNC, 907  
GL\_DEPTH\_RANGE, 907  
GL\_DEPTH\_SCALE, 907  
GL\_DEPTH\_TEST, 907  
GL\_DEPTH\_WRITEMASK, 907  
GL\_DITHER, 907  
GL\_DOUBLEBUFFER, 907  
GL\_DRAW\_BUFFER, 908  
GL\_DRAW\_BUFFERi, 908  
GL\_EDGE\_FLAG, 908  
GL\_EDGE\_FLAG\_ARRAY, 908  
GL\_EDGE\_FLAG\_ARRAY\_BUFFER\_BINDING, 908  
GL\_EDGE\_FLAG\_ARRAY\_STRIDE, 908  
GL\_ELEMENT\_ARRAY\_BUFFER\_BINDING, 908  
GL\_FEEDBACK\_BUFFER\_SIZE, 908  
GL\_FEEDBACK\_BUFFER\_TYPE, 908  
GL\_FOG, 908  
GL\_FOG\_COLOR, 909  
GL\_FOG\_COORD\_ARRAY, 908  
GL\_FOG\_COORD\_ARRAY\_BUFFER\_BINDING, 908  
GL\_FOG\_COORD\_ARRAY\_STRIDE, 908  
GL\_FOG\_COORD\_ARRAY\_TYPE, 908  
GL\_FOG\_COORD\_SRC, 908  
GL\_FOG\_DENSITY, 909  
GL\_FOG\_END, 909  
GL\_FOG\_HINT, 909  
GL\_FOG\_INDEX, 909  
GL\_FOG\_MODE, 909  
GL\_FOG\_START, 909  
GL\_FRAGMENT\_SHADER\_DERIVATIVE\_HINT, 909  
GL\_FRONT\_FACE, 909  
GL\_GENERATE\_MIPMAP\_HINT, 909  
GL\_GREEN\_BIAS, 909  
GL\_GREEN\_BITS, 909  
GL\_GREEN\_SCALE, 909  
GL\_HISTOGRAM, 909  
GL\_INDEX\_ARRAY, 909  
GL\_INDEX\_ARRAY\_BUFFER\_BINDING, 909  
GL\_INDEX\_ARRAY\_STRIDE, 909  
GL\_INDEX\_ARRAY\_TYPE, 910  
GL\_INDEX\_BITS, 910  
GL\_INDEX\_CLEAR\_VALUE, 910  
GL\_INDEX\_LOGIC\_OP, 910  
GL\_INDEX\_MODE, 910  
GL\_INDEX\_OFFSET, 910  
GL\_INDEX\_SHIFT, 910  
GL\_INDEX\_WRITEMASK, 910  
GL\_LIGHTi, 910  
GL\_LIGHTING, 910  
GL\_LIGHT\_MODEL\_AMBIENT, 910  
GL\_LIGHT\_MODEL\_COLOR\_CONTROL, 910  
GL\_LIGHT\_MODEL\_LOCAL\_VIEWER, 910  
GL\_LIGHT\_MODEL\_TWO\_SIDE, 910  
GL\_LINE\_SMOOTH, 910  
GL\_LINE\_SMOOTH\_HINT, 910  
GL\_LINE\_STIPPLE, 910  
GL\_LINE\_STIPPLE\_PATTERN, 911  
GL\_LINE\_STIPPLE\_REPEAT, 911  
GL\_LINE\_WIDTH, 911  
GL\_LINE\_WIDTH\_GRANULARITY, 911  
GL\_LINE\_WIDTH\_RANGE, 911  
GL\_LIST\_BASE, 911  
GL\_LIST\_INDEX, 911  
GL\_LIST\_MODE, 911  
GL\_LOGIC\_OP\_MODE, 911  
GL\_MAP1\_COLOR\_4, 911  
GL\_MAP1\_GRID\_DOMAIN, 911  
GL\_MAP1\_GRID\_SEGMENTS, 911  
GL\_MAP1\_INDEX, 911  
GL\_MAP1\_NORMAL, 911  
GL\_MAP1\_TEXTURE\_COORD\_1, 911  
GL\_MAP1\_TEXTURE\_COORD\_2, 911  
GL\_MAP1\_TEXTURE\_COORD\_3, 911  
GL\_MAP1\_TEXTURE\_COORD\_4, 911  
GL\_MAP1\_VERTEX\_3, 912  
GL\_MAP1\_VERTEX\_4, 912  
GL\_MAP2\_COLOR\_4, 912  
GL\_MAP2\_GRID\_DOMAIN, 912  
GL\_MAP2\_GRID\_SEGMENTS, 912  
GL\_MAP2\_INDEX, 912  
GL\_MAP2\_NORMAL, 912  
GL\_MAP2\_TEXTURE\_COORD\_1, 912  
GL\_MAP2\_TEXTURE\_COORD\_2, 912  
GL\_MAP2\_TEXTURE\_COORD\_3, 912  
GL\_MAP2\_TEXTURE\_COORD\_4, 912

GL\_MAP2\_VERTEX\_3, 912  
GL\_MAP2\_VERTEX\_4, 912  
GL\_MAP\_COLOR, 912  
GL\_MAP\_STENCIL, 912  
GL\_MATRIX\_MODE, 912  
GL\_MAX\_3D\_TEXTURE\_SIZE, 912  
GL\_MAX\_ATTRIB\_STACK\_DEPTH, 913  
GL\_MAX\_CLIENT\_ATTRIB\_STACK\_  
DEPTH, 913  
GL\_MAX\_CLIP\_PLANES, 913  
GL\_MAX\_COLOR\_MATRIX\_STACK\_  
DEPTH, 913  
GL\_MAX\_COMBINED\_TEXTURE\_IMAGE\_  
UNITS, 913  
GL\_MAX\_CUBE\_MAP\_TEXTURE\_SIZE, 913  
GL\_MAX\_DRAW\_BUFFERS, 913  
GL\_MAX\_ELEMENTS\_INDICES, 913  
GL\_MAX\_ELEMENTS\_VERTICES, 913  
GL\_MAX\_EVAL\_ORDER, 913  
GL\_MAX\_FRAGMENT\_UNIFORM\_  
COMPONENTS, 913  
GL\_MAX\_LIGHTS, 913  
GL\_MAX\_LIST\_NESTING, 913  
GL\_MAX\_MODELVIEW\_STACK\_  
DEPTH, 913  
GL\_MAX\_NAME\_STACK\_DEPTH, 913  
GL\_MAX\_PIXEL\_MAP\_TABLE, 913  
GL\_MAX\_PROJECTION\_STACK\_  
DEPTH, 914  
GL\_MAX\_TEXTURE\_COORDS, 914  
GL\_MAX\_TEXTURE\_IMAGE\_UNITS, 914  
GL\_MAX\_TEXTURE\_LOD\_BIAS, 914  
GL\_MAX\_TEXTURE\_SIZE, 914  
GL\_MAX\_TEXTURE\_STACK\_DEPTH, 914  
GL\_MAX\_TEXTURE\_UNITS, 914  
GL\_MAX\_VARYING\_FLOATS, 914  
GL\_MAX\_VERTEX\_ATTRIBS, 914  
GL\_MAX\_VERTEX\_TEXTURE\_IMAGE\_  
UNITS, 914  
GL\_MAX\_VERTEX\_UNIFORM\_  
COMPONENTS, 914  
GL\_MAX\_VIEWPORT\_DIMS, 914  
GL\_MINMAX, 914  
GL\_MODELVIEW\_MATRIX, 914  
GL\_MODELVIEW\_STACK\_DEPTH, 914  
GL\_NAME\_STACK\_DEPTH, 915  
GL\_NORMALIZE, 915  
GL\_NORMAL\_ARRAY, 915  
GL\_NORMAL\_ARRAY\_BUFFER\_  
BINDING, 915  
GL\_NORMAL\_ARRAY\_STRIDE, 915  
GL\_NORMAL\_ARRAY\_TYPE, 915  
GL\_NUM\_COMPRESSED\_TEXTURE\_  
FORMATS, 915  
GL\_PACK\_ALIGNMENT, 915  
GL\_PACK\_IMAGE\_HEIGHT, 915  
GL\_PACK\_LSB\_FIRST, 915  
GL\_PACK\_ROW\_LENGTH, 915  
GL\_PACK\_SKIP\_IMAGES, 915  
GL\_PACK\_SKIP\_PIXELS, 915  
GL\_PACK\_SKIP\_ROWS, 915  
GL\_PACK\_SWAP\_BYTES, 915  
GL\_PERSPECTIVE\_CORRECTION\_  
HINT, 915  
GL\_PIXEL\_MAP\_A\_TO\_A\_SIZE, 916  
GL\_PIXEL\_MAP\_B\_TO\_B\_SIZE, 916  
GL\_PIXEL\_MAP\_G\_TO\_G\_SIZE, 916  
GL\_PIXEL\_MAP\_I\_TO\_A\_SIZE, 916  
GL\_PIXEL\_MAP\_I\_TO\_B\_SIZE, 916  
GL\_PIXEL\_MAP\_I\_TO\_G\_SIZE, 916  
GL\_PIXEL\_MAP\_I\_TO\_I\_SIZE, 916  
GL\_PIXEL\_MAP\_I\_TO\_R\_SIZE, 916  
GL\_PIXEL\_MAP\_R\_TO\_R\_SIZE, 916  
GL\_PIXEL\_MAP\_S\_TO\_S\_SIZE, 916  
GL\_PIXEL\_PACK\_BUFFER\_BINDING, 916  
GL\_PIXEL\_UNPACK\_BUFFER\_  
BINDING, 916  
GL\_POINT\_DISTANCE\_  
ATTENUATION, 916  
GL\_POINT\_FADE\_THRESHOLD\_SIZE, 916  
GL\_POINT\_SIZE, 916  
GL\_POINT\_SIZE\_GRANULARITY, 916  
GL\_POINT\_SIZE\_MAX, 916  
GL\_POINT\_SIZE\_MIN, 917  
GL\_POINT\_SIZE\_RANGE, 917  
GL\_POINT\_SMOOTH, 917  
GL\_POINT\_SMOOTH\_HINT, 917  
GL\_POINT\_SPRITE, 917  
GL\_POLYGON\_MODE, 917  
GL\_POLYGON\_OFFSET\_FACTOR, 917  
GL\_POLYGON\_OFFSET\_FILL, 917  
GL\_POLYGON\_OFFSET\_LINE, 917  
GL\_POLYGON\_OFFSET\_POINT, 917  
GL\_POLYGON\_OFFSET\_UNITS, 917  
GL\_POLYGON\_SMOOTH, 917  
GL\_POLYGON\_SMOOTH\_HINT, 917  
GL\_POLYGON\_STIPPLE, 917  
GL\_POST\_COLOR\_MATRIX\_ALPHA\_  
BIAS, 918  
GL\_POST\_COLOR\_MATRIX\_ALPHA\_  
SCALE, 918  
GL\_POST\_COLOR\_MATRIX\_BLUE\_  
BIAS, 918

GL\_POST\_COLOR\_MATRIX\_BLUE\_SCALE, 918  
GL\_POST\_COLOR\_MATRIX\_COLOR\_TABLE, 917  
GL\_POST\_COLOR\_MATRIX\_GREEN\_BIAS, 918  
GL\_POST\_COLOR\_MATRIX\_GREEN\_SCALE, 918  
GL\_POST\_COLOR\_MATRIX\_RED\_BIAS, 917  
GL\_POST\_COLOR\_MATRIX\_RED\_SCALE, 918  
GL\_POST\_CONVOLUTION\_ALPHA\_BIAS, 918  
GL\_POST\_CONVOLUTION\_ALPHA\_SCALE, 918  
GL\_POST\_CONVOLUTION\_BLUE\_BIAS, 918  
GL\_POST\_CONVOLUTION\_BLUE\_SCALE, 918  
GL\_POST\_CONVOLUTION\_COLOR\_TABLE, 918  
GL\_POST\_CONVOLUTION\_GREEN\_BIAS, 918  
GL\_POST\_CONVOLUTION\_GREEN\_SCALE, 918  
GL\_POST\_CONVOLUTION\_RED\_BIAS, 918  
GL\_POST\_CONVOLUTION\_RED\_SCALE, 918  
GL\_PROJECTION\_MATRIX, 918  
GL\_PROJECTION\_STACK\_DEPTH, 919  
GL\_READ\_BUFFER, 919  
GL\_RED\_BIAS, 919  
GL\_RED\_BITS, 919  
GL\_RED\_SCALE, 919  
GL\_RENDER\_MODE, 919  
GL\_RESCALE\_NORMAL, 919  
GL\_RGBA\_MODE, 919  
GL\_SAMPLES, 919  
GL\_SAMPLE\_BUFFERS, 919  
GL\_SAMPLE\_COVERAGE\_INVERT, 919  
GL\_SAMPLE\_COVERAGE\_VALUE, 919  
GL\_SCISSOR\_BOX, 919  
GL\_SCISSOR\_TEST, 919  
GL\_SECONDARY\_COLOR\_ARRAY, 919  
GL\_SECONDARY\_COLOR\_ARRAY\_BUFFER\_BINDING, 919  
GL\_SECONDARY\_COLOR\_ARRAY\_SIZE, 919  
GL\_SECONDARY\_COLOR\_ARRAY\_STRIDE, 920  
GL\_SECONDARY\_COLOR\_ARRAY\_TYPE, 920  
GL\_SELECTION\_BUFFER\_SIZE, 920  
GL\_SEPARABLE\_2D, 920  
GL\_SHADE\_MODEL, 920  
GL\_SMOOTH\_LINE\_WIDTH\_GRANULARITY, 920  
GL\_SMOOTH\_LINE\_WIDTH\_RANGE, 920  
GL\_SMOOTH\_POINT\_SIZE\_GRANULARITY, 920  
GL\_SMOOTH\_POINT\_SIZE\_RANGE, 920  
GL\_STENCIL\_BACK\_FAIL, 920  
GL\_STENCIL\_BACK\_FUNC, 920  
GL\_STENCIL\_BACK\_PASS\_DEPTH\_FAIL, 920  
GL\_STENCIL\_BACK\_PASS\_DEPTH\_PASS, 920  
GL\_STENCIL\_BACK\_REF, 920  
GL\_STENCIL\_BACK\_VALUE\_MASK, 920  
GL\_STENCIL\_BACK\_WRITEMASK, 920  
GL\_STENCIL\_BITS, 920  
GL\_STENCIL\_CLEAR\_VALUE, 921  
GL\_STENCIL\_FAIL, 921  
GL\_STENCIL\_FUNC, 921  
GL\_STENCIL\_PASS\_DEPTH\_FAIL, 921  
GL\_STENCIL\_PASS\_DEPTH\_PASS, 921  
GL\_STENCIL\_REF, 921  
GL\_STENCIL\_TEST, 921  
GL\_STENCIL\_VALUE\_MASK, 921  
GL\_STENCIL\_WRITEMASK, 921  
GL\_STEREO, 921  
GL\_SUBPIXEL\_BITS, 921  
GL\_TEXTURE\_1D, 921  
GL\_TEXTURE\_2D, 922  
GL\_TEXTURE\_3D, 922  
GL\_TEXTURE\_BINDING\_1D, 921  
GL\_TEXTURE\_BINDING\_2D, 922  
GL\_TEXTURE\_BINDING\_3D, 922  
GL\_TEXTURE\_BINDING\_CUBE\_MAP, 922  
GL\_TEXTURE\_COMPRESSION\_HINT, 922  
GL\_TEXTURE\_COORD\_ARRAY, 922  
GL\_TEXTURE\_COORD\_ARRAY\_BUFFER\_BINDING, 922  
GL\_TEXTURE\_COORD\_ARRAY\_SIZE, 922  
GL\_TEXTURE\_COORD\_ARRAY\_STRIDE, 922  
GL\_TEXTURE\_COORD\_ARRAY\_TYPE, 922  
GL\_TEXTURE\_CUBE\_MAP, 922  
GL\_TEXTURE\_GEN\_Q, 922  
GL\_TEXTURE\_GEN\_R, 922  
GL\_TEXTURE\_GEN\_S, 922



- GL\_TEXTURE\_GEN\_T, 922
- GL\_TEXTURE\_MATRIX, 922
- GL\_TEXTURE\_STACK\_DEPTH, 923
- GL\_TRANSPOSE\_COLOR\_MATRIX, 923
- GL\_TRANSPOSE\_MODELVIEW\_MATRIX, 923
- GL\_TRANSPOSE\_PROJECTION\_MATRIX, 923
- GL\_TRANSPOSE\_TEXTURE\_MATRIX, 923
- GL\_UNPACK\_ALIGNMENT, 923
- GL\_UNPACK\_IMAGE\_HEIGHT, 923
- GL\_UNPACK\_LSB\_FIRST, 923
- GL\_UNPACK\_ROW\_LENGTH, 923
- GL\_UNPACK\_SKIP\_IMAGES, 923
- GL\_UNPACK\_SKIP\_PIXELS, 923
- GL\_UNPACK\_SKIP\_ROWS, 923
- GL\_UNPACK\_SWAP\_BYTES, 923
- GL\_VERTEX\_ARRAY, 923
- GL\_VERTEX\_ARRAY\_BUFFER\_BINDING, 923
- GL\_VERTEX\_ARRAY\_SIZE, 923
- GL\_VERTEX\_ARRAY\_STRIDE, 924
- GL\_VERTEX\_ARRAY\_TYPE, 924
- GL\_VERTEX\_PROGRAM\_POINT\_SIZE, 924
- GL\_VERTEX\_PROGRAM\_TWO\_SIDE, 924
- GL\_VIEWPORT, 924
- GL\_ZOOM\_X, 924
- GL\_ZOOM\_Y, 924
- errors, 926
- notes, 924-926
- parameters, 903
- glGetActiveAttrib** function, 926-927
- glGetActiveUniform** function, 928-929
- glGetAttachedShaders** function, 929-930
- glGetAttribLocation** function, 930-931
- glGetBooleantv** function, 66
- glGetBufferParameteriv** function, 931-932
- glGetBufferPointerv** function, 932-933
- glGetBufferSubData** function, 604, 933
- glGetClipPlane** function, 934
- glGetColorTable** function, 934-936
- glGetColorTableParameter** function, 290, 936-937
- glGetColorTableParameteriv** function, 291
- glGetCompressedTexImage** function, 349, 937-938
- glGetConvolutionFilter** function, 938-940
- glGetConvolutionParameter** function, 940-941
- glGetDoublev** function, 66
- glGetError** function, 67-68, 613, 941-942
- glGetFloatv** function, 66, 345, 503
- glGetHistogram** function, 298-300, 942-943
- glGetHistogramParameter** function, 944
- glGetIntegerv** function, 66, 362
- glGetLight** function, 945-946
- glGetMap** function, 946-947
- glGetMaterial** function, 948-949
- glGetMinmax** function, 301, 949-950
- glGetMinmaxParameter** function, 951
- glGetMinmaxParameterfv** function, 951
- glGetMinmaxParameteriv** function, 951
- glGetPixelMap** function, 951-953
- glGetPixelMapfv** function, 951
- glGetPixelMapuiv** function, 951
- glGetPixelMapusv** function, 951
- glGetPointerv** function, 953-954
- glGetPolygonStipple** function, 954
- glGetProgramInfoLog** function, 956-957
- glGetProgramiv** function, 954-956
- glGetQueryiv** function, 492, 957
- glGetQueryObject** function, 958
- glGetQueryObjectiv** function, 490, 958
- glGetSeparableFilter** function, 959-960
- glGetShaderInfoLog** function, 751, 961-962
- glGetShaderiv** function, 529-530, 960-961
- glGetShaderPrecisionFormatOES** function, 751
- glGetShaderSource** function, 751, 962-963
- glGetString** function, 68, 70, 645, 651, 963-964
- glGetTexEnv** function, 964-966
- glGetTexEnvfv** function, 964
- glGetTexEnviv** function, 964
- glGetTexGen** function, 966-967
- glGetTexGendv** function, 966
- glGetTexGenfv** function, 966
- glGetTexGeniv** function, 967
- glGetTexImage** function, 967-969
- glGetTexLevelParameter** function, 348, 970-972
- glGetTexLevelParameterfv** function, 970
- glGetTexLevelParameteriv** function, 348, 970
- glGetTexParameter** function, 972-973
- glGetTexParameterfv** function, 972
- glGetTexParameteriv** function, 972
- glGetUniform** function, 974
- glGetUniformfv** function, 974
- glGetUniformiv** function, 974
- glGetUniformLocation** function, 975
- glGetVertexAttrib** function, 976-977
- glGetVertexAttribdv** function, 976
- glGetVertexAttribfv** function, 976
- glGetVertexAttribiv** function, 976
- glGetVertexAttribPointerv** function, 977
- glGetVertexAttribPointerv** function, 977-978

- glHint function, 69, 238, 243, 349, 978-979
- glHistogram function, 298-299, 979-980
- glIndex function, 980-981
- glIndexMask function, 981-982
- glIndexPointer function, 982-983
- glInitNames function, 460, 983
- glInterleavedArrays function, 439, 984-985
- glIsBuffer function, 985
- glIsEnabled function, 66, 985-988
- glIsList function, 988
- glIsProgram function, 988-989
- glIsQuery function, 492, 989
- glIsShader function, 990
- glIsTexture function, 331, 990-991
- glLight function, 991-993
- glLightfv function, 203-204, 208, 500-501, 991
- glLightiv function, 991
- glLightModel function, 193, 993-995
- glLightModelf function, 993
- glLightModelfv function, 193
- glLightModeli function, 343, 677, 993
- glLineStipple function, 91, 995-996
- glLineWidth function, 89-91, 996-997
- glLinkProgram function, 531, 747, 752, 997-999
- glListBase function, 668, 698, 999
- glLoadIdentity function, 60, 142, 999-1000
- glLoadMatrix function, 1000-1001
- glLoadMatrixd function, 156
- glLoadMatrixf function, 156, 159
- glLoadName function, 460, 1001
- glLoadTransposeMatrix function, 1001-1002
- glLoadTransposeMatrixd function, 157, 1001
- glLoadTransposeMatrixf function, 157, 1001
- glLogicOp function, 248, 1002-1003
- glMap1 function, 1003-1005
- glMap1f function, 395
- glMap2 function, 1006-1009
- glMap2d function, 1006
- glMap2f function, 399, 1006
- glMapBuffer function, 454, 602-604, 1009-1010
- glMapGrid function, 396, 1011-1012
- glMapGrid1d function, 1011
- glMapGrid1f function, 1011
- glMapGrid2d function, 1011
- glMapGrid2f function, 399, 1011
- glMaterial function, 193-194, 1012-1014
- glMaterialf function, 1012
- glMaterialfv function, 194, 209
- glMateriali function, 209, 1012
- glMatrixMode function, 142, 156, 288-289, 311, 1014
- glMinmax function, 301, 1015-1016
- glMultiDrawArrays function, 439, 1016-1017
- glMultiDrawElements function, 1017-1018
- glMultiTexCoord function, 434, 1018-1020
- glMultiTexCoord1dv function, 1019
- glMultiTexCoord1f function, 364
- glMultiTexCoord1fv function, 1019
- glMultiTexCoord1iv function, 1019
- glMultiTexCoord1sv function, 1019
- glMultiTexCoord2dv function, 1019
- glMultiTexCoord2f function, 364
- glMultiTexCoord2fv function, 1019
- glMultiTexCoord2iv function, 1019
- glMultiTexCoord2sv function, 1019
- glMultiTexCoord3dv function, 1020
- glMultiTexCoord3f function, 364
- glMultiTexCoord3fv function, 1020
- glMultiTexCoord3iv function, 1020
- glMultiTexCoord3sv function, 1019
- glMultiTexCoord4dv function, 1020
- glMultiTexCoord4fv function, 1020
- glMultiTexCoord4iv function, 1020
- glMultiTexCoord4sv function, 1020
- glMultMatrix function, 161, 1020-1021
- glMultMatrixf function, 163
- glMultTransposeMatrix function, 1022-1023
- glMultTransposeMatrixd function, 1022
- glMultTransposeMatrixf function, 1022
- glNewList function, 424-425, 1023-1024
- glNewLists function, 426
- glNormal function, 1024-1025
- glNormal3b function, 1024
- glNormal3d function, 1024
- glNormal3f function, 1024
- glNormal3i function, 1024
- glNormal3s function, 1024
- glNormalPointer function, 433-434, 1025-1026
- global ambient light, 192-193
- glOrtho function, 59, 75, 1027-1028
- glPassThrough function, 473, 1028
- glPixelMap function, 282, 1028-1031
- glPixelMapfv function, 282, 1028
- glPixelMapuiv function, 282, 1028
- glPixelMapusv function, 282, 1029
- glPixelStore function, 258, 1031-1035
- C specification, 1031
  - constants
    - GL\_PACK\_ALIGNMENT, 1033
    - GL\_PACK\_IMAGE\_HEIGHT, 1032
    - GL\_PACK\_LSB\_FIRST, 1032
    - GL\_PACK\_ROW\_LENGTH, 1032

- GL\_PACK\_SKIP\_IMAGES, 1033
- GL\_PACK\_SKIP\_PIXELS, 1033
- GL\_PACK\_SKIP\_ROWS, 1033
- GL\_PACK\_SWAP\_BYTES, 1032
- GL\_UNPACK\_ALIGNMENT, 1034
- GL\_UNPACK\_IMAGE\_HEIGHT, 1033
- GL\_UNPACK\_LSB\_FIRST, 1033
- GL\_UNPACK\_ROW\_LENGTH, 1033
- GL\_UNPACK\_SKIP\_PIXELS, 1034
- GL\_UNPACK\_SKIP\_ROWS, 1034
- GL\_UNPACK\_SWAP\_BYTES, 1033
- parameters, 1031
- glPixelStoref** function, 257, 1031
- glPixelStorei** function, 257-258, 1031
- glPixelTransfer** function, 279, 1036-1039
- glPixelTransferf** function, 277-279, 281, 1036
- glPixelTransferi** function, 277, 1036
- glPixelZoom** function, 275-277, 1040
- glPointParameter** function, 1040-1042
- glPointParameterf** function, 1040
- glPointParameteri** function, 374, 1040
- glPointSize** function, 81-85, 1042-1043
- glPolygonMode** function, 107, 1043-1044
- glPolygonOffset** function, 510, 1044-1045
- glPolygonStipple** function, 109, 1045-1046
- glPopAttrib** function, 67, 1047
- glPopClientAttrib** function, 1052
- glPopMatrix** function, 76, 80, 142, 146, 1053
- glPrioritizeTextures** function, 339, 1046-1047
- glPushAttrib** function, 67, 1047-1051
- glPushClientAttrib** function, 1052
- glPushMatrix** function, 76, 80, 142, 146, 1053
- glPushName** function, 460, 1054
- glRasterPos** function, 728, 753, 1054-1056
- glRasterPos2i** function, 256
- glRasterPos3f** function, 753
- glReadBuffer** function, 266, 1057
- glReadPixels** function, 265, 280, 499, 604, 1057-1061
- glRect** function, 1061-1062
- GLRect** program
  - animation, 62-64
  - clipped viewing volume, 59-60
  - device contexts, 657-660
  - overview, 655
  - rectangles, drawing, 56
  - rendering contexts, 660
    - creating/deleting, 660-663
    - initializing, 663
    - shutting down, 664
  - scaling to window, 56
  - source code, 53-55
  - viewport, 58
  - Win32, 658
  - windows, resizing, 58
  - WinMain function, 655, 657, 673-674
  - WM\_CREATE message, 660
  - WM\_DESTROY message, 660
  - WM\_PAINT message, 664-665
  - WM\_SIZE message, 664
  - WM\_TIMER message, 664
- glRectf** function, 56
- glRenderbufferStorageEXT** function, 609
- glRenderMode** function, 460-462, 1062-1063
- glResetHistogram** function, 1063
- glResetMinmax** function, 1063-1064
- glRotate** function, 76, 80, 1064-1065
- glRotatef** function, 138, 146
- glSampleCoverage** function, 240, 1065-1066
- glScale** function, 1066
- glScalef** function, 139
- glScissor** function, 120, 1067
- glSecondaryColor** function, 1067-1069
- glSecondaryColorPointer** function, 433-434, 1069-1070
- glSelectBuffer** function, 462, 1070-1071
- glSeparableFilter2D** function, 296, 1072-1074
- glShadeModel** function, 102, 1074-1075
  - FL\_FLAT parameter, 186
  - GL\_SMOOTH parameter, 185
- glShaderBinaryOES** function, 752
- glShaderSource** function, 529, 751, 1075-1076
- GLSL (OpenGL Shading Language), 516**
  - clipping, 524
  - expressions
    - array access, 538
    - component selectors, 540-541
    - constructors, 538-540
    - operators, 537-538
  - flow control
    - discard keyword, 542
    - functions, 542-545
    - if/else clauses, 542
    - loops, 541
  - fragment shaders
    - beach ball texture fragment shader, 592-595
    - blur fragment shader, 575-576
    - capabilities of, 525-526
    - checkerboard texture fragment shader, 589-591
    - color inversion fragment shader, 570-571

- diffuse lighting fragment shader, 582-584
- dilation fragment shader, 578-579
- edge detection fragment shader, 580-582
- erosion fragment shader, 580
- fog fragment shader, 572-574
- grayscale conversion fragment shader, 568-569
- heat signature fragment shader, 571-572
- overview, 567-568
- sepia-tone conversion fragment shader, 569-570
- sharpen fragment shader, 577-578
- simple example, 527
- three colored lights fragment shader, 586-587
- toy ball texture fragment shader, 595-599
- program objects
  - attaching, 530
  - creating, 530
  - deleting, 530
  - detaching, 530
  - enabling, 532
  - linking, 531
  - validating, 531-532
- rasterization, 524-525
- shader objects
  - compiling, 529-530
  - creating, 528
  - deleting, 528
  - shader text, 528-529
- variables
  - arrays, 534-535
  - built-in variables, 536-537
  - data types, 532-533
  - overview, 532
  - qualifiers, 535-536
  - structures, 534
- vertex shaders
  - capabilities of, 523-524
  - diffuse lighting vertex shader, 549-551
  - fog vertex shader, 557-559
  - overview, 547
  - point size vertex shader, 560-561
  - procedural texture mapping vertex shader, 588-589
  - simple example, 526
  - simple examples, 548-549
  - specular lighting vertex shader, 551-553
  - squash/stretch vertex shader, 561-563
  - three colored lights vertex shader, 553-557, 585
  - vertex blending vertex shader, 563-566
  - glStencilFunc** function, 122-125, 1076-1077
  - glStencilFuncSeparate** function, 1077-1079
  - glStencilMask** function, 125, 1079
  - glStencilMaskSeparate** function, 1080
  - glStencilOp** function, 123-125, 1080-1082
  - glStencilOpSeparate** function, 1082-1084
  - glTDrawTorus** function, 159
  - glTDrawUnitAxes** function, 378
  - glTexCoord** function, 309-310, 363, 1084-1085
  - glTexCoord1f** function, 309
  - glTexCoord2f** function, 309
  - glTexCoord3f** function, 309, 360
  - glTexCoordPointer** function, 433-434, 1085-1087
  - glTexEnv** function, 317-318, 370, 1087-1091
  - glTexEnvf** function, 317, 329, 371
  - glTexEnvfv** function, 317
  - glTexEnvi** function, 317, 369-371, 374, 506
  - glTexEnviv** function, 317
  - glTexGen** function, 1091-1093
  - glTexGenf** function, 351
  - glTexGenfv** function, 351, 354-356, 504
  - glTexGeni** function, 354-356
  - glTexImage** function, 304-307, 326, 348
  - glTexImage1D** function, 304, 1094-1099
  - glTexImage2D** function, 304, 316, 358, 603, 1099-1105
  - glTexImage3D** function, 304, 1105-1110
  - glTexParameter** function, 318, 346, 1110-1114
  - glTexParameterf** function, 318, 346
  - glTexParameterfv** function, 318
  - glTexParameterI** function, 318, 320, 329, 338, 505-506
  - glTexParameteriv** function, 318
  - glTexSubImage** function, 307-308
  - glTexSubImage1D** function, 307, 1115-1116
  - glTexSubImage2D** function, 307, 1117-1119
  - glTexSubImage3D** function, 308, 1119-1121
  - glTGetExtensionPointer** function, 71, 679
  - glTIsExtSupported** function, 70, 345, 678
  - glTLoadTGA** function, 262-265
  - gltools.cpp** file, 43
  - gltools.h** file, 42-43
  - glTranslate** function, 1121-1122
  - glTranslatexf** function, 137, 146
  - glTWriteTGA** function, 266-268
  - glu.h** file, 42
  - GLU\_FILL** quadric draw style, 380
  - GLU\_LINE** quadric draw style, 380
  - GLU\_POINT** quadric draw style, 380
  - GLU\_SILHOUETTE** quadric draw style, 380
  - gluBeginSurface** function, 404

**gluBeginTrim** function, 407-408  
**gluBuild1DMipmapLevels** function, 328  
**gluBuild1DMipmaps** function, 328  
**gluBuild2DMipmapLevels** function, 329  
**gluBuild2DMipmaps** function, 328  
**gluBuild3DMipmapLevels** function, 329  
**gluBuild3DMipmaps** function, 328  
**gluBuildMipmaps** function, 328  
**gluCylinder** function, 382  
**gluDeleteDess** function, 411  
**gluDeleteNurbsRenderer** function, 403  
**gluDeleteQuadric** function, 379  
**gluDisk** function, 384  
**gluEndSurface** function, 404-405  
**gluEndTrim** function, 407-408  
**gluGetString** function, 68  
**gluLookAt** function, 164, 496  
**gluNewNurbsRenderer** function, 403  
**gluNewQuadric** function, 379-380  
**glUniform** function, 1122-1126  
**glUniformMatrix3fv** function, 566  
**glUnmapBuffer** function, 454, 602  
**gluNurbsCurve** function, 408-409  
**gluNurbsProperty** function, 404  
**gluNurbsSurface** function, 404-405, 408  
**gluPerspective** function, 149  
**gluPickMatrix** function, 464-465  
**gluPwlCurve** function, 407-408  
**gluQuadricDrawStyle** function, 380  
**gluQuadricNormals** function, 380  
**GLUQuadricObj** data type. *See* quadrics  
**gluQuadricOrientation** function, 380  
**gluQuadricTexture** function, 381  
**gluScaleImage** function, 328  
**glUseProgram** function, 532, 747, 1126-1128  
**gluSphere** function, 381  
**GLUT (OpenGL utility toolkit)**  
   active directory, 688  
   application frameworks, 687  
   configuring on Linux, 716-717  
   headers, 688  
   overview, 43, 47-48, 686  
   projects, setting up, 686-687  
   starting, 51  
**glut.h** file, 43  
**glutCreateWindow** function, 50  
**glutDisplayFunc** function, 51  
**gluTessBeginContour** function, 413  
**gluTessBeginPolygon** function, 413  
**gluTessCallback** function, 412-413  
**GLUtesselator**, 411

**gluTessEndContour** function, 413  
**gluTessEndPolygon** function, 413  
**gluTessVertex** function, 413  
**glutInit** function, 50  
**glutInitDisplayMode** function, 50, 64, 117, 239  
**glutMainLoop** function, 51  
**glutReshapeFunc** function, 56, 58  
**glutSwapBuffers** function, 64, 117  
**glutTimerFunc** function, 61  
**glutWireCube** function, 137  
**glValidateProgram** function, 531, 1128-1129  
**glVertex** function, 76-77, 422, 434, 1129-1130  
**glVertex3fv** function, 422  
**glVertexAttrib** function, 1130-1134  
**glVertexAttrib1f** function, 564  
**glVertexAttribPointer** function, 746, 1134-1135  
**glVertexPointer** function, 433-434, 1136-1137  
**glViewport** function, 58, 1137-1138  
**glWindowPos** function, 283, 1138-1139  
**glWindowPos2i** function, 256  
**GLX**  
   config management  
     GLX 1.2, 722-723  
     GLX 1.3+, 719-721  
   context management, 724-726  
     GLX 1.2, 726  
     GLX 1.3+, 724-726  
   displays, 718  
   extending, 729  
   overview, 718  
   querying, 727  
   sample program, 729-733  
   strings, 727  
   synchronization, 726-727  
   windows and render surfaces  
     GLX 1.2, 724  
     GLX 1.3+, 723-724  
   X fonts, 728-729  
**GLX\_ACCUM\_ALPHA\_SIZE** config attribute, 720-722  
**GLX\_ACCUM\_BLUE\_SIZE** config attribute, 720-722  
**GLX\_ACCUM\_GREEN\_SIZE** config attribute, 720-722  
**GLX\_ACCUM\_RED\_SIZE** config attribute, 720-722  
**GLX\_ALPHA\_SIZE** config attribute, 719, 722  
**GLX\_AUX\_BUFFERS** config attribute, 720-722  
**GLX\_BLUE\_SIZE** config attribute, 719, 722  
**GLX\_BUFFER\_SIZE** config attribute, 719, 722  
**GLX\_CONFIG\_CAVEAT** config attribute, 719

GLX\_DEPTH\_SIZE config attribute, 719, 722  
 GLX\_DOUBLEBUFFER config attribute, 719, 722  
 GLX\_DRAWABLE\_TYPE config attribute, 719  
 GLX\_FBCONFIG\_ID config attribute, 719  
 GLX\_GREEN\_SIZE config attribute, 719, 722  
 GLX\_LEVEL config attribute, 719, 722  
 GLX\_MAX\_PBUFFER\_HEIGHT config attribute, 720  
 GLX\_MAX\_PBUFFER\_WIDTH config attribute, 720  
 GLX\_MIN\_PBUFFER\_PIXELS config attribute, 720  
 GLX\_RED\_SIZE config attribute, 719, 722  
 GLX\_RENDER\_TYPE config attribute, 719  
 GLX\_RGBA config attribute, 722  
 GLX\_SAMPLES config attribute, 720  
 GLX\_SAMPLE\_BUFFERS config attribute, 720  
 GLX\_STENCIL\_SIZE config attribute, 719, 722  
 GLX\_STEREO config attribute, 720-722  
 GLX\_TRANSPARENT\_ALPHA\_VALUE config attribute, 720  
 GLX\_TRANSPARENT\_BLUE\_VALUE config attribute, 720  
 GLX\_TRANSPARENT\_GREEN\_VALUE config attribute, 720  
 GLX\_TRANSPARENT\_INDEX\_VALUE config attribute, 720  
 GLX\_TRANSPARENT\_RED\_VALUE config attribute, 720  
 GLX\_TRANSPARENT\_TYPE config attribute, 720  
 GLX\_USE\_GL config attribute, 722  
 GLX\_VISUAL\_ID config attribute, 719  
 GLX\_X\_RENDERABLE config attribute, 719  
 GLX\_X\_VISUAL\_TYPE config attribute, 719  
 glXChooseFBConfig function, 721-722  
 glXChooseFBConfigs function, 721  
 glXChooseVisual function, 722  
 glXCopyContext function, 725-726  
 glXCreateContext function, 726  
 glXCreateNewContext function, 724  
 glXCreateWindow function, 723  
 glXDestroyContext function, 725  
 glXDestroyWindow function, 724  
 glXGetClientString function, 727  
 glXGetConfig function, 723  
 glXGetCurrentContext function, 725  
 glXGetCurrentDisplay function, 725  
 glXGetCurrentDrawable function, 725  
 glXGetCurrentReadDrawable function, 725  
 glXGetFBConfigAttrib function, 720  
 glXGetFBConfigs function, 719, 721

glXGetProcAddress function, 729  
 glXGetProcAddressARB function, 729  
 glXGetVisualFromFBConfig function, 721, 723  
 glXinfo command, 714, 718  
 glXMakeContextCurrent function, 725  
 glXMakeCurrent function, 726  
 glXQueryContext function, 725  
 glXQueryDrawable function, 727  
 glXQueryExtensionsString function, 727  
 glXQueryExtensionString function, 729  
 glXQueryServerString function, 727  
 glXQueryVersion function, 727, 730  
 glXSwapBuffers function, 727, 732  
 glXUseXFont function, 728  
 glXWaitGL function, 726  
 glXWaitX function, 726  
 graphics cards, 177-179  
 graphics device interface (GDI), 38  
 grayscale conversion fragment shader, 568-569

## H

half-float vertex format, 749  
 HandleNew function, 690  
 hardware accelerators, 40  
 hardware drivers, 715  
 hardware generation of mipmaps, 329  
 hardware implementations, 39-40  
 HDR (High Dynamic Range), 622-623  
 HDRBALL program, 630-632  
 headers
 

- gl.h file, 42
- glee.h file, 43
- gltools.h file, 42-43
- glu.h file, 42
- GLUT, 688
- glut.h file, 43
- SIMPLE program example, 49

 heat signature fragment shader, 571-572  
 Hercules graphics cards, 177  
 hidden surface removal, 14, 102-103  
 HideCursor function, 711  
 hierarchical picking, 466-471  
 High Dynamic Range (HDR), 622-623  
 high-precision floats and integers, 750  
 hints, specifying, 978-979  
 histogram table
 

- defining, 979-980
- resetting, 1063
- returning, 942-943

**histograms, 297-300**

- histogram table
  - defining, 979-980
  - resetting, 1063
  - returning, 942-943
- parameters, 944

**history**

- of computer graphics, 10-14
  - CRTs (cathode ray tubes), 10
  - development of 3D graphic techniques, 11-13
  - foreshortening, 14
  - overview, 9-10
  - real-time graphics, 10-11
- of OpenGL, 34-35
- of OpenGL ES, 736-738

**Hybrid Graphics Ltd. Rasteroid, 767****I****IBM\_prefix, 71****ICD (Installable Client Driver), 642-643****identity matrices, 140-142****IdleFunction function, 664****if/else clauses (GLSL), 542****IMAGELOAD program**

- glLoadTGA function, 262-265
- RenderScene function, 261-262

**images**

- attaching to FBOs (framebuffer objects), 610-611
- blurring, 575-576
- detecting edges of, 580-582
- dilating, 578-579
- eroding, 580
- OpenEXR format, 623-626
- processing with fragment shaders
  - blur fragment shader, 575-576
  - dilation fragment shader, 578-579
  - edge detection fragment shader, 580-582
  - erosion fragment shader, 580
  - sharpen fragment shader, 577-578
- sharpening, 577-578
- texture images
  - one-dimensional, specifying, 1094-1099
  - three-dimensional, specifying, 1105-1110
  - two-dimensional, specifying, 1099-1104
- texture subimages
  - one-dimensional, 1115-1116
  - three-dimensional, 1119-1121
  - two-dimensional, 1117-1119

**Imagination Technologies PowerVR, 767****imaging**

- bitmaps
  - BITMAPS sample program, 253-257
  - definition of, 252
  - drawing, 257
  - pixel packing, 257-258
  - raster position, 256
- color matrix, 288-289
- color tables
  - bias values, 291
  - color lookup, 289-290
  - proxies, 290-291
  - rendering, 291
  - replacing, 291-292
  - scaling factors, 291
- convolutions
  - applying, 293
  - border modes, 296-297
  - combining with other imaging operations, 293-294
  - definition of, 292
  - kernels, 292
  - loading from color buffer, 295
  - one-dimensional filters, 296
  - separable filters, 296
- histograms, 297-300
- imaging pipeline, 288
- IMAGING sample program
  - glColorTable function, 290
  - glConvolutionFilter2D function, 293
  - glMatrixMode function, 288
  - histograms, 298-300
  - RenderScene function, 284-287
- imaging subset, 283-284
- minmax operations, 301
- OPERATIONS sample program
  - glPixelMap function, 282
  - glPixelTransferf function, 279
  - glPixelZoom function, 275-277
  - ProcessMenu function, 269, 274
  - RenderScene function, 270-275
  - SetupRC function, 269, 274
  - source code, 268-275
- overview, 251
- pixel mapping, 281-282
- pixel transfer, 277-281
- pixel zoom, 275-277
- pixmap
  - copying pixels, 265
  - data types, 259-260
  - definition of, 252

- drawing, 258
- IMAGELoad sample program, 261-265
- moving pixels, 265-266
- packed pixel formats, 260
- pixel formats, 259
- reading pixels, 265
- saving pixels, 266-268
- targa files
  - loading, 262-265
  - writing to, 266-268
- IMAGING program**
  - glColorTable function, 290
  - glConvolutionFilter2D function, 293
  - glMatrixMode function, 288
  - histograms, 298-300
  - RenderScene function, 284-287
- immediate mode rendering, 23, 423**
- in qualifier, 536**
- indenting code, 78**
- indexed vertex arrays**
  - creating, 442-445
  - CUBEDX sample program, 436-439
  - memory requirements, determining, 441-442
  - overview, 435-436
  - THUNDERGL sample program, 439
    - code listing, 446-449
    - creating indexed arrays, 442-445
    - DrawBody function, 440
    - memory requirements, determining, 441-442
    - rendering modes, 445-446
- indexes, color index**
  - defining array of, 982-983
  - logical pixel operation, 1002-1003
  - setting, 980-981
- indexing arrays, 538**
- indices, unsigned integer element indices, 750**
- information logs**
  - for programs, 956-957
  - for shaders, 961-962, 964
- infrared light, 174**
- initializing**
  - buffer data store, 806-807
  - Carbon window, 690-691
  - EGL, 758
  - name stack, 983
  - OpenGL, 51
  - rendering contexts, 663
- inout qualifier, 536**
- Installable Client Driver (ICD), 642-643**
- installing Mesa, 715**

- int data type, 533**
- interleaved arrays, enabling, 984-985**
- internal formats (textures), 305**
- InvalidRect function, 664**
- InvalWindowRect function, 696**
- invariant qualifier, 536**
- IRIS GL, 34-35**
- isotropic texture filtering, 345**
- ivec2 data type, 533**
- ivec3 data type, 533**
- ivec4 data type, 533**

## J-K

- jaggies, 18, 234**
- JET program, 186-187**
- kernels, 292**
- keyboard polling, 171**
- Khronos Free Use License, 783**
- Khronos Group, 35, 737, 774**
- Kilgard, Mark, 47**
- knot multiplicity, 403**
- knots, 402-403**

## L

- labeling objects for feedback, 473-475**
- Laplacian edge detection, 580-582**
- Last In First Out (LIFO) data structure, 66**
- LCD (Liquid Crystal Display), 177**
- length function, 535, 559**
- levels, mip, 328-329**
- libraries**
  - GL Easy Extension (GLEE) library, 679
  - GLUT
    - active directory, 688
    - application frameworks, 687
    - headers, 688
    - overview, 47-48, 686
    - projects, setting up, 686-687
    - starting, 51
  - headers
    - gl.h file, 42
    - glee.h file, 43
    - gltools.h file, 42-43
    - glu.h file, 42
    - glut.h file, 43
    - overview, 41-42
- licensing, 35-36**



## **LIFO (Last In First Out) data structure, 66**

### **light**

- adding to materials, 190
- ambient light
  - calculating light effects, 190-191
  - material properties, 193-196
  - overview, 187-188
- Bézier curves, 400-401
- Cosmic Background Radiation (global ambient light), 192-193
- diffuse light
  - calculating light effects, 191
  - diffuse lighting fragment shader, 582-584
  - diffuse lighting vertex shader, 549-551
  - overview, 188
- enabling, 192
- fixed vertex processing, 518
- fog
  - fog coordinates, 896
  - fog parameters, 894-895
  - vertex shader, 557-559
- infrared light, 174
- light sources
  - direction, specifying, 197
  - material properties, 205
  - normal averaging, 211-213
  - overview, 196
  - parameters, returning values, 945-946
  - parameters, setting, 991-993
  - polygons, specifying, 205-206
  - setting up, 203-205
  - surface normals, 197-200
  - unit normals, 201-203
- lighting effects
  - normal averaging, 211-213
  - overview, 207
  - SHINYJET sample program, 210-211
  - specular exponent, 209-210
  - specular highlights, 207
  - specular light, 208
  - specular reflectance, 208-209
- lighting model
  - material parameters, specifying, 1012-1014
  - parameters, setting, 993-995
- material properties
  - light sources, 205
  - overview, 190
  - setting for ambient light, 193-196
- overview, 15-16, 186-187

- as particles, 175
- RGBA values, 189
- shadows
  - ambient lighting, 500-501
  - definition of, 222
  - depth buffer, 497-498
  - depth textures, 498-500
  - FBO shadow mapping, 613-615
  - GL\_ARB\_shadow\_ambient extension, 509
  - modelview matrix, 496
  - overview, 221, 495-496
  - polygon offset, 510
  - projection matrix, 496-497
  - shadow maps, 501-509
  - shadow projection matrix, 223-225
  - SHADOW sample program, 223-226
  - SPHEREWORLD sample program, 227
- specular light
  - calculating light effects, 191
  - equation, 551
  - overview, 188-189, 208
  - specular lighting vertex shader, 551-553
  - three colored lights fragment shader, 586-587
- SPHEREWORLD sample program, 227
- SPOT sample program
  - creating spotlights, 214-216
  - drawing spotlights, 216-220
  - overview, 213-214
  - RenderScene function, 216-220
  - SetupRC function, 214-216
- spotlights
  - creating, 214-216
  - drawing, 216-220
- three colored lights fragment shader, 586-587
- three colored lights vertex shader, 553-557, 585
- ultraviolet light, 174
- visible spectrum, 174
- wavelengths, 174
- limitations of OpenGL ES environment, 755-756**
- line loops, 87-88**
- line strips, 87-89**
- LINES program, 85-87**
- lines, drawing**
  - curves, approximating with straight lines, 88-89
  - glBegin function, 85
  - glEnd function, 85
  - line loops, 87-88
  - line strips, 87-89

line width, 89-91, 996-997

LINES program example, 85-87

stippling, 91-93, 995-996

### **LINESW program, 90-91**

### **linking program objects, 531, 997-999**

#### **Linux, OpenGL on**

configuration

GLUT, 716-717

glxinfo command, 714

hardware drivers, 715

Mesa installation, 715

X Server, 715-716

GLX

config management, 719-723

context management, 724-726

displays, 718

extending, 729

overview, 718

querying, 727

sample program, 729-733

strings, 727

synchronization, 726-727

windows and render surfaces, 723-724

X fonts, 728-729

glxinfo command, 714, 718

OpenGL programs, building, 716-717

overview, 713-714

### **Liquid Crystal Display (LCD), 177**

#### **lists, display**

batch processing, 423-424

converting to, 426-428

creating, 425, 1023-1024

deleting, 425, 861

executing, 425-426, 808-810

generating, 900-901

immediate mode rendering, 423

limitations of, 426

naming, 425

overview, 422-423

preprocessed batches, 424-426

querying, 988

### **LITJET program, 203**

output, 206-207

RenderScene program, 205-206

SetupRC program, 204-205

#### **loading**

compressed textures, 349-350

convolution kernels from color buffer, 295

cube maps, 358-360

feedback buffer, 478-480

geometry into arrays, 432

matrices, 142, 156-160, 999-1002

names onto name stack, 1001

OpenEXR images into floating-point textures, 623-626

shaders, 751-752

targa files, 262-265

textures, 304-307

from color buffer, 307

glCopyTexImage1D function, 307

glCopyTexImage2D function, 307

glTexImage function, 304-307

glTexImage1D function, 304

glTexImage2D function, 304

glTexImage3D function, 304

vertex buffer objects, 451

### **LOD BIAS (mipmapping), 329-330**

### **logical operations, 248-249**

#### **logs, information logs**

for programs, 956-957

for shaders, 961-962, 964

#### **lookup, color, 289-290**

#### **loops (GLSL), 541**

#### **loops (lines), drawing, 87-88**

#### **LSTIPPLE program, 92-93**

#### **LSTRIPS program, 88-89**

## **M**

m3dDegToRad function, 158

m3dFindNormal function, 203, 206

m3dGetPlaneEquation function, 223

m3dMakePlanarShadowMatrix function, 223

M3DMatrix44f function, 158

m3dMatrixMultiply function, 160

m3dNormalizeVector function, 201

m3dRotationMatrix44 function, 158

m3dTransformVector3 function, 158

#### **Mac OS X, OpenGL on**

Carbon

bitmap fonts, 697-698

Carbon window, initializing, 690-691

cleanup, 695

event handling, 695-696

OpenGL setup, 689-690

overview, 689

pixel format, 692-693

rendering context, 694-695

Cocoa

buffer swaps, 705-706

Cocoa source module, deleting, 688

- COCOAGL program, 699-700
- custom classes, creating, 701-705
- OpenGL views, creating, 700-701
- overview, 699
- full-screen rendering
  - AGL full-screen support, 708-711
  - display management, 706-707
  - overview, 706
- GLUT
  - active directory, 688
  - application frameworks, 687
  - headers, 688
  - overview, 686
  - projects, setting up, 686-687
  - overview, 685-686
- magnification filters, 318**
- main functions, 50, 542**
- MakeSelection function, 478-479**
- mapping**
  - buffer data stores, 1009-1010
  - buffers, 750
  - pixels, 281-282
  - shadow maps
    - alpha testing, 506
    - depth test, 505
    - generating and binding to, 505-506
    - initialization, 505
    - lighting coefficients, 501
    - percentage-closer filtering, 506
    - polygon offset, 510
    - projecting, 501-504
    - sample program, 507-509
  - textures
    - cube mapping, 357-361
    - eye linear mapping, 355-356
    - object linear mapping, 354
    - overview, 16
    - sphere mapping, 356-357
  - tone mapping, 626-630
- masks**
  - color masking, 248
  - depth buffer, 119
  - polygon stippling, 110
  - stencil buffer, 125
- mat2 data type, 533**
- mat2x2 data type, 533**
- mat2x3 data type, 533**
- mat2x4 data type, 533**
- mat3 data type, 533**
- mat3x2 data type, 533**
- mat3x3 data type, 533**
- mat3x4 data type, 533**
- mat4 data type, 533**
- mat4x2 data type, 533**
- mat4x3 data type, 533**
- mat4x4 data type, 533**
- materials**
  - adding light to, 190
  - parameters, returning, 948-949
  - properties
    - light sources, 205
    - overview, 190
    - setting for ambient light, 193-196
- math, fixed-point, 756-757**
- math3d functions**
  - m3dDegToRad, 158
  - m3dFindNormal, 203, 206
  - m3dGetPlaneEquation, 223
  - m3dMakePlanarShadowMatrix, 223
  - M3DMatrix44f, 158
  - m3dMatrixMultiply, 160
  - m3dNormalizeVector, 201
  - m3dRotationMatrix44, 158
  - m3dTransformVector3, 158
- matrices**
  - color matrix, 288-289
  - column-major matrix ordering, 154-155
  - creating, 157-159
  - current matrix, specifying, 1014
  - definition of, 134
  - frustum, 898-899
  - identity matrices, 140-142
  - loading, 156-160, 999-1002
  - matrix stacks, 142-143
  - modelview matrices, 136
    - rotation, 138
    - scaling, 139
    - setting with gluLookAt function, 496
    - translation, 137-138
  - multiplying
    - glMultMatrix function, 1020-1021
    - glMultTransposeMatrix function, 1022-1023
    - glOrtho function, 1027
  - OpenGL ES specifications, 744-745
  - orthographic matrices, 1027
  - overview, 134-135
  - projection matrix, 496-497
  - rotating, 1064-1065
  - scaling, 1066
  - shadow projection matrices, 223-225
  - stack, pushing/popping, 1053

- texture matrix, 311
  - translation, 1121-1122
  - vectors, 155
  - max function, 551**
  - maximum pixel values, returning, 949-950**
  - MCD (Mini-Client Driver), 643**
  - MDA (Monochrome Display Adapter), 177**
  - memory buffers. See buffers**
  - Mesa**
    - 3D OpenGL website, 775
    - installation, 715
  - meshes, defining, 1011-1012**
  - message programming, 660**
  - messages, Windows**
    - WM\_CREATE, 660
    - WM\_DESTROY, 660
    - WM\_PAINT, 664-665
    - WM\_SIZE, 664
    - WM\_TIMER, 664
  - Microsoft Windows. See Windows**
  - Mini-Client Driver (MCD), 643**
  - mini-drivers, 643-644**
  - minification filters, 318**
  - minimum pixel values, returning, 949-950**
  - minmax operations, 301**
  - minmax parameters, returning, 951**
  - minmax table**
    - defining, 1015-1016
    - resetting, 1063-1064
  - mipmaps**
    - generating with FBOs (framebuffer objects), 613
    - hardware generation of mipmaps, 329
    - LOD BIAS, 329-330
    - mip levels, 328-329
    - mipmap filters, 327-328
    - OpenGL ES specifications, 749
    - overview, 325-327
  - mirrored surface effect, creating, 360-361**
  - mixing static and dynamic data, 453-454**
  - modeling with quadrics, 385-388**
  - modeling transformations, 129-130**
  - modelview matrices, 136**
    - rotation, 138
    - scaling, 139
    - setting with gluLookAt function, 496
    - translation, 137-138
  - modelview transformations, 129, 132**
  - modes**
    - blend equation modes, 234
    - fog modes, 242
    - immediate mode, 23
    - polygon modes, 107
    - rendering modes, 460-461
    - retained mode, 23
    - texture environment mode, 316-318
  - monitors**
    - color, 176-177
    - display modes, 179-180
  - Monochrome Display Adapter (MDA), 177**
  - monopolies, 36**
  - moon/earth/sun program, 151-154**
  - MOONS program**
    - ProcessPlanet function, 470-471
    - RenderScene function, 467-469
  - motion blur**
    - MOTIONBLUR program, 245-247
    - PBO (pixel buffer objects), 604-608
  - MOTIONBLUR program, 245-247**
  - MouseCallback function, 461**
  - moving pixels, 265-266**
  - multiplying matrices**
    - glMultMatrix function, 1020-1021
    - glMultTransposeMatrix function, 1022-1023
    - glOrtho function, 1027
  - multisampling, 238-240**
  - multisampled buffers, 652**
  - multitexture**
    - managing multiple textures, 331-338
    - multiple texture coordinates, 363-364
    - MULTITEXTURE sample program, 364-369
    - overview, 362-363
  - MULTITEXTURE program, 364-369**
  - multithreaded rendering (Windows), 675-676**
- ## N
- name stack**
    - initializing, 983
    - loading names onto, 1001
    - pushing/popping, 1054
  - names**
    - buffer names, generating, 900
    - loading onto name stack, 1001
    - query names, generating, 901
  - naming conventions**
    - display lists, 425
    - functions, 45-46
    - occlusion queries, 486
    - primitives, 458-460
  - non-power-of-two extended support, 750**
  - non-real-time 3D applications, 22**

**non-uniform rational B-splines.** *See* NURBS

**nonconvex polygons,** 114-116

**nonrational numbers,** 81

**normal averaging,** 211-213

**normal vectors**

    Bézier curves, 400-401

    normal averaging, 211-213

    setting, 1024-1025

    surface normals

        definition of, 197-198

        specifying, 198-200

    unit normals

        calculating, 202-203

        converting surface normals to, 201

        definition of, 201

**normalization,** 201

**normalize function,** 551

**normals, arrays of,** 1025-1026

**NSOpenGL,** 686

**numbers**

    nonrational numbers, 81

    scalars, 135

**NURB program,** 405-408

**NURBS (non-uniform rational B-spline)**

    B-splines, 402

    curves, 409

    defining, 404-406

    knots, 402-403

    overview, 401

    properties, 404

    rendering, 403-404

    trimming, 406-408

**NV\_prefix,** 71

**NVIDIA's developer home page,** 774

## O

**object linear mapping,** 354

**objects**

    FBOs (framebuffer objects)

        attaching images, 610-611

        creating, 609-610

        destroying, 609-610

        draw buffers, 611

        environment map generation sample

            program, 615-618

        framebuffer completeness, 612-613

        mipmap generation, 613

        multiple target rendering, 619-621

        offscreen rendering, 613-615

    overview, 608-609

    shadow mapping sample program,  
        613-615

    GLUQuadricObj. *See* quadrics

    labeling for feedback, 473-475

    PBOs (pixel buffer objects)

        benefits of, 603-604

        functions, 602-603, 608

        motion blur sample program, 604-608

        overview, 601-602

    program objects

        attaching, 530

        creating, 530

        deleting, 530

        detaching, 530

        enabling, 532

        linking, 531

        validating, 531-532

    query objects

        deleting, 487

        querying, 490-491

    shader objects

        compiling, 529-530

        creating, 528

        deleting, 528

        shader text, 528-529

    texture objects

        allocating, 330

        binding, 330

        deleting, 330

        multiple textures, managing, 331-338

        overview, 330

        resident textures, 338

        testing, 331

        texture priorities, 339

    vertex buffer objects

        binding, 450

        creating, 450

        initializing arrays, 452-453

        loading, 451

        mixing static and dynamic data, 453-454

        overview, 450

        rendering from, 451-455

**occludees,** 483-485

**occluders,** 482-483

**occlusion queries**

    best practices, 492-493

    bounding boxes

        bounding volumes, 485

        creating, 485-486

        rendering, 487-490

- creating, 487-490
- ensuring support for, 491-492
- naming, 486
- occludees, 483-485
- occluders, 482-483
- overview, 481
- querying the query object, 490-491
- OES\_byte\_coordinates extension, 741**
- OES\_compressed\_ETC1\_RGB8\_texture extension, 750**
- OES\_compressed\_paletted\_textures extension, 742**
- OES\_draw\_texture extension, 745**
- OES\_element\_index\_uint extension, 750**
- OES\_fbo\_render\_mipmap extension, 749**
- OES\_fixed\_point extension, 741**
- OES\_fragment\_precision\_high extension, 750**
- OES\_framebuffer\_object extension, 749**
- OES\_mapbuffer extension, 750**
- OES\_matrix\_get extension, 745**
- OES\_matrix\_palette extension, 744**
- OES\_point\_sprite extension, 745**
- OES\_query\_matrix extension, 742**
- OES\_read\_format extension, 742**
- OES\_shader\_binary extension, 751-752**
- OES\_shader\_source extension, 751**
- OES\_single\_precision\_commands extension, 742**
- OES\_stencil8 extension, 749**
- OES\_texture\_3D extension, 750**
- OES\_texture\_float extension, 750**
- OES\_texture\_half\_float extension, 750**
- OES\_texture\_npot extension, 750**
- OES\_vertex\_half\_float extension, 749**
- offscreen rendering, 613-615**
- one-dimensional convolution filters, 296**
  - copying pixels into, 845-846
  - defining, 836-838
- one-dimensional evaluators, defining, 1003-1005**
- OpenEXR file format, 623-626**
- OpenGL**
  - ARB (Architecture Review Board), 35
  - competition, 36
  - definition of, 33
  - future of, 37
  - generic implementations, 38-39
  - hardware implementations, 39-40
  - history of, 34-35
  - licensing and conformance, 35-36
  - OpenGL Specification, 35
  - overview, 33-34, 38
  - pipeline, 40-41
  - State Machine, 82
  - version, identifying, 68-69
  - on Vista, 644
  - website, 774
- OpenGL ES**
  - application design, 754-755
  - EGL
    - buffers, 764-765
    - context management, 763-764
    - display configs, 759-763
    - displays, 758-759
    - embedded system diagram, 758
    - errors, 765
    - extending, 765-766
    - initializing, 758
    - overview, 757
    - rendering surfaces, 763
    - rendering synchronization, 764-765
    - strings, 765
  - embedded environments, 766-767
  - environment limitations, 755-756
  - environment setup, 768-769
  - ES 1.0
    - byte coordinates, 741
    - color, 740
    - compressed paletted texture, 742
    - development of, 737
    - fixed-point data type, 741
    - framebuffer operations, 741
    - per-fragment operations, 741
    - query matrix, 742
    - rasterization, 740
    - Read Format, 742
    - single-precision commands, 742
    - state, 741
    - textures, 740-741
    - transformations, 740
    - unsupported features, 741
    - vertex specification, 739
  - ES 1.1
    - development of, 737
    - draw texture, 745
    - matrix palette, 744
    - matrix state, reading, 745
    - point sprites, 745
    - rasterization, 743
    - state, 743-744
    - textures, 743
    - vertex processing and coloring, 742-743

**ES 2.0**

- 3D textures, 750
- development of, 737
- Ericsson compressed texture format, 750
- floating-point textures, 750
- fragment operations, 748
- framebuffer objects, 749
- framebuffer texture mipmap
  - rendering, 749
- half-float vertex format, 749
- high-precision floats and integers, 750
- mapping buffers, 750
- non-power-of-two extended support, 750
- overview, 746
- programmable pipeline, 746-748
- rasterization, 748
- render buffer storage formats, 749
- shader loading, 751-752
- shader source loading and compiling, 751
- state, 749
- textures, 748
- unsigned integer element indices, 750
- vertex processing and coloring, 746

**ES SC**

- core additions, 754
- development of, 738
- fragment operations, 753
- overview, 752
- rasterization, 753
- state, 754
- vertex processing and coloring, 753

**fixed-point math, 756-757****history of, 736-738****overview, 735-736****PowerVR, 767****Rasteroid, 767****rendering, 770-771****sample program****cleanup, 771-772****environment setup, 768-769****rendering, 770-771****state, 769-770****state, 769-770****Vincent, 767****OpenGL Extension Registry, 774****OpenGL SDK, 774****OpenGL Shading Language. See GLSL****OpenGL SuperBible website, 5, 774****OpenGL utility toolkit. See GLUT****operands, texture combiner, 371****OPERATIONS program**

- glPixelMap function, 282
- glPixelTransferf function, 279
- glPixelZoom function, 275-277
- ProcessMenufunction, 269, 274
- RenderScene function, 270-275
- SetupRC function, 269, 274
- source code, 268-275

**operators, 537-538****order of Bézier curves, 390****origins (2D Cartesian coordinate systems), 24****orthographic matrices, 1027****orthographic projections, 29, 133, 147-148****orthonormal vectors, 155****out qualifier, 536****overloading function names, 543****P****packed pixel formats, 260****parallel projections, 29, 133, 147-148****parallelization, 423****parameters, point, 85****parsing feedback buffer, 478-480****particles of light, 175****passthrough markers, 473****PBOs (pixel buffer objects)****benefits of, 603-604****bloom effect, 638****functions, 602-603, 608****motion blur sample program, 604-608****overview, 601-602****per-fragment operations, 741****percentage-closer filtering, 506****perception of color, 176****PERSPECT program, 150-151****perspective****definition of, 14****foreshortening, 14****hidden surface removal, 14****overview, 11-13****perspective projections, 133, 148-149****gluPerspective function, 149****overview, 30****PERSPECT sample program, 150-151****SOLAR sample program, 151-154****PFD\_DEPTH\_DONTCARE flag (pixel rendering buffer), 650****PFD\_DOUBLEBUFFER flag (pixel rendering buffer), 649**

**PFD\_DOUBLE\_BUFFER\_DONTCARE flag** (pixel rendering buffer), 650

**PFD\_DRAW\_TO\_BITMAP flag** (pixel rendering buffer), 649

**PFD\_DRAW\_TO\_WINDOW flag** (pixel rendering buffer), 649

**PFD\_GENERIC\_ACCELERATED flag** (pixel rendering buffer), 649

**PFD\_GENERIC\_FORMAT flag** (pixel rendering buffer), 649

**PFD\_NEED\_PALETTE flag** (pixel rendering buffer), 649

**PFD\_NEED\_SYSTEM\_PALETTE flag** (pixel rendering buffer), 649

**PFD\_STEREO flag** (pixel rendering buffer), 649

**PFD\_SUPPORT\_GDI flag** (pixel rendering buffer), 649

**PFD\_SUPPORT\_OPENGL flag** (pixel rendering buffer), 649

**PFD\_SWAP\_COPY flag** (pixel rendering buffer), 650

**PFD\_SWAP\_EXCHANGE flag** (pixel rendering buffer), 650

**PFD\_SWAP\_LAYER\_BUFFERS flag** (pixel rendering buffer), 650

**photons**, 175

**picking**

- definition of, 457
- gluPickMatrix function, 464-465
- hierarchical picking, 466-471
- PLANETS example, 465-466

**piecewise curves**, 390

**pipeline**, 40-41. *See also* state

- fixed functionality rendering pipeline
  - antialiasing application, 521
  - clipping, 519-520
  - color sum, 520
  - fog application, 521
  - lighting, 518
  - overview, 515-516
  - texture application and environment, 520
  - texture coordinate generation and transformation, 519
  - vertex transformation, 518
- imaging pipeline, 288
- OpenGL ES specifications, 746-748
- transformation pipeline, 135-136

**pitch**, 163

**pixel buffer objects**. *See* PBOs

**pixel buffers**. *See* color buffers

## pixel formats

- Mac OS X, setting, 692-693
- WGL\_ARB\_pixel\_format extension, 680-683
- Windows
  - enumerating, 650-652
  - overview, 647
  - pixel rendering buffer flags, 649-650
  - PIXELFORMATDESCRIPTOR structure, 647-649
  - selecting, 653-654
  - setting, 653-654

**PIXELFORMATDESCRIPTOR structure**, 647-649

**pixelmaps**. *See* pixmaps

**pixels**. *See also* bitmaps; pixmaps

- copying, 265
  - into 1D texture image, 850-852
  - into 2D texture image, 852-854
  - into color tables, 843-845
  - in frame buffer, 848-850
  - into one-dimensional convolution filters, 845-846
  - into two-dimensional convolution filters, 846-848
- data types, 259-260
- minimum/maximum values, returning, 949-950
- moving, 265-266
- pixel mapping, 281-282, 1028-1031
- pixel packing, 257-258
- pixel transfer, 277-281, 1036-1039
- pixel zoom, 275-277, 1040
- reading, 265, 1057-1060
- saving, 266-268
- storage modes, setting, 1031-1035
- writing to frame buffer, 871-876

**pixmaps**

- data types, 259-260
- definition of, 252
- drawing, 258
- IMAGELOAD sample program
  - glLoadTGA function, 262-265
  - RenderScene function, 261-262
- OPERATIONS sample program
  - glPixelMap function, 282
  - glPixelTransferf function, 279
  - glPixelZoom function, 275-277
  - ProcessMenu function, 269, 274
  - RenderScene function, 270-275
  - SetupRC function, 269, 274
  - source code, 268-275



- packed pixel formats, 260
- pixel formats, 259
- pixel mapping, 281-282
- pixel transfer, 277-281
- pixel zoom, 275-277
- pixels
  - copying, 265
  - moving, 265-266
  - reading, 265
  - saving, 266-268
- returning, 951-953
- planes, 24**
  - clipping planes, returning coefficients of, 934
- PLANETS program**
  - gluPickMatrix function, 464-465
  - naming primitives, 458-460
  - picking, 464-466
  - ProcessPlanet function, 465-466
  - selection buffer, 462-463
- platform independence, 46. See also GLUT (OpenGL utility toolkit)**
- point sprites**
  - OpenGL ES specifications, 745
  - overview, 371-372
  - point parameters, 374
  - POINTSPRITES sample program, 372-373
  - texture application, 374
- pointers**
  - returning address of, 953-954, 977-978
  - to vertex arrays, 433-434
- points**
  - drawing
    - glBegin function, 78
    - glEnd function, 78
    - glVertex function, 76-77
    - overview, 74
    - point parameters, 85, 1040-1041
    - point size, 81-85, 1042-1043
    - POINTS program example, 78-80
    - POINTS program example, 82-85
  - point size vertex shader, 560-561
  - point sprites
    - overview, 371-372
    - point parameters, 374
    - POINTSPRITES sample program, 372-373
    - texture application, 374
- POINTS program, 78-80**
- POINTSPRITES program, 372-373**
- POINTS program, 82-85**
- polling keyboard, 171**
- polygons, drawing**
  - edge flags, 114-116
  - depth offset, 1044-1045
  - front-facing polygons, defining, 898
  - general polygons, 108-109
  - nonconvex polygons, 114-116
  - overview, 94
  - polygon construction rules, 113-114
  - polygon offset, 510
  - quad strips, 108
  - quadrilaterals, 108
  - rasterization mode, 1043-1044
  - rectangles, 1061-1062
  - simple example, 94-95
  - solid polygons
    - backface culling, 104-106
    - colors, 101-102, 182-183
    - depth testing, 103
    - hidden surface removal, 102-103
    - polygon modes, 107
    - shading, 183-186
    - stippling, 109-113, 954, 1045-1046
    - TRIANGLE program example, 98-101
  - triangle fans, 97
  - triangle strips, 96-97
  - windings, 95-96, 201
- popping**
  - client attribute stack, 1052
  - matrix stack, 142, 1053
  - name stack, 1054
  - server attribute stack, 1047-1051
- PowerVR, 767**
- preferences, setting with glHint function, 69**
- prefixes for extensions, 71**
- preprocessed batches, 424-426**
- Prewitt edge detection, 580**
- primitives, drawing, 27**
  - general polygons, 108-109
  - lines
    - curves, approximating with straight lines, 88-89
    - glBegin function, 85
    - glEnd function, 85
    - line loops, 87-88
    - line strips, 87-89
    - line width, 89-91
    - LINES program example, 85-87
    - stippling, 91-93
  - names, 458-460
  - points
    - glBegin function, 78
    - glEnd function, 78

- glVertex function, 76-77
- overview, 74
- point parameters, 85
- point size, 81-85
- POINTS program example, 78-80
- POINTS\_Z program example, 82-85
- quad strips, 108
- quadrilaterals, 108
- rendering from array data, 867, 870-871, 876-877, 1016-1017
- solid objects
  - backface culling, 104-106
  - colors, 101-102, 182-183
  - depth testing, 103
  - edge flags, 114-116
  - hidden surface removal, 102-103
  - polygon construction rules, 113-114
  - polygon modes, 107
  - shading, 183-186
  - stippling, 109-113
  - TRIANGLE program example, 98-101
- triangles
  - overview, 94
  - simple example, 94-95
  - triangle fans, 97-98
  - triangle strips, 96-97
  - windings, 95-96, 201
- viewing volume, setting up, 74-76
- priorities, textures, 339, 1046-1047**
- ProcessMenu function**
  - OPERATIONS program, 269, 274
  - SMOOTHER program, 237
  - TEXGEN program, 351-352
  - TUNNEL program, 332
- ProcessPlanet function, 465-466, 470**
- ProcessSelection function, 476-477**
- program objects. See also programs**
  - active attributes, returning information
    - about, 926-927
  - active uniform variables, returning
    - information about, 928-929
  - attaching, 530
  - attribute variables, returning location of, 930-931
  - creating, 530, 858-859
  - deleting, 530, 862
  - detaching, 530
  - enabling, 532
  - information logs, returning, 956-957
  - installing as part of current rendering state, 1126-1128
  - linking, 531, 997-999
  - parameters, returning, 954-956
  - querying, 988
  - uniform variables, specifying value of, 1122-1126
  - validating, 531-532, 1128-1129
- programs. See also program objects; shaders**
  - AMBIENT, 195-196
  - ANISOTROPIC, 346
  - ATOM, 143-146
  - BEZ3D, 397-399
  - BEZIER, 391-393
  - BEZLIT, 401
  - BITMAPS, 253-255
    - glBitmap function, 257
    - glRasterPos2i function, 256
    - glWindowPos2i function, 256
    - RenderScene function, 255
  - bloom effect
    - bright pass, 633-634
    - drawing scene, 630-633
    - framebuffer, 636-638
    - Gaussian blur, 634-636
    - overview, 630
    - PBOs (pixel buffer objects), 638
  - CARBONGLFONTS, 698
  - COCOAGL, 699-700
    - buffer swaps, 705-706
    - OpenGL views, creating, 700-701
    - ThunderGLView class, 701-705
  - CUBEDX, 436-439
  - CUBEMAP, 358-362
  - FLORIDA, 414-419
    - complex polygon, tessellating, 417-418
    - convex polygon, drawing, 415-416
    - vertex data and drawing code for state
      - outline, 414-415
- font.c, 728-729
- GLRect
  - animation, 62-64
  - clipped viewing volume, 59-60
  - device contexts, 657-660
  - overview, 655
  - rectangles, drawing, 56
  - rendering contexts, 660-664
  - scaling to window, 56
  - source code, 53-55
  - viewport, 58
  - Win32, 658
  - windows, resizing, 58
  - WinMain function, 655, 657, 673-674
  - WM\_CREATE message, 660
  - WM\_DESTROY message, 660

- WM\_PAINT message, 664-665
- WM\_SIZE message, 664
- WM\_TIMER message, 664
- HDRBALL, 630-632
- IMAGELoad
  - glLoadTGA function, 262-265
  - RenderScene function, 261-262
- IMAGING
  - glColorTable function, 290
  - glConvolutionFilter2D function, 293
  - glMatrixMode function, 288
  - histograms, 298-300
  - RenderScene function, 284-287
- JET, 186-187
- LINES, 85, 87
- LINESW, 90-91
- LITJET, 203
  - output, 206-207
  - RenderScene program, 205-206
  - SetupRC program, 204-205
- LSTIPPLE, 92-93
- LSTRIPS, 88-89
- MOONS, 467-471
  - ProcessPlanet function, 470-471
  - RenderScene function, 467-469
- MOTIONBLUR, 245-247
- MULTITEXTURE, 364-369
- NURBS, 405-408
- OPERATIONS
  - glPixelMap function, 282
  - glPixelTransferf function, 279
  - glPixelZoom function, 275-277
  - ProcessMenu function, 269, 274
  - RenderScene function, 270-275
  - SetupRC function, 269, 274
  - source code, 268-275
- PERSPECT, 150-151
- PLANETS
  - gluPickMatrix function, 464-465
  - naming primitives, 458-460
  - picking, 464-466
  - ProcessPlanet function, 465-466
  - selection buffer, 462-463
- POINTSPRITES, 372-373
- PSTIPPLE, 112-113
- PYRAMID, 311-316
  - RenderScene function, 313, 316
  - SetupRC function, 313, 316
  - source code, 312-315
- REFLECTION, 232-233
- SCISSOR, 120-121
- SELECT
  - DrawObjects function, 474
  - labeling objects for feedback, 473-475
  - loading and parsing feedback buffer, 478-480
  - MakeSelection function, 478-479
  - ProcessSelection function, 476-477
  - RenderScene function, 474-475
  - selecting objects, 476-477
- SHADOW
  - output, 223
  - RenderScene function, 225-226
  - SetupRC function, 223-225
- SHINYJET, 210-211
- SIMPLE
  - body, 50
  - color buffer, clearing, 52-53
  - display callback function, 51
  - display mode, 50
  - graphics calls, 51-52
  - header, 49
  - OpenGL initialization, 51
  - OpenGL window, creating, 50
  - queue, flushing, 53
  - source code, 48-49
- SINGLE, 117-119
- SMOOTHER, 236-238
- SNOWMAN, 385-388
- SOLAR, 151-154
- SPHEREWORLD, 165, 227, 342-344
  - ApplyActorTransform function, 169
  - converting to display lists, 426-428
  - DrawGround function, 166-168
  - fog, 241
  - RenderScene function, 166-169
  - SetupRC function, 165, 168
  - SpecialKeys function, 167, 171
- SPHEREWORLD32, 683-684
- SPOT
  - creating spotlights, 214-216
  - drawing spotlights, 216-220
  - overview, 213-214
  - RenderScene function, 216-220
  - SetupRC function, 214-216
- STAR, 115-116
- STARRYNIGHT
  - array sizes and data types, 434
  - code listing, 429-431
  - enabling arrays, 432-433
  - loading geometry, 432
  - pointer functions, 433-434
  - rendering with, 434-435

STENCIL, 123-124  
 TEXTGEN, 351-354  
 TEXT2D, 669, 671  
 TEXT3D, 666-668  
 THUNDERGL, 439  
   code listing, 446-449  
   DrawBody function, 440  
   indexed vertex arrays, creating, 442-445  
   memory requirements, determining, 441-442  
   rendering modes, 445-446  
 TOON, 321-325  
 TRANSFORM, 157  
 TRANSFORMGL, 159-160  
 TRIANGLE, 98-101, 184-185  
 TUNNEL, 331-336

**projecting shadow maps, 501-504****projections**

definition of, 129  
 orthographic projections, 29, 133, 147-148  
 overview, 28, 132-133  
 perspective projections, 133, 148-149  
   gluPerspective function, 149  
   overview, 30  
   PERSPECT sample program, 150-151  
   SOLAR sample program, 151-154  
 projection matrix, 496-497

**proxies, 290-291****PSTIPPLE program, 112-113****pushing**

attributes  
   onto client stack, 1052  
   onto server stack, 1047-1051  
 matrix stack, 142, 1053  
 name stack, 1054

**PYRAMID program, 311-316**

RenderScene function, 313, 316  
 SetupRC function, 313, 316  
 source code, 312-315

**Q****quad strips, 108****quadratic surfaces. See quadrics****quadrics**

cylinders, 382  
 disks, 384-385  
 drawing, 381-384  
 modeling with, 385-388  
 overview, 108, 378, 390  
 quadric states, 379-381

SNOWMAN sample program, 385-388  
 spheres, 381-382

**qualifiers, 535-536****quaternions, 163****queries, occlusion**

best practices, 492-493  
 bounding boxes, 485-490  
 creating, 487-490  
 deleting, 862-863  
 delimiting boundaries of, 791-792  
 ensuring support for, 491-492  
 naming, 486, 901  
 occludees, 483-485  
 occluders, 482-483  
 overview, 481  
 parameters, returning, 957-958  
 querying the query object, 490-491

**query matrix (ES 1.0), 742****queue, flushing, 53****R****radians, 81****raster position, 256, 1054-1056, 1138-1139****rasterization**

OpenGL ES specifications  
   ES 1.0, 740  
   ES 1.1, 743  
   ES 2.0, 748  
   ES SC, 753  
 overview, 524-525

**rasterization mode (polygons), 1043-1044**

setting, 1062-1063

**Rasteroid, 767****Read Format (ES 1.0), 742****reading pixels, 265, 1057-1060****real-time 3D applications, 19-22****real-time graphics, 10-11****rectangles**

drawing, 56, 1061-1062  
 scaling to window, 56

**refDisplayMode function, 707****references**

3D graphics books, 773-774  
 OpenGL books, 773  
 websites, 774

**reflection, specular reflectance, 208-209****REFLECTION program, 232-233****RegenerateEnvMap function, 616****region of influence, 564****ReleaseDC function, 658**

**rendering. See also buffers**

- bounding volumes, 487-490
- color tables, 291
- definition of, 14
- double-buffered rendering, 117
- EGL, 763-765
- fixed functionality rendering pipeline
  - antialiasing application, 521
  - clipping, 519-520
  - color sum, 520
  - fog application, 521
  - lighting, 518
  - overview, 515-516
  - texture application and environment, 520
  - texture coordinate generation and transformation, 519
  - vertex transformation, 518
- full-screen rendering on Mac OS X
  - AGL full-screen support, 708-711
  - display management, 706-707
  - overview, 706
- immediate mode rendering, 423
- modes, 460-461
- NURBS surfaces, 403-404
- OpenGL ES, 770-771
- rendering context, 694-695
- scissor test, 119, 121
- single-buffered rendering, 117-119
- vertex arrays, 434-435, 788
  - from vertex buffer objects, 451-455
- Windows rendering. *See also* GLRect program
  - full-screen rendering, 671-673, 675
  - GDI device contexts, 646
  - multithreaded rendering, 675-676
  - pixel formats, 647-654
  - rendering context, 654-655, 660-664
- rendering contexts (Windows), 654-655, 660**
  - creating/deleting, 660-663
  - initializing, 663
  - shutting down, 664
- RenderOnce function, 678**
- RenderScene function**
  - ATOM program, 143-145
  - BEZ3D program, 398
  - BEZIER program, 392-395
  - BITMAPS program, 255
  - CUBEDX program, 438
  - IMAGeload program, 261-262
  - IMAGING program, 284-287
  - LINESW program, 90-91
  - LITGET program, 205-206
  - LSTIPPLE program, 93
  - MOONS program, 467-469
  - MOTIONBLUR program, 247
  - MULTITEXTURE program, 367-369
  - OPERATIONS program, 270-275
  - PBO motion blur, 606-608
  - PLANETS program, 459-460
  - POINTS program, 79
  - POINTSIZ program, 83-84
  - PSTIPPLE program, 112
  - PYRAMID program, 313, 316
  - REFLECTION program, 233
  - SCISSOR program, 120
  - SELECT program, 474-475
  - shadow maps, 507-509
  - SHADOW program, 225-226
  - SINGLE program, 118
  - SNOWMAN program, 386-388
  - SOLAR program, 152-153
  - SPHEREWORLD program, 166-169
  - SPOT program, 216-220
  - STARRYNIGHT program, 430-431
  - STENCIL program, 123
  - TEXGEN program, 352-354
  - TEXT2D program, 669, 671
  - TOON program, 324
  - TRANSFORM program, 157
  - TRIANGLE program, 98-101
  - TUNNEL program, 334-336
- replacing color tables, 291-292**
- resetting minmax table, 1063-1064**
- resident textures, 338**
- resizing windows, 58**
- resolution, screen, 179**
- resources, 5**
- restoring states, 66-67**
- retained mode, 23**
- RGB colorspace, 180-181**
- RGBA values (light), 189**
- Robust Shadow Mapping with Light Space Perspective Shadow Maps, 497***
- roll, 163**
- rotation, 138, 1064-1065**
- row-major order, 155**

**S**

- sampler1D data type, 533**
- sampler1DShadow data type, 533**
- sampler2D data type, 533**
- sampler2DShadow data type, 533**

**sampler3D data type, 533**

**samplerCube data type, 533**

**saving**

pixels, 266-268

states, 66-67

**scalars, 135**

**Scale function, 445**

**scaling, 139**

drawings to window, 56

matrices, 1066

scaling factors, applying with color tables, 291

**Scherzer, Daniel, 497**

**Schüler, Christian, 510**

**scintillation, 325**

**scissor box, defining, 1067**

**SCISSOR program, 120-121**

**scissor test, 119-121**

**screen resolution, 179**

**secondary colors**

defining array of, 1069-1070

setting, 1067-1069

**SELECT program**

DrawObjects function, 474

labeling objects for feedback, 473-475

loading and parsing feedback buffer, 478-480

MakeSelection function, 478-479

ProcessSelection function, 476-477

RenderScene function, 474-475

selecting objects, 476-477

**selection**

definition of, 457

naming primitives, 458-460

overview, 458

picking

definition of, 457

gluPickMatrix function, 464-465

hierarchical picking, 466-471

PLANETS example, 465-466

pixel formats, 653-654

rendering modes, 460-461

selection buffer, 461-463, 1070-1071

**separable convolution filters, 296, 959-960**

**separable two-dimensional convolution filters, defining, 1072-1074**

**sepia-tone conversion fragment shader, 569-570**

**servers, pushing attributes onto attribute stack, 1047-1051**

**SetDCPixelFormat function, 660, 663**

**SetPixelFormat function, 653**

**SetTimer function, 663**

**SetupGL function, 708**

**SetupRC function**

AMBIENT program, 196

FBO environment map generation, 616

FBO shadow mapping, 614

LITJET program, 204-205

MULTITEXTURE program, 365-367

OPERATIONS program, 269, 274

POINTS program, 78-79

PSTIPPLE program, 112

PYRAMID program, 313, 316

SHADOW program, 223-225

SHINYJET program, 210-211

SIMPLE program, 51

SPHEREWORLD program, 165, 168, 241, 427

SPOT program, 214-216

TEXT2D program, 669, 671

TEXT3D program, 666-667

THUNDERGL program, 444

TOON program, 325

TRIANGLE program, 98-101

TUNNEL program, 333

**SetupTextures function, 623**

**SGL\_prefix, 71**

**shaders, 22-23. See also GLSL (OpenGL Shading Language)**

attached shaders, 788-789, 929-930

clipping, 524

compiling, 825-826

creating, 859-860

deleting, 863

detaching, 866-867

fragment shaders

beach ball texture fragment shader, 592-595

blur fragment shader, 575-576

capabilities of, 525-526

checkerboard texture fragment shader, 589-591

color inversion fragment shader, 570-571

diffuse lighting fragment shader, 582-584

dilation fragment shader, 578-579

edge detection fragment shader, 580-582

erosion fragment shader, 580

fog fragment shader, 572-574

grayscale conversion fragment shader, 568-569

heat signature fragment shader, 571-572

overview, 567-568

sepia-tone conversion fragment shader, 569-570

- sharpen fragment shader, 577-578
- simple example, 527
- three colored lights fragment shader, 586-587
- toy ball texture fragment shader, 595-599
- information logs, returning, 961-962, 964
- OpenGL ES specifications, 751-752
- overview, 521
- parameters, returning, 960-961
- program objects
  - attaching, 530
  - creating, 530
  - deleting, 530
  - detaching, 530
  - enabling, 532
  - linking, 531
  - validating, 531-532
- querying, 990
- rasterization, 524-525
- shader objects
  - compiling, 529-530
  - creating, 528
  - deleting, 528
  - shader text, 528-529
- source, setting, 1075-1076
- tone mapping, 626-630
- vertex shaders
  - capabilities of, 523-524
  - diffuse lighting vertex shader, 549-551
  - fog vertex shader, 557-559
  - overview, 547
  - point size vertex shader, 560-561
  - procedural texture mapping vertex shader, 588-589
  - simple example, 526
  - simple examples, 548-549
  - specular lighting vertex shader, 551-553
  - squash/stretch effects vertex shader, 561-563
  - three colored lights vertex shader, 553-557, 585
  - vertex blending vertex shader, 563-566
- shading**
  - definition of, 183
  - flat shading, 186
  - overview, 15
  - selecting, 1074-1075
  - smooth shading, 183-185
- Shading Language. See GLSL (OpenGL Shading Language)**
- shadow maps**
  - alpha testing, 506
  - depth test, 505
  - generating and binding to, 505-506
  - initialization, 505
  - lighting coefficients, 501
  - percentage-closer filtering, 506
  - polygon offset, 510
  - projecting, 501-504
  - sample program, 507-509
- SHADOW program**
  - output, 223
  - RenderScene function, 225-226
  - SetupRC function, 223-225
- shadow1D function, 544**
- shadow1DLod function, 545**
- shadow1DProj function, 545**
- shadow1DProjLod function, 545**
- shadow2D function, 545**
- shadow2DLod function, 545**
- shadow2DProj function, 545**
- shadow2DProjLod function, 545**
- shadows**
  - ambient lighting, 500-501
  - definition of, 222
  - depth buffer, 497-498
  - depth textures
    - overview, 498-499
    - size, 499-500
  - FBO shadow mapping, 613-615
  - GL\_ARB\_shadow\_ambient extension, 509
  - modelview matrix, 496
  - overview, 15-16, 221, 495-496
  - polygon offset, 510
  - projection matrix, 496-497
  - shadow maps
    - alpha testing, 506
    - depth test, 505
    - generating and binding to, 505-506
    - initialization, 505
    - lighting coefficients, 501
    - percentage-closer filtering, 506
    - projecting, 501-504
    - sample program, 507-509
  - shadow projection matrix, 223-225
  - SHADOW sample program
    - output, 223
    - RenderScene function, 225-226
    - SetupRC function, 223-225
  - SPHEREWORLD sample program, 227

**shapes, 381**

frustums, 148-149

general polygons, 108-109

lines

- curves, approximating with straight lines, 88-89

- glBegin function, 85

- glEnd function, 85

- line loops, 87-88

- line strips, 87-89

- line width, 89-91

- LINES program example, 85-87

- stippling, 91-93

naming, 458-460

points

- glBegin function, 78

- glEnd function, 78

- glVertex function, 76-77

- overview, 74

- point parameters, 85

- point size, 81-85

- POINTS program example, 78, 80

- POINTSZ program example, 82-85

primitives, 27

quad strips, 108

quadrics

- cylinders, 382

- disks, 384-385

- drawing, 381-384

- modeling with, 385-388

- overview, 108, 378, 390

- quadric states, 379-381

- SNOWMAN sample program, 385-388

- spheres, 381-382

rectangles

- drawing, 56, 1061-1062

- scaling to window, 56

solid objects

- backface culling, 104-106

- colors, 101-102, 182-183

- depth testing, 103

- edge flags, 114-116

- hidden surface removal, 102-103

- polygon construction rules, 113-114

- polygon modes, 107

- shading, 183-186

- stippling, 109-113

- TRIANGLE program example, 98-101

triangles

- overview, 94

- simple example, 94-95

- triangle fans, 97-98

- triangle strips, 96-97

- windings, 95-96, 201

- viewing volume, setting up, 74-76

**sharpen fragment shader, 577-578****sharpening images, 577-578****SHINYJET program, 210-211****ShutdownRC function, 695****shutting down rendering contexts, 664****SIMPLE program**

- body, 50

- color buffer, clearing, 52-53

- display callback function, 51

- display mode, 50

- graphics calls, 51-52

- header, 49

- OpenGL initialization, 51

- OpenGL window, creating, 50

- queue, flushing, 53

- source code, 48-49

**single-buffered rendering, 117-119****single-buffered windows, 50****single-precision commands, 742****SINGLE program, 117-119**

size

- of depth textures, 499-500

- of points, 81-85

- of vertex arrays, 434

**sizeof function, 442****smooth shading, 183-185****SMOOTHER program, 236-238****smoothstep function, 595****SNOWMAN program, 385-388****Sobel edge detection, 580****SOLAR program, 151-154****solid objects, drawing**

- backface culling, 104-106

- colors, 101-102, 182-183

- depth testing, 103

- edge flags, 114-116

- hidden surface removal, 102-103

- polygon construction rules, 113-114

- polygon modes, 107

- shading

- definition of, 183

- flat shading, 186

- smooth shading, 183-185

- stippling, 109

- masks, 110

- PSTIPPLE program example, 112-113

- TRIANGLE program example, 98-101



- sorting state, 240**
- source color, 230**
- Sourceforge Vincent, 767**
- special effects. *See* effects**
- SpecialKeys function, 167, 171**
- specular exponent, 209-210**
- specular light**
  - calculating light effects, 191
  - equation, 551
  - overview, 188-189, 207-208
  - specular lighting vertex shader, 551-553
  - three colored lights fragment shader, 586-587
  - three colored lights vertex shader, 553-557, 585
- specular reflectance, 208-209**
- spheres**
  - drawing, 381-382
  - mapping, 356-357
- SPHEREWORLD program, 165, 227, 342-344**
  - ApplyActorTransform function, 169
  - converting to display lists, 426-428
  - DrawGround function, 166-168
  - fog, 241
  - RenderScene function, 166-169
  - SetupRC function, 165, 168
  - SpecialKeys function, 167, 171
- SPHEREWORLD32 program, 683-684**
- SPOT program**
  - creating spotlights, 214-216
  - drawing spotlights, 216-220
  - overview, 213-214
  - RenderScene function, 216-220
  - SetupRC function, 214-216
- spotlights**
  - creating, 214-216
  - drawing, 216-220
- sprites**
  - overview, 371-372
  - point parameters, 374
  - POINTSPRITES sample program, 372-373
  - texture application, 374
- squash/stretch effects vertex shader, 561-563**
- stack, 66**
- standard libraries. *See* libraries**
- STAR program, 115-116**
- STARRYNIGHT program**
  - array sizes and data types, 434
  - code listing, 429-431
  - enabling arrays, 432-433
  - loading geometry, 432
  - pointer functions, 433-435
- starting GLUT, 51**
- state**
  - OpenGL ES specifications, 769-770
    - ES 1.0, 741
    - ES 1.1, 743-744
    - ES 2.0, 749
    - ES SC, 754
  - quadric states, 379-381
  - restoring, 66-67
  - saving, 66-67
  - sorting, 240
  - state variables, 82
  - texture state, 304
  - variables, enabling/disabling, 65-66
- State Machine, 82**
- stencil buffer, 121-126**
- STENCIL program, 123-124**
- stencil testing**
  - glStencilFunc function, 1076-1077
  - glStencilFuncSeparate function, 1077-1079
  - glStencilOp function, 1080-1082
  - glStencilOpSeparate function, 1082-1084
- step function, 595**
- stippling, 91**
  - line stippling, 91-93
  - patterns
    - returning, 954
    - specifying, 995-996
  - polygon stippling, 109, 1045-1046
    - masks, 110
    - PSTIPPLE program example, 112-113
- storing pixels, 257**
- strings**
  - EGL, 765
  - GLX, 727
  - returning, 963
- structures, 534**
- subimages (texture)**
  - one-dimensional, 1115-1116
  - three-dimensional, 1119-1121
  - two-dimensional, 1117-1119
- sun/earth/moon program, 151-154**
- Super-VGA cards, 178**
- surfaces**
  - backface culling, 104-106
  - Bézier curves
    - 2D curves, 391-396
    - 3D Bézier surfaces, 397-400
  - breakpoints, 390
  - continuity, 390-391
  - control points, 390
  - cubic curves, 390

- degree of, 390
- evaluating, 396-397
- lighting and normal vectors, 400-401
- order of, 390
- overview, 388
- parametric equation, 388-389
- piecewise curves, 390
- quadratic curves, 390
- hidden surface removal, 14, 102-103
- normals
  - definition of, 197-198
  - specifying, 198-200
- NURBS
  - B-splines, 402
  - curves, 409
  - defining, 404-406
  - knots, 402-403
  - overview, 401
  - properties, 404
  - rendering, 403-404
  - trimming, 406-408
- quadrics
  - cylinders, 382
  - disks, 384-385
  - drawing, 381-384
  - modeling with, 385-388
  - overview, 378
  - quadric states, 379-381
  - SNOWMAN sample program, 385-388
  - spheres, 381-382
- rendering surfaces, creating with EGL, 763
- tessellation
  - FLORIDA sample program, 414-419
  - GLUtesselator, 411
  - overview, 409-410
  - tessellator callbacks, 412-413
  - vertex data, specifying, 413
- synchronization**
  - EGL, 764-765
  - GLX, 726-727

## T

### tables

- color
  - bias values, 291
  - color lookup, 289-290
  - copying pixels into, 843-845
  - defining, 821-824
  - parameters, 824-825, 936-937

- proxies, 290-291
- rendering, 291
- replacing, 291-292
- respecifying portion of, 820-821, 843
- retrieving contents of, 934-935
- scaling factors, 291
- histogram
  - defining, 979-980
  - resetting, 1063
  - returning, 942-943
- minmax
  - defining, 1015-1016
  - resetting, 1063-1064
- targa files**
  - loading, 262-263, 265
  - writing to, 266-268
- tessellation**
  - FLORIDA sample program, 414-419
    - complex polygon, tessellating, 417-418
    - convex polygon, drawing, 415-416
    - vertex data and drawing code for state
      - outline, 414-415
  - GLUtesselator, 411
  - overview, 409-410
  - tessellator callbacks, 412-413
  - vertex data, specifying, 413
- tessError function, 412**
- testing**
  - alpha testing, 249, 786
  - stencil testing
    - glStencilFunc function, 1076-1077
    - glStencilFuncSeparate function, 1077-1079
    - glStencilOp function, 1080-1082
    - glStencilOpSeparate function, 1082-1084
  - texture objects, 331
- texels**
  - definition of, 16, 304
  - formats, 306
- TEXTGEN program, 351-354**
- text.** *See also* fonts
  - bitmap fonts, 697-698
  - shader text, 528-529
- TEXT2D program, 669, 671**
- TEXT3D program, 666-668**
- texture combiners, 369-371**
- texture lookup functions, 544-545**
- texture1D function, 544**
- texture1DLod function, 544**
- texture1DProj function, 544**
- texture1DProjLod function, 544**
- texture2D function, 544**

**texture2DLod function, 544**

**texture2DProj function, 544**

**texture2DProjLod function, 544**

**texture3D function, 544**

**texture3DLod function, 544**

**texture3DProj function, 544**

**texture3DProjLod function, 544**

**textureCube function, 544**

**textureCubeLod function, 544**

## textures

active texture, selecting, 785, 814

anisotropic texture filtering, 344-346

beach ball texture fragment shader, 592-595

binding, 795-796

checkerboard texture fragment shader,  
589-591

compressing, 347-349, 937-938

data types, 306-307

deleting, 863-864

dependent texture lookups, 572

depth textures, 498-500

environment parameters

returning, 964-966

setting, 1087-1091

filtering, 318-319

fixed fragment processing, 520

fixed vertex processing, 519

floating-point textures

High Dynamic Range (HDR), 622-623

OpenEXR file format, 623-626

overview, 622

tone mapping, 626-630

internal formats, 305

isotropic texture filtering, 345

loading, 304-307

from color buffer, 307

glCopyTexImage1D function, 307

glCopyTexImage2D function, 307

glTexImage function, 304-307

glTexImage1D function, 304

glTexImage2D function, 304

glTexImage3D function, 304

loading compressed textures, 349-350

mipmapping

hardware generation of mipmaps, 329

LOD BIAS, 329-330

mip levels, generating, 328-329

mipmap filters, 327-328

overview, 325-327

multitexture

multiple texture coordinates, 363-364

MULTITEXTURE sample program, 364-369

overview, 362-363

names, generating, 902

one-dimensional texture images, specifying,  
1094-1099

OpenGL ES specifications

ES 1.0, 740-741

ES 1.1, 743-745

ES 2.0, 748-750

overview, 16, 303-304

parameters, 318

returning, 970-973

setting, 1110-1114

point sprites

overview, 371-372

point parameters, 374

POINTSPRITES sample program, 372-373

texture application, 374

priorities, 1046-1047

procedural texture mapping vertex shader,  
588-589

PYRAMID sample program, 311-316

RenderScene function, 313, 316

SetupRC function, 313, 316

source code, 312-315

querying, 990-991

resident status, 787

secondary specular color, 341-344

stacks, 143

state, 304

subimages

one-dimensional, 1115-1116

three-dimensional, 1119-1121

two-dimensional, 1117-1119

texels

definition of, 304

formats, 306

texture combiners, 369-371

texture coordinate generation, 350-354

cube mapping, 357-361

disabling, 350

enabling, 350

eye linear mapping, 355-356

object linear mapping, 354

parameters, returning, 966-967

sphere mapping, 356-357

TEXGEN sample program, 351-354

- texture coordinates, 308-310
  - arrays of, 1085-1087
  - controlling generation of, 1091-1093
  - setting, 1018-1020, 1084-1085
- texture environment mode, 316-318
- texture images, returning, 967-969
- texture lookup functions, 544-545
- texture matrix, 311
- texture names, generating, 902
- texture objects
  - allocating, 330
  - binding, 330
  - deleting, 330
  - multiple textures, managing, 331-338
  - overview, 330
  - resident textures, 338
  - testing, 331
  - texture priorities, 339
- three-dimensional texture images, specifying, 1105-1110
- toon-shading (cell-shading), 321-325
- toy ball texture fragment shader, 595-599
- two-dimensional texture images, specifying, 1099-1104
- updating, 307-308
- vertex arrays, 434
- wrap modes, 320-321
- three-dimensional graphics. See 3D graphics**
- throughput. See geometry throughput**
- Thunderbird model. See THUNDERGL program**
- THUNDERGL program, 439**
  - code listing, 446-449
  - DrawBody function, 440
  - indexed vertex arrays, creating, 442-445
  - memory requirements, determining, 441-442
  - rendering modes, 445-446
- ThunderGLView class, 701-705**
- tone mapping, 626-630**
- TOON program, 321-325**
- toon-shading (cell-shading), 321-325**
- toonDrawTorus function, 322**
- toy ball program**
  - bloom effect
    - bright pass, 633-634
    - drawing scene, 630-633
    - framebuffer, 636-638
    - Gaussian blur, 634-636
    - overview, 630
    - PBOs (pixel buffer objects), 638
  - toy ball texture fragment shader, 595-599
- tracking color, 194**
- transfer modes (pixels), setting, 1036-1039**
- transferring pixels, 277-281**
- TRANSFORM program, 157**
- transformations**
  - actors
    - actor frames, 161-163
    - definition of, 161
  - adding together, 160-161
  - ATOM sample program, 143-146
  - camera transformation, 164-165
  - eye coordinates, 129
  - fixed vertex processing, 518
  - matrices
    - column-major matrix ordering, 154-155
    - creating, 157-159
    - definition of, 134
    - identity matrices, 140-142
    - loading, 156-160
    - matrix stacks, 142-143
    - modelview matrices, 136-139
    - overview, 134-135
  - modeling transformations, 129-130
  - modelview transformations, 129, 132
  - OpenGL ES specifications, 740
  - overview, 127-128
  - pipeline, 135-136
  - projections
    - definition of, 129
    - orthographic projections, 133, 147-148
    - overview, 132-133
    - perspective projections, 133, 148-154
  - rotation, 138
  - scaling, 139
  - SPHEREWORLD sample program
    - ApplyActorTransform function, 169
    - DrawGround function, 166, 168
    - RenderScene function, 166-169
    - SetupRC function, 165, 168
    - SpecialKeys function, 167, 171
  - translation, 137-138
  - vectors, 155
  - viewing transformations, 129-130
  - viewport transformations, 129, 134
- TRANSFORMGL program, 159-160**
- translation, 137-138**
  - matrices, 1121-1122
- transparency, 18**
- triangle fans, 97-98**
- TRIANGLE program, 98-101, 184-185**
- triangle strips, 96-97**
- triangles, drawing**
  - overview, 94
  - simple example, 94-95

- triangle fans, 97-98
- triangle strips, 96-97
- windings, 95-96, 201
- trigonometry, 81**
- trimming NURBS surfaces, 406-408**
- troubleshooting**
  - error codes, 68
  - error flags, displaying, 67-68
  - FBOs (framebuffer objects), 612-613
  - overview, 67
- TrueType fonts**
  - 2D fonts and text, 669, 671
  - 3D fonts and text, 666-668
  - overview, 666
- TUNNEL program, 331-336**
- turning on/off state variables, 65-66**
- two-dimensional convolution filters**
  - copying pixels into, 846-848
  - defining, 839-841
- two-dimensional evaluators, defining, 1006-1009**
- two-dimensional graphics. See 2D graphics**
- types (data), 532-533**

## U

- ultraviolet light, 174**
- uniform qualifier, 535**
- uniform variables**
  - returning location of, 975
  - returning value of, 974
  - specifying value of, 1122-1126
- unit normals**
  - averaging, 211-213
  - calculating, 202-203
  - converting surface normals to, 201
  - definition of, 201
- unsigned integer element indices, 750**
- updating**
  - buffer data store, 807-808
  - textures, 307-308
- UseMultiPassTechnique function, 678**
- UserMultiPassTechnique function, 678**

## V

- ValidateRect function, 665**
- validating program objects, 531-532, 1128-1129**
- variables**
  - arrays, 534-535
  - built-in variables, 536-537
  - data types, 532-533

- overview, 532
- qualifiers, 535-536
- state variables, 65-66, 82
- structures, 534
- uniform variables
  - returning location of, 975
  - returning value of, 974
  - specifying value of, 1122-1126
- varying qualifier, 535**
- vec2 data type, 533**
- vec3 data type, 533**
- vec4 data type, 533**
- vectors**
  - definition of, 134
  - normal vectors
    - Bézier curves, 400-401
    - normal averaging, 211-213
    - setting, 1024-1025
    - surface normals, 197-200
    - unit normals, 201-203
  - orthonormal, 155
- versions of OpenGL, identifying, 68-69**
- vertex arrays**
  - enabling, 432-433
  - indexed vertex arrays
    - creating, 442-445
    - CUBEDX sample program, 436-439
    - memory requirements, determining, 441-442
    - overview, 435-436
    - THUNDERGL sample program, 439-449
  - loading geometry, 432
  - overview, 428-429
  - pointer functions, 433-434
  - rendering with, 434-435
  - sizes and data types, 434
  - STARRYNIGHT sample program, 429-431
  - texture, 434
- vertex attribute arrays, enabling/disabling, 886**
- vertex blending vertex shader, 563-566**
- vertex buffer objects**
  - binding, 450
  - creating, 450
  - initializing arrays, 452-453
  - loading, 451
  - mixing static and dynamic data, 453-454
  - overview, 450
  - rendering from, 451-455
- vertex shaders**
  - capabilities of, 523-524
  - diffuse lighting vertex shader, 549, 551
  - fog vertex shader, 557-559

- overview, 547
- point size vertex shader, 560-561
- procedural texture mapping vertex shader, 588-589
- simple example, 526
- simple examples, 548-549
- specular lighting vertex shader, 551-553
- squash/stretch vertex shader, 561-563
- three colored lights vertex shader, 553-557, 585
- vertex blending vertex shader, 563-566

**vertices**

- attribute pointers, returning address of, 977-978
- attributes, returning, 976-977
- delimiting, 789-791
- generic vertex attributes
  - arrays of, 1134-1135
  - specifying value of, 1130-1134
- OpenGL ES specifications
  - ES 1.0, 739
  - ES 1.1, 742-743
  - ES 2.0, 746
  - ES SC, 753
- overview, 27
- rendering with array elements, 788
- specifying, 1129-1130
- tessellation, 413
- transformation, 518
- vertex arrays, 1136-1137
  - enabling, 432-433
  - indexed vertex arrays, 435-449
  - loading geometry, 432
  - overview, 428-429
  - pointer functions, 433-434
  - rendering with, 434-435
  - sizes and data types, 434
  - STARRYNIGHT sample program, 429-431
  - texture, 434
- vertex attribute arrays, enabling/disabling, 886
- vertex buffer objects
  - binding, 450
  - creating, 450
  - initializing arrays, 452-453
  - loading, 451
  - mixing static and dynamic data, 453-454
  - overview, 450
  - rendering from, 451-455
- vertex shaders
  - capabilities of, 523-524
  - diffuse lighting vertex shader, 549-551

- fog vertex shader, 557-559
- overview, 547
- point size vertex shader, 560-561
- procedural texture mapping vertex shader, 588-589
- simple example, 526
- simple examples, 548-549
- specular lighting vertex shader, 551-553
- squash/stretch vertex shader, 561-563
- three colored lights vertex shader, 553-557, 585
- vertex blending vertex shader, 563-566

**VGA (Video Graphics Array) cards, 178**

**viewing transformations, 129-130**

**viewing volumes, 28, 74-76**

**viewport transformations, 129, 134**

**viewports, 58, 1137**

**Vincent, 767**

**visible spectrum of light, 174**

**void data type, 533**

**W**

**wavelengths of light, 174**

**websites**

- list of, 774

- OpenGL SuperBible*, 5

**WGF (Windows Graphics Foundation), 646**

**WGL extensions**

- GLEE library, 679

- new entrypoints, 678-679

- overview, 676-677

- simple extensions, 677-678

- WGL\_ARB\_extensions\_string extension, 680

- WGL\_ARB\_pixel\_format extension, 680-683

**WGL\_prefix, 71**

**wglCreateContext function, 654**

**wglDeleteContext function, 664**

**wglGetExtensionsStringARB function, 680**

**wglGetPixelFormatAttribARB function, 683**

**wglGetPixelFormatAttribfvARB function, 681**

**wglGetPixelFormatAttribivARB function, 680**

**wglGetPixelFormatAttributeivARB function, 683**

**wglGetProcAddress function, 677**

**wglMakeCurrent function, 655, 663-664**

**wglUseFontBitmaps function, 666, 671**

**wglUseFontOutlines function, 666-667**

**WGL\_ACCELERATION\_ARB constant (pixel format), 681**

**WGL\_ACCUM\_ALPHA\_BITS\_ARB constant (pixel format), 682**

- WGL\_ACCUM\_BITS\_ARB constant (pixel format), 682
- WGL\_ACCUM\_BLUE\_BITS\_ARB constant (pixel format), 682
- WGL\_ACCUM\_GREEN\_BITS\_ARB constant (pixel format), 682
- WGL\_ACCUM\_RED\_BITS\_ARB constant (pixel format), 682
- WGL\_ALPHA\_BITS\_ARB constant (pixel format), 682
- WGL\_ALPHA\_SHIFT\_ARB constant (pixel format), 682
- WGL\_ARB\_extensions\_string extension, 680
- WGL\_ARB\_pixel\_format extension, 680-683
- WGL\_AUX\_BUFFERS\_ARB constant (pixel format), 682
- WGL\_BLUE\_BITS\_ARB constant (pixel format), 682
- WGL\_BLUE\_SHIFT\_ARB constant (pixel format), 682
- WGL\_COLOR\_BITS\_ARB constant (pixel format), 682
- WGL\_DEPTH\_BITS\_ARB constant (pixel format), 681
- WGL\_DOUBLE\_BUFFER\_ARB constant (pixel format), 682
- WGL\_DRAW\_TO\_BITMAP\_ARB constant (pixel format), 681
- WGL\_DRAW\_TO\_WINDOW\_ARB constant (pixel format), 681
- WGL\_FULL\_ACCELERATION\_ARB constant (acceleration flags), 682
- WGL\_GENERIC\_ACCELERATION\_ARB constant (acceleration flags), 682
- WGL\_GREEN\_BITS\_ARB constant (pixel format), 682
- WGL\_GREEN\_SHIFT\_ARB constant (pixel format), 682
- WGL\_NEED\_PALETTE\_ARB constant (pixel format), 681
- WGL\_NEED\_SYSTEM\_PALETTE\_ARB constant (pixel format), 681
- WGL\_NO\_ACCELERATION\_ARB constant (acceleration flags), 682
- WGL\_NUMBER\_OVERLAYS\_ARB constant (pixel format), 681
- WGL\_NUMBER\_PIXEL\_FORMATS\_ARB constant (pixel format), 681
- WGL\_NUMBER\_UNDERLAYS\_ARB constant (pixel format), 681
- WGL\_PIXEL\_TYPE\_ARB constant (pixel format), 682
- WGL\_RED\_BITS\_ARB constant (pixel format), 682
- WGL\_RED\_SHIFT\_ARB constant (pixel format), 682
- WGL\_SHARE\_ACCUM\_ARB constant (pixel format), 681
- WGL\_SHARE\_DEPTH\_ARB constant (pixel format), 681
- WGL\_SHARE\_STENCIL\_ARB constant (pixel format), 681
- WGL\_STENCIL\_BITS\_ARB constant (pixel format), 681
- WGL\_STEREO\_ARB constant (pixel format), 682
- WGL\_SUPPORT\_GDI\_ARB constant (pixel format), 682
- WGL\_SUPPORT\_OPENGL\_ARB constant (pixel format), 682
- WGL\_SWAP\_COPY\_ARB buffer swap value, 682
- WGL\_SWAP\_EXCHANGE\_ARB buffer swap value, 682
- WGL\_SWAP\_LAYER\_BUFFERS\_ARB constant (pixel format), 681
- WGL\_SWAP\_METHOD\_ARB constant (pixel format), 681
- WGL\_SWAP\_UNDEFINED\_ARB buffer swap value, 682
- WGL\_TRANSPARENT\_ALPHA\_VALUE\_ARB constant (pixel format), 681
- WGL\_TRANSPARENT\_ARB constant (pixel format), 681
- WGL\_TRANSPARENT\_BLUE\_VALUE\_ARB constant (pixel format), 681
- WGL\_TRANSPARENT\_GREEN\_VALUE\_ARB constant (pixel format), 681
- WGL\_TRANSPARENT\_RED\_VALUE\_ARB constant (pixel format), 681
- width of lines, 89-91, 996-997
- wiggle functions
  - definition of, 641
  - wglCreateContext, 654
  - wglDeleteContext, 664
  - wglGetExtensionsStringARB, 680
  - wglGetPixelFormatAttribfvARB, 681
  - wglGetPixelFormatAttribvARB, 680
  - wglGetProcAddress, 677
  - wglMakeCurrent, 655, 663-664
  - wglUseFontBitmaps, 666, 671
  - wglUseFontOutlines, 666-667
- Wimmer, Michael, 497
- Win32, 658. *See also* Windows, OpenGL on
- windings (triangles), 95-96, 201

**windows, 50**

- clearing, 51-53
- creating with EGL
  - display configs, 759-763
  - rendering surfaces, 763
- creating with GLX
  - GLX 1.2, 724
  - GLX 1.3+, 723-724
- frameless windows, creating, 672
- full-screen windows, creating, 672-675
- raster position in window coordinates, 1138-1139
- resizing, 58
- scaling drawings to, 56

**Windows Graphics Foundation (WGF), 646****Windows, OpenGL on**

- extended OpenGL, 644-645
- fonts
  - 2D fonts and text, 669, 671
  - 3D fonts and text, 666-668
  - overview, 666
- full-screen rendering, 671
  - frameless windows, creating, 672
  - full-screen windows, creating, 672-675
- GDI device contexts, 646
- generic OpenGL, 642
- GLRECT sample program
  - device contexts, 657-660
  - overview, 655
  - rendering contexts, 660-664
  - Win32, 658
  - WinMain function, 655, 657
  - WM\_CREATE message, 660
  - WM\_DESTROY message, 660
  - WM\_PAINT message, 664-665
  - WM\_SIZE message, 664
  - WM\_TIMER message, 664
- Installable Client Driver (ICD), 642-643
- Mini-Client Driver (MCD), 643
- mini-drivers, 643-644
- multithreaded rendering, 675-676
- OpenGL on Vista, 644
- overview, 641-642
- pixel formats
  - enumerating, 650-652
  - overview, 647
  - pixel rendering buffer flags, 649-650

PIXELFORMATDESCRIPTOR structure,  
647-649

selecting, 653-654  
setting, 653-654

WGL\_ARB\_pixel\_format extension,  
680-683

rendering context, 654-655, 660  
creating/deleting, 660-663  
initializing, 663  
shutting down, 664

SPHEREWORLD32 sample program, 683-684

**WGL extensions**

GLEE library, 679  
new entrypoints, 678-679  
overview, 676-677  
simple extensions, 677-678  
WGL\_ARB\_extensions\_string  
extension, 680  
WGL\_ARB\_pixel\_format extension,  
680-683

**Windows messages**

WM\_CREATE, 660  
WM\_DESTROY, 660  
WM\_PAINT, 664-665  
WM\_SIZE, 664  
WM\_TIMER, 664

**WinMain function (GLRECT program), 655, 657,  
673-674**

**WM\_CREATE message, 660**

**WM\_DESTROY message, 660**

**WM\_PAINT message, 664-665**

**WM\_SIZE message, 664**

**WM\_TIMER message, 664**

**Womack, Ed, 439**

**wrap modes (texture), 320-321**

**writing to targa files, 266-268**

**X-Z**

**X fonts, 728-729**

**X Server configuration, 715-716**

**X Windows, GLX**

config management, 719-723  
context management, 724-726  
displays, 718  
extending, 729  
overview, 718