

R E A L  W O R L D

THIRD EDITION

Digital Photography

INDUSTRIAL-STRENGTH DIGITAL PHOTOGRAPHY TECHNIQUES



Create professional,
compelling images

Learn how digital
cameras work

Establish effective
editing workflows

KATRIN EISMANN, SEÁN DUGGAN, AND TIM GREY

Real World

Digital Photography

THIRD EDITION

KATRIN EISMANN
SEÁN DUGGAN
TIM GREY



Peachpit Press

Real World Digital Photography, Third Edition

Katrin Eismann, Seán Duggan, and Tim Grey

Peachpit Press
1249 Eighth Street
Berkeley, CA 94710
510/524-2178
510/524-2221 (fax)

Find us on the Web at: www.peachpit.com
To report errors, please send a note to errata@peachpit.com
Peachpit Press is a division of Pearson Education.

Copyright © 2011 by Katrin Eismann, Seán Duggan, and Tim Grey

Project Editor: Nikki Ehler McDonald
Production Editor: Hilal Sala
Development and Copy Editor: Anne Marie Walker
Technical Editor: Jeffrey Greene
Proofreader: Liz Welch
Composition: Danielle Foster
Indexer: FireCrystal Communications
Cover design: Charlene Charles Will
Cover photograph: Tim Grey

Notice of Rights

All rights reserved. No part of this book may be reproduced or transmitted in any form by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher. For information on getting permission for reprints and excerpts, contact permissions@peachpit.com.

Notice of Liability

The information in this book is distributed on an “As Is” basis without warranty. While every precaution has been taken in the preparation of the book, neither the authors nor Peachpit shall have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the instructions contained in this book or by the computer software and hardware products described in it.

Trademarks

Many of the designations used by manufacturers and sellers to distinguish their products are claimed as trademarks. Where those designations appear in this book, and Peachpit was aware of a trademark claim, the designations appear as requested by the owner of the trademark. All other product names and services identified throughout this book are used in editorial fashion only and for the benefit of such companies with no intention of infringement of the trademark. No such use, or the use of any trade name, is intended to convey endorsement or other affiliation with this book.

ISBN 13: 978-0-321-70099-5

ISBN 10: 0-321-70099-6

9 8 7 6 5 4 3 2 1

Printed and bound in the United States of America

Katrin

To John, who always seems to have just the right strap, camera bag, cable, extra battery, advice, and encouragement to reduce my techno-anxiety, which allows me to enjoy exploring and taking pictures with you.

Seán

For my mother Betty Duggan, who gave me my first 35mm SLR camera as a high school graduation present, shifting my interest in photography into high gear, where it has been ever since. Thanks, Mom!

Tim

To Amber, my 10-year-old niece, who has already earned blue ribbons for her photography and has made this uncle very proud.

Acknowledgments

We often receive emails or are stopped at conferences or at workshops by people saying, “Thank you for your book” or “I use your book as a textbook.” Of course we appreciate this, but these brief encounters are never enough time to explain that writing, designing, producing, and distributing a book is only possible with the help, support, contributions, and inexorable patience of many, many people.

To the photographers and artists whose work we were allowed to feature to enrich these pages—thank you. You inspire us to be better photographers:

Mark Beckelman, Dan Burkholder, Jack Davis, Robert Anthony DeRosa, John Donich, Iuliia Gorbachenko, Greg Gorman, Stephen Johnson, Julieanne Kost, Geoff Scott, Jeff Schewe, Simone Müller, John McIntosh, John Parsekian, Jack Reznicki, Judith Tanzman, Reid Elem, John Shaw, Mike Shipman, Lindsay Silverman, Matthew Smith, and Wayne Palmer

To the many people who answered an email or phone call—usually with a plea for *as soon as possible* regarding a technical issue—thank you. Your knowledge and real-world insights made this book better:

Tom P. Ashe, Allen Furbeck, Tom Hogarty, Chris Murphy, John Nack, Bryan O’Neil Hughes, Mark Segal, Tom Swan, Seth Resnick, and John Warner

To the team at Peachpit who really stand for patience, support, cajoling (you have another deadline, keep going, you’re almost done)—thank you. We really needed your tough love to finish!

Nikki McDonald, Sara Todd, Anne Marie Walker, Hilal Sala, Liz Welch, and our technical editor, Jeff Greene

Digital photography wouldn’t exist without the engineers, software developers, and manufacturers who listen to honest feedback and continue to make better and better products. Thank you for your support:

Adobe Systems, B&H Photo & Video, Canon USA, Epson America, Gary Fong, Lensbaby, Nik Software, onOne Software, Really Right Stuff, SunBounce, and X-Rite

Finally, to our families who kept the coffee coming and looked the other way as another sunny day was spent alone while we worked on “the book”—thank you! Your willingness to model for illustrations, ability to listen to us ramble about page count, and endless patience were often the only things that kept us going!

To our students and readers, your questions and comments make us better teachers and authors. To let us know your thoughts about the book, please email us at authors@digitalphotobook.net. Note that we do not offer technical support or assist in making purchasing decisions. To notify the publisher of any errors or omissions, please email errata@peachpit.com.

These acknowledgments are our way of saying thank you to everyone. We couldn't have completed this book without a lot of people who simply make the field of digital photography better. It is an honor to be a part of such a generous and inspiring community. Now get out there and take some pictures!

—Katrin Eismann, Seán Duggan, and Tim Grey

Contents at a Glance

Preface	xxi
PART I: DIGITAL PHOTOGRAPHY ESSENTIALS.....	1
Chapter One: Nuts and Bolts of Digital Imaging.....	3
Chapter Two: How a Digital Camera Works	21
Chapter Three: Essential Accessories	87
PART II: DIGITAL PHOTOGRAPHY TECHNIQUES.....	155
Chapter Four: Digital Photography Foundations	157
Chapter Five: Seeing the Light	215
Chapter Six: Multiple Exposures and Extending the Frame.....	287
PART III: THE DIGITAL DARKROOM	355
Chapter Seven: Building a Digital Darkroom	357
Chapter Eight: Working in the Digital Darkroom.....	403
PART IV: OUTPUT, MANAGE, AND PRESENT	457
Chapter Nine: From Capture to Monitor to Print.....	459
Chapter Ten: The Digital Portfolio.....	495
Index	555

Table of Contents

Preface	xxi
Part I: Digital Photography Essentials	1
Chapter One: Nuts and Bolts of Digital Imaging	3
Resolution = Information	3
Where Resolution Comes into Play	6
Camera resolution	6
Monitor resolution	7
Printer resolution	9
Marketing Hype	10
Bit Depth	11
8 Bit vs. 16 Bit	12
Color Modes	13
Grayscale	13
RGB	14
CMYK	15
Lab	15
File Formats	16
In the Camera	16
RAW capture	16
JPEG	17
In the Computer	18
JPEG	18
TIFF	18
Photoshop RAW	19
Photoshop PSD	19
Output	19
Email and Web	20
Understanding the Concepts	20
Chapter Two: How a Digital Camera Works	21
Lens to Image Sensor to Media	21
The Lens	22
Focal Length	23
Fixed Lenses	26

Zoom	26
Optical zoom	26
Digital zoom	27
Interchangeable Lenses	28
Lens Speed	29
Lens Quality	30
Recognizing lens problems	30
Sharpness	32
Lens distortion	32
The Viewfinder and the LCD	35
LCD: Advantages and Disadvantages	36
Compact Camera Viewfinders	38
Optical viewfinders	38
Electronic viewfinders	39
DSLR Viewfinders	40
LCD live preview	41
The Shutter	41
Pushing the Button	42
Shutter lag time	42
The Image Sensor	43
Types of Sensors	44
CCD	44
CMOS	45
CCD vs. CMOS sensors	45
How Sensors Work	48
Blooming	48
Analog to Digital Conversion	49
Conversion quality	50
Noise	50
ISO	52
When to change ISO	52
Physical Size of the Sensor	54
APS-C format sensors	54
The Four Thirds system	55
Full-frame sensors	56
Impact on focal length	57
Impact on image quality	58
Digital lenses	59

Physical Size of Pixels	59
Impact on ISO	59
Impact on image quality	59
Bit Depth	60
Capturing Color	61
Filter patterns	61
Dynamic Range	63
Storing the Image	65
Digital Media	65
Size and speed do matter	67
Storage capacity	67
Write speed	67
File Formats	68
JPEG	69
RAW	69
Video	71
Flash	71
Built-in Flash	72
Off-camera Flash	72
Choosing a Digital Camera	74
Types of Digital Cameras	74
Compact cameras	74
Bridge cameras	75
DSLRs	76
Professional DSLRs	77
Medium format digital cameras, digital backs, and 4x5 scanning backs	78
How to Decide on a Camera	80
Road Map to a Camera Purchase	82
What Are You Photographing?	82
What Will You Do with the Pictures?	83
Assess Your Immediate Photographic Needs	84
How Much Photography and Computer Experience Do You Have?	84
Determine the Minimum Requirements	84
Features	84
Performance	85
Attributes	85
The Informed Photographer	86

Chapter Three: Essential Accessories	87
Your Camera Bag	87
The Camera Manual	88
More Batteries	89
Rechargeable Batteries	89
Battery Grips	91
High-capacity Batteries	91
Charging the Batteries	92
Voltage adapters	92
Solar battery chargers	93
More Storage	94
Memory Cards	94
Pocket Drives/Multimedia Viewers	96
The Importance of a Tripod	97
Choosing the Right Tripod for Your Camera	98
Aluminum vs. carbon fiber	100
Tripod heads	101
Quick releases	102
Custom quick releases	102
L-plates	103
Monopods	104
More Light	105
External Flash Options	105
Off-camera flash	107
Sync cables and slaves	108
Wireless flash control	108
Flash brackets	110
Ring lights	111
Diffusers, bounce cards, reflectors, and colored gels	111
Lenses	115
Focal-length Magnification	116
Pros and cons of focal-length magnification	116
Dedicated DSLR Lenses	118
Zooms vs. Prime Lenses	118
Lensbaby	120
Leave Your Lens at Home: Exploring Digital Pinhole Photography	122
Zoom Lens Aperture Considerations	124
Accessory Lenses for Non-SLR Cameras	124

Essential Filters	125
Stepping Rings	130
Seeing the Invisible: Digital Infrared Photography	131
Dealing with Dust	133
Dust Prevention	134
Checking for Dust	134
Cleaning the Image Sensor	135
Blowers	136
Charged fiber brushes	136
Swabs and cleaning solution	137
Odds and Ends	137
Exposure tools	137
General camera care	140
“Assistants”	140
What’s in Your Photo Studio?	144
Lighting	144
Flash	145
Studio strobes	145
Continuous light	146
Reflectors	147
Backdrops	148
Tables and workstation carts	151
Essential Studio Odds and Ends	153
Adding Flexibility and Creativity	154

Part II: Digital Photography Techniques **155**

Chapter Four: Digital Photography Foundations **157**

Setting Up Your Digital Camera	158
Choosing a File Format	158
JPEG	158
RAW	159
RAW + JPEG	159
JPEG Settings: Image Size and Compression	160
Image size	161
Compression: JPEG	163
ISO	165
Choosing an ISO setting	165
White Balance	168

Color temperature	168
Choosing a White Balance setting	171
Sharpening, Saturation, and Other Enhancement Options	175
Color Space Settings	176
Additional Camera Settings	177
Formatting the Memory Card	180
Exposure Modes	181
What Is Exposure?	182
Aperture	183
Shutter speed	185
The beauty of reciprocity	186
Full Auto Mode	189
Program Mode	189
Aperture Priority Mode	190
Shutter Priority Mode	190
Manual Mode	190
Scene Modes	191
Metadata	195
EXIF	196
Taking the Image	198
Framing	198
Horizontal or vertical?	199
Experiment with angles and different points of view	201
The Importance of Cropping in the Camera	203
Making every pixel count	203
Get closer	204
Details, details, details	205
Image Relationships	206
Digital Photography Is Photography	214
Chapter Five: Seeing the Light	215
Measuring the Light	216
How Light Meters See Light	216
Types of light meters	218
Metering Modes	222
Matrix	223
Center-Weighted	225
Spot (Partial)	226

Using the In-camera Light Meter	227
What to meter	228
Exposure lock	231
Knowing When to Override the Meter	234
Backlight	234
Snow and beach scenes	235
Nighttime	236
Exposure Compensation	237
How and When to Use Exposure Compensation	238
Know your light meter	239
Getting the Most from Digital Exposures	241
Digital is not film	241
Overexpose rather than underexpose	242
Controlled overexposure in practice	243
The big picture	243
Evaluating Exposure: Using the Histogram	244
Expose to the Right for the Best Histogram	247
Expose to the Right in Action	250
Controlling the highlights	251
Preserving shadow detail	253
Dealing with impossible contrast	254
In search of the perfect histogram	256
White Balance	257
Creating a Custom White Balance	258
White Balance Bracketing	259
White Balance and the RAW Image	261
Breaking the Rules: White Balance as a Creative Tool	263
Adding Light with Flash	264
Fill Flash	264
Bounced, Diffused, and External Flash	265
Controlling Flash Power Output	268
Balancing Flash with Ambient Light	269
TTL or Manual?	269
Working with Flash Ratios	271
Determine the base exposure for the ambient	272
Change the ambient exposure	274
Overpowering the sun	275
Make Your Own Light	277

Evaluating Images on the LCD Screen	278
Configuring LCD Settings	279
Checking Focus and Sharpness	280
Working with Live View	282
Making Selects in Camera	283
The Range of Light	285

Chapter Six: Multiple Exposures and Extending the Frame 287

Extending the Frame with Panoramas	288
Photographing Panoramas	289
Camera orientation: horizontal or vertical?	289
Image overlap	290
Exposure	290
Handheld panoramas	294
Tripod-mounted panoramas	295
Leveling the tripod	295
The importance of the nodal point	296
Finding the nodal point	297
Thinking Outside the Panorama Box	298
Vertical panoramas	298
Increasing the pixel count in an image	299
Breaking the boundaries of the rectangular frame	300
Assembling Panoramas	302
Pre-panorama adjustments	302
Photomerge	304
Choosing a layout method	304
Extending Exposure with HDR	306
When to Shoot HDR	307
Photographing for HDR	308
Exposure considerations	308
HDR styles	311
Processing the HDR Image	312
Merge to HDR Pro	313
Presets	314
Bit Depth and Mode	314
Edge Glow	315
Tone and Detail	316
Color and Curve	317

Remove ghosts	318
Edge inspection at 100%	319
Photomatix Pro	320
Generate HDR	320
Tone mapping	322
Customize with Adjustment Layers	324
Night Photography	325
Camera Controls	326
ISO	327
Exposure modes	328
White balance	329
Other Necessary Equipment	330
Tripod	330
Locking shutter release cable	332
Extra batteries	333
Useful Accessories	333
Focusing in the Dark	334
Live View for night photography	334
Flashlight focusing “assistants”	334
Using flash for focus assist	335
Dealing with Contrast Extremes	335
Light Painting	336
Night Motion	338
Motion in the scene	338
Camera motion	340
Into the Night	341
Extending the Frame with Time	341
Time-lapse Photography	342
The equipment	343
How many frames?	344
Take these tips to the bank!	344
Make the movie	345
Stop Motion Animation	347
Start with a story	348
Equipment and process	348
Camera angles and point of view	349
Assembling pictures into scenes	349
DSLR Video	350

Technical considerations	351
Preproduction and post	353
Part III: The Digital Darkroom	355
Chapter Seven: Building a Digital Darkroom	357
The Darkroom	357
Lighting	358
The Computer	361
Platform Considerations	361
Other Considerations	362
RAM	362
Processor speed	363
Hard drive	364
Display adapter/Video card	366
Display	367
Display size	368
LCD specifications	368
Calibration	369
Backup	371
External Hard Drives	371
Software	373
Offsite Storage	373
Long-term Maintenance Issues	374
Printers	375
Inkjet Printers	375
Inkjet inks	376
Specialized inks	377
Print Longevity	378
Print Size	379
Print Media	380
Cost of media	381
Essential Accessories	382
Card Reader	382
Wacom Tablet	383
Software	384
Adobe Photoshop Lightroom	384
Adobe Photoshop	385
Plug-ins	387

But wait, there's more!	389
Adobe Photoshop Elements	389
Lightroom Settings	390
Preferences	391
Catalog Settings	398
Ready for Images	401

Chapter Eight: Working in the Digital Darkroom 403

Workflow Overview	403
Download and Import	405
Using the Import Dialog	405
Image sources	406
Import options	407
Import destination	407
File Handling	408
File Renaming	408
Apply During Import	409
Destination	409
Import Presets	410
Sorting and Organizing	410
Catalog, Folders, and Collections	411
Catalog	411
Folders	411
Collections	413
View Options	415
Panel display	415
Navigator	416
Grid view	417
Loupe view	418
Compare view	419
Survey view	421
Lights Out display	422
Flags, Ratings, and Labels	424
Flags	424
Ratings	424
Color labels	425
Keywords	425
Applying keywords	426

Metadata	429
Filtering	430
Using the Filter options on the Filmstrip	430
Using the Filter Bar	430
Quick Develop	432
Processing Your Images	433
Basic Adjustments	434
Tone Curve	437
HSL / Color / B&W	438
Split Toning	439
Detail	440
Lens Corrections	442
Effects	444
Camera Calibration	446
Selective Adjustments	447
Crop	447
Spot Removal	448
Red Eye Correction	450
Graduated Filter	451
Adjustment Brush	452
Develop Presets	454
Previous and Reset	455
Leveraging Photoshop	455
The Optimized Image	456

Part IV: Output, Manage, and Present	457
---	------------

Chapter Nine: From Capture to Monitor to Print	459
---	------------

The Importance of Color Management	460
Understanding Limitations	460
Profiles	461
Where Do Profiles Go?	461
Monitor Profiling	465
Profiling Package	465
Calibration	466
Target values	467
Profile building	468
Frequency	468
Printer Profiling	469

Generic Paper Profiles	469
Profiling Services	470
Build Your Own	470
Evaluating Prints	471
Lighting conditions	471
Memory colors	473
Evaluating the print	476
Fine-tuning profiles	477
Printing via Lightroom	477
Print Setup	478
Output Settings	479
Printer Properties	482
Print to JPEG	485
Printing via Photoshop	487
Sizing the Image	488
Print Settings	489
Printer Properties	491
Printing Services	491
Specialty Print Labs	492
Online Print Services	493
The Perfect Print to Share	494

Chapter Ten: The Digital Portfolio **495**

Presenting Photos Online	495
Preparing Photos for Online Viewing	496
Image size for online display	496
Exporting Web-sized Files in Lightroom	499
The Export dialog	499
Preparing Web Images in Photoshop	502
Resizing images	502
Converting to sRGB	503
Sharpening	504
Save as a JPEG	505
Save for Web	505
Preparing Web Images in Other Programs	508
Sending Photos via Email	509
Sharing Your Photos Online	510
Personal photo sharing sites	510

Photo sharing/Social media sites	512
Photo portfolio/E-commerce sites	514
Automated Photo Web Galleries	516
Lightroom Web photo galleries	517
Testing the Web gallery	523
Saving a new Web gallery template	523
Adobe Bridge Web Photo Gallery	526
Other Web gallery software	527
Protecting Photos Online	527
Copyright	528
Copyright registration	528
Size Restrictions	530
Visible Watermark	530
Customizing watermarks in Lightroom	532
Invisible Watermark	534
Web Programming Protection	535
Limits of Protection	537
Digital Slide Shows	538
Preparing Photos for Projection	538
Slide Show Software	539
Lightroom	540
Exporting a Lightroom Slide Show	550
Apple Keynote	552
Microsoft PowerPoint	552
Photodex ProShow Gold	552
The Benefits of Sharing	553
Get Out and Photograph!	553

Preface

Photography has a rich history, from the personal family snapshot to Earth rising over the moon's horizon. In its brief 170-year history, photography has played many roles to a wide variety of people—from memory keeper to human condition revealer to personal exploration companion. Photography reveals how we perceive and is so important that we are compelled to capture, process, and share our experiences with family and friends, and now—via social media—with complete strangers. Digital photography allows us to take more pictures, more easily, and more quickly. But before we delve into the nuts and bolts of digital photography with the third edition of *Real World Digital Photography*, allow us to address some of the essential assumptions and desires that come with the act of creating images out of light and shadow.

What Is Predictable

Taking pictures is fun; taking good pictures is gratifying; consistently taking great pictures can be both a lifelong passion and a rewarding profession.

The foundation of contemporary digital photography remains rooted in the nineteenth century brilliance of George Eastman, inventor and founder of the Eastman Kodak Company and the company's slogan—*You take the picture, we do the rest*. Eastman realized that if the time-consuming technical aspects of making a photograph were provided as a service, more people would enjoy taking pictures—billions and billions of pictures.

Of course, Eastman's premise would only work if the resulting photographs were acceptable and reasonably priced. In essence, for millions of people to enjoy photography, it had to provide more than fun, and it had to produce successful and pleasing results, time after time.

The sale of each roll of film was based on the following assumptions. The great majority of photographers would take pictures outside, during the daylight hours, with clear, brightly scattered clouds. The subject matter would most likely be a portrait, a group of people, a landscape, or a close-up. When photographers worked within these basic assumptions, chances were greater for photographic success and personal enjoyment, which led to the taking of even more pictures.

Of course, photographers are more than button pushers. To increase the rate of success, a photographer carried the responsibility of choosing a subject, composing the shot, focusing, and setting the exposure relative to the light conditions and film sensitivity, all while working with a steady hand and an eye for the moment. From the hundreds of thousands of miles of exposed and processed amateur roll film to the Kodak Instamatic cameras to the disposable cameras still sold near every international tourist attraction, the rate of photographic and personal success has been incredibly high and gratifying.

What Is Anticipated

Successful, repeatable, and reliable results are also at the core of the digital photography experience. Being a photographer in the digital age echoes Eastman's premise made more than a century ago. But as echoes pass, they change to express the times. Today, the assumption is: *I take the picture. The rest is already done.* Taking, seeing, and sharing pictures is now a split second of instant gratification with nearly instant distribution.

In all honesty, all we really want is for the picture to look like the subject we perceived and photographed. The closer the photograph resembles our point of view or memory of a moment, the more successful the photograph is and the more satisfied we are. Of course, we still do our best to hold the camera steady and point it at a meaningful subject, but the settings required for a successful exposure and a sharp image are all calculated by the camera much more quickly than we can even press the shutter. On occasion, we read the camera instruction manual, but just as often, most of us figure out through trial and error how to make the camera work. Actually, unless we really put effort into making the latest digital cameras fail by overriding the recommended settings, the cameras will perform very well, resulting in a well-exposed and in-focus rendition of the scene in front of the camera.

When you pick up a digital camera—be it in your cell phone or a professional digital camera—and then press the shutter button, you are relying on countless scientists, engineers, and software developers whose goal is for you to get optimum and repeatable results in a variety of situations. As digital camera development advances, the greater the manufacturers' baseline predictions in terms of light, color, motion, exposure, and whether to shoot stills or video footage must be. If you work within the manufacturers' predictions, your results will be as good as the equipment you have chosen.

If, however, you want to get the optimum quality from your equipment or you want your images to be more expressive of your experience, you must understand that the defaults and digital imaging Auto settings are only starting points. For your images to be uniquely yours, you have a world of options to choose from and from which you can create.

If you opt to just take the pictures and let others do the rest, you can stop reading these pages. If you create a photograph *and* you want to do the rest—to be part of the creative process—then please do continue reading and growing through learning, experimentation, and being open to seeing what your photographs show you about the world and yourself.

What Is Desired

During the writing of the first edition of *Real World Digital Photography* in 1999, the authors approached digital photography with the (somewhat naïve) enthusiasm for the imaging technologies that were clearly the future, but the potential certainly outweighed the tangible results. The cameras were cumbersome, limited, and expensive, and quite frankly the pictures weren't very good either.

With the release of the second edition in 2004, the technical issues of resolution, dynamic range, and color rendition of digital in comparison to film were close to being settled but at an extreme cost that primarily professional photographers with hefty client lists or dedicated amateurs with disposable income were able to delve into.

Now, with the third edition of *Real World Digital Photography* in 2010, we no longer compare digital with film. For most photographic processes, digital is the clear winner in terms of quality, ease of use, reliability, and price

performance. Many photographers working today have never even bought a roll of film. The quality, performance, and price ratios are refreshingly balanced. Cost is relatively low, and digital image quality is very high.

Real World Digital Photography serves photographers who want more from their experience of taking pictures than simply pressing the shutter. With *Real World Digital Photography* you will learn the vocabulary, technical considerations, and skills to improve your photography. This is an essential introduction to a wonderfully complex and creative endeavor that is written by three artists, educators, and passionate photographers—Katrin Eismann, Seán Duggan, and Tim Grey. Each author has taken the time to consider and condense what each feels are the essential skills and considerations for you to be a highly successful photographer who appreciates and enjoys the idea of: *You take the picture. You gladly do the rest.* This book guides you to create compelling images with the confidence that your technical decisions are sound and your creative results best reflect your unique vision. Taking pictures is a positive endeavor that allows you to see yourself and the world more clearly.

—Katrin Eismann with John McIntosh

Digital Photography Foundations

4

With most digital cameras, it's easy to begin taking photos as soon as you insert a battery and a memory card. But it's important to familiarize yourself with the different settings contained in your digital camera's menus and submenus. Human nature being what it is, of course, most of us probably take lots of pictures before delving too deeply into the instruction manual. The fully automatic mode on most cameras that handles every decision for you except where to point the camera makes this very easy to do. The Auto mode is great for those times when you need to take a picture quickly and don't want to think about which setting to use. But to achieve the photograph you're after, you'll more often need—and want—to take the camera off autopilot. Understanding the core concepts outlined in this chapter will make the difference between using your digital camera as a nifty gadget and using it as powerful creative tool.

In the first part of this chapter, we'll explain some important settings and menu options to help you know your camera better. In addition, we'll take the time to review some fundamentals of photography and how they relate to digital cameras. In the second part of this chapter, we'll look at some of the important concepts and practices that form the foundation of making good photographs.

Setting Up Your Digital Camera



NOTE We highly recommend that you either read your camera manual from cover to cover before proceeding or have it within reach as you dive into this chapter.

The path to a camera's menu system differs from one camera to the next. With some you may be able to access it by simply pressing a Menu button on the back of the camera. With others, you might have to rotate a dial to a special position. Some cameras separate the menus into two sections: one for overall setup configuration that you access via a dial and another with specific shooting mode options that you access with a button. Depending on the camera you have, the order of the settings may vary, and some of the ones mentioned here might not be available to you, but many of them are standard on most digital cameras. We'll start with the items that are the most important for image quality.

Choosing a File Format

The first setting to consider is what file format to use when saving the images to the camera's memory card. The two choices are JPEG and RAW. Depending on the type of camera you have, RAW may not be an option. Some cameras also offer the ability to record short video clips, but for this section we'll focus on still images. We'll discuss video capabilities in Chapter 6, "Multiple Exposures and Extending the Frame."

JPEG

Most consumer-level digital cameras offer only one "choice" of file format: JPEG. If this is the case with your camera, then your choice is easy. Shooting in JPEG also offers you the ability to choose different image sizes and compression levels (how small the file size is when saved to the memory card). Image size and compression are important settings that affect how many images you can fit onto a memory card, as well as image quality. We'll take a closer look at those settings shortly. As you move into the world of deluxe point-and-shoot and more advanced models, an additional format will likely be available: RAW.

RAW

As you saw in Chapter 2, “How a Digital Camera Works,” a RAW file isn’t really an image file format; rather, it contains the data gathered by the camera’s image sensor *before* any post-capture processing is applied to it. A RAW file is a “recipe” to make an image. And just as you can modify or improve a recipe for a food dish, with RAW processing software you can also modify the RAW recipe and change certain aspects of how the image looks.

RAW gives you the most creative control and editing flexibility. Since the RAW format is “unprocessed,” you can compensate (within reason) for exposure deficiencies in the capture during image processing. Although RAW offers unprecedented control in how you can process the captured image, for some people, RAW’s primary disadvantage is that it adds additional steps to the workflow. You can’t simply open the image directly into Photoshop or another program. You must convert the RAW file to a common image file format, using either the camera manufacturer’s proprietary software or other products such as Adobe Lightroom, Apple Aperture, Adobe Camera Raw (which comes with Adobe Photoshop), or other programs. Many consumer-level photo sharing and editing applications, such as Apple’s iPhoto, also offer the ability to view RAW files from some cameras as long as the software is up to date and offers support for your particular camera. We feel the extra conversion step is a small price to pay for the considerable creative choices and nondestructive workflow that RAW provides. If your camera supports a RAW format, and maximum quality and control over the image processing are important to you, we recommend choosing the RAW format over JPEG (see the sidebar “The Case for RAW”). For more on integrating RAW images into your imaging workflow using Lightroom, see Chapter 8, “Working in the Digital Darkroom.”

RAW + JPEG

For those times when the convenience of JPEG is still important, such as when you need to hand off files to a client right after a shooting session or for the simple reason that you’re not totally confident with RAW processing yet, many cameras offer the ability to shoot in RAW + JPEG mode. This mode saves a RAW file along with a JPEG version of each shot. The downside to this approach is that it reduces the number of photos that can be saved to the memory card. But for some situations it may be the perfect compromise between the ease of use that JPEG offers and the full control and image quality available in a RAW file.

The Case for RAW

When faced with a choice between using JPEG and RAW for our photographs, we almost always choose RAW. Our bias here has less to do with JPEG compression issues and more to do with the “no turning back” nature of JPEG. Once an image is captured and recorded in the JPEG format, all the camera settings, such as sharpening, saturation, contrast, white balance, and exposure compensation, are irrevocably applied to the photo. With RAW, the image is left untouched by the camera, leaving you to apply these settings at your discretion in a RAW conversion program. This means, essentially, that you get a second chance to evaluate the image on a large monitor and decide which settings suit it best. And you can do this repeatedly, since the original RAW image remains untouched. Additionally, shooting in RAW gives you access to the higher bit depth captured by your camera's image sensor; JPEG files are limited to 8 bits.

We really appreciate the control and flexibility available in the RAW format. It's not that we have commitment issues, but few things in life are as flexible as a RAW digital capture combined with all the possibilities that programs like Lightroom and Camera Raw offer, and since that flexibility is there for us, we like to take advantage of it. With JPEG, you can never go home again. With RAW you can go home as often as you like and are always welcomed with open arms.

Despite our bias toward RAW, we do realize that this format is not ideal for everyone or every situation (for instance, fast-action photos that require shooting multiple frames per second for a sustained period or product shoots and event photography that involve hundreds of images and controlled lighting). But for most images, RAW is our format of choice.

JPEG Settings: Image Size and Compression

If you are shooting JPEG, of all the menu settings you can make at the camera level, arguably the most important in determining final image quality are image size and compression. ISO and White Balance are two other important settings that can affect image quality, but they apply to both RAW and JPEG files and we'll cover them later in this chapter.

The image size in pixel dimensions is the primary determinant of how large a print you can make, and the compression level affects the quality of the image once it's written to the memory card in the JPEG format. Other settings, such as sharpening, saturation, and contrast adjustments, can also affect the quality of a JPEG image, of course, but they usually show up farther down in the menu system, so we'll cover them a bit later in this section.

Image size

Most cameras offer a number of size settings to choose from. Cameras may identify image sizes in their menu as large, medium, and small; or they may use terms like *full* or specify an exact pixel size, such as “10M 3648x2736” (Figure 4.1). *Large* or *full* is typically the largest image size that the camera can produce and in most cases reflects the actual size of the camera's sensor in terms of pixel resolution. Some cameras may also offer a resolution that is slightly different than the largest size to provide a different aspect ratio. If the menu choices don't list a specific pixel dimension, you'll have to resort to your camera's manual to determine the exact pixel dimensions of each setting. If you're shooting in RAW format, you do not have a choice of image size, since RAW is always recorded at the largest size the camera can produce. What you plan to do with your image, as well as how many images you want to fit onto the memory card, will determine which settings you use.



Figure 4.1 Cameras specify image size options using different terms.

The intoxicating prospect of storing hundreds of images (or thousands, depending on the capacity of the card) on a single memory card might tempt you to choose a smaller image size. The only circumstances in which we would advise this approach is if you know you'll never need to make larger prints or if you find yourself pressed for space on the storage media and

have no choice at that moment. If making high-quality fine prints is your main concern, we recommend always setting the image size as large as the camera will allow (actually our recommendation for that goal would be to shoot in RAW). More pixels equal a larger file size, but more important, they also mean more detail and more flexibility if you have to make adjustments to the photo at a later time. As the saying goes, “It’s better to have it and not need it than need it and not have it” (**Figure 4.2**).




Figure 4.2 Shooting with a larger image size (more pixel resolution; left) gives you greater flexibility and better quality if you need to crop the image later (right).

Capturing images at the highest pixel resolution offered by your camera is crucial for making fine digital prints, but we realize you won’t always have printmaking in mind. If you plan on using the image only for email or to advertise an item on eBay, you might choose a smaller size. Photographs for online catalogs or other uses that have a short shelf life are also candidates for a smaller image size. Even if your image is only destined for the Web, there’s a lot to be said for photographing it at a larger size. This allows you to crop or enlarge it, as well as zoom in close to do fine detail work in an image-editing program. Another reason to shoot at larger image sizes is so you can use the image for other purposes at a future time where you may need a higher resolution. Shooting at a larger size gives you more options.



Figure 4.3 Check to see if your camera provides quick access to an info summary screen so you can see all the important settings in a single screen.

TIP Because digital cameras allow you to change image size (as well as file format, compression, ISO, white balance, and so on) on a shot-by-shot basis, it's easy to select a small image size and then forget about it. If you move on to new images that require a larger image size, you may not realize that you've been shooting lower-resolution images until it's too late. To avoid such calamities, get in the habit of doing a quick “pre-flight” check of the camera settings each time you start photographing a new assignment or you move your location. Some cameras provide a summary of all the critical settings in a single screen (Figure 4.3). Better yet, check whether your camera allows you to save a group of specific settings as a user-defined preset.

Compression: JPEG

When using the JPEG format, one crucial decision is how much compression to apply. The decision is always a compromise between image quality and the number of files you can fit on the memory card. Unless you need to cram as many images as possible onto the card or the final quality is not that crucial, we recommend always using the setting that delivers the highest image quality (lowest compression level). JPEG compression degrades the image, and when applied at higher compression levels, the artifacts and flaws it introduces can wreak havoc with the fine details of an image (see the sidebar “The Lowdown on JPEG Compression”). In most cases, a high-quality compression setting produces excellent image quality and generates compact file sizes that allow you to fit many images onto a memory card.


Remember that the level of compression works hand in hand with image size in terms of final image quality. Seán once had a student in a basic digital photography class who conscientiously set the compression to high quality for her first trip through Europe. When she returned from her vacation, she realized that she had forgotten to check the camera's image size settings and all of her pictures had been recorded at the smallest size. She was dismayed to discover that the quality of the enlargements was below her expectations, and she had to be satisfied with slightly soft 5-by-7 inch prints instead of the 8-by-10s she was hoping for. Cultivating an awareness of your camera's settings and checking them often will ensure that you're always capturing the image quality you need.

The Lowdown on JPEG Compression

JPEG achieves its incredibly small file sizes by using a clever compression scheme that modifies the pixels in an image so they can be described using less data. At the heart of this procedure is the way the JPEG format “sees” your image by breaking it up into sections. JPEG analyzes the pixels in the file in 8-by-8-pixel blocks (64 pixels at a time) and compares the color variation between pixels in the block to identify the average color. Once it determines the average, it examines the rest of the pixels in the block and throws out information that will be imperceptible to the human eye. If a pixel is close to the average color, for example, its color will be changed to match the average. Those pixels that are far from the average will be adjusted to make them a closer match. Taking advantage of the fact that human visual perception is less sensitive to changes in color than in luminance (brightness), the color values in the 8-by-8 blocks are changed more than the luminance levels. By averaging colors in this way, JPEG can write the file using less information, resulting in a much smaller file size.

In the magnified view of eight levels of JPEG compression (**Figure 4.4**), you can see how the color values have been altered from quality level 12 down to level 2. It should be noted that these JPEG samples were prepared using an uncompressed file in Photoshop to illustrate how JPEG compression affects the pixels in an image. Digital cameras do not offer this many levels of compression.

Figure 4.4 Eight detail views showing how JPEG compression changes the colors of pixels in an image. View A is the uncompressed image, and views B through H show progressively higher amounts of JPEG compression.



For some people, the specter of *lossy* compression (meaning color information is irreversibly changed) is enough to steer them away from the JPEG format. Digital cameras, however, do a very good job of compressing their images as long as you select the best quality setting (the lowest level of compression). At high-quality settings, most digital cameras will produce images indistinguishable from an uncompressed shot of the same scene. With a properly exposed photo, high-quality JPEG can be an excellent format that provides good quality and convenience for the average photographer. For those who demand the ultimate in control over post-capture adjustments, however, the RAW format offers much more flexibility.

ISO

The ISO setting determines a digital camera's sensitivity to light. As the ISO rating doubles, the light sensitivity of the image sensor also doubles—or it can be considered twice as “fast.” This is similar to how the ISO rating works for film. Unlike with film, however, where the ISO is the same for an entire roll, digital cameras let you change the setting on a shot-by-shot basis. This provides you with tremendous flexibility in your photography. You could shoot at ISO 100 in the bright sunlight for most of the day, for example, and then quickly switch to ISO 400 or much higher if you suddenly found yourself in heavy shade or went indoors.

With film, the chemical recipe used to create the light-sensitive emulsion determined the ISO sensitivity. As you saw in Chapter 2, even though a digital camera offers different ISO settings, the image sensor has a specific sensitivity that can't be changed. To increase the effective ISO setting, the sensor's signals are amplified as they are handed off for internal processing by the analog-to-digital converter. In this respect, the ISO setting on a digital camera has more in common with the volume control on your stereo, since it just “turns up” the signal from the sensor, allowing the camera to be more sensitive in lower light levels.

Choosing an ISO setting

Most compact and point-and-shoot cameras have ISO settings that range from 100 to 1600. Many also offer an auto-ISO feature as the default setting. This setting is usually equivalent to 100 or 200 in well-lighted conditions, but it automatically rises when light levels are low. More advanced cameras offer a wider range of ISOs—up to 6400 along with an ISO expansion or “boost” feature that makes ISO ratings of 25,000 or more possible. Keep in mind that using a higher ISO setting, especially in low-light conditions, increases the likelihood that noise will appear in the image, although the noise levels on newer pro DSLRs at ultra-high ISO settings are still remarkably good. The amount of noise you will see in an image will be affected by the characteristics of the individual sensor (including the size of the sensor—expect to see more noise on images from compact cameras) and the camera's image processor (**Figure 4.5**). Proper exposure can also have an effect on noise levels, no matter what the ISO setting is, and noise is more likely to be visible in underexposed images. Like film grain, noise tends to rear its ugly

head more often in darker areas of the image (**Figure 4.6**). To see how image quality is impacted by ISO on your camera, take some test shots in a dark environment at different ISO settings and evaluate them on a computer to determine your personal tolerance for image noise. If you are shooting JPEG, be sure to use the largest image size possible and view the images at 100% to see the best display of fine details.

Figure 4.5 An old radio photographed with an inexpensive compact camera (left) and a full-frame sensor DSLR (right). Both images were shot at ISO 1600, but the smaller sensor of the compact camera yields an image with more noise.





Figure 4.6 Two test shots from a Canon 5D: Though both were photographed at the same ISO (3200), the image on the right was underexposed by 2 stops, and after lightening it in Adobe Camera Raw the noise is quite apparent.



Since the ISO setting you choose will be influenced by the type of photographs you're taking and the lighting conditions you're in, there's no "right" ISO setting, but there are some general guidelines you can follow:

- **Low ISO for minimal noise.** If your main concern is capturing the best image quality with the least amount of noise, use low ISO settings. Every

camera is different, of course, and this is where making test exposures at different ISO settings can be very valuable in helping you decide on the ideal setting for different types of images. If you find that the shutter speed at a given ISO is too slow for a handheld shot, choose a wider lens aperture or use a tripod. If you don't have a tripod, stabilize the camera by resting it on a table, the roof of your car, a tree stump or wall, or another object. When all else fails, try bumping the ISO up to a higher number.

- **Higher ISO for low light or fast capture.** For low-light photography or situations where you need to react fast to changing conditions or capture motion (and using a tripod is not an option), higher ISO settings will provide you with a wider range of exposure options. Most high-end and professional DSLRs produce excellent results with surprisingly low noise levels at ISO settings of 1000 to 3200. And the ISO expansion or boost feature on many cameras can produce very serviceable images even at ultra-high ISO settings of 25,000. Higher ISOs are appropriate for times when you must use a fast shutter speed that's not available with a lower ISO or if there simply isn't enough available light for handheld photography.
- **Auto ISO.** Many cameras offer an Auto ISO setting where the camera will adjust the ISO as the lighting levels change. Most Auto ISO features base their choice of ISO on the ability to use a shutter speed that is fast enough for handheld photography. If you'd rather not worry about keeping track of the ISO, Auto ISO may be way to go.

Using Noise for Creative Effect

Back when film was the primary medium used for making photographs, many photographers developed an appreciation for the look of certain film grain and would use a particular film stock not only for its increased sensitivity to light, but also for the aesthetic qualities of its grain pattern. Unfortunately, digital noise is not quite as attractive as film grain, and the presence of too much noise in an image may prove disappointing, especially if you're used to the look of film grain. We find it's better to capture images with little or no visible noise and then add a grain effect later in Lightroom, Camera Raw, or Photoshop where we have more control. Noise in a digital capture can be minimized to a certain extent by using image-editing software, but the result is never as satisfying as if the noise levels were low or nonexistent to begin with. The best noise-reduction strategy we can advise is to try to avoid it in the first place. For those times when circumstances beyond your control leave you with no choice in the matter, we cover noise reduction in Chapter 8.

White Balance

Photography is all about light (the Greek word photography derives from phos and graphis meaning “light writing”), but not all light is created equal. Different sources of light produce illumination with different color characteristics. A digital camera’s ability to record an image with an accurate color balance is largely determined by the *White Balance* setting. Before we delve into the nuances of white balance and digital photography, let’s take a quick look at the science behind it.

Color temperature

The term *color temperature* is used to describe the color of light, but it doesn’t refer to the thermal value of the light (in other words, heat); rather, it refers to the visual appearance of the light. Color temperature is always measured in Kelvins, or K, a unit named for Lord William Thompson Kelvin, the 19th-century Scottish physicist who first developed the absolute temperature scale. In photography, the Kelvin scale describes the relative intensity of red to blue light. Lower temperatures describe light that is warmer, or redder in appearance; midrange temperatures refer to light that is white, or neutral; and the highest readings indicate light that has a cooler, or bluer, appearance (see the sidebar “Color Temperature: Don’t Try This at Home”). On the warm end of the scale, you might find light created by candles or standard lightbulbs (1000K to 2500K). In the middle of the scale is typical daylight and electronic flash (5000K to 5500K). And on the cool side is open shade and overcast days (7000 to 10,000K). **Table 4.1** lists different lighting conditions and their approximate color temperatures.


 **NOTE** Some light sources are by nature nonspecific and subject to influence from other factors (altitude, atmospheric conditions, and so on); therefore, the color temperatures given here are approximate.

Table 4.1 *Approximate Color Temperatures for Common Light Sources*

1000K	Candlelight, firelight, oil lamps
2000K	Sunrise
2500K	Standard household lightbulbs
3200–3400K	Tungsten photo lights: studio hot lights, photo floodlights
5000K	Typical daylight, electronic flash
5500K	Daylight-balanced films; electronic flash
6000K	Bright sunlight, clear skies
7000K	Slightly overcast skies
9000K	Open shade on a clear day
10,000K	Heavily overcast skies

Although different sources produce light with varying color temperatures, the amazing thing about human vision is that our eyes and our brain continuously balance the colors, no matter what the lighting may be, so that we see a scene with a reasonably accurate color balance. If you leave an office building that is lit with ordinary fluorescent lights, which are closer to the green end of the spectrum, and walk out into the sunlight, you don't notice any major changes in the color balance of the objects you're viewing. Even with such a sophisticated visual system, however, there are still situations where we notice that some light sources produce illumination that's noticeably "warmer" (early morning, late afternoon, or candlelight) or "cooler" (shade or twilight).

Cameras, unfortunately, are not nearly as advanced as the human visual system, though the image sensors in digital cameras do have an edge over film. You've probably seen photos from film cameras that were taken inside under typical household lighting with no flash. An image made under those conditions usually exhibits a strong yellow color cast (**Figure 4.7**). The reason is that film emulsions are manufactured to produce a response that matches a general category of illumination, such as daylight. If daylight-balanced film is exposed in normal household lighting, the color balance tips toward yellow because the film is designed to produce a balanced response at 5500K, whereas the illumination indoors is a cooler color temperature (and has a warmer appearance) of about 2500K.

Indoor



Outdoor



Figure 4.7 In an indoor shot with no flash; typical household lightbulbs create a strong yellow color cast. When the same subject is photographed outside, the color balance is more neutral.

With film, the choices for color balance were limited to daylight and tungsten lamps. If you needed to make further adjustments, you had to rely on color-correction filters. Digital cameras, on the other hand, make no assumptions about the type of light you're shooting in until the image data is processed by the camera's software. The decision the camera makes about how the colors in an image should be rendered is determined by the White Balance setting. At the most basic level, the camera uses white balance to accurately reproduce white. If you get the white balance right, all the other colors should also be accurate.

Color Temperature: Don't Try This at Home

One of the most confusing aspects of color temperature is that light with a warmer appearance has a lower temperature, whereas light that exhibits cooler, bluer characteristics is said to have a higher temperature. This is, of course, completely counterintuitive to our normal association of cooler with lower temperatures and warmer with higher readings, but there is a method to this madness.

The key to this seemingly backwards scale can be traced back to 1899 and the German physicist Max Planck's experiments with thermal radiation and black body radiators. In physics, a black body is a theoretical object that absorbs all wavelengths of thermal radiation falling on it, reflecting no light and appearing totally black at low temperatures. When heated, however, a black body emits thermal radiation. At lower temperatures, this radiation is invisible to the human eye, but as the temperature increases, the radiation becomes visible as the black body begins to glow and give off its own light.

To bring this discussion into the realm of common experience, imagine a darkened kitchen and a black, cast iron frying pan on the stove with the burner turned up to high. Once the iron pan gets hot enough, it will begin to glow a dull reddish color (1000K). As the temperature increases, the color of the glowing metal shifts to orange and then yellow (2000K–3000K). As the pan becomes hotter still, the color of the superheated metal transforms into a yellowish-white (above 3000K). By the time the color of the frying pan reaches 5000K, it will be glowing white-hot. Continued color temperature increases past 7000K shifts the color of the glowing iron pan into the blues of the higher frequency regions of the visible spectrum.

The incendiary nature of this experiment moves us to caution you against trying it out in your own kitchen. It's much safer as an imaginary exercise to help you understand where color temperature comes from. Real experiments with black body radiators are better left to trained professionals who possess the necessary equipment and stylish blast furnace fashions to protect themselves.

Choosing a White Balance setting

By setting the White Balance in a digital camera, you're specifying the type of light source that's illuminating the scene. There are a variety of different settings that affect the camera's interpretation of the white balance in a scene. Here is a rundown of how these settings work:

- **Auto White Balance.** All digital cameras offer an Automatic White Balance (AWB) feature. With AWB, the camera evaluates the scene and tries to find the brightest point that is close to white. From this reading it determines the White Balance setting for the scene. Some AWB systems perform a more advanced evaluation that factors in many different areas of the scene and performs complex calculations to arrive at a white balance decision.

AWB works quite well in most situations, although this can vary depending on the image processor in the camera and the type of lighting.

The main advantage of using AWB is the convenience of not having to remember to change the setting when the lighting changes. One of the advantages of shooting in RAW is that White Balance is not a “permanent” setting, and you can easily fine-tune the white balance of photographs in your RAW processing software.

As with any auto feature, however, there are times when it can be fooled, especially if the image lacks any tone that is close to white, is dominated by one particular color, or when you're photographing in low-temperature illumination, such as with tungsten lightbulbs. Even in scenes that do have obvious white areas, the presence of very bright specular highlights (a highlight that is totally white) can also throw off the AWB and prevent it from determining the correct white balance for a scene (**Figure 4.8**). Subtle white balance color shifts can be hard to see and evaluate on the LCD monitor on the back of the camera, particularly in bright sunlight. If you are photographing under a controlled or consistent light source, such as in a studio, it's best to use a custom white balance to fine-tune color temperature settings.



NOTE Many cameras offer an AWB Bracketing feature. This will typically take three shots, one set to what the camera's AWB recommends and two others that are warmer and cooler. If you are unsure of the White Balance setting, this can help you decide which White Balance setting is best for the scene. We cover this in more detail in Chapter 5, “Seeing the Light.”

Figure 4.8 *In this photo, a tungsten light source and the presence of very bright specular highlights in the background prevent the AWB feature from finding a correct white balance.*



- **White balance presets.** Most digital cameras offer a choice of white balance presets that are designed for specific lighting conditions. Standard choices include Daylight, Shade, Cloudy, Tungsten (sometimes labeled Indoors or Incandescent), Fluorescent, and Flash. Although settings such as these are useful for those times when they match the lighting you are in, we've found that the AWB feature on most cameras does an excellent job of figuring out the approximate color temperature of the lighting and adjusting the camera accordingly. The one exception to this is tungsten lighting. Even with AWB the shot is likely to turn out too yellow for most people's tastes. In this case, choosing the tungsten white balance preset gives you a more balanced shot. The main drawback to using white balance presets is that it's easy to forget to change the setting back to auto if you move to another location where the lighting is different.

If you find you're shooting in tricky lighting, you can always make a few test shots with the camera set to the white balance preset that most closely matches the existing light. Fluorescent lights are likely to have

the most variance from the setting your camera offers, simply because so many different types of lights fall under this general category. As with any camera setting that can affect image quality, we recommend testing the white balance presets in the appropriate lighting before you're on an actual shoot. By making test photos and then evaluating them on your computer, you'll be better able to predict how a certain preset will perform under different lighting conditions (**Figure 4.9**).

Auto White Balance



Daylight



Shade



Cloudy



Tungsten



Fluorescent



Figure 4.9 Besides AWB, standard color temperature presets included on digital cameras are Daylight, Shade, Cloudy, Tungsten, and Fluorescent.

NOTE Several useful products are designed to help in setting a custom white balance, either before taking the image or when processing the RAW file. You can find a listing of some of these products in Chapter 3, “Essential Accessories.”

- Custom white balance.** Some deluxe point-and-shoot cameras and nearly all DSLRs provide the capability to set a custom white balance based on the lighting at any given location. You usually do this by photographing a white object, such as a sheet of paper or a gray target, under the specific lighting conditions you want to adjust for. The goal is to shoot a normal exposure, since an underexposed or overexposed shot can give an incorrect white balance. In the camera's Custom White Balance mode, you then select this image as the source, and the camera calculates the custom white balance. The exact steps for determining a custom white balance may vary depending on your camera, and you may need to select custom white balance first and then point the camera at a target object and press the shutter button. If you don't have a sheet of white paper or a gray card handy, you can also get by using something that is a neutral tone, such as a gray sidewalk. Custom white balance is highly useful if you are in situations where the scene is illuminated by mixed light sources, such as daylight coming in through a window to blend with tungsten and fluorescent lights (**Figure 4.10**).



Figure 4.10 The image on the left was photographed using the camera's AWB setting. For the image on the right, a Custom White Balance setting was used based on the illumination at the location and results in a more accurate color balance.

- Setting a manual color temperature.** Some higher-end cameras let you select a specific color temperature. This can be useful if you're using a color meter to determine the accurate color temperature of the lighting in a scene and want to be sure that the camera matches it exactly.

At high altitudes, for example, the color temperature of the light is likely to be much higher, which produces photos with a cooler, or bluer, appearance. Although the Automatic or Custom White Balance feature may handle this condition with ease, if you're precisely measuring the color temperature using a color meter, you may find it useful to set a specific temperature. Even if you're not using a color meter, you can still make test shots and experiment with manual settings to determine which one gives you the color balance you need.

Understanding how your camera handles white balance and how to modify the settings is important because it can affect the appearance and color quality of your images. Shooting in RAW provides more flexibility for making changes to the white balance in the digital darkroom. We cover white balance as it pertains to crafting a well-exposed image in Chapter 5.

Sharpening, Saturation, and Other Enhancement Options

Since some people may find the initial image as delivered by the camera too “soft,” cameras typically have a sharpening option to produce JPEG images that look sharper and more finished. Fortunately, many cameras allow you to choose the level of sharpening applied, or even to turn it off completely. Our view on the sharpening feature is unanimous: If your camera provides you with a way to disable it, turn it off for good.


The reason for our impassioned view is that sharpening is a destructive process that permanently alters the color and contrast of edge pixels—areas of the image where light and dark colors are adjacent to each other. The camera just sees a bunch of pixels and applies a sharpening amount based on canned formulas that are hard-wired into it. A camera doesn't know what your photograph requires or how you might want to use sharpening, so the sharpening it applies may not be appropriate for the image. This is especially true if you plan to make prints, since the amount of sharpening that you apply is influenced by the subject matter and the size of the final print.

We have the same philosophy when faced with options to alter contrast, brightness, and color saturation: Turn these features off! All of these decisions and enhancements are best applied later in an image-editing program, where you can apply them in a way that complements the specific image and in a flexible manner that doesn't harm the original (**Figure 4.11**).



NOTE Camera settings that apply sharpening or modifications to image contrast, brightness, or color saturation only affect JPEG images and are not applied to RAW files.

Figure 4.11 *The image on the left is a detail view showing a photo with no in-camera sharpening applied. The image on the right is the same subject with in-camera sharpening turned on. Although the sharper image may initially look better, it offers less flexibility in terms of image editing and printing.*



Color Space Settings

Digital cameras, monitors, scanners, and televisions all create color using the RGB color model, which is based on red, green, and blue, the three additive primary colors of light. Within the range, or gamut, of RGB colors there can be different subsets of colors, known as *color spaces*, that describe different gamuts within the overall RGB color model. A simplified way to think of this is to imagine a large container that holds all the colors you can see. Within this container are several smaller containers, or color spaces, with each one describing a slightly different range of colors. Some of the containers might have more greens and cyans in them, for instance, whereas others have more oranges and reds. Some containers may also have more intense, or *saturated*, colors than others. Color spaces with a larger gamut can contain more colors than smaller-gamut color spaces.

Most entry-level, point-and-shoot digital cameras do not offer a choice of color space settings. They create color based on an industry standard color space known as sRGB. Microsoft and Hewlett-Packard developed sRGB, basing it on the color gamut of the average, inexpensive monitor (aka the lowest common denominator). Many deluxe point-and-shoot cameras and higher-end DSLRs offer a choice between sRGB and Adobe RGB for the JPEG files they create. The difference between these two color spaces is primarily gamut size; Adobe RGB has a much larger gamut than sRGB (**Figure 4.12**).





Figure 4.12 These two views from the 3D gamut-graphing feature of the program ColorThink (chromix.com) compare the gamuts of sRGB—shown as a solid color shape—with Adobe RGB (1998), shown as a wireframe.

If your camera offers you a choice, the best choice depends on what you ultimately need to do with the image. If you're only concerned with emailing photos to friends and family, creating images for the Web, or making prints for scrapbooks or photo albums, there's nothing wrong with choosing sRGB. However, if your work consists of creating professional, exhibition-quality prints or if you're shooting images destined for reproduction on a printing press, Adobe RGB is the better choice. In reality, all color spaces involve compromise and there is no single ideal color space. But if you have to decide between the two, we recommend Adobe RGB. Camera color space settings only apply to JPEG images. Because RAW files are unprocessed, these settings do not affect them. Color space for a RAW file is assigned in the RAW conversion software.

Additional Camera Settings

Besides the basic settings we've already discussed, you should be aware of a few others:

- **LCD brightness.** Many cameras feature an LCD brightness control that allows you to increase or decrease the brightness level of the LCD screen. If you are in bright sunlight trying to review your images, bumping up the brightness of the LCD may help you to see the display better, although this can also throw off your perception of the actual tonal values in the scene. It's better to keep the LCD brightness at a set level and use other methods to get a better view of the LCD screen, such as using an LCD viewing hood or the jacket off your back to create shade.

 **NOTE** The question of which color space setting to use on your digital camera is moot unless you have a calibrated monitor with an accurate monitor profile and you use reliable printer-paper-ink profiles when you print. Selecting Adobe RGB in the camera's settings is not a magical cure-all for color problems you may be experiencing further down the image-editing pipeline. We cover calibration and printing issues in Chapter 9, "From Capture to Monitor to Print."

- **LCD/system sleep.** This determines the length of inactivity (in other words, not pressing any buttons) required before your camera enters a sleep or standby mode. If you want to conserve your battery, choose a relatively short amount of time such as 15 to 30 seconds; if you want the camera to be always at the ready, set a longer interval. If your camera has a separate setting for LCD standby, choose the shortest time available. If you don't use the LCD for framing the image but rather rely on the optical viewfinder, see if you can turn off the display for all but reviewing purposes. The less the LCD is on, the longer your batteries will last.
- **Setting the date and time.** This is pretty straightforward, but it's definitely something you want to do before you take any photos. Digital cameras record the date and time of day you created an image, as well as other information, and include it with the image file (see the section "Metadata" later in this chapter). Computers can also use dates to sort images, so having an accurate date and time attached to your images is important. Although having the accurate time may seem like a trivial detail, it can be very useful to know the time of day a photograph was taken. For world travelers, see the sidebar "Managing Capture Times Across Different Time Zones."
- **File-numbering options.** Digital cameras name files using a combination of letters and sequential serial numbers (such as DSC_2051.NEF or IMG_0406.CR2). Although this filenaming scheme is hardly useful if you have to sort through countless folders of digital photos, it does provide a starting point. On many cameras you can specify how you want to handle the numbering sequence.

Continuous Numbering continues the number sequence even after you've changed storage media. This setting ensures that all your shots will have discrete numbers, preventing you from accidentally overwriting an earlier image with the same file number. Cameras usually assign an upper limit to the numbering scheme, such as 9999, beyond which they'll start over again at 0001.

Auto Reset, or Auto Renumber, automatically resets the file number to 0001 whenever you replace the storage media card. The main drawback to this system is that if you are not careful with how you organize your files, newer files could accidentally overwrite earlier images with the same name. If you store your images from each session in separate folders, there is less of a chance of conflicting filenames, but the possibility does exist.

We all use Continuous Numbering and batch rename the camera files when downloading or importing them into an image-management application, such as Lightroom. We'll cover using Lightroom to batch rename files in greater detail in Chapter 8.

Managing Capture Times Across Different Time Zones

If you are shooting images in different time zones, you may be wondering whether it makes sense to change the camera's time to match the local time. You certainly could do this, but the primary drawback is that it's very easy to forget this setting when you get back home. As a result, all the new photos you take after returning will have an incorrect time stamp.

An easier way to deal with this is to change the time stamp using your image management program, assuming it offers such a feature. Although we may change the actual camera time stamp for extended multi-week trips to a single time zone, more often than not we simply take advantage of a very useful feature in Lightroom that provides an easy way to apply a time zone shift to the capture times for our image files. In the Library module, choose Metadata > Edit Capture Time to access this command. It allows you to shift the capture time by a set number of hours based on the time difference in the location where you took the photos. For example, when Seán returned from a short trip to Hawaii, he simply selected all the images he took there and used this feature in Lightroom to shift the capture time on all those files by minus 3 hours, which represented the time difference between Honolulu and California (**Figure 4.13**).

If you have lots of images from years past that need conversions and you're not sure of the exact time difference or you also want to factor in daylight saving time, check out the handy conversion calculator at www.timeanddate.com/worldclock/converter.html.




Figure 4.13
Using Lightroom's Edit Capture Time dialog to adjust the capture times of images based on time zone differences.

Formatting the Memory Card

When you first use a memory card, you should format it using the camera's formatting option to prepare the card for use with that camera. Although some cameras let you shoot with an unformatted card, certain camera-specific features may not function properly until the camera has formatted the card. You should also reformat each time you need to erase a card—for instance, when you want to reuse it and take new photos. Formatting a card erases the directory structure on the card. The images are not removed from the memory card until new images replace them, but with no directory structure referencing the files, you can no longer view them. Since this action is irreversible (there's no Undo command), be sure you're not wiping out important images that have not been backed up yet. See the sidebar “Recovering Deleted Files from a Memory Card” in case you inadvertently reformat a card with important images.

When you hook up the card to your computer to download photos, either via a card reader (highly recommended) or directly from the camera, you may be tempted to delete the files you've already transferred by dragging the folders on the card to the computer's trash can or recycle bin. We caution against this and recommend formatting the card in the camera to delete the files. Although there may be no harm in deleting images on the card from your computer, it's best to format the card in your camera. Since the primary purpose of the card is to be the place where the camera saves its image files, it makes sense to let the camera do it so that the card is optimized for use in that device. If you have more than one type of digital camera, we recommend having dedicated media cards for each one. Not all cameras can read cards formatted in other cameras, so rather than risk losing images, we dedicate media cards to each camera to avoid the card formatting issue.

We also suggest that you reformat the card after every use instead of simply deleting the files using the camera's erase command, because the File Allocation Table (FAT) is regenerated with each new format. As with any computer file system, data corruption can slowly build up over time; formatting the camera media card after confirming that you have safely downloaded and backed up the images before each use ensures that you'll start with a clean slate.

To ensure that the photos you have downloaded are fine and do not suffer from any file corruption issues (rare, but it does happen from time to time),

import the images into your digital editing or file management program (e.g., Lightroom, Adobe Bridge, Aperture, BreezeBrowser, etc.) before you reformat the memory card. If the program can generate thumbnails and large previews, the files should be fine. You should also make a backup copy of the images on a separate hard drive before the card is reformatted. Hard drives do crash, so having duplicate copies of important images on a different drive is one way to guard against such hardware failures.

Recovering Deleted Files from a Memory Card

In some cases, images that have been erased from a memory card, either by deleting files on the card or by formatting the card, may be able to be recovered using special software designed for this purpose. Programs such as Image Rescue by Lexar (lexar.com) and Card Rescue by WinRecovery (cardrescue.com) take advantage of the fact that in most cases deleting files or formatting cards only removes the directory structure that indexes what files are stored on the card, not the actual files. By inventorying the card and building a new directory structure, “lost” files can sometimes be recovered and saved to a specified folder on your computer.

Keep in mind that if you have deleted files or reformatted the card and then used it to store new photos, this will limit the number of files that can potentially be recovered since the newer files replace the previously saved files on the card. Depending on the problems affecting the files and/or the memory card, some recovered files may still have corruption issues that can render them unusable.

Exposure Modes

Digital cameras usually provide several exposure modes for your photographing pleasure. Although most cameras do a pretty good job when left on autopilot, you gain more technical control and opportunity for creative image making when you explore the other exposure modes. Although the modes vary, some are common to nearly every camera. Typically, these include a semiautomatic mode where you make certain exposure choices and the camera handles the rest; a full manual mode; and possibly

a selection of scene modes that are designed for specific situations. Before considering what each exposure mode is and what it offers you, let's look at the basics of photographic exposure.

What Is Exposure?

In photography *exposure* is the moment when the light strikes the film or sensor and the image is recorded. Three factors combine to determine the correct exposure for a digital image: the amount of light in the scene that strikes the image sensor (controlled by the lens aperture); the length of time that the sensor is exposed to the light (controlled by the shutter speed); and the sensitivity of the sensor (determined by the ISO setting). The importance of a good exposure cannot be overstated. If an image is overexposed, the highlights will be completely white without any tonal information (**Figure 4.14**). If an image is grossly underexposed, the image will be dark and lack shadow detail (**Figure 4.15**).




Figure 4.14 When an image is grossly overexposed, the brightest highlights are rendered as white with no detail. In the histogram for the image, the vertical bars representing the tonal values for the highlights are pushed up against the right side of the graph, indicating lost highlight detail.



Figure 4.15 When an image is severely underexposed, the darkest shadows are rendered as black with no detail. In the histogram for the image, the vertical bars representing the tonal values for the darker parts of the image are pushed up against the left side of the graph, indicating lost shadow detail.

Although it is possible to improve moderate exposure mistakes using image-editing software, no amount of digital darkroom magic can save a picture that is extremely overexposed or underexposed. Fortunately, camera light meters are very sophisticated instruments and do an excellent job of determining the settings for a proper exposure in most common photographic situations. However, by changing any of the three main settings, you can gain control over certain characteristics that can influence the look of the image. We'll examine in great detail how light meters see the world in the next chapter.

Aperture


Aperture refers to the opening of the iris, or diaphragm, in the lens that can be adjusted to let more or less light hit the image sensor. One way to think of aperture is to imagine a funnel in which the large end is the lens gathering the light and the small end is the aperture that controls how much light reaches the image sensor in a given period of time. Aperture is measured in

f-stops, and each full stop represents a factor of two in the amount of light admitted. Thus, “opening up” a lens from f5.6 to f4 will admit twice as much light, and “stopping down” from f11 to f16 will cut the amount of light in half (see the sidebar “What’s in an f-stop?”).

What’s in an f-stop?

If you’ve ever been confused as to the origin of the term *f-stop* or what the numbers refer to, you’re not alone. Although those numbers engraved on the lens ring (or illuminated on the LCD panel) may seem arbitrary, they really do mean something. The f-stop is the ratio of the focal length of the lens to the diameter of the opening in the aperture. On a 50mm lens, for example, when the aperture is opened up to a diameter of 12.5mm, this results in an f-stop of f4 ($50/12.5 = 4$). Standard f-stops used on lenses for film cameras are f1.2, f1.4, f1.8, f2, f2.8, f4, f5.6, f8, f11, f16, and f22 (**Figure 4.16**). Depending on the lens, the actual range of f-stops may vary. Large-format cameras typically have f-stops that go down to f-64.

Figure 4.16 An aperture consists of a bladed iris with an opening that can be made larger or smaller to let in more or less light. This illustration shows several standard lens apertures.



Each change in f-stop either halves or doubles the amount of light that enters the lens. In this admittedly unintuitive numbering system, smaller numbers indicate a larger opening and larger numbers indicate a smaller opening, and the presence of fractional numbers only complicates the matter. If you wanted to adjust the aperture one stop down from f4, to let in half as much light, common sense would tell you that the next stop should be f8, not f5.6. The reason for this seemingly odd number thrown in between f4 and f8 is that apertures are circular openings, and the mathematical realities of dividing the area of a circle in half sometimes produces a fractional number instead of a whole number.

Apart from controlling how much light passes through the lens, the aperture is also one factor that affects depth of field (the others are the focal length of the lens, the size of the image sensor, and the distance between objects in the scene). *Depth of field* is the area of the image that appears in focus from foreground to background and is one of the main ways that you can change the appearance of an image (**Figure 4.17**). We'll cover depth of field in more detail later in this chapter.



Figure 4.17 You can achieve a shallow depth of field (less area in focus) by using a larger lens aperture and deeper depth of field (more area in focus) by using a smaller aperture.

Shutter speed

If we continue with the same funnel analogy that was used to explain the aperture, the shutter is the valve that controls how long the light flows through the lens and onto the image sensor. The smaller the aperture, the longer it will take a given amount of light to flow through the funnel and the longer the required exposure will be. Shutter speeds are measured in extremely small fractions of a second, and speeds on DSLRs range from 30 seconds up to 1/8000 of a second. Every camera is different, of course, and your mileage may vary. The range of shutter speeds on compact cameras is not as large as those found in DSLRs. The function of the shutter is similar to aperture in that each successive change in the shutter speed either halves or doubles the exposure time. Using standard shutter speeds as an example, 1/125 of a second is half as much exposure as 1/60 but twice as much as 1/250.

In addition to controlling how long the light is exposed to the sensor, the shutter speed also impacts how motion is rendered in a scene. Speeds below 1/40 of a second are likely to result in motion blur when moving subjects are photographed, and very fast shutter speeds of 1/1000 or higher can do an excellent job of freezing even very fast movement in a scene. Just as depth of field can be used creatively to affect the look of an image, shutter speed is also an important creative control (**Figure 4.18**).



Figure 4.18 In the photo on the left, the shutter speed was 1.3 seconds, resulting in the water in the stream being blurred. For the photo on the right, the shutter speed was 1/800th of a second, freezing the movement of the bicyclists racing down the hill.

The beauty of reciprocity

Aperture and shutter speed work together to create a proper exposure in a given lighting situation. Because of the way they function, you could take several shots, each with a different aperture and shutter speed, and produce several images that all had equal exposure. You could use a wider aperture for a shorter amount of time, for instance, or a smaller aperture for a longer amount of time to admit equivalent amounts of light. Another way to look at this is that opening up the lens aperture by one stop is exactly the same as decreasing the shutter speed by one setting; each doubles the amount of light for the exposure. And increasing the shutter speed by one setting has the same effect on exposure as stopping down a stop to a smaller aperture. This give-and-take nature of the aperture-shutter speed relationship is known as *reciprocity*, and it's one of the most effective exposure tools available to photographers (**Figure 4.19**).




Figure 4.19 *Reciprocity in action: Four photos of the same scene, each with a very different shutter speed and aperture, yet all have the same exposure (in other words, the same amount of light reached the sensor). The only noticeable difference in these images is greater or less depth of field, depending on the aperture. All images were photographed using a tripod.*

NOTE Many photographers who are familiar with film exposure know the term reciprocity from a phenomenon called reciprocity failure. This is essentially a breakdown of the normal reciprocal relationship between aperture and shutter speed that tends to occur at either very fast or very slow shutter speeds. This has nothing to do with the actual aperture or shutter speed in the camera, but rather how the film emulsion reacts to very short or long exposure times. Typically, the problem is more an issue with longer exposures, such as those that are more than a second in duration. With film, reciprocity failure can create exposure problems and color shifts due to the chemical nature of film emulsions. Digital cameras create images based on an electrical response as opposed to a chemical one, and although we can't speak for every image sensor now or in the future, in the tests we've made, we haven't noticed reciprocity failure with long digital exposures.

NOTE In an effort to make this example more straightforward, we chose to use an aperture-shutter speed scale similar to what you might find on a traditional film camera. In addition to standard 1-stop exposure adjustments, many cameras, film and digital, offer adjustments in increments of $1/2$ to $1/3$ of a stop. Computer-driven shutters on digital cameras can also generate unconventional shutter speeds, such as $1/729$ of a second (try calculating reciprocity with that!).

The benefits of reciprocity come into play when your camera meter recommends a certain exposure, but you need to change either aperture or shutter speed to produce a desired creative effect. Let's say you're photographing a flower, and the camera's light meter indicates that it will use a shutter speed of $1/2$ of a second and an aperture of $f11$. Although this might yield a correctly exposed image, an aperture of $f11$ would produce too much depth of field, making the background details too distinct and distracting. If you were using a manual exposure mode, you could take advantage of the reciprocity principle to quickly (well, reasonably quickly) calculate an equivalent exposure that would give you a wider aperture and throw the background out of focus. If you decided that an aperture of $f2.8$ would produce the desired shallow depth of field, you'd increase the aperture by 4 stops ($f8$, $f5.6$, $f4$, $f2.8$); that would require an equivalent adjustment of the shutter speed. Opening the lens aperture to $f2.8$ lets in more light (16 times as much in this case); so to balance out the exposure you would need to shorten the amount of time the shutter is open by 4 stops—to $1/30$ of a second. For the final exposure of the flower, the shutter speed is at $1/30$ and the aperture is at $f2.8$. This produces exactly the same exposure (in other words, the same amount of light reaches the sensor) as the initial camera meter's suggestion of $1/2$ at $f11$, but the differences between the two images is significant (**Figure 4.20**).

Figure 4.20 In the photo on the left the exposure is a $1/2$ second at $f11$. In the photo on the right, the exposure is $1/30$ of a second at $f2.8$. The amount of light reaching the image sensor is exactly the same for both images.



Fortunately, unless you're operating on full manual mode or you just enjoy the intellectual challenge, when used in Aperture or Shutter Priority mode, cameras will automatically calculate the reciprocal aperture and shutter speed values for you. This makes it easier to concentrate on the image and choose the settings that will give you the right creative look. We'll cover exposure considerations in greater depth later in this chapter and also in Chapter 5.

Full Auto Mode

Nearly all modern cameras provide a fully automatic mode that does everything for you but compose the shot and decide when to press the shutter button. Full Auto mode evaluates the lighting; selects the ISO, white balance, aperture, and speed settings; and even decides whether the scene needs a little extra light from the built-in flash. This is a good mode to use if you're new to digital photography and you still don't know much about your new camera but you want to take pictures right away—or when you need to hand the camera to someone else to take a picture of you.

Keep in mind that some camera features, such as the abilities to change the ISO, adjust the exposure with exposure compensation, and shoot in RAW format, may not be available in Full Auto mode. To gain an extra level of control and customization while enjoying the ease of automatic operation, you may have to use another automatic mode that is commonly called Program.

Program Mode

Program mode is similar to Full Auto mode in that the camera selects the appropriate aperture and shutter speed to deliver the correct exposure for the scene you're photographing. You also have the ability to modify the settings the camera has chosen by shifting the aperture–shutter speed combination to select a mix that better serves your creative goals (reciprocity in action). On DSLRs you usually make this adjustment by dialing a control wheel until you arrive at a desired aperture or shutter speed, something you can do without taking your eye away from the viewfinder. On compact cameras or deluxe point-and-shoot models, the procedure may be more cumbersome: You usually have to manipulate a series of buttons, requiring you to take your eye away from the camera. Program modes also offer access to more advanced features of the cameras, such as shooting in RAW format,

exposure compensation, higher ISO settings, and choosing a custom white balance. Because it offers the convenience of being fully automatic with the flexibility of changing some of the settings, you may find that Program mode works well for many situations.

Aperture Priority Mode

Aperture Priority can be thought of as a semiautomatic mode because it relies on you to decide which aperture to choose while the camera supplies the appropriate shutter speed. Once you select a given aperture, the camera constantly adjusts the shutter speed in response to changing exposure conditions, but the aperture remains the same. This mode is an excellent choice for images where depth of field issues take precedence over shutter speed. A wider aperture causes the background to be more out of focus, and a smaller aperture yields a photo with more areas of the image in focus. Aperture Priority is excellent for portraits where you want only the subject in focus (use a smaller f number for a larger aperture) and for scenic shots where you want good depth of field throughout the scene (use a larger f number for a smaller aperture).

Shutter Priority Mode

Like Aperture Priority, Shutter Priority is a semiautomatic mode. You decide what shutter speed you want to shoot with, and the camera chooses the correct aperture. Shutter Priority is ideal for situations where exposure time is more important than depth of field. If you need to freeze motion, such as with sports or birds in flight, using this mode allows you to select an appropriately fast shutter speed. If your aim is to use motion blur creatively, such as the classic rendition of moving water in a stream, you can also use Shutter Priority to choose a slow shutter speed. Depending on the speed of the object you're trying to blur, you may need to use a tripod so that stationary elements in the image remain sharp.

Manual Mode

With Manual mode you have to do all the work. Well, maybe not all the work. The camera does provide a light meter to tell you if your settings will give you a properly exposed image, but you have to turn the dials or push the buttons and make sure that aperture and shutter speed are set correctly.

Although a Manual mode is essential for photographic control geeks (like the three of us) and those who want as many creative options as possible, it's not as spontaneous as some of the other modes, and realistically you may only need to control either aperture or shutter speed to achieve the effect you want. For some situations, however, such as night photography and in the studio, having a Manual mode is critical.

Scene Modes

Scene modes are preset configurations that are designed for you to use under specific shooting conditions to achieve good results without having to think about the optimal camera settings. They're not exposure modes you would use all the time. You'll find these modes on many digital cameras, from compact point-and-shoot models all the way up through advanced DSLRs. The actual names and modes vary from camera to camera (other terms we've heard include Best Shot and Creative Assist modes), and depending on their features, some cameras may offer more sophisticated interpretations. But here's a rundown of some of the most common scene modes:

- **Portrait.** The main feature of this mode is that it will try to soften the focus of the background while keeping the main subject sharp. The degree to which the background is thrown out of focus depends on a number of factors, including the amount of light available, the distance between the subject and the background, the maximum aperture and focal length of the lens, as well as the size of the image sensor (compact cameras cannot create the same shallow depth of field that is possible from a DSLR). Some cameras may also use a Center-Weighted metering pattern to give emphasis to the center portion of the frame. Center-Weighted metering is common in portrait situations. See Chapter 5 for detailed coverage of how a camera's light meter works.
- **Night portrait.** This mode is for portraits of people or any photo where the subject is relatively close to the camera, at twilight or at night. If such a scene is photographed normally, the flash will fire and the camera will expose for the immediate foreground subject, leaving the background very dark and underexposed. In Night Portrait mode, the camera uses the flash and also chooses a slower shutter speed, creating a balanced exposure between the main subject and the darker background. The exposure for the main subject and the background will look good. Some cameras have a mode that is similar to this called Slow-Sync Flash (**Figure 4.21**).



Figure 4.21 Night Portrait mode uses a longer exposure (slower shutter speed) to create a good exposure for a dark background, combined with a fill flash to properly expose the foreground. The photo on the left uses a regular auto flash and shows the dark background; on the right is the same scene photographed using Night Portrait mode.

- **Landscape.** Whereas Portrait mode chooses as wide an aperture as possible for shallow depth of field, Landscape mode uses a small aperture to produce the deep depth of focus commonly associated with scenic images. Be aware, however, that some cameras may be doing a bit more behind the scenes than simply choosing an aperture for good depth of field. The manual for one of Seán's compact digital cameras claims that the Landscape mode will "enhance outlines, colors, and contrast in subjects such as skies and forests." This suggests that the camera is actually applying more aggressive sharpening, contrast, and saturation adjustments when it processes the image—and subsequent testing proved this to be true. Before you rely on any scene mode, it's a good idea to run some tests and see how it affects image quality.
- **Night Landscape.** This is useful when you want to photograph cityscapes at night or twilight views of grand vistas. It cancels any flash operation, sets the focus distance to infinity, and uses slow shutter speeds to gradually build up an exposure of a night scene. Due to the slower shutter speeds, a tripod or other stabilizing surface may be necessary.
- **Beach/Snow and Backlight.** These two modes are very similar and are designed to compensate for photographing very bright subjects.

When a camera light meter tries to evaluate a scene such as a beach or a snowy field on a sunny day, the brightness reflected from the sand or snow can confuse the meter and lead to an image that is too dark. A mode designed for photographs of beach and snow scenes adjusts the exposure so that the scene will be properly exposed (**Figure 4.22**). The Backlight mode does essentially the same thing but is used for situations where the light is coming from behind your main subject or the background is brightly lit. The Backlight mode chooses a shutter speed–aperture combination that creates a proper exposure for the foreground subject. On some cameras, the flash may fire in Backlight mode to fill in the shadows on a person's face. Although the name Beach/Snow Mode may suggest that it should only be used for those type of scenes, it can be effective in any situation where you are photographing a bright subject that reflects a lot of light.



Figure 4.22 The darker photo is a result of the camera's meter being fooled by the bright reflected light on the snow. When the Beach/Snow scene mode was used, a correct exposure was captured that better represented the real appearance of the scene.

- **Close-Up/Macro.** This scene mode is typically offered on compact or deluxe point-and-shoot cameras (macro photography with DSLRs involves using a special lens that is designed for close focusing). Depending on the camera, this mode selects a range of settings designed to produce a better close-up photo. On compact cameras, all this may amount to is extending the zoom lens all the way and adjusting the AF (auto focus) sensors for close focusing. On some cameras the flash will

go off; on others it won't. Still other cameras may employ some form of camera-shake reduction to help with handheld shots. Even though the close-up capabilities of compact cameras are limited by the camera's built-in lens, the macro features on many compact models can be quite impressive (**Figure 4.23**).

Figure 4.23 *This iris was photographed using the Super Macro scene mode on an entry-level Canon Powershot A480.*



- **Sports.** This mode is optimized for photographs where you want to freeze the action at sporting events and on fast-moving subjects. The actual functionality that this mode offers greatly depends on the capabilities of the camera. Features such as auto focus speed, AF servo focus (the ability to track a moving subject), variable-focus sensors, and the speed of the continuous-shooting drive are all put to work when you use this mode on a DSLR. Compact cameras and deluxe point-and-shoots, which don't have the advanced focus and drive features of DSLRs, generally offer an exposure mode that is biased toward faster shutter speeds and a drive setting for taking a series of multiple shots.
- **Black and White/Monochrome.** For those times when you want to create a black and white photo with no hassle, this is the mode to use. On

some cameras the Black and White mode may only be available when shooting JPEG files. If you are shooting in RAW+JPEG, the JPEG file will be black and white and the RAW file will still retain all color and editing properties. But we prefer to take our images in color and convert to black and white using an image-editing program, since that gives us the most flexibility to creatively interpret the file. The only reasons we can think of to use a Black and White or Monochrome mode is if you don't have the time or experience to make the conversion in another program, or if you're new to viewing the world in gray tones and actually seeing the image in black and white on the LCD helps with the composition and subject matter you've chosen. Otherwise, we don't recommend shooting in Black and White mode.


- **Other modes.** The variety of scene modes is limited only by the imagination of camera manufacturers. Some of the modes are useful in relatively limited circumstances, such as a Fireworks mode or a mode designed to copy documents (espionage mode?).

Metadata

Metadata is not a setting or mode that you'll find on your camera, but your camera is generating lots of metadata every time you take a picture. To use a simple definition, *metadata* is information about information. More specifically, metadata is structured information about a collection of data—such as an image file—that makes accessing and using that file more efficient and productive.

Advances in the digital management of information have underscored the importance of metadata among different professional disciplines, but the concept has been around for a long time. Distance scales, notations, and legends on maps, for example, qualify as metadata since they are essentially information about the map, which in itself is just information about a specific geographic area (**Figure 4.24**). Dictionaries also feature metadata in the form of a dictionary guide that tells you how to interpret the different information you'll find listed in the word definitions.

Figure 4.24 *This explanatory note on a nautical chart is metadata that provides further information about the symbols and markings found on the chart.*



For digital photographers, the metadata associated with image files represents important information about their photos that can be a very useful tool to aid in the management and organization of an image collection. Metadata allows you to sort and filter photos by a variety of criteria and, if you're taking advantage of the ability to add descriptive keywords to your files (which we strongly recommend), it can help you easily and quickly find specific images. The more information associated with an image file, especially in the form of keywords, the more potential value that file has—not just possible monetary value (though that is certainly an important aspect of putting metadata to work for you), but also the simple value that comes from being able to locate an image you're looking for. Though it may not be as exciting as a new lens, metadata is just as important as any other piece of gear in a photographer's camera bag.

EXIF

For most digital cameras, metadata consists of a record of the settings that were in effect when an image was photographed. This information typically includes data such as the date and time the image was created, pixel resolution, shutter speed, aperture, focal length, ISO, white balance, metering pattern, and whether the flash was used. The information is saved using a standard format called Exchangeable Image File (EXIF).

At the most basic level, EXIF data can be a useful tool to help you improve your photographic technique. Because it keeps track of basic exposure information, you can study it to learn what the settings were on photos that worked and on images that had problems. For example, if you notice that several images from a session are slightly out of focus and others have sharp, clear details, a quick check of the EXIF data for the soft images might reveal that the camera used a slower shutter speed for them than it did with the sharp photos (see the sidebar “Accessing Camera EXIF Data”). This knowledge can help you make different exposure decisions the next time you’re shooting in similar conditions.

Records of exposure information may be useful, but that’s only the beginning of many possible uses for metadata. As mentioned previously you can also add descriptive keywords to facilitate faster searching and retrieval from an image database. Other uses for metadata include adding your contact and copyright information to all your images (many programs allow you to do this as the files are downloaded to your computer); adding captions, location details, and GPS coordinates, as well as specific client and job information; and tracking image usage for photographers who license their photos. For further discussion on adding keywords in Lightroom, see Chapter 8.

Accessing Camera EXIF Data

The camera EXIF data for an image can be easily viewed using common image management and editing software, from the simple image browser application that comes with your camera to more full-featured programs such as Bridge, Lightroom, and Aperture. One thing to realize, however, is that all programs may not display every parameter recorded by the camera. This is due to the inclusion of proprietary “MakerNote” EXIF information that is specific to individual cameras. Common MakerNote EXIF data that is only displayed by software made by the camera manufacturer includes information such as which Custom Functions, white balance presets, or scene modes were used in an exposure. To see everything that the camera records, try using the imager browser software that came with the camera.

Taking the Image

Once you've taken the time to configure the camera's settings so that the technical quality is assured, it's time to think about what else goes into making an interesting and successful photograph and how to use your camera to achieve those ends. If you're already a seasoned photographer, some, if not all, of the topics we're about to cover may be familiar to you. But it's worth noting that although traditional framing and compositional guidelines can be applied to all photos, with digital photography, certain aspects need to be treated differently than they would with a film image.

Framing

When we view any scene, no matter what the lighting conditions may be, we have the benefit of the world's fastest and most advanced auto focus, as well as sophisticated light metering and white balance systems that have yet to be rivaled. We're talking about the human eye here, of course. The way a camera sees an image and the way we see it are very different, and what we view with our eyes is never exactly the same as what is recorded by the camera. Predicting how the camera will capture the lighting and the different planes of focus in a given scene is something that comes only with experience and knowing how your camera and lens will respond. Although you may be somewhat at the mercy of factors such as lighting, focal length, aperture, and shutter speed, you do have total control over how to frame the image.

The rectangle of the viewfinder is the canvas where you compose your photographs. It's been said that painters include, whereas photographers exclude. Painters begin with a totally blank canvas, which they proceed to fill in with brush strokes to render the scene they want the viewer to see. Photographers begin with the cluttered jumble of reality in their viewfinder and selectively exclude all but the most vital aspects of the photograph they see in their mind's eye. If there is something in a scene that painters don't want in the painting, they will simply not paint it. But if photographers are faced with the same situation, they must employ creative framing to exclude any elements they don't want in the final image (**Figure 4.25**).




Figure 4.25 *By carefully considering how you frame an image in the viewfinder, you can eliminate distracting details, or find a better composition. In many cases, you can do this simply by moving closer to the subject (right).*

Horizontal or vertical?

The rectangular or square aspect ratio of most camera viewfinders can be a blessing and a curse. In some regards, it can make composition easier since it defines the shape where you must compose the image. On the other hand, since our view of the world is not limited by rectangular constraints, we often find we must work around the narrow window on the world that the viewfinder provides.

If your image format is rectangular, the first choice you face is whether to frame the image horizontally or vertically. Many novice photographers use horizontal framing because most camera designs encourage you to hold the camera in a horizontal orientation. Until you become used to it, using vertical framing requires a conscious effort to rotate the camera. Depending on your photographic experience and your skill at seeing images amid the visual confusion of reality, deciding on a horizontal or vertical frame may come easily to you, or it may take some practice. Certain subjects will obviously lend themselves to one or the other, of course. But others are not so easy, and some may work well with both methods. Above all, try to be conscious of not falling into the routine of taking all your images as horizontals (Figure 4.26).




Figure 4.26 *Horizontal or vertical? Both of these shots are good photos of the subject, but the vertical one is a stronger composition that fits the subject better and makes good use of the prominent diagonal element in the scene.*

When you look at a scene, put away any preconceived ideas about how it should be framed and try to distill it down to just the basic shapes and colors. Using this approach, you should be able to see whether elements in the image suggest a horizontal or a vertical view. Some scenes, such as landscapes and large group portraits, are obvious candidates for the horizontal frame. The vertical frame is ideal for images where there are strong vertical lines, such as soaring skyscrapers, towering trees, or the classic head and shoulders portrait pose. But even with images where the orientation of the frame seems clear, be open to trying a different approach, because you might find a new and better composition that didn't occur to you at first (Figure 4.27). When in doubt deciding which frame orientation will work best, go ahead and take the image as both a vertical and a horizontal.



Figure 4.27 *Don't be afraid to break the rules if that results in a better photo. Some subjects are obvious candidates for a vertical composition, such as the photo on the left. But they might also work well as a horizontal. You'll never know unless you try!*

Experiment with angles and different points of view

Don't think that just because the camera presents you with a rectangle that you are just limited to horizontal and vertical. Remember that you have 360 degrees of rotation available to you. Can you find anything interesting when you tilt the camera so you view the scene at a diagonal? Such a view may give the scene more of an abstract feeling, but there's nothing wrong with that if it creates an interesting image.

Change the point from which you view the scene, and you may discover new images that weren't apparent in your initial composition (**Figure 4.28**). If you first took the image from an eye-level standing position, get down low and see how it looks from closer to the ground. Look around you and try to imagine how the dynamics of the composition might change if you moved to the left or right. It's even easy for experienced photographers to fall into a

visual rut and automatically compose an image a certain way, or in the way they've done it in the past. If your first idea is to take the photograph with a specific composition, go ahead and do it, but then try to find at least two other compositions for the scene.



Figure 4.28 Two examples showing the initial photos of a scene and better compositions that were discovered after viewing the subject from different angles. Don't settle for the first composition that comes to mind. Explore different angles, framing, and viewpoints.

If you're traveling through a scene, especially if you're on foot, don't forget to look back every so often to see how the view changes while you are walking away from it. There's an old saying: "You can't know where you're going unless you first know where you've been." We think this is great advice for life in general, but it also works well for photography. It's natural to concentrate on where you're going and to anticipate the new views and images

you may see around the next bend in the road. But we have found many great and often unexpected images simply by looking back over the path we have already walked. For one thing the lighting is likely to be different, and in many cases, that alone is enough to create a compelling new image. The dynamics of the scene will also change, and you may see new relationships between certain elements in the image or between the foreground and background that create an entirely different photograph than what you saw when you were only looking ahead.

The Importance of Cropping in the Camera

Some photographers like to frame the image a little loose so they can have some extra room to apply a specific crop later when the image is printed. For example, when framing an architectural photo with a traditional film camera, a photographer may frame the initial composition and then step back one or two steps, or zoom the lens to a wider view, to allow for some straightening and cropping.

Making every pixel count

With digital photography, however, cropping is not a practice we recommend. The reason is that cropping a digital photograph means that you are throwing away pixels and effectively lowering the megapixel resolution for that particular shot. If you shoot a horizontal photo with a 12-megapixel camera, for example, and then decide later on that it works better as a vertical, the act of cropping it to the different orientation will turn the original 12-megapixel images into approximately a 6-megapixel image. By halving the resolution of the image, you also halve the file size and drastically affect how large that image can be printed. To avoid this, don't waste any of the viewfinder area. Take advantage of every pixel that the image sensor has to offer and fill the entire frame with the image you want to capture.

If you're shooting image elements that will be composited into a separate multi-image collage, consider framing your shots to take advantage of the diagonal width of the viewfinder. This will give you more usable pixels than if you had filled the frame either horizontally or vertically. The difference is a small one, admittedly, but if you're trying to maximize pixel resolution and the image will be used in a collage where the diagonal orientation won't be an issue, this is one way to increase the pixel count (**Figure 4.29**).

Figure 4.29 *By framing the Statue of Liberty so that she filled the diagonal width of the viewfinder, the maximum number of pixels was used to capture the statue. Although not an option for a “straight” photo of the statue, the diagonal slant to the image is no problem for photos that will be used in multi-image collages.*



Get closer

Robert Capa, the famous photographer who covered many of the major armed conflicts in the middle part of the twentieth century, once said, “If your pictures aren’t good enough, then you’re not close enough.” We think this is excellent advice, although if you’re seeking the job title of combat photographer, you have to exercise caution at how literally you apply this motto to your own photography: Capa died in 1954 when he stepped on a landmine while he was covering a small regional conflict in a country called Indochina (later to become Vietnam).

If you are not in a combat zone, however, and you need to move closer to the scene, then by all means do so. One of the most common mistakes that even serious amateur photographers make is including more in the frame than is necessary. Get close to your subject, and then move closer still. Try to fill the frame with only the elements that are essential to the image. Pixels are precious in digital photography, so don’t waste them on things that dilute the main subject (**Figure 4.30**).



Figure 4.30 *Get closer! Use as much of the viewfinder as possible and distill the composition down to the essential elements.*

Don't be lazy and rely on the camera's zoom lens to do the job for you (unless you're standing at the edge of the Grand Canyon or some other equally formidable precipice). Move closer first. If you are photographing people, of course, there's a limit to how close you can get before the moment is ruined or the person you are photographing becomes ill at ease or downright annoyed. Once you are as close to the scene as you can get, then use the zoom lens for fine-tuning the composition to exclude any extraneous elements that detract from the primary image.

Details, details, details

Getting physically closer to what you're photographing will also help you see details more clearly, and that, in turn, may lead you to discover new photographs and new relationships between different elements in the scene. One exercise you can do to remind yourself to look for the details in a subject is to take the initial shot and then make a point of moving much closer for a second shot, and then closer still for a third shot. Since you're shooting digital, if you chance to discover more interesting compositions from your close-up vantage point, there's nothing to stop you from taking even more photos (apart from a full memory card). **Figure 4.31** shows a photograph of two old tow trucks that have both seen better days and a close-up detail view of one of the trucks.



Figure 4.31 *By moving in close to examine the fine details of one of the trucks, intriguing patterns and textures in the rusted metal and peeling paint are revealed.*

The closer you get, the more abstract the image may become, but that's a big part of the discovery process that makes photography so rewarding. Finding an interesting image where you weren't expecting it is one of the great joys of creating photographs.

Image Relationships

Most photographs are pictures of scenes we view with our eyes, whether it's a child playing, a still life, an African landscape, kayakers on a lake, or a busy street scene in New York City. We say "most photographs" because extremely fast or slow shutter speeds can also reveal images that we can't see, such as star trails in the night sky or Dr. Harold Edgerton's ultra-high-speed photograph of a speeding bullet shooting through an apple. Beyond the concept of photography as a representation of what we can see, however, a photograph is also an arrangement of elements within a square or rectangular area (the frame). The relationship of these elements to one another—whether they are actual objects or simply areas of light, shadow, and color—is one of the factors that separates a photograph with a good, visually interesting composition from a photograph that's just another picture. Consider the following:

- **The importance of the frame.** The frame is the stage on which you present the performance of your image. How you use the stage can take an ordinary picture and turn it into a creative photograph. The frame can be busy and cluttered with lots of activity that gives it an edgy sense

of tension, or it can be quiet and orderly, imparting a feeling of calm and balance. How elements interact with the edges of the frame can also be very important to the composition, as can the use of white space or “empty” areas that can be used to create a frame within the frame.

- **Balance.** The rectangle of the viewfinder gives you a frame that contains the image. Within this frame the arrangement of image elements can be balanced using either a symmetrical or asymmetrical approach. Symmetrical balance is apparent in images where the subject is centered or where different areas of equal size, whether they are actual objects or simply areas of light and shadow, create a balanced arrangement within the frame. One way to use asymmetrical balance is to create a triangular arrangement that juxtaposes two smaller elements with a larger one. The two smaller elements create the counterbalance for the larger object or image area (**Figure 4.32**).



Figure 4.32 In the image on the left, the symmetrical design of the train station lends itself to a formal, balanced composition. In the image on the right, an asymmetrical balance is formed by the juxtaposition of the larger foreground tree with the road and smaller trees in the background.

- **Foreground/background.** How the foreground and background elements relate to each other is one of the key factors in a photo. Does the background inform or comment on what is happening in the foreground? Or is it a distracting element that is unrelated to the foreground subject? The relationship between the foreground and the background can be subtly changed through effective use of depth of field. Whenever you compose a shot that has a distinct foreground element,

take a moment to survey what is happening in the background. This is good practice just to be sure that there is nothing in the background showing up that you don't want in the photo, but in some cases you may see something that would work well if it was included.

- **Size, position, and point of view.** The size of image elements and the way they are viewed contribute to their importance in the overall image, as does how they relate to each other. By composing an image so that certain elements are larger, for instance, you focus attention on those areas and give those elements more importance in the final image. This approach can often be successful in images that focus on smaller or more mundane objects that we usually don't pay much attention to (**Figure 4.33**).

Figure 4.33 *The size of image elements and their relationship to each other can be used effectively in a composition to draw the viewer's attention to a specific area, to make a visual comment, or to give importance to ordinary objects that we may see every day.*



- Line, form, and color.** The camera is ideally suited to examine the world and isolate intriguing compositions of form and color. In some photographs, the subject is not necessarily any specific object in the image but the lines, shapes, and colors that exist within the frame (**Figure 4.34**). Lines can be employed to direct the viewer's attention within the image, and they can also be used as a subject, creating abstract patterns. Cities are great places to look for images with strong lines (**Figure 4.35**).




Figure 4.34 In this photograph of a swimming pool at night, the image is not so much about the pool as it is an exploration of lines, shapes, and color.




Figure 4.35 The lines in this architectural study create an interesting urban abstract.

- **Light and shadow.** Photographs exist because of light, so the interplay of light and shadow can often make for compelling images, even with subject matter that might be thought of as ordinary (**Figure 4.36**). Whether the shadows are cast by recognizable objects or represent only a close-up detail of a larger shadow, you can usually find interesting images lurking in the shadows. High-contrast lighting, normally the bane of digital photographers, can be highly useful for creating intriguing relationships between light and shadow.

Figure 4.36 Harsh, high-contrast light, normally a very challenging condition for digital cameras, can be used to great effect when concentrating on the images formed by highlights and shadows.



- **Use of motion.** Movement, either in the subject being photographed or movement of the camera itself, can affect an image in intriguing ways. If you cherish the idea of serendipity or random chance in the image-making process, incorporating the trails of movement as seen by a slower shutter speed is a great way to create images whose final appearance is a mystery until after the shutter has closed. For images where the motion of a moving subject is recorded as a blur but the background is sharp, you'll need to use a tripod, since these effects generally entail slower shutter speeds that are not appropriate for handheld photography. If you're using the camera to create the movement, however, no tripod is needed. Even images that would not be remarkable when photographed

in sharp focus with no motion can be transformed into very interesting and surprising compositions by using a slow shutter speed and moving the camera during the exposure (**Figure 4.37**).



Figure 4.37 Using a slow shutter speed and moving the camera during the exposure (also known as drag shutter) can create interesting and unexpected images. In this 4-second exposure, the camera was panned to follow the man as he walked across the scene.

- **Use of focus.** For the photographic purist, crisp, sharp focus is one of the standards by which any photographic image is measured. In the 1930s, Group f64, which included such visionaries as Ansel Adams, Edward Weston, and Imogen Cunningham, promoted “straight” photography (as opposed to the soft focus “painterly” or pictorialist photographs that were still popular at the time). One of the hallmarks of this approach was a sharply focused image with great depth of field. But images with incredible depth of field and tack-sharp focus represent only one type of photograph among many possible interpretations. The use of shallow depth of field, for instance, is one of the most effective ways to direct the viewer’s attention to specific areas in a photo. Selective focus also is particularly well suited for visually conveying the vague and subjective sense of memory or emotion. And even though an image with crisp, sharp focus can be a thing of beauty, don’t feel compelled to worship at the altar of precise image clarity if it doesn’t serve your creative vision for an image (**Figure 4.38**).

Figure 4.38 *Sharp focus certainly has its place in photography, but the use of soft focus, or even an image with no obvious point of focus, can be an effective creative tool. In the case of this image, a motion-blurred view of a praying mantis out for a twilight stroll is more an interpretive abstract than a representational study.*



- **Breaking the frame.** The first item in this section referred to the importance of the frame. Just as important, however, is realizing that the frame is not sacred. You should push the edges now and then to see what you find. Try composing an image that consciously violates all the principles of “good composition” and see if the results intrigue you enough to follow that road a little farther. The immediate feedback of the LCD, as well as the cost-free nature of digital exposures, gives you a safety net as you experiment with a radical framing idea. Do all portraits have to be centered? No. Do you even have to include the entire face of your subject? Not necessarily. By going out of your way to push and break the boundaries of the traditional frame, you may discover a new way of composing images that works quite well for certain subjects (**Figure 4.39**).



Figure 4.39 By “breaking the frame” and making a photo that violates all the traditional rules of photographic composition, you might discover an image that works well for a particular subject or that helps to create a certain feeling or emotion.

- **Taking risks.** Chance, serendipity, and fortunate accidents are all important to any creative undertaking, whether that process involves industrial design, poetry, sculpture, painting, or photography. It stands to reason that if you always follow the same routine when taking pictures, chances are good that you will consistently make images that look similar. Although this is not negative in any way, and consistency is advantageous when learning any new discipline, there is much to be gained by trying new photographic techniques. When you change or, better yet, discard your routines, you unlock the potential for discovering something new and fresh. True, by taking risks with your image making there is the very real possibility of a card full of disappointing images that never quite got off the ground. But there's also the chance that you'll find an outstanding image where you least expected it or create a cool visual effect out of the ordinary ingredients of daily life. Besides, it's digital—it doesn't cost anything to experiment except a little of your time!

Digital Photography Is Photography

In various places throughout this book, there are occasional comparisons between digital and film photography. In the end, the differences are really no more than technical and procedural details. Photography is point of view, framing, and timing. In that regard, digital photography is fundamentally no different than film photography. Only the tools have changed.

Digital tools have changed not only the technical aspects of photography, but the personal as well. For many people, digital photography has reignited their interest and passion for photography. With digital photography, it's much easier to explore the world visually with a camera and share your explorations with family, friends, and the rest of the world. Instant feedback and the ability to delete bad shots translates to a perfect learning environment for improving your photographic skills. Although you may not be keeping all your photos, don't be too quick to delete the bad shots. Take time to study the failed images so you can see why they didn't work. Everyone can recognize an image they are disappointed with, but knowing what went wrong is the key to taking better photos in the future.

Just as you can learn from the bloopers, so can you learn from the photos that do work—study your successful images as well. Remember what worked in those images as you look through the viewfinder. Make more images like them, and make better images, too. Above all, take more pictures! Photography is all about seeing, and the more you look, the more you will see. A practiced eye is one of the best tools a photographer can have. If you are used to looking for good images, you'll find them. Give your eyes plenty of practice. Digital photography makes this easier than ever.

Index

4:3 aspect ratio, 55
 4x5 scanning backs, 79–80
 8- vs. 16-bit images, 12–13
 13A/ISO Resolution Test Chart, 31
 18 percent gray card, 138
 5000 Kelvin bulbs, 359

A

accessories, 87–154
 aluminum foil, 143
 backdrops, 148–150
 batteries, 89–92
 battery chargers, 92–93
 bounce cards, 113
 bubble levels, 142, 143
 camera bags, 87–88
 camera manuals, 88–89
 clamps, 153
 cleaning, 135–137, 140
 colored gels, 115
 diffusers, 111–112
 digital darkroom, 382–384
 dust prevention, 133–137
 exposure tools, 137–139
 filters, 125–133
 flash brackets, 110
 flashlights, 141
 flash units, 71–73, 105–109, 145
 gaffer's tape, 154
 hot glue gun, 153
 lenses, 115–125
 lighting, 144–147

 monopods, 104
 multimedia viewers, 96
 for night photography, 333–334
 notepads, 142
 photo studio, 144–154
 pocket drives, 96
 reflectors, 114, 147–148
 remote release, 104
 ring lights, 111
 sensor loupes, 141
 Silly Putty, 153
 slaves, 108
 storage media, 94–95
 sync cables, 108
 tables, 151–152
 tripods, 97–104
 umbrellas, 148
 Velcro, 142, 154
 voltage adapters, 92–93
 wire, 143, 154
 wireless flash control, 108–109

ACDSee, 527

ActionFx.com, 389

action shots, 68, 194

Adams, Ansel, 211

A/D conversion, 43–44, 49–51

Adjustment Brush controls (Lightroom), 452–454

adjustment layers, 324–325, 346

Adobe

 After Effects, 353

 Bridge (*See* Bridge)

 Camera Raw (*See* Camera Raw)

 DNG format, 16, 407, 462

Adobe (*continued*)

- Photoshop Elements, 389–390, 527
- Photoshop Lightroom (*See* Lightroom)
- Premiere Pro, 353
- RGB color space, 176–177, 492
- and Windows *vs.* Mac OS, 361

AEB feature, 310

AE lock feature, 232

AF assist feature, 335

After Effects, 353

air blowers, 136

Airtight Interactive, 524–525

Alien Skin Software, 387

All Photographs option (Lightroom), 411

aluminum foil, 143

ambient light, 269–271, 274–275, 358

AMD processors, 363–364

Amount slider (Lightroom), 440, 443, 445

analog data, 49

analog to digital conversion, 43–44, 49–51

angles, camera, 201–203

animation, stop motion, 287, 347–350

aperture

- defined, 183
- and depth of field, 185
- and *f*-stops, 184–185
- and HDR images, 308
- and lens speed, 29
- and panoramas, 291
- and prime lenses, 119

Aperture Priority mode, 190

Apple

- Final Cut Pro, 353
- iPhone, 81
- iPhoto, 527
- Keynote, 552
- Quick Take 100, 65

Apply During Import section (Lightroom), 409

APS-C format sensors, 54, 59

Arctic Butterfly Sensor Brush, 136

Ashe, Tom, 474

Auto button (Lightroom), 435

Auto Exposure Bracketing feature, 310

autofocus systems, 335

Auto ISO setting, 167

Auto Levels feature (Photoshop), 135

Auto settings, xxiii, 167

Auto White Balance feature, 171, 257, 259

AWB Bracketing feature, 171

AWB feature, 171. *See also* Auto White Balance feature

B

backdrops, 148–150

background elements, 208–209

backlight, 234–235

Backlight mode, 192–193

backups

- importance of, 371
- long-term maintenance of, 374–375
- memory card, 181
- offsite storage of, 373–374
- online, 374
- software for, 373
- using external hard drive for, 371–372

balance

- symmetrical *vs.* asymmetrical, 207
- white (*See* white balance)

barrel distortion, 33, 34

Basic section (Lightroom), 434–437

batch processing

- of copyright submissions, 529
- with Lightroom, 529
- with Photoshop, 505

batch-renaming feature, 179

batteries, 89–93

- charging, 92–93
- disposing of, 91
- generic *vs.* brand-name, 90

- high-capacity, 91–92
- Lithium-ion, 89–90
- NiCd, 90, 91
- for night photography, 333
- NiMH, 90
- rechargeable, 89–91
- battery chargers, 92–93, 338
- battery grips, 91
- Bayer pattern, 61
- beach scenes, 235–236
- Beach/Snow mode, 192–193
- Best Camera app, 81
- Best Camera Is the One That's With You, The*, 81
- Best Shot mode, 191
- Better Light, 79, 80
- Bicubic option (Photoshop), 489
- Bilinear option (Photoshop), 489
- bit depth, 11–13, 60
- Black and White mode, 194–195
- black and white photography, 13–14, 131, 194–195
- Blacks slider (Lightroom), 436
- Black & White option (Lightroom), 439
- Blend Images Together check box (Photoshop), 306
- blooming, 48–49
- blowers, 136
- blueplanetphoto.com, 515
- Blue/Yellow slider (Lightroom), 444
- bounce cards, 113, 115
- bounced flash, 265–266
- Bridge
 - and HDR processing, 313
 - Image Processor, 507
 - and panoramas, 304
 - and RAW capture, 16
 - Web photo galleries, 526–527
- bridge cameras, 75–76
- brightness control, LCD, 279
- Brightness slider (Lightroom/Photoshop), 436
- Brunton, 93

- BRUSHOFF, 136
- bubble levels, 142, 143
- buffer, digital camera, 68
- built-in flash, 72
- Burkholder, Dan, 81
- B&W option (Lightroom), 439

C

- calibration, monitor, 369–370, 465–467
- Calibration tab (Lightroom), 462
- California Sunbounce system, 114
- camera angles, 201–203, 349
- camera bags, 87–88
- Camera Calibration section (Lightroom), 446–447
- camera EXIF data. *See* EXIF data
- camera exposure modes. *See* exposure modes
- camera lenses. *See* lenses
- camera manuals, 88–89, 158
- Camera Raw. *See also* RAW format
 - and digital noise, 167
 - and HDR images, 313
 - and histograms, 246, 249
 - and RAW capture, 16
- camera resolution, 3, 4, 6–7
- cameras. *See also* digital cameras
 - accessories for (*See* accessories)
 - choosing, 74–86
 - cleaning, 135–137, 140
 - compensating for color behavior of, 446–447
 - image sensors for (*See* image sensors)
 - Instamatic, xxii
 - light meters in, 216–237
 - shutter for, 41–43
 - stabilizing, 97–98, 104 (*See also* tripods)
 - testing for infrared capability, 132
 - types of, 74–80
 - viewfinders for, 35–41
- “canned air” products, 136

Canon

- inkjet printers, 375
- IR transmitters, 108
- mirror lockup, 104
- ring lights, 111
- sensor formats, 54, 59

Capa, Robert, 204

CarbonCopyCloner, 373

Carbonite, 374

card readers, 95, 382–383

Card Rescue, 181

Catalog section (Lightroom), 411

Catalog Settings dialog (Lightroom), 398–401

Cathy's Profiles, 470

CCD sensors, 44, 45–47, 55

cell-phone photography, 81

Center-Weighted metering, 222, 225, 226

chargers, battery, 92–93

chromatic aberration, 34–35, 303, 444

Chromatic Aberration controls (Lightroom), 444

Chromira, 492

Chromix ColorValet, 470

CIS, 378

clamps, 153, 295

Clarity control (Lightroom), 437

cleaning accessories, 135–137, 140

clock speed, 363–364

Clone Stamp tool (Photoshop), 531

Close-Up mode, 193–194

close-ups, 193–194, 204–205

cloth backdrops, 149–150

CMOS sensors, 44, 45–46, 55

CMYK color mode, 15

Collage layout (Photoshop), 306

Collections section (Lightroom), 413–414

color

- artifacts, 62
- capturing, 61–62
- interpolation, 44, 62
- management, 381, 460–464, 473, 503

modes, 13–15

temperature, 168–170, 173, 174–175, 435

ColorByte Software, 484

ColorChecker

Classic card, 462

Passport, 138, 139, 462

color-correcting filters, 130

colored gels, 115, 334, 337

colored halos, 34

Color Efex, 388

colorimeters, 465–466

color interpolation, 44, 62

color labels (Lightroom), 425

color management, 381, 460–464, 473, 503

color-management settings

Lightroom, 481

Photoshop, 490–491

color modes, 13–15

ColorMunki, 466

ColorMunki Photo, 471

Color Navigator, 466

Color option (Lightroom), 439

color-rendering index, 359

Color slider

Lightroom, 441

Merge to HDR Pro, 317

color space settings, 176–177

color temperature, 168–170, 173, 174–175, 435

commercial photography, 153

compact cameras

accessory lenses for, 116

image sensors on, 54

pros and cons of, 74–75

recording video with, 71

CompactFlash cards, 65–66, 67–68

Compare view (Lightroom), 419–421

composition

cropping in camera, 203

details, 205

framing, 198–203

- getting close to subject, 204–205
- image relationships, 206–213
- taking risks with, 213
- compression
 - JPEG, 69, 163, 164
 - lossy, 17, 18, 69, 164
 - LZW, 18
 - ZIP, 18
- computer
 - backing up, 371–374
 - buying/upgrading, 362–366
 - for digital darkroom, 361–370
 - Macintosh (*See* Macintosh)
 - platform considerations, 361–362
 - Windows (*See* Windows computers)
- Cone Editions, 378
- continuous inking systems, 378
- contrast
 - dealing with impossible, 254–255
 - and night photography, 335–336
- contrast ratio, monitor, 368
- Contrast slider (Lightroom), 437, 441
- Convert to Profile dialog (Photoshop), 504
- copper wire, 143
- copyright, 522, 528–529
- Copyright Act, Digital Millennium, 531, 536
- cores, 364
- CPU speed, 363–364
- Creative Assist mode, 191
- Creative Enhancement Target, 462
- crop factor, 58
- cropping
 - in camera, 203
 - with Lightroom, 447–448
- CRT monitors, 368, 466
- Cunningham, Imogen, 211
- Curve feature (Merge to HDR Pro), 317–318
- Custom White Balance setting, 174
- CVS photo-printing services, 493
- Cylindrical layout (Photoshop), 305

D

- dark capture, 51
- darkroom, 301, 357, 359, 377, 388. *See also* digital darkroom
- Datacolor, 466, 471
- date/time setting, 178
- Defringe menu (Lightroom), 444
- deluxe point-and-shoot cameras, 76
- depth of field, 40, 97, 119, 185, 190
- Destination section (Lightroom), 409–410
- details, 205–206
- Detail section (Lightroom), 440–442
- Detail slider
 - Lightroom, 440, 441
 - Merge to HDR Pro, 317
- Develop module (Lightroom), 403, 433–447
- Develop presets (Lightroom), 454–455
- Dfine, 387
- diffused flash, 266
- diffusers, 111–112, 115
- diffusion panels, 266
- Digimarc, 534–535
- digital backs, 78–80
- Digital Camera Battery, 91
- digital cameras. *See also* cameras; DSLR cameras
 - accessories for (*See* accessories)
 - buffer for, 68
 - choosing, 74–86
 - cropping images in, 203
 - exposure modes for, 181–195
 - file formats for, 16–18, 68–71, 158–160
 - filenaming schemes for, 178–179
 - and flash units, 71–73
 - and focal length, 25
 - framing images with, 198–203
 - how they work, 21–22
 - image sensors for (*See* image sensors)
 - LCD settings for, 279–280
 - lenses for, 22–34 (*See also* lenses)
 - light meters in, 220–221

digital cameras (*continued*)

- making selects in, 283–285
- and megapixels, 6, 10
- profiling, 462–463
- recording video with, 71
- and resolution, 6
- setting up, 158–181
- storing images from, 68–71
- types of, 74–80
- viewfinders for, 35–41

digital darkroom, 357–456

- accessories for, 382–384
- computer considerations, 361–370
- and image backups, 371–375
- lighting for, 358–360
- painting walls of, 360
- printer considerations, 375–381
- purpose of, 357–358
- software for, 384–401
- workflow, 403–405

digital data, 49

digital images. *See also* images

- comparing, 419–421
- deleting, 284
- evaluating on LCD screen, 278–285
- flagging, 284
- key concepts regarding, 3–20
- noise in, 50–51, 167
- numbering of, 178–179
- protecting, 284
- sharing, 495, 509–527, 553 (*See also* photo-sharing sites)

digital infrared photography, 131–133

digital lenses, 59

digital media, 65–68

- life expectancy of, 65
- size considerations, 67
- storage capacity of, 65, 67
- types of, 65–66
- write speed of, 67–68

Digital Millennium Copyright Act, 531, 536

digital noise, 167, 436, 445. *See also* noisedigital photography. *See also* digital cameras; digital images

- and color balance, 170
- and exposure compensation, 238–244
- flow of light with, 22
- and George Eastman, xxi
- instant gratification provided by, xxii
- and lens quality, 23
- storage considerations, 374–375
- vs.* film photography, xxiii–xxiv, 21–22, 214
- what we expect from, xxii–xxiii

digital pinhole photography, 122–123

digital projectors, 538–539

digital single lens reflex cameras. *See* DSLR cameras

digital slide shows, 538–553

digital zoom, 27–28

display adapters, 366

displays, 367–370. *See also* monitors

distortion, 32–34

Distortion slider (Lightroom), 443

DNG format, 16, 407, 462

dot gain, 480

dots per inch (dpi), 4, 11

Draft Mode Printing option (Lightroom), 479

drive mirroring software, 373

DSLR cameras

- cleaning, 135–137
- dynamic range for, 247–248
- and HD video, 71, 76, 351
- image sensors on, 54
- and interchangeable lenses, 28–29, 115–116
- and LCD live preview, 41
- pros and cons of, 76–80
- viewfinders for, 40–41

DSLR video, 350–353

dual-core processors, 364

dust, 133–137

DX sensor format, 54
 dye-based inks, 376–377, 485
 dynamic range, 63–64, 247–248

E

Eastman, George, xxi
 Eastman Kodak Company, xxi
 e-commerce sites, 514–515
 edge glow, 315
 edge inspection, 319–320
 Edgerton, Dr. Harold, 206
 Edit Capture Time dialog (Lightroom), 179
 editing programs. *See* image-editing programs
 Edmund Industrial Optics, 31
 Effects section (Lightroom), 444–446
 Eizo, 466
 electronic viewfinders, 39–40
 Elements, 389–390, 527
 email, sending images via, 20, 509–510
 EMC Retrospect, 373
 Entourage, 510
 entrance pupil, lens, 297
 Epson
 inkjet printers, 375
 Multimedia Photo Viewer, 96
 UltraChrome inkset, 377
 Evaluative metering, 223
 EXIF data, 196–197, 401
 exit pupil, lens, 297
 Export feature (Lightroom), 492–493, 494, 499–502, 510, 529
 Export JPEG Slideshow option (Lightroom), 550
 Export Location settings (Lightroom), 500
 Export PDF Slideshow option (Lightroom), 550
 Export Video Slideshow option (Lightroom), 550–551
 Expose to the Right technique, 247–251
 exposure
 defined, 182
 evaluating, 244–257

 extending with HDR, 306–325
 factors that determine, 182, 186
 for HDR images, 308–312
 improving with image-editing software, 183
 modes (*See* exposure modes)
 for night photography, 331
 for panoramas, 290–293
 and reciprocity, 186–189
 exposure compensation, 237–244
 exposure-lock feature, 231–233
 exposure modes, 181–195
 Aperture Priority, 190
 Full Auto, 189
 Manual, 190–191
 for night photography, 328–329
 Program, 189–190
 Scene, 191–195
 Shutter Priority, 190
 Exposure slider
 Lightroom, 435
 Merge to HDR Pro, 316
 exposure tools, 137–139
 Extended Graphics Array, 7–8
 external flash units, 105–109, 267, 333–334
 external hard drives, 371–372, 374

F

fabric reflectors, 147–148
 fast-action photography, 68
 Feather slider (Lightroom), 445
 fiber brushes, 136
 field-of-view crop, 58, 116
 file formats, 16–20
 in the camera, 16–18
 in the computer, 18–19
 for email/Web, 19–20
 for output/printing, 19–20
 for storing images, 68–71, 158–160
 File Handling section (Lightroom), 408

Filename Template Editor dialog (Lightroom), 408–409

File Naming settings (Lightroom), 500

file-numbering options, 178–179

File Renaming section (Lightroom), 408–409

File Settings options (Lightroom), 500

file size, 7, 69

fill flash, 264–265

Fill Light adjustment (Lightroom), 436

film grain, 50, 51, 167, 445–446

film photography

- and color balance, 170
- and color-correcting filters, 130
- and focal length, 25
- how it works, 21–22
- vs.* digital photography, xxiii–xxiv, 21–22, 214

Filmstrip panel (Lightroom), 398, 405, 430–431

Filter Bar (Lightroom), 430–432

filters, 125–133

Final Cut Pro, 353

fine art photography, 153

FinePrint Imaging, 492

Firefox, 497, 498

FireWire card readers, 383

Fireworks mode, 195

fish-eye lenses, 32

fixed lenses, 26

flagging images, 284, 424

flash, 105–115, 264–277

- balancing with ambient light, 269–271
- bounced, 265–266
- built-in, 72
- controlling, 268
- diffused, 112, 266
- experimenting with, 277
- external, 105–109, 267, 333–334
- fill, 264–265
- off-camera, 72–73, 107–108
- wireless control of, 108–109

Flash-based Web galleries, 517, 524, 537

flash brackets, 110

flashlights, 141, 333, 334–335

flash photography, 71–73, 264–277. *See also* flash

flash ratios, 271–276

Flickr, 512–514

fluorescent lighting, 146–147

foam-core board, 147

focal length, 23–25, 57–58, 292

focal-length magnification, 116–117

focal-length multiplier, 58

focus

- checking with LCD screen, 280–281
- and Live View feature, 282
- for night photography, 334–335
- selective, 211–212

Folders section (Lightroom), 411–412

Fong, Gary, 112

foreground elements, 208–209

Four Thirds system, 55–56

FOV crop, 58, 116

Foveon X3 sensor, 47

frame

- breaking, 212–213
- importance of, 206–207

frames, time-lapse photography, 344

frames per second, 85, 344

framing images, 198–203

f-stop, 29, 184

Fuji Super CCD EXR sensors, 47

Full Auto mode, 189

full-frame sensors, 56–57, 59

G

gaffer's tape, 154

Galbraith, Rob, 67–68

Galen Rowell filters, 129

galleries, automated Web, 516–527

gamma setting, 467

Gamma slider (Merge to HDR Pro), 316

Camut Warning check box (Photoshop), 490
 gels, colored, 115, 334, 337
 Geometric Distortion Correction check box (Photoshop), 306
 ghosting, 318–319
 GIF files, 508
 gigabytes, 365
 gigahertz, 363
 glossy papers, 380
 glow effect, 315
 GoodSync, 373
 Gorman, Greg, 115
 GPUs, 366
 Graduated Filter tool (Lightroom), 451–452
 graduated ND filters, 129–130
 graphics processing units, 366
 gray cards, 138
 grayscale color mode, 13–14
 Greenburg, Edward, 529
 green screen, 151
 Grid view (Lightroom), 417–418
 Group F64, 211

H

halos, 34, 48
 handheld light meters, 218–220
 hard drive mirroring, 373
 hard drives, 364–366, 371–372
 Harryhausen, Ray, 347
 Hasselblad cameras, 78
 HDR images, 306–325

- and adjustment layers, 324–325
- Auto Exposure Bracketing for, 310
- and bit depth, 11, 314–315
- and edge glow, 315
- exposure considerations, 308–312
- and ISO setting, 309
- meaning of acronym, 306
- processing, 312–325

purpose of, 306
 removing ghosts from, 318–319
 stylistic approaches to, 311–312
 when to shoot, 307
 HDRSoft, 312
 HDR Toning feature (Photoshop), 321
 HD video, 71, 76, 287
 Hewlett-Packard, 375
 high-bit images, 12
 High Dynamic Range images, 306. *See also* HDR images
 highlights, 251–253, 317, 438, 439, 445, 475
 Highlight slider (Merge to HDR Pro), 317
 Highlights slider (Lightroom), 445
 histograms, 244–257

- image review with, 279
- interpreting, 245
- producing the best, 247–257
- purpose of, 244

 HMI lights, 146
 Hockney, David, 287
 HoodLoupe, 141
 Hoodman Loupe, 37, 141
 hoods

- LCD screen, 141
- lens, 333
- monitor, 359
- viewfinder, 37

 Horizontal slider (Lightroom), 443
 horizontal *vs.* vertical images, 199–200
 hot glue gun, 153
 hot-shoe attachments, 72–73, 105
 HSL option (Lightroom), 438
 Hue slider (Lightroom), 446

I

iIXTreme, 471
 ICC profiles, 471
 iDisplay, 466

- Image Doctor, 387
- image-editing programs, 16, 167, 183, 386, 508.
 See also Lightroom; Photoshop
- ImageKind, 515
- image latency, 40
- image-management software, 384
- image-optimization software, 386
- ImagePrint, 484
- Image Processor (Bridge), 507
- Image Processor dialog (Photoshop), 507
- image quality
 - and image sensors, 58
 - and lenses, 30, 58
 - and physical size of pixels, 59–60
- image relationships, 206–213
- Image Rescue, 181
- image review feature, 279
- images. *See also* digital images
 - applying color labels to, 425
 - applying keywords to, 425–429
 - backing up (*See* backups)
 - cropping
 - in camera, 203–206
 - with Lightroom, 447–448
 - digital pinhole, 122–123
 - evaluating on LCD screen, 278–285
 - filtering, 430–432
 - flagging, 424
 - framing, 198–203
 - horizontal *vs.* vertical, 199–200
 - optimizing, 455–456
 - preparing for online viewing, 496–498, 502–509
 - printing (*See* printing)
 - protecting from unauthorized use, 527–537
 - rating, 424–425
 - recovering deleted, 181
 - resizing, 502–503 (*See also* image size)
 - sharing, 495, 509–527, 553 (*See also* photo-sharing sites)
 - sharpening (*See* sharpening)
 - storing, 65–71
 - viewing EXIF data for, 197
- image sensors, 43–64
 - and analog to digital conversion, 49–51
 - and bit depth, 60
 - cleaning, 135–137
 - and color, 61–62
 - and dynamic range, 63–64
 - and focal length, 57–58
 - how they work, 48–49
 - and image quality, 58
 - and ISO rating, 52–53
 - physical size of, 54–59
 - and physical size of pixels, 59–60
 - purpose of, 43–44
 - types of, 44–47
- image size
 - for digital slide shows, 538–539
 - displaying in Web browser, 497, 498
 - for online display, 496–497
 - and sharpening, 504
 - specifying in camera, 161–162, 163
 - and unauthorized use, 530
- Image Size dialog (Photoshop), 488, 502
- Image Sizing settings (Lightroom), 500
- iMovie, 353
- Import dialog (Lightroom), 405–410
- Import Preset menu (Lightroom), 410
- incident light meters, 218–219
- infrared filters, 131–133
- infrared transmitters, 108–109
- inkjet printers, 375–378
 - benefits of, 375
 - how they work, 375–376
 - inks for, 376–378
 - and marketing hype, 11
 - and print longevity, 485
- Instamatic cameras, xxii
- Intel processors, 363–364

interchangeable lenses, 28–29, 115–116

Internet. *See also* Web

- color management, 503
- photo-sharing sites, 493, 495–498, 510–527
- presenting photos on, 495–498
- print services, 493–494
- protecting photos displayed on, 527–537

Internet Explorer, 497–498

interpolation

- adaptive, 480
- color, 44, 62
- image size, 27, 488–489

iPhone photography, 81

iPhoto, 527

IR filters, 131–133

IR transmitters, 108–109

ISO setting

- choosing, 165–167
- for HDR images, 309
- meaning of acronym, 52
- for night photography, 327–328
- and physical size of pixels, 59
- when to change, 52–53

J

Jarvis, Chase, 81

JPEG compression, 163, 164

JPEG File option (Lightroom), 485–487

JPEG format

- advantages of, 17–18, 69, 158
- compression considerations, 69, 163, 164, 486
- and image quality, 18, 69
- and image size, 160–162
- and images sent via email, 20
- meaning of acronym, 17
- saving resized images in, 505
- vs.* RAW format, 17, 69, 160

JPEG Quality settings (Photoshop), 505–506

JPEG Quality slider (Lightroom), 486

JPEG Slideshow option (Lightroom), 550

K

Kelvin scale, 168, 467

Keynote, 552

Keywording section (Lightroom), 426–427

keywords, 409, 425–429

keyword sets, 427–428

Kodak

- APS film format, 54
- and digital photography, xxi
- Four Thirds system, 55–56
- Instamatic cameras, xxii

L

Lab color mode, 15

labs, specialty print, 492–493

Landscape mode, 192

laptop platforms, 152

Laumont Studio, 492

layer masks, 306, 324–325, 336

LCD brightness control, 177

LCD live preview, 41

LCD monitors, 368–369, 466. *See also* monitors

LCD screen

- checking focus/sharpness with, 280–281
- configuring settings for, 279–280
- controlling brightness of, 177
- evaluating images on, 278–285
- and image editing, 283–285
- and Live View feature, 282
- pros and cons of, 36–38
- reviewing thumbnails in, 283
- turning off, 280

LCD/system sleep setting, 178

Leatherman, 140

legal guide, photographer's, 529

Lensbaby, 120–121

lens cleaning supplies, 140

Lens Corrections section (Lightroom), 442–444

lens distortion, 32–33

- lenses, 22–35, 115–125
 - adapting filters to, 130–131
 - cleaning, 140
 - dedicated DSLR, 118–119
 - fast *vs.* slow, 29–30
 - fish-eye, 32
 - fixed, 26
 - and focal length, 23–25, 116–117
 - interchangeable, 28–29, 115–116
 - prime, 115–116, 118–119
 - quality considerations, 23, 30–35
 - zoom, 26–28, 118–119
- lens hood, 333
- lens quality, 30–35
- lens resolution charts, 31
- lens speed, 29–30
- lens test charts, 31
- Lens Vignetting section (Lightroom), 443
- Lexar, 181
- Library module (Lightroom), 403, 411, 426, 429
- light, 215–286. *See also* flash; lighting
 - adding with flash, 264–277
 - balancing flash with ambient, 269–271
 - continuous, 146–147
 - in digital *vs.* film photography, 21–22
 - flood, 146
 - importance of, 285–286
 - measuring, 216 (*See also* light meters)
 - painting, 336–338
 - redirecting, 265–267
 - ring, 111
 - and white balance, 257–263
- lighting. *See also* flash; light
 - digital darkroom, 358–360
 - for evaluating prints, 471–473
 - fluorescent, 146–147
 - photo studio, 144–148
 - ratios, 271, 273, 275
- LightJet, 492
- light meters, 216–237
 - and exposure compensation, 239, 241
 - how they work, 216–218
 - limitations of, 217
 - metering modes for, 222–227
 - purpose of, 216
 - types of, 218–221
 - using in-camera, 227–233
 - when to override, 234–237
- Lightroom, 403–456
 - applying color labels in, 425
 - applying keywords in, 425–429
 - Catalog Settings dialog, 398–401
 - creating slide shows in, 540–551
 - customizing watermarks in, 532–534
 - Develop settings, 303
 - Edit Capture Time dialog, 179
 - Export feature, 492–493, 494, 499–502, 510, 529
 - exporting Web-sized files in, 499–502
 - filtering images in, 411
 - flagging images in, 424
 - and Flickr, 513–514
 - and HDR processing, 313
 - importing images into, 405–410
 - managing video clips in, 407
 - modules, 403–405
 - and panoramas, 303, 304
 - plug-ins, 387–389
 - Preferences dialog, 391–398
 - presets, 410, 454–455
 - printing via, 477–487
 - processing images in, 433–447
 - producing files for third-party labs with, 492–493
 - Publish Services feature, 513
 - purpose of, 384–385
 - rating images in, 424–425
 - and RAW images, 16, 18
 - Selective Adjustment tools, 447–454

- Adjustment Brush, 452–454
- Crop, 447–448
- Graduated Filter, 451–452
- Red Eye Correction, 450
- Spot Removal, 448–449
- sorting/organizing images in, 410–432
- view options, 415–423
- vs.* Photoshop, 455–456
- workflow, 403–405
- Lights Out display (Lightroom), 422–423
- Lightsphere Collapsible, 112
- light table, 417
- Lithium-ion batteries, 89–90
- Live MOS sensors, 55
- Live View feature, 282, 334
- locking shutter release cable, 332
- lossy compression, 17, 18, 69, 164
- loupes, 37, 141
- Loupe view (Lightroom), 418–419
- low-light photography, 167, 236–237. *See also* night photography
- L-plates, 103
- luminance, 217, 441
- Luminance slider (Lightroom), 441
- Lyson, 378
- LZW compression, 18

M

- Macbeth ColorChecker, 462
- Macintosh
 - backup software for, 373
 - clock speed, 363–364
 - gamma setting, 467
 - saving profiles for, 464
 - synching applications for, 373
 - vs.* Windows systems, 361–362
- Mac Performance Guide, 364
- Macro mode, 193–194
- macro photography, 83, 85, 111, 282
- MacSpeedZone, 364
- MakerNote EXIF data, 197
- Mamiya cameras, 78
- Manual mode, 190–191
- manuals, camera, 88–89, 158
- Masking slider (Lightroom), 441
- Matrix metering
 - how it works, 223–224
 - photo examples, 219, 220, 225, 227
 - when to use, 226
- matte-surface papers, 380
- Media Type settings (Lightroom), 481
- medium-format digital cameras, 78–80
- megapixels
 - defined, 3
 - and file/image size, 7
 - and marketing hype, 10
 - and resolution, 4, 6, 7
 - vs.* effective megapixels, 6
- memory, random access. *See* RAM
- memory cards. *See also* digital media
 - capacity considerations, 67, 94–95
 - deleting images on, 284–285
 - formatting, 180–181
 - recovering deleted files from, 181
 - storing images on, 65–68
- memory colors, 473–476
- Memory Stick format, 66
- Merge to HDR Pro feature (Photoshop), 313–320
- metadata, 195–197, 400, 429–430, 432. *See also* EXIF data
- Metadata options (Photoshop), 506–507
- Metadata settings (Lightroom), 400, 429–430, 501
- metering modes, digital camera, 222–227
- Microsoft
 - Entourage, 510
 - PowerPoint, 552
 - and sRGB color space, 176
 - Windows (*See* Windows computers)

Midpoint slider (Lightroom), 443, 445
 mireds, 260, 262
 MirrorFolder, 373
 mirror lockup, 104
 MIS Associates, 378
 MM cards, 66
 moiré patterns, 62–63
 monitor hoods, 359
 monitor resolution, 3, 7–8, 369
 monitors
 calibrating, 369–370, 465–467
 importance of, 367, 465
 optimizing images for, 496–498
 profiling, 465–468
 setting up multiple, 367
 size considerations, 368
 monitor sensors, 465
 Monochrome mode, 194–195
 monopods, 104
 motion, 210–211, 338–341
Mountains of California, The, 215
 mouse rollovers, 535
 movies, 344, 347, 350, 528. *See also* video
 Mozy, 374
 Muir, John, 215
 multicore processors, 364
 MultiMedia cards, 66
 multimedia viewers, 96
 multi-segment metering, 223
 multithreading, 364
 Muybridge, Eadweard, 287

N

Navigator panel (Lightroom), 416
 ND filters, 128–130
 Nearest Neighbor option (Photoshop), 489
 NEC, 466

neutral density filters, 128–130
 NiCd batteries, 90, 91
 Night Landscape mode, 192
 night motion, 338–341
 night photography, 325–341
 augmenting light for, 336–338
 camera controls, 326–330
 and contrast extremes, 335–336
 effects of motion in, 338–341
 equipment, 83, 97, 330–334
 exposure for, 331
 focus considerations, 334–335
 and light meters, 236–237
 Night Portrait mode, 191–192
 nik Multimedia, 387, 388
 Nikon
 digital lenses, 59, 131
 DX sensor format, 54, 59
 fish-eye lenses, 118
 full-frame sensors, 56
 NiMH batteries, 90
 nodal point, lens, 23, 296–298
 nodal slides, 296
 noise, 50–51, 167, 441–442, 445
 Noise Reduction adjustments (Lightroom),
 441–442
 notepads, 142
 nVidia chipset, 366

O

off-camera flash, 72–73, 107–108
 offsite storage, 373–374
 Olympus, 55
 online backups, 374
 online photo-sharing sites, 493, 495–498, 510–527
 online print services, 493–494
 online viewing, preparing photos for, 496–498
 onOne Software, 388
 optical viewfinders, 38–39, 40

optical zoom, 26–27
 Ott-Lite, 359, 360
 outdoor photography, xxii
 output resolution, 9
 Output Sharpening settings (Lightroom), 501
 overexposure, 242–243

P

Painter tool (Lightroom), 428–429
 Panasonic Live MOS sensors, 55
 panoramas, 288–306
 approaches to, 288
 assembling, 302–306
 and camera orientation, 289, 298
 and chromatic aberration, 303
 eliminating parallax in, 296
 experimenting with, 293, 298–302
 exposure considerations, 290–293
 handheld, 294
 and image overlap, 290, 292
 increasing pixel count for, 299–300
 and iPhone, 81
 photographing, 289–294
 printing, 380
 tripod-mounted, 295–298
 vertical *vs.* horizontal, 298
 and white balance, 292
 panorama-stitching software, 292, 302–306
 paper, printer, 380–381
 paper profiles, 469–470
 parallax, 39, 296
 Parallels Desktop for Mac, 361
 Park, Nick, 347
 partitions, hard drive, 365
 Pattern metering, 223
 PCL-1 Panning Clamp, 295
PC Magazine, 364, 366
 PDF Slideshow option (Lightroom), 550
 PDI target, 473

Perspective layout (Photoshop), 304–305
 Photodex, 552–553
 PhotoDisc International target, 473
 photo-editing programs, 16, 167, 183, 386, 508.
 See also Lightroom; Photoshop
 Photoflex, 114
 photo floods, 146
 PhotoFrame, 388
 photo galleries, automated Web, 516–527
Photographer's Survival Manual, 529
 Photographic Solutions, 136, 137
 photography
 cell-phone, 81
 changes in, 403
 commercial, 153
 derivation of term, 168
 digital infrared, 131–133
 digital pinhole, 122–123
 digital *vs.* film, xxiii–xxiv, 21–22, 214
 equipment (*See* accessories; cameras)
 fast-action, 68
 fine art, 153
 flash, 71–73
 importance of light in, 215
 night (*See* night photography)
 rewards of, xxi, 553–554
 “straight” *vs.* “painterly,” 211
 taking risks with, 213
 photo inkjet printers, 11, 375–376, 484. *See also*
 inkjet printers
 PhotoKit, 387
 Photomatix Pro, 312, 320–324
 Photo Mechanic, 527
 Photomerge feature (Photoshop), 292, 304–306
 photo portfolio sites, 514–515
 photo-printing services, 493–494
 photos
 applying color labels to, 425
 applying keywords to, 425–429
 backing up (*See* backups)

photos (*continued*)

- cropping
 - in camera, 203–206
 - with Lightroom, 447–448
 - digital pinhole, 122–123
 - evaluating on LCD screen, 278–285
 - filtering, 430–432
 - flagging, 424
 - framing, 198–203
 - horizontal *vs.* vertical, 199–200
 - optimizing, 455–456
 - preparing for online viewing, 496–498, 502–509
 - printing (*See* printing)
 - protecting from unauthorized use, 527–537
 - rating, 424–425
 - recovering deleted, 181
 - resizing, 502–503 (*See also* image size)
 - sharing, 495, 509–527, 553 (*See also* photo-sharing sites)
 - sharpening (*See* sharpening)
 - storing, 65–71
 - viewing EXIF data for, 197
- photo-sharing sites, 493, 495–498, 510–527
- PhotoShelter, 514–515, 516
- Photoshop
- Auto Levels feature, 135
 - Clone Stamp tool, 531
 - feature-limited version of, 389
 - HDR Toning feature, 321
 - Merge to HDR Pro feature, 313–320
 - Photomerge feature, 292, 304–306
 - plug-ins, 387–389
 - preparing Web images in, 502–507
 - printing via, 487–491
 - PSD format, 19
 - purpose of, 385–386
 - RAW file format, 19
 - vs.* Lightroom, 455–456
 - Web Photo Gallery feature, 527
- Photoshop Elements, 389–390, 527

Photoshop Lightroom. *See* Lightroom

photo studio accessories, 144–154

- backdrops, 148–151
 - lighting, 144–147
 - reflectors, 147–148
 - studio “assistants,” 153–154
 - tables/carts, 151–152
- photo Web galleries, 516–527
- pigment-based inks, 376–377, 485, 492
- pincushion distortion, 33
- pinhole photography, 122–123
- pixel dimensions, 3, 69
- Pixel Genius, 387
- pixels
 - and image quality, 59–60
 - and resolution, 3
- pixels per inch, 3. *See also* ppi
- plastic bags, 140
- pliers, 140
- plug-ins
 - for creating rollovers, 535
 - for creating Web galleries, 524–525, 537
 - for disabling right-click, 535–536
 - for exporting images to ProShow Gold, 553
 - Lightroom, 387–389, 553
 - Photoshop, 387–389
 - for processing HDR images, 312
 - for tone mapping, 320
 - for watermarking images, 534
- PNG format, 508
- pocket drives, 96
- Pocket Wizard, 109
- point-and-shoot cameras, 76
- point of view, 201–203, 208, 349
- polarizing filters, 126–128
- portfolios, photo, 514–515
- Portrait mode, 191
- portrait photography, 121, 150
- Post-Crop Vignetting controls (Lightroom), 444–445

- posterization, 246, 247, 477
- Post-Processing area (Lightroom), 501
- power adapters, 92–93
- PowerPoint, 552
- ppi, 3, 4, 8
- Preferences dialog (Lightroom), 391–398
- Premiere Pro, 353
- presets
 - Lightroom, 410, 454–455
 - white balance, 172–173
- Previous Import option (Lightroom), 411
- prime lenses, 115–116, 118–119
- Print dialog (Photoshop), 489–491
- printer profiles, 469–477
- printer resolution, 3, 4, 9–10
- printers
 - inkjet, 375–378 (*See also* inkjet printers)
 - longevity data for, 378–379
 - paper for, 380–381
 - and print size, 379–380
 - replacement ink cartridges for, 381
- printing
 - to JPEG *vs.* print output, 485–487
 - services, 491–494
 - via Lightroom, 477–487
 - via Photoshop, 487–491
- print labs, specialty, 492–493
- print media, 380–381, 459
- prints
 - black-and-white *vs.* color, 484
 - cost considerations, 381
 - evaluating, 471–477
 - longevity of, 377, 378–379, 485
 - paper for, 380–381
 - resolution considerations, 9–10
 - size considerations, 7, 379–380, 516
 - vs.* monitor images, 459
- print services, online, 493–494
- Print Setup dialog (Lightroom), 478
- Print Sharpening settings (Lightroom), 480, 486

- Process menu (Lightroom), 446
- processor speed, 363–364
- professional DSLR cameras, 77–78
- ProfileMaker, 477
- Profile menu (Lightroom), 446
- profiles, 460, 461–464
- profiling
 - digital camera, 462–463
 - monitor, 465–468
 - printer, 469–477
- Program mode, 189–190
- projectors, digital, 538–539
- Properties dialog (Lightroom), 483
- ProShow Gold, 552–553
- PSD format, 18, 19, 69
- Publish Services feature (Lightroom), 513

Q

- quadtone inks, 377
- Quantum Instruments, 91, 338
- Quick Collection option (Lightroom), 411
- Quick Develop panel (Lightroom), 432–433
- quick-release systems, tripod, 102, 295
- Quick Take 100, 65
- QuickTime Pro, 353

R

- radio transmitters, 109
- Radius slider
 - Lightroom, 440
 - Merge to HDR Pro, 315
- RAM, 362, 365, 366
- random access memory. *See* RAM
- rating images, 424–425
- RAW format. *See also* Camera Raw
 - and image quality, 69–71
 - pros and cons of, 16–17, 160
 - saving images in, 19

RAW format (*continued*)

- setting digital camera for, 159
 - and sharpening feature, 175
 - vs.* JPEG format, 17, 69, 160
 - and white balance, 175, 261–262
- RAW+JPEG mode, 159
- Ray, Man, 287
- Really Right Stuff, 295, 296
- Real World Digital Photography* Flickr group, 512, 514
- rechargeable batteries, 89–91
- reciprocity, 186–189
- Recovery slider (Lightroom), 436
- Red/Cyan slider (Lightroom), 444
- Red Eye Correction tool (Lightroom), 450
- reflective light meters, 220
- reflectors, 114, 147–148
- registration, copyright, 528–529
- remote release, 104, 332
- Rendering Intent option (Photoshop), 491
- Reposition layout (Photoshop), 306
- Resample Image check box (Photoshop), 488–489
- Resnick, Seth, 528, 536
- resolution, 3–11
- defined, 3
 - and image information, 4
 - for LCD monitors, 369
 - and marketing hype, 10–11
 - measuring, 3–4
 - more *vs.* less, 5
 - and photo-editing process, 6
- retouching tools, 449, 531
- Retrospect, 373
- Reznicki, Jack, 529
- RGB color mode, 14, 176, 492
- ring lights, 111
- rollovers, 535
- Rotate slider (Lightroom), 443
- Roughness slider (Lightroom), 446
- Roundness slider (Lightroom), 445
- RPMS, 365

S

- Safari, 497, 498
- SATA interface, 365
- Saturation slider (Lightroom), 437, 447
- Save File dialog (Lightroom), 487
- Save for Web & Devices dialog (Photoshop), 505–507
- Scale slider (Lightroom), 443
- scanning backs, 47, 79–80
- Scene modes, 191–195
- scissors, 140
- Scott, Geoff, 475
- screwdrivers, 140
- SD cards, 66
- seamless paper, 148–149
- Secure Digital cards, 66
- Selective Adjustment tools (Lightroom), 447–454
- selective focus, 211
- semigloss papers, 380
- sensor loupes, 141
- sensors
- image (*See* image sensors)
 - monitor, 465
- sensor swabs, 137
- shadows, 210, 253–254, 317, 446
- Shadow slider (Merge to HDR Pro), 317
- Shadows slider (Lightroom), 446
- sharpening
- and image size, 504
 - with Lightroom, 440–441, 501
 - with Photoshop, 504
 - and RAW format, 175
- sharpening feature, camera, 175–176
- sharpness
- checking with LCD screen, 280–281
 - testing lens for, 31
- Shipman, Mike, 515
- shower caps, 140
- shutter
- how it works, 41–42
 - lag time, 42–43

- purpose of, 185
- release cable, 332
- speed, 185–186, 308
- Shutterfly, 493, 511, 516
- Shutter Priority mode, 190
- Sigma, 47
- Silly Putty, 153
- Singh-Ray filters, 129
- Size slider (Lightroom), 445
- skin tones, 474
- skylight filters, 125
- slaves, 108
- sleep mode, 178
- slide shows, digital, 538–553
- slide show software, 539–553
- SLR viewfinders, 40
- Smart Collection feature (Lightroom), 414
- Smart Sharpen dialog (Photoshop), 504
- SmartSync Pro, 373
- Snapfish, 493, 516
- snow scenes, 192–193, 235
- social media sites, 512–514
- SoftRAID, 373
- software
 - backup, 373
 - digital darkroom, 384–401
 - drive mirroring, 373
 - image-editing, 16, 167, 183, 386, 508
 - image-management, 384
 - image-optimization, 384–386
 - panorama-stitching, 292, 302–306
 - slide show, 539–553
- solar battery chargers, 93
- solid-state drives, 366
- SoLux, 472
- Sony Memory Stick format, 66
- specialty print labs, 492–493
- SpectraView II, 466
- Spherical layout (Photoshop), 306
- Split Toning controls (Lightroom), 439–440

- Sports mode, 194
- Spot metering, 222, 226
- Spot Removal tool (Lightroom), 448–449
- Spyder3Print package, 471
- Spyder3Studio package, 471
- sRGB color space, 176–177, 503
- SSDs, 366
- standby mode, 178
- stepping rings, 130–131
- still photography, 71, 287, 342. *See also* photography
- stop motion animation, 287, 347–350
- storage accessories, 94–95. *See also* digital media
- Strength slider (Merge to HDR Pro), 315
- strobe systems, 145, 146
- studios, photo, 144–154
- studio strobes, 145
- Style control (Lightroom), 445
- styluses, 383–384
- Sunbounce system, 114, 115
- sunlight, 275–276
- sun shade hood, 141
- Super CCD EXR sensors, 47
- SuperDuper, 373
- Super Extended Graphics Array, 8
- Survey view (Lightroom), 421–422
- swabs, 137
- sweep tables, 151–152
- Swiss army knife, 140
- SXGA, 8
- sync cables, 108
- synching applications, 373
- Synchronize Settings dialog (Lightroom), 450
- Sync Settings button (Lightroom), 450

T

- tables, 151–152
- tablets, 383–384
- target values, monitor, 467
- Techsoft, 373

Template Browser (Lightroom), 519, 524
 Temp slider (Lightroom), 435
 terabytes, 365
 textured surfaces, 151
 ThePlugInSite.com, 389
 Think Tank Photo, 88
 third-party inks, 378
 “through the lens” metering, 220. *See also* TTL metering
 thumbnails, reviewing, 283
 Tiffen, 127
 TIFF format, 17, 18, 19, 20
 time/date setting, 178, 179
 time-lapse photography, 287, 341–347
 time zones, 179
 Tint slider (Lightroom), 435
 title slide workaround (Lightroom), 549
 tonal values, 11–12
 Tone and Detail section (Merge to HDR Pro), 316–317
 Tone Curve section (Lightroom), 437–438
 Tone Mapping interface (Photomatix Pro), 322–324
 Topaz Adjust, 388
 Treatment adjustment (Lightroom), 434
 tripod heads, 101
 tripod-mounted laptop platforms, 152
 tripod-mounted panoramas, 295–298
 tripods, 97–104

- aluminum *vs.* carbon fiber, 100
- choosing, 98–104
- and HDR images, 309
- importance of, 97–98
- and lens testing, 31
- leveling, 295
- and Live View feature, 282
- L-plates for, 103
- and night photography, 330
- positioning, 99
- quick-release systems for, 102

TTL metering, 220, 269–270, 273
 tungsten-halogen lamps, 146
 tweezers, 140

U

UltraChrome, 377
 umbrellas, 148
 underexposure, 242
 Unsharp Mask dialog (Photoshop), 504
 USB card readers, 383

V

Velcro, 142, 154
 Vertical slider (Lightroom), 443
 vertical *vs.* horizontal images, 199–200, 298
 Vibrance slider (Lightroom), 437
 video

- distributing, 353
 - DSLR, 350–353
 - editing, 353
 - preproduction, 353
 - storage considerations, 71
 - technical considerations, 351–352
 - vs.* still images, 350
- video cards, 366
- Video Slideshow option (Lightroom), 550–551
- viewfinder hoods, 37
- viewfinders, 35–41
- viewing angle, monitor, 368
- Vignette Removal check box (Photoshop), 306
- vignetting, 130, 443, 444–445
- Vimeo, 353
- Visible Dust, 135, 136
- Viveza, 388
- voltage adapters, 92–93
- VRAM, 366

W

Wacom tablets, 383–384

Walgreens photo-printing services, 493

warming effect, 130

Watermarking option (Lightroom), 501

watermarks, 501, 530–535

WB menu (Lightroom), 434

Web browsers

- color-management support, 503
- displaying image size in, 497, 498

Web email programs, 509–510

Web images

- exporting from Lightroom, 499–502
- preparing in Photoshop, 502–507

Web photo galleries, 516–527

- Bridge, 526–527
- Elements, 527
- Lightroom, 517–525
- Photoshop, 527

wedding photography, 121

Weston, Edward, 211

white balance, 168–175, 257–263

- bracketing, 259–261
- camera setting for, 257–258
- and color temperature, 168–170
- creating custom, 174, 258–259
- as creative tool, 263
- and night photography, 329–330
- and panoramas, 292
- presets, 172–173
- and RAW format, 261–262
- science behind, 168–170

White Balance Auto Bracketing, 261

White Balance Bracketing feature, 259–261

White Balance Selector tool (Lightroom), 434

White Balance setting, 168, 171–175, 257–258. *See also* white balance

white cards, 138

white point, 467

Wilhelm Imaging Research, 377, 378, 485

Windows computers

- backup software for, 373
- gamma setting, 467
- performance comparisons, 364
- saving profiles for, 464
- synching applications for, 373
- vs.* Macintosh, 361–362

WinRecovery, 181

wire, 143, 154

wireless flash control, 108–109

workstation carts, 152

X

X3 sensor, 47

XGA, 7–8

X-Rite

- 3-Step Grayscale Card, 138, 139
- ColorChecker, 138, 139, 462
- ColorMunki, 466
- ColorMunki Photo, 471
- ilDisplay, 466
- ilXTreme, 471
- ProfileMaker, 477

Y

YouTube, 353

Z

Zeeion Blower, 136

ZIP compression, 18

zoom control, 283

zoom lenses, 26–28, 118–119