

Index

A

abstract syntax tree (AST), 504-507

access. *See also* security

anonymous, 698-699

architecture, 539-544

code access security, 254-255

compressed store structures, 338

HTTP, 542

metadata, 600-605

multidimensional model hierarchies, 61-67

TCP/IP, 539-541

Unified Dimensional Model, 5-6

XML/A, 553

methods, 557-567

state management, 554-557

troubleshooting, 567-572

Account Time Intelligence Wizard, 235

accounts

built-in, 706

service logon

modifying, 701-702

selecting, 700-701

types, 234

actions, 272-273

defining, 273-278

discovering, 279-284

drillthrough

DDL, 288

properties, 287

ActiveX Data Objects Multi-Dimensional. *See* ADOMD.NET

Add method, 651-653**Add Reference dialog box, 576****adding**

- built-in accounts, 706
- computers to applications, 438
- processing power to computers, 437-438
- users to Administrators role, 706

administrative trace, 751**administrator security, server, 705-707****administration, UDM, 34****ADO (ActiveX Data Objects), 549****ADOMD.NET (ActiveX Data Objects Multi-Dimensional), 541, 548-549**

- AdomdCommand class, 605
 - methods, 607-612
 - properties, 606-607
- AMOs, 665
- applications
 - connecting, 578-586
 - writing, 577
- asynchronous execution, 634-638
- cancellation of commands, 634-638
- CellSet object, 612-622
- error handling, 639
 - AdomdCachedExpiredException object, 642-643
 - AdomdConnectionException object, 642
 - AdomdErrorResponseException object, 640-642
 - AdomdUnknownResponseException object, 642
- metadata objects, 586
 - accessing, 600-605
 - caching on clients, 591-592
 - collections, 586, 589-590
 - MemberCollection, 593-600
- parameters (in MDX requests), 631-634
- projects, 575-576
- tabular formats, 622-624
 - AdomdDataReader object, 625-628
 - DataGridView class, 628-629

AdomdCachedExpiredException object, 642-643**AdomdCommand class, 605**

- methods, 607-612
- properties, 606-607

AdomdCommand.Cancel method, 634-638**AdomdConnection.GetSchemaDataSet method, 600****AdomdConnectionException object, 642****AdomdDataReader object, 625-628****AdomdErrorResponseException object, 640-642****ADOMDServer object model, 257-261****AdomdUnknownResponseException object, 642****advanced analytics, 6-7****AggregateFunction property, 85****aggregation, 181**

- building, 381-385, 499
- cells, 297
- COUNT, 87
- cubes, 292-296
- design, 407-415
- DISTINCT COUNT, 87
- functions, 21
- indexes, 359-360
- MAX, 87
- MIN, 87
- partitions, 414
- queries
 - execution stages, 524
 - statistics, 415-418
- semiadditive functions, 231-237
- SUM, 86

Aggregation Design Wizard, 414-415**AggregationDesign object, 412****AggregationMemoryLimitMax property, 499****AggregationMemoryLimitMin property, 499****AggregationStorage property, 426****AggregationUsage property, 415**

algebra operations (MDX), 153

- CrossJoin, 155-156
- Except, 155
- Extract, 156
- Intersect, 154
- Union, 153-154

algorithms, 178-180, 414-415**All level, 64****allocation**

- memory, 487, 492-494
 - cleaning, 488-490
 - holders, 487, 492
 - Memory Governor, 494-500
- types of, 295

AllowedSet objects, properties, 719-723**Alter command, 251, 451, 467****AMOs (Analysis Management Objects), 31, 541, 548, 785**

- administrative applications, 551
- dependent/referenced objects, 657-663
- disconnected mode, 672-673
- error handling, 684-685
 - ConnectionException, 686
 - OperationException, 685
 - OutOfSyncException, 687-688
 - ResponseFormatException, 685
- loading, 671
- long-running operations, 667-670
- object models, 647
- Scripter object, 673, 676
- server connections, 664-666
- traces, 676-684
- types of, 648
 - major, 648-656
 - minor, 650-654
- Visual Studio, 663-664

analysis

- advanced analytics, 6-7
- Analysis services. *See* Analysis Services

drillthrough, 284-290

impact, 471, 659-661

multidimensional cubes

- COUNT aggregation, 87
- DISTINCT COUNT aggregation, 87
- MAX/MIN aggregations, 87
- measures, 84-86
- SUM aggregation, 86

XML/A, 7

Analysis Management Objects. *See* AMOs**Analysis Services**

clients

- components, 547
- libraries, 548, 551
- XML/A, 547

connecting, 111

hierarchies, 158-160

MDX, 151-152

trace, 750-751

- creating command options, 752-753
- flight recorder, 759-763
- objects, 751-752
- processing activity, 764-766
- query execution time events, 767-772
- SQL Service Profiler, 753-758

Annotation property, 40, 653**anonymous access, 698-699****APIs (application programming interfaces), 243****application programming interfaces. *See* APIs****Application property, 276****applications**

ADOMD.NET

- accessing metadata, 600-605
- AdomdCommand class, 605-612
- AdomdDataReader object, 625-628
- asynchronous execution, 634-638
- caching metadata on clients, 591-592
- cancellation of commands, 634-638
- CellSet object, 612-619

- collections, 586-590
- connecting, 578-586
- creating, 575-576
- DataGridView class, 628-629
- error handling, 639-643
- handling object symmetry, 619-622
- MemberCollection, 593-600
- metadata objects, 586
- parameters (in MDX requests), 631-634
- tabular formats, 622-624
- writing, 577
- Analysis Services libraries, 548-551
- architecture
 - four-tier, 33
 - one-tier, 31
 - three-tier, 32-33
 - two-tier, 30
- clients
 - command execution, 459-463
 - reading metadata, 557-561
- data models, 16
- domains, 250
- scalability, 437
 - BI Dev Studio, 453-456
 - OLAP farms, 439-449
 - remote partitions, 450-453
 - scale-out approach, 438
 - scale-up approach, 437-438
- Unified Dimensional Model, 5-6
- XML/A, 553
 - building, 547
 - methods, 557-567
 - state management, 554-557
 - troubleshooting, 567-572
- applying**
 - Browser tab, 125
 - contingent cell security, 740-741
 - Data Source Wizard, 110-111
 - Deployment Wizard, 793-794
 - hierarchies, 123
 - linked objects, 130
 - proactive caching, 426-429
 - Synchronize Database Wizard, 797
 - translations, 124-125
- architecture**
 - clients, 7
 - dimension security, 731-732
 - four-tier, 33
 - one-tier, 31
 - queries, 503-505
 - thin/thick clients, 34-35
 - three-tier, 32-33
 - trace, 750-751
 - two-tier, 30
- assemblies**
 - CLR
 - creating, 245-249
 - sending, 250
 - COM, 251
 - deploying, 245
 - references, 576
 - server object models, 257-258
 - MDX objects, 261-263
 - metadata, 259-261
- Assembly object, 245**
- assignment operators, MDX, 202-212**
- AssociatedMeasureGroupID property, 266**
- AST (abstract syntax tree), 504-507**
- asynchronous execution, 634-638**
- asynchronous processing, cubes, 667**
- Attribute Collection parameter, 74**
- AttributeHierarchyEnable parameter, 75**
- AttributeHierarchyOptimizedSize parameter, 75**
- AttributeHierarchyOptimizedState property, 500**
- AttributeHierarchyOrdered property, 372**
- AttributeHierarchyVisible attribute, 75**

AttributeID parameter, 75

AttributePermission object, 718

attributes

- AttributeHierarchyVisible, 75
- cube dimension, 74-75
- CustomerID, 50
- DataItem, 53
- dimensions, 18, 46-47, 339-343
 - applying, 121-122
 - building indexes, 372-373
 - checking consistency, 371
 - cubes, 129

decoding tables, 372

- discretization, 58-59
- hierarchies, 371
- member keys, 52-54
- member names, 55
- options, 373-375
- parent-child, 377
- parents, 60
- plan execution, 367-371
- properties, 48-49
- relationships, 49-58, 343-347
- ROLAP, 376-377
- schemas, 373

Error element, 568

hierarchies, 64-67, 123

IgnoreFailures, 468

indexes, 346

measure groups, 93-95, 526

multidimensional space, 16

non-aggregatable, 414

ObjectExpansion, 468

partitions

- decoding, 356-361

- Memory Governor, 496-498

relational reporting-style dimensions,
408-409

sets, 719-723

Unified Dimensional Model, 5-6

authentication, 697-699

Auto-Exist, tuples, 170

automation

- backups, 784-785
- COM assemblies, 251
- updates, 422-424
 - applying, 426-429
 - monitoring, 435-436
 - scheduling, 430-434
 - timing of, 424-426

axes

- defining, 145-148
- SELECT statements, 144-145

Axes section, 566

AxisInfo section, 564

B

back-end solutions, remote partitions, 450-453

BackColor property, 85

Backup Database dialog box, 777-779

backups, 775

- automating, 784-785
- Backup Database dialog box, 777-779
- benefits of, 777
- DDL commands, 779-780
- file systems, 789-791
- files, 780-782
- planning, 776-777
- strategies, 782-783

Backus-Naur notation (BNF), 580

Batch command, 478-484, 496, 675

BDESC keyword, 162

BEGIN TRANSACTION statement, 297

BeginTransaction command, 471

behavior, NON EMPTY BEHAVIOR property, 200-202

benefits of backups, 777

BI Dev Studio, 195

- Aggregation Design Wizard, 414-415
- ETL, 396-402
- linked dimensions, 453-456
- schemas, 323, 326

binary large object (BLOB), 343

binary XML, 540-541

Binding object, 369

bindings, 306

- objects, 316-319
- queries, 319
- tables, 318

bit store structures, 336

bitmaps, indexes, 528

BLOB (binary large object), 343

BNF (Backus-Naur notation), 580

Browser tab, applying, 125

BufferMemoryLimit property, 369

buffers, read, 369

Build option, 136

building

- aggregation, 381-385, 499
- applications
 - Analysis Services libraries, 548-551
 - XML/A, 547
- cube perspectives, 134
- decoding tables, 372
- indexes, 372-385, 500

built-in accounts, adding, 706

Business Intelligence Development Studio. See BI Dev Studio

ByAccount function, 234-237

C

CacheRowsetRows property, 498

CacheRowsetToDisk property, 498

caches

- datacache objects, 518-520
- formulas, 521
- global scope, 509-510
- MDX queries, 518-521
- memory management, 491
- metadata on clients, 591-592
- proactive, 422-424
 - applying, 426-429
 - monitoring, 435-436
 - scheduling, 430-434
 - timing of, 424-426
- session scope, 510

calculations

- cells, 151, 571-572
- COUNT aggregation, 87
- covers, 516
- dimensions, 237-240
- DISTINCT COUNT aggregation, 87
- MAX/MIN aggregations, 87
- MDX
 - assignment operators, 202-212
 - members, 196-202
 - named sets, 212-216
 - order of execution for cube calculations, 216-222
 - scripts, 195-196
- named, 116, 316
- scope, 212, 507-513
- semiadditive measures, 231-237
- SUM aggregation, 86
- unary operators, 226-229
- values, 515-518

Call statement, 252

calling stored procedures from MDX, 252-253

CanAdd method, 652**canceling**

- commands, 476-478, 634-638
- long-running operations, AMOs, 667-670

CanProcess method, 656**Caption property, 276****CaptionMDX property, 276****cardinality of dimensions, 16****cartridges folder, 307****CELL PROPERTIES clause, 167****CellData section, 567****CellInfo section, 564****CellPermission objects, 735, 737-738****cells**

- assignment operators
 - calculating, 203-211
 - WITH clause, 211-212
- calculating, 151, 571-572
- cubes
 - lifetime of updates, 297-298
 - nonupdatable cells, 297
 - writing, 292-296
- IRowsetChange OLE DB interface, 301
- MDX
 - calculating members, 196-202
 - queries, 155-167
- multidimensional space, 19
- security, 732-733
 - applying contingent, 740-741
 - configuring dynamic, 742-744
 - defining, 735-737
 - testing, 738-739
- troubleshooting, 739
- values, 515-518

CellSet object, 301, 612-622**checking consistency, 371****children**

- parent-child hierarchies, 66-67
- processing parent-child dimensions, 377

classes

- AdomdCommand, 605
 - methods, 607-612
 - properties, 606-607
- DataGridView, 628-629

clauses

- CELL PROPERTIES, 167
- DIMENSION PROPERTIES, 166
- ON, 145
- ORDER BY, 531
- SELECT statements, 144-145, 529
- WHERE
 - Filter function, 161
 - ROLAP partitions, 529
 - selecting default members, 148-150
 - sets, 180-183
- WITH, 200, 211-212
- WITH CELL CALCULATION, 203

cleaning memory, 488-490**Clear method, 652****clients**

- applications
 - command execution, 459-463
 - reading metadata, 557-561
- architecture
 - access, 539-544
 - four-tier, 33
 - one-tier, 31
 - three-tier, 32-33
 - two-tier, 30
- architecture, 7
- CellSet object, 612-622
- components, 547
- libraries, 548-551
- linked objects, 34
- metadata, 591-592
- thin/thick, 34-35
- Unified Dimensional Model, 5-6
- XML/A, 547

Clone method, 651**closing ADOXD.NET connections, 579****CLR (common language runtime)**

- creating assemblies, 245-249

- sending assemblies, 250

ClrAssembly object properties, 245**clusters (failover)**

- security, 702

- synchronization, 802

code

- access security, 254-255

- managed, 549-550

- native, 549

collections

- ADOMD.NET, 586-590

- major objects, 655

- members, 593-600

- named objects, 652-654

- processable major objects, 656

ColumnBinding object, 317**columns, DRILLTHROUGH statements, 287-290****COM (Component Object Model), 243, 251****ComAssembly object properties, 251****commands**

- AdomdCommand class, 605

- methods, 607-612

- properties, 606-607

- Alter, 251, 451, 467

- Batch, 478-484, 496, 675

- BeginTransaction, 471

- cancellation of, 634-638

- CommitTransaction, 471

- Create, 251, 466, 752-753

- DDL

- backing up databases, 779-780

- restores, 787-788

- Scripter objects, 673, 676

- synchronizing databases, 798-799

- Delete, 468

- Execute method, 562

- ExecuteCellSet, 608

- executing, 459-463

- Batch command, 478-484

- canceling, 476-478

- data management commands, 465-476

- locking, 475-476

- MergePartitions, 387-388

- Process, 393, 469-471

- ProcessClear, 398

- ProcessFull, 413

- RollbackTransaction, 471

- ScriptAlter, 674

- server state management, 465

- Synchronize, 783, 796

CommandStream property, 607**commit lock, transaction synchronization, 474-476****COMMIT TRANSACTION statement, 298****CommitTransaction command, 471****common language runtime. See CLR****Component Object Model. See COM****components**

- clients, 547-551

- dimensions, 339

- attributes, 339-343

- hierarchies, 347-351

- relationships, 343-347

- internal storage, 334

- accessing compressed store structures, 338

- bit store structures, 336

- compressed store structures, 337

- data store structures, 334

- file store structures, 334

- string store structures, 336

- local cubes, 544

- stored procedures, 252

composite keys, 52, 54, 401

compressed store structures, 337-338

compression, data access, 540-541

conceptual data models, 15, 39-43

concurrency, managing, 473-474

Condition property, 274

configuration

ADOMD.NET

accessing metadata, 600-605

AdomdCommand class, 605-612

AdomdDataReader object, 625-628

applications, 577

asynchronous execution, 634-638

caching metadata on clients, 591-592

cancellation of commands, 634-638

CellSet object, 612-619

collections, 586-590

connecting, 578-586

DataGridView class, 628-629

error handling, 639-643

handling object symmetry, 619-622

MemberCollection, 593-600

metadata objects, 586

parameters (in MDX requests), 631-634

projects, 575-576

tabular formats, 622-624

backups, 775

automating, 784-785

Backup Database dialog box, 777-779

benefits of, 777

DDL commands, 779-780

files, 780-782

planning, 776-777

strategies, 782-783

viewing file systems, 789-791

cells, 742-744

errors, 388-391

DSVs, 113-114

flight recorder, 761-763

MDX

calling stored procedures, 252-253

CLR assemblies, 245-249

implementing COM assemblies, 251

sending CLR assemblies, 250

stored procedures, 244-245

multidimensional models, 110

cubes, 125-136, 138-139

data sources, 110-111

DDL files, 112-113

dimensions, 117-125

DSVs, 113-116

modifying data sources, 111-112

queries, 370

restores, 785

DDL commands, 787-788

partitions, 788-789

Restore Database dialog box, 786-787

trace command options, 752-753

ConnectionException, 686

connections

ADOMD.NET, 578-586

AMOs, 672-673

Analysis Services, 111

data source objects, 308

deleting, 477

pooling, 311

security, 694

HTTP, 696-699

TCP/IP, 695-696

servers, 664-666

sessions, 556

TCP/IP, 539-541

timeouts, 311

trace, 754

XML/A protocol, 30

ConnectionString property, security, 310

consistency, checking, 371

- constrained delegation, 697**
- Contains method, 652-653**
- ContainsName method, 653**
- Context object, 259**
- controlling transactions, 471-472**
- conversions**
 - types between MDX objects, 177
 - writeback partitions, 301
- coordinates**
 - current, 151, 161
 - multidimensional spaces, 145-148
 - populating, 151
- COUNT method, 87, 586, 651**
- covers, calculations, 516**
- CREATE CELL CALCULATION statement, 203**
- Create command, 251, 466, 752-753**
- CREATE MEMBER statements, 198**
- CREATE statements, 508**
- CREATE SUBCUBE statement, 185, 204**
- CrossJoin function, 170, 513**
- CrossJoin operation (MDX), 155-156**
- crossjoins, sets, 182**
- Cube Dimension Attribute object, 415**
- Cube Wizard, 323**
- CubeAttributeSecurity data structure, 731**
- CubePermission object, 713**
- cubes, 257**
 - ADOMD.NET, 581
 - aggregations
 - designing, 407-415
 - query usage statistics, 415-418
 - asynchronous processing, 667
 - calculations, 216-222
 - cells
 - lifetime of updates, 297-298
 - nonupdatable cells, 297
 - writing data, 292-296
 - creating, 125-128
 - dimensions, 71-74, 77
 - attributes, 74-75
 - hierarchies, 76, 93-95
 - role-playing, 76-77
 - DRILLTHROUGH statements, 287-290
 - local, 543-544
 - MDX scripts, 195-196
 - measures. *See* measures
 - modifying, 128-133
 - multidimensional
 - COUNT aggregation, 87
 - DISTINCT COUNT aggregation, 87
 - MAX/MIN aggregations, 87
 - measures, 84-86
 - SUM aggregation, 86
 - perspectives, 78-80, 134
 - physical data model, 351, 361-362
 - defining partitions, 351-354
 - storing partitions, 354-361
 - processing, 378
 - building aggregations/indexes, 381-385
 - data, 379-381
 - options, 383-388
 - schemas, 323-329
 - translations, 134-135
 - viewing, 136-139
 - virtual, 455-456
- current coordinates, 151, 161, 178**
- CurrentMember function, 188**
- CurrentTimeMember property, 266**
- custom member formulas, 229-231**
- CustomerID attribute, 50**
- customization**
 - cubes, 383-388
 - dimensions, 373-375
 - memory, 498
 - traces, 677
- CustomRollupColumn property, 229**
- CustomRollupPropertiesColumn property, 231**

D

Data Access Mode drop-down list, 398

data cache registry, 519

Data Definition Language. See DDL

Data jobs, 534

data latency, 422-424

data management commands, 465

Batch command, 478-484

canceling execution, 476-478

concurrency, 473-474

objects

creating, 466

deleting, 468

editing, 467

processing, 469-471

transactions, 471-476

data processing, 379-381

data source objects, 307-310

Data Source View (DSV), 306, 313-315

creating, 113-114

modifying, 115-116

named calculations, 316

named queries, 315

object bindings, 316-319

Data Source Wizard, applying, 110-111

data sources

creating, 110-111

modifying, 111-112

data storage, OLAP farms, 439, 441

data store structures, 334

data warehouses, relational schemas, 321-322

DataAdapter object, 624

DatabaseConnectionPoolConnectTimeout property, 311

DatabaseConnectionPoolMax property, 311, 369

DatabasePermission object, 711

databases

ADOMD.NET, 584

architecture

four-tier, 33

one-tier, 31

three-tier, 32-33

two-tier, 30

assemblies, 249. *See also* assemblies

backups, 775

automating, 784-785

Backup Database dialog box, 777-779

benefits of, 777

DDL commands, 779-780

files, 780-782

planning, 776-777

strategies, 782-783

viewing file systems, 789-791

conceptual data models, 39-43

cubes

attributes, 74-75

dimensions, 71-74, 77

hierarchies, 76

perspectives, 78-80

role-playing dimensions, 76-77

Deployment Wizard, 793-794

distributed systems, 34

distributed storage, 34

thin clients/thick clients, 34-35

multidimensional models

application data model, 16

attributes, 46-60

conceptual data model, 15

creating, 110

cubes, 125-136, 138-139

data sources, 110-111

DDL files, 112-113

dimensions, 117-125

DSVs, 113-116

- hierarchies, 61-67
- modifying data sources, 111-112
- physical data model, 15
- multidimensional space, 16-22
- relational
 - applying proactive caching, 426-429
 - connection timeouts, 311
 - data source objects, 307-310
 - DSVs, 313-319
 - loading, 305-307
 - monitoring proactive caching, 435-436
 - proactive caching, 422-424
 - scheduling proactive caching, 430-434
 - timing of proactive caching, 424-426
- restores, 785
 - DDL commands, 787-788
 - partitions, 788-789
 - Restore Database dialog box, 786-787
- roles
 - managing, 713
 - security, 707-712
- Scripter objects, 673
- synchronizing, 795-799
 - failover clusters, 802
 - remote partitions, 800-802
- traces, 676-684
- UDM, 25-27
- datacache objects, 518-520, 532**
- DataGridView class, 628-629**
- DataID values, 372**
- Dataltem attribute, 53**
- DataSet object, 624**
- DataSource object, 369**
- DataSource property, 580**
- DataSourcePermission object, 712**
- DataSourceView object, 662**
- DataType function, 85**
- DDL (Data Definition Language), 39, 195, 308**
 - aggregations, 412-413
 - commands
 - backing up databases, 779-780
 - restores, 787-788
 - Scripter objects, 673-676
 - synchronizing databases, 798-799
 - data management commands, 465
 - Batch command, 478-484
 - canceling execution, 476-478
 - creating objects, 466
 - deleting objects, 468
 - editing objects, 467
 - managing concurrency, 473-474
 - processing objects, 469-471
 - transactions, 471-476
 - drillthrough actions, 288
 - files, 112-113
 - measure expressions, 104-105
 - membership, 706
 - objects, 40-43
 - creating Action objects, 278
 - defining, 309
 - partitions, 351-354
 - requests
 - assemblies, 247-248
 - KPIs, 270
- Decision Support Objects (DSO), 31, 548-551, 647**
- decoding**
 - partitions, 356-361
 - tables, 350-351, 524
 - building, 372
 - detecting, 527
- default libraries, MDX, 263-264**
- default members, selecting, 148-150**
- default properties, 43**
- default traces, 677**

defining

- actions, 273-278
- aggregations with DDL, 412-413
- calculated members, 196-199
- cell security, 735-737
- coordinates, 145-148
- credential Analysis Services, 111
- cubes
 - attributes, 74-75
 - dimensions, 71-74, 77, 131
 - hierarchies, 76
 - perspectives, 78-80
 - role-playing dimensions, 76-77
 - translations, 134-135
- DDL files, 112
- DimensionPermission objects, 726
- dimensions
 - dynamic security, 729-730
 - security, 718-727
- DRILLTHROUGH columns, 287-290
- KPIs, 266-271
- membership, 706
- multidimensional space, 16-22
- named sets, 212-216
- objects, 309
- partitions, 351-354
- referenced dimensions, 98
- SCOPE statements, 207-208
- trace, 754

delegation, constrained, 697

Delete commands, 468

deleted member stores, 342

deleting

- connections, 477
- DataSourceView objects, 662
- objects, 468
- sessions, 476
- tuples, 514-515

DeniedSet object properties, 719-723

Dependencies Calculator, 659-663

dependent objects, 657-663

deployment

- assemblies, 245
- projects, 138
- strategies
 - Deployment Wizard, 793-794
 - failover clusters, 802
 - remote partitions, 800-802
 - synchronizing databases, 795-799

Deployment option, 137

Description property, 40, 84, 653

design. See also configuration

- aggregations, 407-415
- query statistics, 415-418

detection

- attribute relationships, 366
- decoding tables, 527

development tools, 8

dialog boxes

- Add Reference, 576
- Backup Database, 777, 779
- edit Role, 713
- MDX Builder, 737
- New Project, 575
- OLE DB Source Editor, 398
- Proactive Caching, 432
- Register Database Assembly, 249
- Restore Database, 786-787
- Security Context, 739
- Server Properties, 707

Dimension Processing Destination Editor, 400

DIMENSION PROPERTIES clause, 166

dimensionality, 146

DimensionID parameter, 73

DimensionPermission object, 712, 726

dimensions, 257

- attributes, 18, 46-47
 - building decoding tables, 372
 - building indexes, 372-373
 - checking consistency, 371
 - cubes, 129
 - discretization, 58-59
 - hierarchies, 371
 - member keys, 52-54
 - member names, 55
 - parents, 60
 - plan execution, 367-371
 - processing, 366
 - properties, 48-49
 - relationships, 49-58
- caches, 518-521
- creating, 117-119
- cubes, 71-74, 77
 - attributes, 74-75
 - defining usage, 131
 - hierarchies, 76, 93-95
 - perspectives, 78-80
 - role-playing, 76-77
- data structure of, 339
 - attributes, 339-343
 - hierarchies, 347-351
 - relationships, 343-347
- hierarchies, 19, 61-64
- indirect measure group queries, 533-535
- links
 - BI Dev Studio, 453-456
 - OLAP farms, 442-446
- MDX calculations
 - custom member formulas, 229-231
 - order of execution, 237-240
 - semiadditive measures, 231-237
 - unary operators, 226-229

- measure groups, 90
 - granularity, 91-95
 - indirect, 95-103
 - links, 106
- modifying, 121-125
- multidimensional space, 16
- ordinals, 590
- processing, 365
 - attributes, 366
 - building decoding tables, 372
 - building indexes, 372-373
 - checking consistency, 371
 - hierarchies, 371
 - options, 373, 375
 - parent-child, 377
 - plan execution, 367-371
 - ROLAP, 376-377
 - schemas, 373
 - troubleshooting, 764-765
- query execution stages, 524
- relational reporting-style, 408-409
- security
 - architecture, 731-732
 - defining, 718-727
 - dynamic, 729-730
 - MDX, 732-733
 - testing, 727-728
- SSIS, 398-402
- Warehouse, 398
- direct load ETL, 396-402**
- disconnected mode, AMOs, 672-673**
- Discover method, 557-561**
- discovering**
 - actions, 279-284
 - KPIs, 271-272
- DISCOVER_LOCATIONS mechanism, 788-789**
- DISCOVER_MEMORY requests, 487**
- discretization, attributes, 58-59**

DisplayFolder property, 85
DISTINCT_COUNT measure, 87, 388
distributed back-end solutions, remote parti-
tions, 450-453
distributed storage, 34
distribution, Memory Governor, 494-500
DLL (dynamic link library), 244
domains
 applications, 250
 multidimensional models, 46-60
 TCP/IP, 539-541
drillthrough, 284-290
DRILLTHROUGH statement, 285-290, 713
DROP MEMBER statement, 199
Drop method, 655
DSO (Decision Support Objects), 31, 548-551,
 647
DSV (Data Source View), 306, 313-315
 creating, 113-114
 modifying, 115-116
 named calculations, 316
 named queries, 315
 object bindings, 316-319
dynamic link library. See DLL
dynamic security, cells, 742-744

E

Edit Role dialog box, 713
editing
 named calculations, 116
 objects, 467
elements
 Error, 568, 571
 Exception, 570
 Fault, 568
empty sets, 168-176
empty tuples, deleting, 514-515

Enable property, 76
EnableTableGrouping property, 370
enabling
 Analysis Services, 372
 writeback, 299-300
encryption, data source objects, 310. *See also*
security
enumerations, 671
Error element, 568, 571
ErrorConfiguration object, 380
errors. See also troubleshooting
 ADOMD.NET, 639
 AdomdCachedExpiredException object,
 642-643
 AdomdConnectionException object, 642
 AdomdErrorResponseException object,
 640, 642
 AdomdUnknownResponseException
 object, 642
 AMOs, 684-685
 ConnectionException, 686
 OperationException, 685
 OutOfSyncException, 687-688
 ResponseFormatException, 685
 configuring, 388-391
 connection timeouts, 311
 handling, 391-393
 KeyDuplicate, 380
 MDX, 569
 XML/A, 567-572
EstimatedCount property, 49
ETL (extraction, transformation, and loading),
 395-402
events
 aggregations, 418
 Analysis Services, 750-751
 Progress Report, 388-391
 queries, 767-772
Except operation (MDX), 155
Exception element, 570

Execute method, 561-567, 611-612

ExecuteCellSet command, 608

ExecuteDataReader method, 608

ExecuteNonQuery method, 610

ExecuteXmlReader method, 609

execution

asynchronous, 634-638

calculation plan construction, 516-518

commands, 459-463

Batch command, 478-484

canceling, 476-478

data management commands, 465-476

cubes, 216-222

dimension calculations, 237-240

MDX queries, 608

processing plans, 367, 369-371

queries

MDX, 151-152, 503-505

Stages, 524

time events, 767-772

trace, 756

existing data sources, modifying, 111-112

existing dimensions, modifying, 121-125

existing tuples, referencing, 170

Exists function, 172

Expression property, 274

expressions

MDX, 143, 195, 243. *See also* MDX

KPIs, 268

nulls, 168-176

measures, 103-106

tuples, 296

Extensible Markup Language. See XML

Extensible Stylesheet Language. See XSL

extensions, MDX, 790-791

external data access security, 700

ExternalCommandTimeout property, 311

Extract operation (MDX), 156

extraction, transformation, and loading. See ETL

F

failover clusters

security, 702

synchronization, 802

farms (OLAP), 439

data storage, 439-441

linked dimensions, 442-446

measure groups, 446-449

network load balancing, 441

Fault element, 568

fetching properties, Hierarchy object, 617

file systems, viewing, 789-791

files

backups, 780-783

DDL, 112-113

flat, 396-402

partitions, 360

stores, 334, 491-492

Filter function, 175

FilterByRegEx function, 262

filtering

sets, 160-161

stored procedures, 262

trace, 750-751

Find method, 588, 653

FindByName method, 653

flat data caches, 491

flat files, direct load ETL, 396-402

flexible aggregations, 410. See also aggregations

flight recorder trace, 752, 759-763

folders, cartridges, 307

FontFlags property, 85

FontName property, 85

FontSize property, 85

ForeColor property, 85

Format property, 561

FormatString property, 85

formatting trace command options, 752-753

formulas. See also calculation

 caches, 521

 custom member, 229-231

four-tier architecture, 33

fragmentation, allocating memory, 492-494

frequency of updates, 424-425

full dimension processing, 374

full updates, 434

functions

 aggregation, 21

 CrossJoin, 170, 513

 CurrentMember, 188

 DataType, 85

 Exists, 172

 Filter, 175

 FilterByRegEx, 262

 Leaves, 210-211

 Level.GetMembers(), 594

 LinkMember, 743

 LookupCube, 229

 MDX, 157

 filtering sets, 160-161

 navigating hierarchies, 158, 160

 ordering data, 162

 properties, 166

 NonEmpty, 514

 Root, 210

 semiadditive measures, 231-237

 UserName, 729

G

GetByName method, 654

GetDeleteDependents method, 662

GetEnumerator method, 588

GetNewID method, 654

GetNewName method, 654

GetSchemaDataSet method, 601

global scope, 507-513

Goal property, 267

granting user administrative rights, 706

granularity, measure group dimensions, 91-95

grids

 multidimensional data, 616

 populating, 629

groups

 cells

 applying contingent security, 740-741

 configuring dynamic security, 742-744

 defining security, 735-737

 testing security, 738-739

 measure, 88-90, 130

 caches, 518-520

 dimensions, 90-95

 DISTINCT COUNT measures, 529-531

 indirect dimensions, 95-103533-535

 links, 106, 533

 OLAP farms, 442-449

 querying, 526-528

 Unified Dimensional Model, 5-6

H

handling

 errors

 ADOMD.NET, 639

 AdomdCachedExpiredException object,
 642-643

 AdomdConnectionException object, 642

 AdomdErrorResponseException object,
 640-642

 AdomdUnknownResponseException
 object, 642

- AMOs, 684-688
 - processing, 391-393
 - object symmetry, 619-622
 - hash indexes, 338
 - helper objects, 257
 - hiding attribute hierarchies, 123
 - hierarchies
 - attributes, 64-67, 123
 - cubes, 76, 93-95
 - dimensions, 19, 61-64, 347-351
 - natural, 62
 - navigating, 158-160
 - parent-child, 66-67
 - permission objects, 707-712
 - processing, 371
 - Hierarchy Collection parameter, 74
 - Hierarchy object, 617
 - HierarchyID property, 76
 - HierarchyUniqueNameStyle parameter, 73
 - high availability applications, backups, 783
 - hints, NON EMPTY BEHAVIOR property, 200-202
 - HOLAP (hybrid online analytical processing), 428
 - holders, memory, 487, 492
 - HTTP (Hypertext Transfer Protocol)
 - data access, 542
 - security, 696-697, 699
 - hybrid online analytical processing. *See* HOLAP
- I**
- ICollection interface, 260, 651
 - icons, unary operators, 227
 - ID parameter, 73
 - ID property, 40, 42, 84, 648, 653
 - identifiers, objects, 42
 - IDispatch interface, 251, 549
 - IEnumerable interface, 260, 651
 - ignore notifications, 424
 - IgnoreDataTruncation property, 369
 - IgnoreFailures attribute, 468
 - IgnoreUnrelatedDimensions property, 91
 - IIS (Internet Information Services), 539
 - IList interface, 651
 - IMajorObject interface, 655
 - impact analysis, 471, 659-661
 - ImpersonationInfo objects, 256, 309
 - implementation. *See also* configuration
 - assemblies, 251
 - low latency systems, 422-424
 - implicit overwrites, 179
 - INamedComponent interface, 652-654
 - incremental dimension processing, 375
 - incremental updates, 434
 - incremental updating partitions, 386-387
 - indexes
 - aggregation, 359-360
 - attributes, 346, 356
 - bitmaps, 528
 - building, 372-381, 383-385, 500
 - partitions, 357-359
 - IndexOf method, 652, 654
 - IndexOfName method, 654
 - indirect dimension measure group queries, 533-535
 - indirect measure group dimensions, 95-103
 - Insert method, 652
 - instances, security, 702
 - Integrated Windows authentication, 697, 699
 - integration, SSIS, 782-784
 - interfaces
 - ADOMD.NET
 - AdomdDataReader object, 625-628
 - DataGridView class, 628-629
 - tabular formats, 622-624

- AMOs, 671
 - dimensions
 - defining security, 725-727
 - testing security, 727-728
 - ICollection, 260, 651
 - IDispatch, 251, 549
 - IEnumerable, 260, 651
 - IList, 651
 - IMajorObject, 655
 - INamedComponent, 652-654
 - IProcessable, 656
 - IRowsetChange OLE DB, 301
 - IUnknown, 549
 - SSMS, 707
 - internal queries, translating, 306**
 - internal storage components, 334**
 - accessing compressed store structures, 338
 - bit store structures, 336
 - compressed store structures, 337
 - data store structures, 334
 - file store structures, 334
 - string store structures, 336
 - Internet Information Services. See IIS**
 - Internet Server API (ISAPI), 542**
 - Intersect operation (MDX), 154**
 - Invocation property, 276**
 - IProcessable interface, 656**
 - IRowsetChange OLE DB interface, 301**
 - ISAPI (Internet Server API), 542**
 - issuing queries, 370**
 - IsValidID method, 654**
 - IsValidName method, 654**
 - Item method, 586, 652-654**
 - iteration**
 - GetSchemaDataSet method, 601
 - metadata objects, 589
 - OlapInfo object, 612
 - partitions, 524
 - queries, 625
 - IUnknown interface, 549**
- ## J
- jobs**
 - Build Index, 372-373
 - coordinators, 367
 - Data, 534
 - Process Data, 370, 379-380
 - Process Hierarchies, 371
 - Query Partition, 524
 - Read Data, 369, 379
 - Segment, 528
 - Write Data, 371, 380-381
- ## K
- Key level, 64**
 - key performance indicators. See KPIs**
 - KeyColumn property, 48**
 - KeyDuplicate error, 380**
 - keys**
 - composite, 52-54, 401
 - members, 52-54
 - simple, 52
 - stores, 339-341
 - keywords, BDESC, 162**
 - KPIs (key performance indicators), 257, 266**
 - defining, 266-271
 - querying, 271-272

L**Language property, 42****languages**

- DDL, 39
- objects, 40-43

LastProcessed method, 656**LastSchemaUpdate method, 655****latency, implementing, 422-424****lazy processing properties, 385****leaf attributes, 366. See also attributes****Leaves function, 210-211****Level.GetMembers() function, 594****levels, 257**

- All, 64
- Key, 64
- of memory allocations, 493

libraries

- Analysis Services, 548-551
- automation, 251
- default, 263-264

lifetimes

- scope, 510, 513
- updates, 297-298

linked objects

- applying, 130
- distributed storage, 34

LinkMember function, 743**links**

- databases, 25-27
- dimensions
 - BI Dev Studio, 453-456
 - OLAP farms, 442-446
- measure group dimensions, 106

lists

- axes, 145
- databases, 584

load balancing, OLAP farms, 441**loading. See also ETL**

- AMO objects, 671
- connection timeouts, 311
- data into partitions, 383-384
- data source objects, 307-310

local cubes, 31, 543-544**locking**

- commands, 475-476
- objects, 473-474

logon accounts

- modifying, 701-702
- selecting, 700-701

logs

- backups, 780-782
- Usage-Based Optimization Wizard, 415-418

long-running MOLAP cache processing, 425-426**long-running operations, 667-670****LookupCube function, 229****low latency systems, 422-424****LowMemoryLimit, 486****M****major objects, 40-43, 648, 655-656****managed code, 549-550****management, 8**

- AMO, 647, 785. *See also* AMOs
- commands, 465
 - Batch command, 478-484
 - canceling execution, 476-478
 - creating objects, 466
 - deleting objects, 468
 - editing objects, 467
 - managing concurrency, 473-474
 - processing objects, 469-471
 - transactions, 471-476
- concurrency, 473-474

- database roles, 713
- memory. *See also* Memory Manager
 - models, 486
 - subsystems, 490-492
- queries, 549
- SCM, 417
- servers
 - administrator security, 705-707
 - state, 465
- Session Manager, 555
- sessions, 463-464
- state, 554-557
- tools, 8
- UDM, 34
- many-to-many dimensions, 100-103**
- map stores, 344-345**
- mapping**
 - account types, 234
 - composite keys, 401
 - remote partitions, 801
 - stores, 344-345
- MapQuery object, 532**
- MAX aggregation, 87**
- MaxActiveConnections property, 369**
- MDDataset format, 563**
- MDSHEMA_ACTIONS, 280, 602**
- MDX (Multidimensional Expressions), 143, 243**
 - algebra/set operations, 153
 - CrossJoin, 155-156
 - Except, 155
 - Extract, 156
 - Intersect, 154
 - Union, 153-154
 - assignment operators, 202-212
 - cells
 - applying contingent security, 740-741
 - configuring dynamic security, 742-744
 - defining security, 735-737
 - testing security, 738-739
 - cubes, 216-222
 - default libraries, 263-264
 - dimension security, 732-733
 - errors, 569
 - extensions, 790-791
 - file systems, 789-791
 - functions, 157
 - filtering sets, 160-161
 - navigating hierarchies, 158-160
 - ordering data, 162
 - members, 196-202
 - named sets, 212-216
 - nulls, 168-176
 - objects
 - referencing, 163-164
 - type conversions between, 177
 - queries
 - caches, 518-521
 - cell properties, 166-167
 - cell values, 515-518
 - deleting tuples, 514-515
 - executing, 151-152, 608
 - execution stages, 503, 505
 - member properties, 165-166
 - monitoring aggregations, 418
 - parsing requests, 505-507
 - scopes, 507-513
 - SubSelect/subcubes, 183-190
 - virtual set operation trees, 513-514
 - writeback partitions, 298
 - requests
 - DISTINCT COUNT measures, 529-531
 - indirect dimension measure group queries, 533-535
 - linked measure group queries, 533
 - measure groups, 526-528
 - parameters in, 631-634
 - query execution stages, 524

- remote partition queries, 532
- ROLAP partitions, 529
- scripts, 195-196
- security, 254-257
- SELECT statements, 144
 - clauses, 144-145
 - defining coordinates, 145-1148
 - selecting default members, 148, 267
- server object model, 257-258
 - metadata, 259-261
 - operations on MDX objects, 261-263
- sets, 180-183
- stored procedures
 - calling, 252-253
 - configuring CLR assemblies, 245-249
 - creating, 244-245
 - implementing COM assemblies, 251
 - sending CLR assemblies, 250
- strong relationships, 178-180
- support, 6-7
- unary operators, 226-229
- MDX Builder dialog box, 737**
- MDX CREATE SET statement, 213**
- MDX Properties function, 166**
- Measure hierarchy, 198**
- MeasureExpression property, 85**
- measures, 130**
 - DISTINCT_COUNT, 388
 - expressions, 103-106
 - groups, 88-90, 130
 - caches, 518-520
 - dimensions, 90-95
 - DISTINCT COUNT measures, 529-531
 - indirect dimensions, 95-103
 - OLAP farms, 442-449
 - queries, 533-535
 - querying, 526-528
 - links, 106
 - multidimensional cubes, 84-86
 - COUNT aggregation, 87
 - DISTINCT COUNT aggregation, 87
 - MAX/MIN aggregations, 87
 - SUM aggregation, 86
 - multidimensional space, 20
- member keys, attributes, 52-54**
- member names, attributes, 55**
- member properties, retrieving MDX queries, 165-166**
- MemberNameUnique property, 48**
- members, 257**
 - collections, 593-600
 - custom formulas, 229-231
 - default, 148-150
 - hierarchies, 63
 - MDX, 196-202
 - multidimensional space, 16
 - null, 168-176
- membership**
 - defining, 706
 - Edit Role dialog box, 714
- MemberUniqueNameStyle parameter, 74**
- memory**
 - allocating, 492-494
 - customizing, 498
 - management
 - models, 486
 - subsystems, 490-492
 - management, 486. *See also* Memory Manager
- Memory Governor, 494-500**
- Memory Manager, 487**
 - memory cleanup, 488-490
 - memory holders, 487-492
- MemoryLimit configuration property, 495**
- MemoryLimitErrorEnabled configuration property, 495**
- MergePartitions command, 387-388**

merging

- partitions, 387-388
- query execution stages, 524

metadata

- accessing, 600-605
- AMOs, 671
- collections, 593-600
- objects, 257
 - ADOMD.NET, 586-590
 - caching on clients, 591-592
 - operations on, 259-261
- objects, 245
- partition files, 360
- reading, 557-561

methods

- Add, 651, 653
- AdomdCommand class, 607-612
- AdomdConnection.GetSchemaDataSet, 600
- CanAdd, 652
- CanProcess, 656
- Clear, 652
- Clone, 651
- Contains, 652-653
- ContainsName, 653
- Count, 651
- Drop, 655
- Execute, 611-612
- ExecuteDataReader, 608
- ExecuteNonQuery, 610
- ExecuteXmlReader, 609
- Find, 653
- FindByName, 653
- GetByName, 654
- GetDeleteDependents, 662
- GetNewID, 654
- GetNewName, 654
- GetSchemaDataSet, 601
- IndexOf, 652, 654

- IndexOfName, 654
- Insert, 652
- IsValidID, 654
- IsValidName, 654
- Item, 652, 654
- LastProcessed, 656
- LastSchemaUpdate, 655
- Move, 652
- Parent, 651
- Process, 656
- Refresh, 655
- Remove, 652, 655
- RemoveAt, 652
- Server.Cancel, 667
- Server.Connect, 664
- Update, 655, 661
- Validate, 651
- WriteAlter, 675
- WriteCreate, 675
- WriteDelete, 675
- WriteEndBatch, 675
- WriteEndParallel, 675
- WriteProcess, 675
- WriteStartBatch, 675
- WriteStartParallel, 675
- XML/A, 557
 - Discover, 557-561
 - Execute, 561-567
 - troubleshooting, 568

Microsoft Visual Studio. See Visual Studio

MIN aggregation, 87

minor objects, 650-654

minor objects (DDL), 40-43

Missing Member mode, 169-170

models

- AMO object, 647
- conceptual data, 39-43
- indexes, 500

- memory management, 486
 - caches, 491
 - file stores, 491-492
 - user sessions, 492
- modeling capabilities (new features), 5-6
- multidimensional
 - application data model, 16
 - attributes, 46-60
 - conceptual data model, 15
 - creating, 110
 - cubes, 125-136, 138-139
 - data sources, 110-111
 - DDL files, 112-113
 - DDVs, 113-116
 - dimensions, 117-125
 - hierarchies, 61-67
 - modifying data sources, 111-112
 - physical data model, 15
- multidimensional databases, 323-329
- physical data
 - accessing compressed store structures, 338
 - attributes, 339-343
 - bit store structures, 336
 - compressed store structures, 337
 - cubes, 351-362
 - data store structures, 334
 - defining partitions, 351-354
 - dimensions, 339
 - file store structures, 334
 - hierarchies, 347-351
 - internal storage components, 334
 - relationships, 343-347
 - storing partitions, 354-361
 - string store structures, 336
- security, 254
 - code access, 254-255
 - connections, 694
 - external data access, 700-702
 - HTTP, 696-699
 - role-based, 254
 - TCP/IP, 695-696
 - user-based, 255-257
- server object, 257-258
 - MDX objects, 261-263
 - metadata, 259, 261
- UDM, 34
- Unified Dimensional Model, 5-6
- modes**
 - disconnected (AMOs), 672-673
 - Missing Member, 169-170
- modification**
 - cubes, 128-133
 - data sources, 111-112
 - DDL files, 112-113
 - dimensions, 121-125
 - DSVs, 115-116
 - notification types, 431-433
 - queries, 768-772
 - service logon accounts, 701-702
- MOLAP (multidimensional online analytical processing), 422**
 - long-running cache processing, 425-426
 - proactive caching scenarios, 426-428
- monitoring**
 - aggregations, 418
 - Analysis Services, 750-751
 - proactive caching, 435-436
- Move method, 652**
- multi-language support, 42**
- multidimensional cubes**
 - COUNT aggregation, 87
 - DISTINCT COUNT aggregation, 87
 - MAX/MIN aggregations, 87
 - measures, 84-86
 - SUM aggregation, 86

multidimensional data sources, 553

- methods, 557-567
- state management, 554-557
- troubleshooting, 567-572

multidimensional databases

- architecture, 30-33
- conceptual data models, 39-43
- distributed systems, 34-35
- schemas, 323-329
- UDM, 25-27

Multidimensional Expressions. See MDX**multidimensional models, 15**

ADOMD.NET. *See* ADOMD.NET

attributes, 46-47

- discretization, 58-59
- hierarchies, 64-67
- member keys, 52-54
- member names, 55
- parents, 60
- properties, 48-49
- relationships, 49-58

creating, 110

cubes

- building perspectives, 134
- creating, 125-128
- defining translations, 134-135
- modifying, 128-133
- viewing, 136-139

data sources

- creating, 110-111
- modifying, 111-112

DDL files, 112-113

dimensions

- creating, 117-119
- hierarchies, 61-64
- modifying, 121-125

DSVs, 113-116

viewing, 616

multidimensional objects, 305-307**multidimensional online analytical processing. See MOLAP****multidimensional space, 16-22**

cubes

- defining, 71-77
- dimension attributes, 74-75
- hierarchies, 76
- perspectives, 78-80
- role-playing dimensions, 76-77
- optimizing, 514-515

multiple connections, ADOMD.NET, 582**N****Name parameter, 73****Name property, 40, 84, 648, 653****NameColumn property, 48****named calculations, 116, 316****named instances, security, 702****named objects, 652-654****named queries, 315****named sets, 212-216, 257****names**

- axes, 145
- members, 55
- objects, 42, 163-164
- stored procedures, 252

native code, 549**natural hierarchies, 62, 93****navigating hierarchies, 158, 160****nested SCOPE statements, 207-208****networks, load balancing, 441****new features, modeling capabilities, 5-6****New Project dialog box, 575****no override, 425****NON_EMPTY BEHAVIOR property, 200-202****NON_EMPTY operators, 173-174, 505, 514**

non-aggregatable attributes, 414
non-existing tuples, referencing, 170
NonEmpty function, 514
nonprocessable major objects, 649
nonupdatable cells, 297
notification types, modifying, 431-433
nulls, MDX, 168-176

O

ObjectExpansion attribute, 468

objects

- actions, 272-273
 - defining, 273-278
 - discovering, 279-284
- AdomdCachedExpiredException, 642-643
- AdomdConnectionException, 642
- AdomdDataReader, 625-628
- AdomdErrorResponseException, 640, 642
- AdomdUnknownResponseException, 642
- AggregationDesign, 412
- aggregations, 412-413
- AllowedSet, 719-723
- AMOs, 541, 548-551, 785. *See also* AMOs
- Assembly, 245
- AttributePermission properties, 718
- bindings, 316-319, 369
- BLOB, 343
- CellPermission, 735-738
- CellSet, 301, 612-622
- ClrAssembly properties, 245
- ColumnBinding, 317
- ComAssembly properties, 251
- Context, 259
- creating, 466
- Cube Dimension Attribute, 415
- CubePermission, 713

- data source, 307-310
- DataAdapter, 624
- DatabasePermission, 711
- datacache, 518-520, 532
- DataSet, 624
- DataSource, 369
- DataSourcePermission, 712
- DataSourceView, 662
- DDL, 40-43
- deleting, 468
- DeniedSet, 719-723
- DimensionPermission, 712, 726
- DSO, 548-551, 647
- editing, 467
- ErrorConfiguration, 380, 389-391
- helper, 257
- Hierarchy, 617
- ImpersonationInfo, 309
- KPIs, 266
 - defining, 266-271
 - querying, 271-272
- linked
 - applying, 130
 - distributed storage, 34
- locking, 473-474
- MapQuery, 532
- MDX
 - referencing, 163-164
 - type conversions between, 177
- metadata, 245, 257
 - ADOMD.NET, 586-590
 - caching on clients, 591-592
 - MemberCollection, 593-600
 - operations on, 259-261
- multidimensional, 305-307
- naming, 42
- OlapInfo, 612
- permissions, 707-712
- processing, 469-471

- rules of ordering, 43
- SCOPE, 505-513, 521
- Scripter, 673, 676
- server models, 257-258
 - MDX objects, 261-263
 - metadata, 259-261
- Session, 554
- Source properties, 449
- trace, 751-752, 759-763
- VisualTotals properties, 724
- offline data access, 543-544**
- OLAP (Online Analytic Processing), 14, 439**
 - data storage, 439-441
 - linked dimensions, 442-446
 - measure groups, 446-449
 - network load balancing, 441
- OlapInfo object, iterating, 612**
- OLE DB DM (OLE DB for Data Mining), 549**
- OLE DB Source Editor dialog box, 398**
- OLTP (online transaction processing), 13, 395**
- ON clause, 145**
- one-tier architecture, 31**
- Online Analytic Processing. See OLAP**
- online transaction processing. See OLTP**
- OnlineMode property, 425**
- opening ADOMD.NET connections, 579**
- operations**
 - backups, 775
 - automating, 784-785
 - Backup Database dialog box, 777-779
 - benefits of, 777
 - DDL commands, 779-780
 - files, 780-782
 - planning, 776-777
 - strategies, 782-783
 - viewing file systems, 789-791
 - collections, 586-590
 - long-running, 667-670
 - restores, 785
 - DDL commands, 787-788
 - partitions, 788-789
 - Restore Database dialog box, 786-787
 - traces, 676-684
- operators**
 - assignment, 202-212
 - NON_EMPTY, 173, 514
 - unary, 226-229, 342-343
- optimization**
 - cells, 744
 - KPIs, 266
 - defining, 266-271
 - querying, 271-272
 - MDX, 212-216
 - multidimensional space, 514-515
 - NON EMPTY BEHAVIOR property, 200-202
 - processing
 - attributes, 366
 - building decoding tables, 372
 - building indexes, 372-373
 - checking consistency, 371
 - hierarchies, 371
 - plan execution, 367-371
 - queries
 - designing aggregations, 407-415
 - usage statistics, 415-418
 - subcubes, 526
- OptimizedState property, 76**
- options**
 - Build, 136
 - Deployment, 137
 - dimensions, 373-375
 - trace command, creating, 752-753
- ORDER BY clause, 531**
- order of execution**
 - cube calculations, 216-222
 - dimension calculations, 237-240

order stores, hierarchies, 350

OrderBy property, 48

OrderByAttributeID property, 48

ordering

data, 162

memory allocations, 494-500

rules, 43

ordinals, 590

OutOfSyncException, 687-688

overwriting, implicit, 179

P

packages, 398-402

parameters

Attribute Collection, 74

AttributeHierarchyEnable, 75

AttributeHierarchyOptimizedSize, 75

AttributeID, 75

DimensionID, 73

Hierarchy Collection, 74

HierarchyUniqueNameStyle, 73

ID, 73

in MDX requests, 631-634

MemberUniqueNameStyle, 74

Name, 73

Properties

Discover method, 557

Execute method, 562

RequestType, 557

Restrictions, 557

Translation, 73

Parent method, 651

parent-child dimensions, processing, 377

parent-child hierarchies, 66-67

ParentKpiID property, 267

parents, attributes, 60

parsing

Datasource property, 580

MDX requests, 505-507

partitions

aggregations, 414

attributes, 356-361

data, 383-384

defining, 351-354

files, 360

incremental, 386-387

Memory Governor, 496-498

merging, 387-388, 524

processing, 766

properties, 352

queries, 319

remote, 361, 450-453

distributed storage, 34

queries, 532

synchronization, 800-802

restores, 788-789

slices, 355, 524

SSIS, 398-402

storing, 354-361

validating, 526

writeback, 298, 301

Password property, 310

Path property, 276

performance. See also optimization

aggregations

designing, 407-415

query usage statistics, 415-418

KPIs, 257, 266

defining, 266-271

querying, 271-272

Memory Manager, 487

memory cleanup, 488-490

memory holders, 487, 492

- processing
 - attributes, 366
 - building decoding tables, 372
 - building indexes, 372-373
 - checking consistency, 371
 - hierarchies, 371
 - plan execution, 367, 369-371
- permissions**
 - AttributePermission object properties, 718
 - CellPermission objects, 735-738
 - Edit Role dialog box, 714
 - objects, 707-712
- PermissionSet property, 254**
- perspectives**
 - building, 134
 - cubes, 78-80
- phases, MDX requests, 505-507**
- physical backups, 783. See also backups**
- physical data model, 15**
 - cubes, 351, 361-362
 - defining partitions, 351-354
 - storing partitions, 354-361
 - dimensions, 339
 - attributes, 339-343
 - hierarchies, 347-351
 - relationships, 343-347
 - internal storage components, 334
 - accessing compressed store structures, 338
 - bit store structures, 336
 - compressed store structures, 337
 - data store structures, 334
 - file store structures, 334
 - string store structures, 336
- planning**
 - backups, 776-777
 - processing, 367-371
- polling, scheduling notification, 433**
- pooling connections, 311**
- populating**
 - coordinates, 151
 - DataSet objects, 624
 - grids, 629
- private information, storing, 310**
- proactive caching, 422-424**
 - applying, 426-429
 - monitoring, 435-436
 - scheduling, 430-434
 - timing of, 424-426
- Proactive Caching dialog box, 432**
- Process commands, 393, 469-471**
- Process Data jobs, 370. 379-380**
- Process method, 656**
- processable major objects, 649, 656**
- ProcessClear command, 398**
- processes, multidimensional objects, 305-307**
- ProcessFull command, 413**
- processing**
 - activity, 764-772
 - cubes, 378
 - asynchronous, 667
 - building aggregations/indexes, 381-385
 - data, 379-381
 - options, 383-388
 - dimensions, 365
 - attributes, 366
 - building indexes, 372-373
 - checking consistency, 371
 - decoding tables, 372
 - hierarchies, 371
 - options, 373-375
 - parent-child, 377
 - plan execution, 367-371
 - ROLAP, 376-377
 - schemas, 373
 - error handling, 391-393
 - long-running MOLAP cache, 425-426
 - objects, 469-471

OLTP, 395. *See also* OLTP
 partitions, 496-498
 queries, 503-505
 DISTINCT COUNT measures, 529-531
 execution stages, 524
 indirect dimension measure groups,
 533-535
 linked measure groups, 533
 measure groups, 526-528
 remote partitions, 532
 ROLAP partitions, 529
 remote partitions, 452-453

ProcessingPriority property, 385

ProcessPlan section, 495

Profiler (SQL Server), 418, 753-758

Progress Report events, 388-391

projects

ADOMD.NET, 575-576
 AMOs, 663-664
 cubes, 136-139
 deploying, 138
 sample, 9-11

properties

actions, 274
 AdomdCommand class, 606-607
 AggregateFunction, 85
 AggregationUsage, 415
 AllowedSet objects, 719-723
 Annotation, 40, 653
 Application, 276
 AssociatedMeasureGroupID, 266
 AttributeHierarchyOrdered, 372
 AttributePermission objects, 718
 BackColor, 85
 BufferMemoryLimit, 369
 calculation, 206
 Caption, 276
 CaptionMDX, 276

ClrAssembly objects, 245
 ComAssembly objects, 251
 CommandStream, 607
 Condition, 274
 ConnectionString, 310
 CurrentTimeMember, 266
 CustomRollupColumn, 229
 CustomRollupPropertiesColumn, 231
 data source objects, 308
 DatabaseConnectionPoolConnectTimeout,
 311
 DatabaseConnectionPoolMax, 311, 369
 DataItem, 53
 Datasource, 580
 default, 43
 DeniedSet objects, 719-723
 Description, 40, 84, 653
 DisplayFolder, 85
 drillthrough actions, 287
 Enable, 76
 EnableTableGrouping, 370
 ErrorConfiguration, 389, 391
 EstimatedCount, 49
 Expression, 274
 ExternalCommandTimeout, 311
 FontFlags, 85
 FontName, 85
 FontSize, 85
 ForeColor, 85
 Format, 561
 FormatString, 85
 Goal, 267
 Hierarchy object, 617
 HierarchyID, 76
 ID, 40, 42, 84, 648, 653
 IgnoreDataTruncation, 369
 IgnoreUnrelatedDimensions, 91
 ImpersonationInfo, 256, 309

- Invocation, 276
- KeyColumn, 48
- Kpi objects, 266
- Language, 42
- lay processing, 385
- MaxActiveConnections, 369
- MDX queries
 - cell properties, 166-167
 - member properties, 165-166
- measure groups, 88
- MeasureExpression, 85
- measures, 84-85
- MemberNameUnique, 48
- multidimensional models, 48-60
- Name, 40, 84, 648, 653
- NameColumn, 48
- NON EMPTY BEHAVIOR, 200-202
- OnlineMode, 425
- OptimizedState, 76
- OrderBy, 48
- OrderByAttributeID, 48
- ParentKpiID, 267
- partitions, 352
- Password, 310
- Path, 276
- permission objects, 710
- PermissionSet, 254
- ProcessingPriority, 385
- ReportFormatParameters, 276
- ReportParameters, 277
- ReportServer, 277
- servers, 707
- SilenceInterval, 424
- Source, 84
- Source object, 449
- Status, 267
- StatusGraphic, 267
- Store Manager, 166
- Target, 274
- TargetType, 274
- Translation, 42, 49
- Translations, 84
- Trend, 267
- TrendGraphic, 267
- Trimming, 369
- Type, 48, 274
- Unified Dimensional Model, 5-6
- Usage, 48
- Username, 310
- Value, 267
- ValueColumn, 48
- Visible, 76, 84
- VisualTotals objects, 724
- Weight, 267
- Properties collection, retrieving ordinals, 590**
- Properties parameter**
 - Discover method, 557
 - Execute method, 562
- property stores, 341-342**
- protocols**
 - HTTP
 - data access, 542
 - security, 696-699
 - TCP/IP
 - data access, 539-541
 - security, 695-696
 - XML/A, 30
- pulling data, 796**
- pumps, 542**
- pushing data, 796**

Q**qualified names**

- objects, 163
- stored procedures, 252

queries

- aggregations
 - designing, 407-415
 - usage statistics, 415-418
- backups, 780-782
- bindings, 319
- drillthrough, 284-290
- execution stages, 524
- internal, 306
- issuing, 370
- iterating, 625
- KPIs, 271-272
- managing, 549
- MDX
 - caches, 518-521
 - calculating cell values, 515-518
 - calculation scopes, 507-513
 - cell properties, 166-167
 - deleting tuples, 514-515
 - executing, 151-152, 503-505, 608
 - member properties, 165-166
 - named sets, 212-216
 - nulls, 173-176
 - parsing requests, 505-507
 - string relationships, 178-180
 - SubSelect/subcubes, 183-190
 - virtual set operation trees, 513-514
 - WHERE clauses, 180-183
 - writeback partitions, 298
- measure groups, 526-528
 - DISTINCT COUNT measures, 529-531
 - indirect dimensions, 533-535
 - linked, 533
- named, 315

- NON EMPTY BEHAVIOR property, 201
- remote partitions, 532
- ROLAP partitions, 529
- scope, 508
- SELECT statements, 144
 - clauses, 144-145
 - defining coordinates, 145-148
 - selecting default members, 148-150
- sending, 606
- trace
 - execution time events, 767-772
 - processing activity, 764-766

quiet time, 424**R****RDBMS (relational database management system), 396****read buffers, 369****Read Data jobs, 369, 379****reading metadata, 557-561****recording, flight recorder, 759-763****recursion, MDX, 219-222****references**

- assemblies, 576
- dimensions, 96-99
- hierarchies, 63
- objects, 163-164, 657-663
- tuples, 170

Refresh method, 655**Register Database Assembly dialog box, 249****registries**

- data caches, 519
- formula caches, 521

regular expressions, 262**regular partitions, converting writeback partitions to, 301**

relational database management system (RDBMS), 396**relational databases**

- connection timeouts, 311
- data source objects, 307-310
- DSV, 313-315
 - named calculations, 316
 - named queries, 315
 - object bindings, 316-319
- loading, 305-307
- proactive caching, 422-424
 - applying, 426-429
 - monitoring, 435-436
 - scheduling, 430—434
 - timing of, 424-426
- UDM, 25-27

relational online analytical processing. See ROLAP**relational reporting-style dimensions, 408-409****relational schemas, 321-322****relationships**

- attributes, 49-51, 56-58, 343-347, 366
- between connections and sessions, 556
- parent-child, 377
- strong, 178-180

remote partitions, 361, 450-453

- distributed storage, 34
- queries, 532
- synchronization, 800-802

Remove method, 652, 655**RemoveAt method, 652****ReportFormatParameters property, 276****ReportParameters property, 277****reports, 321-322****ReportServer property, 277****requests**

- DDL
 - assemblies, 247-248
 - KPIs, 270

DISCOVER_MEMORY, 487**DRILLTHROUGH statements, 286****MDX**

- DISTINCT COUNT measures, 529-531
- indirect dimension measure group queries, 533-535
- linked measure group queries, 533
- measure groups, 526-528
- parameters in, 631-634
- parsing, 505-507
- query execution stages, 524
- remote partition queries, 532
- ROLAP partitions, 529
- schema rowset, 590
- XML/A, 548

RequestType parameter, 557**requirements, ADOMD.NET, 582****ResponseFormatException, 685****restores, 785**

- DDL commands, 787-788
- partitions, 788-789
- Restore Database dialog box, 786-787

Restrictions parameter, Discover method, 557**ResultSet, Format property, 561****retrieving**

- dimensions, 590
- MDX queries
 - cell properties, 166-167
 - member properties, 165-166

revoking rights, 707**rigid aggregations, 410****ROLAP (relational online analytical processing), 422**

- dimensions, 376-377
- partitions, 529
- proactive caching scenarios, 429

role-based security, 254**role-playing dimensions, 76-77**

roles

- administrators, 706
- cells
 - applying contingent security, 740-741
 - configuring dynamic security, 742-744
 - defining security, 735-737
 - testing security, 738-739
- databases
 - managing, 713
 - security, 707-712
- dynamic security, 729-730
- testing, 728

ROLLBACK TRANSACTION statement, 297**RollbackTransaction command, 471****Root function, 210****rowset requests, schema, 590****rules**

- “closest wins”, 237
- ordering objects, 43

running

- named instances, 702
- queries, 768
- trace, 756

S**sample projects, 9-11****scalability, 7, 437**

- BI Dev Studio, 453-456
- OLAP farms, 439
 - data storage, 439, 441
 - linked dimensions, 442-446
 - measure groups, 446-449
 - network load balancing, 441
- remote partitions, 450-453
- scale-out approach, 438
- scale-up approach, 437-438

scheduling

- attributes, 366
- proactive caching, 430-434

Schema Generation Wizard, 326**schemas**

- data warehouses, 321-322
- dimensions, 373
- DSVs, 313-315
 - named calculations, 316
 - named queries, 315
 - object bindings, 316-319
- MDSHEMA_ACTIONS, 280
- multidimensional databases, 323-329
- rowset requests, 590

SCM (Service Control Manager), 417**scope**

- actions, 274
- calculation, 212, 507-513
- sessions, 510, 513

SCOPE objects, 505-513, 521**SCOPE statements, 207-208****ScriptAlter command, 674****Scripter object, 673, 676****scripts**

- MDX, 195-196
- security, 732-733

security

- cells, 732-733
 - applying contingent, 740-741
 - configuring dynamic, 742-744
 - defining, 735-737
 - testing, 738-739
- data source objects, 309-310
- database roles, 707-712
- dimensions
 - architecture, 731-732
 - defining, 718-727
 - dynamic, 729-730

- MDX, 732-733
 - testing, 727-728
- Edit Role dialog box, 714
- MDX extensions, 791
- models, 254
 - code access, 254-255
 - connections, 694
 - external data access, 700-702
 - HTTP, 696-699
 - role-based, 254
 - TCP/IP, 695-696
 - user-based, 255-257
- security, 705-707
- Security Context dialog box, 739**
- Segment jobs, 528**
- SELECT clauses, ROLAP partitions, 529**
- SELECT statements, 144**
 - cell properties, 167
 - clauses, 144-145
 - coordinates
 - defining, 145-148
 - selecting default members, 148-150
 - query scope, 508
- selecting**
 - default members, 148-150
 - service logon accounts, 700-701
- semantics, internal queries, 306**
- semiadditive measures, 231-237**
- sending**
 - CLR assemblies, 250
 - commands, 605-612
 - queries, 606
- serialization, troubleshooting, 570-571**
- Server Properties dialog box, 707**
- Server.Cancel method, 667**
- Server.Connect method, 664**
- servers**
 - administrator security, 705-707
 - AMOs, 664-666
 - architecture
 - access, 539-544
 - four-tier, 33
 - one-tier, 31
 - three-tier, 32-33
 - two-tier, 30
 - linked objects, 34
 - Memory Manager
 - memory cleanup, 488-490
 - memory holders, 487, 492
 - performance, 487
 - object models, 257-258
 - MDX objects, 261-263
 - metadata, 259-261
 - operations, 676-684
 - slaves, 34
 - standalone backup, 783
 - state
 - viewing, 762-763
 - management, 465
 - trace, 759-763
- Service Control Manager (SCM), 417**
- services (logon accounts)**
 - modifying, 701-702
 - selecting, 700-701
- Session Manager, 555**
- Session object, 554**
- session-scope calculated members, 199**
- sessions. See also connections**
 - ADOMD.NET, 582
 - connections, 556
 - deleting, 476
 - management, 463-464
 - scope, 507-513
 - sharing, 665
 - trace, 752
 - users, 492

set operations

filtering, 160-161

MDX, 153

CrossJoin, 155-156

Except, 155

Extract, 156

Intersect, 154

Union, 153-154

sets

hierarchies, 349-350

MDX, 180-183

named, 212-216, 257

properties, 719-723

scope definition, 203

stored procedures, 262

virtual set operation trees, 513-514

SilenceInterval property, 424**SilenceOverrideInterval property, 425****simple keys, 52****Simple Object Analysis Protocol. See SOAP****size of dimensions, 16****slaves, 34****slices, 17**

partitions, 355

query execution stages, 524

snowflake schemas, 321-322**SOAP (Simple Object Analysis Protocol), 503****Source object, 449****Source property, 84****space, multidimensional, 16-22, 514-515****specifying**

calculation properties, 206

default properties, 43

SQL Server Agent, backups, 784**SQL Server Integration Services. See SSIS****SQL Server Management Studio (SSMS), 707****SQL Server Profiler**

aggregations, 418

trace, 753-758

SSIS (SQL Server Integration Services), 395-402, 782-784**SSMS (SQL Server Management Studio), 707****stacks, scope, 509****standalone backup servers, 783****star schemas, 321-322****starting**

Cube Wizard, 126

Data Source View Wizard, 114

Data Source Wizard, 110

Dimension Wizard, 117

Linked Object Wizard, 130

state

managing, 554-557

servers

management, 463-465

viewing, 762-763

statements

BEGIN TRANSACTION, 297

CALL, 252

COMMIT TRANSACTION, 298

CREATE, 508

CREATE CELL CALCULATION, 203

CREATE MEMBER, 198

CREATE SUBCUBE, 185, 204

DRILLTHROUGH, 285-290, 713

DROP MEMBER, 199

MDX CREATE SET, 213

ROLLBACK TRANSACTION, 297

SCOPE, 207-208

SELECT, 144

cell properties, 167

clauses, 144-145

defining coordinates, 145-148

query scope, 508

selection default members, 148-150

UPDATE CUBE, 292-296

lifetime of, 297-298

nonupdatable cells, 297

Status property, 267

StatusGraphic property, 267

storage

- components, 334
 - accessing compressed store structures, 338
 - bit store structures, 336
 - compressed store structures, 337
 - data store structures, 334
 - file store structures, 334
 - string store structures, 336
- distributed, 34
- partitions, 354-361
- query execution stages, 524

Store Manager property, 166

Store Sales Measure, 86

stored procedures

- MDX
 - calling, 252-253
 - configuring CLR assemblies, 245-249
 - creating, 244-245
 - implementing COM assemblies, 251
 - sending CLR assemblies, 250
- sets, 262

stores, managing memory, 491-492

storing

- data warehouses, 321-322
- OLAP farms, 439-441
- private information, 310

strategies

- backups, 782-783
- deployment
 - Deployment Wizard, 793-794
 - failover clusters, 802
 - remote partitions, 800-802
 - synchronizing databases, 795-799

string store structures, 336

strong relationships, MDX, 178-180

structures

- bit stores, 336
- compressed stores, 337-338
- data stores, 334
- file stores, 334
- hierarchies, 347-351
- string stores, 336

subcubes, 183-190, 204

- assignment statements, 202
- calculation execution plan construction, 516-518
- Leaves function, 210-211
- multidimensional space, 22
- optimizing, 526
- Root function, 210
- scope, 508
- SCOPE statements, 207-208

SubSelect, 183-190

subsystems

- backups, 777
- command execution, 459-463
- memory, 487
 - cleaning, 488-490
 - holders, 487, 492
- memory management, 490-492
- session management, 463-464

SUM aggregation, 86

support, MDX, 6-7

symmetry, handling object, 619-622

synchronization

- databases, 795-799
 - failover clusters, 802
 - remote partitions, 800-802
- transactions, 474-476

Synchronize command, 783

Synchronize Database Wizard, 797

T**tables**

- bindings, 318
- decoding, 350-351
 - building, 372
 - detecting, 527
 - query execution stages, 524
- writeback, 298, 781-782

tabs, Browser, 125**tabular formats (ADOMD.NET), 622-624**

- AdomdDataReader object, 625-628
- DataGridView class, 628-629

Target property, 274**TargetType property, 274****TCP/IP (Transmission Control Protocol/Internet Protocol)**

- data access, 539-541
- security, 695-696

templates, building, 328-329**testing**

- cell security, 738-739
- dimension security, 727-728
- roles, 728

thin/thick clients, 34-35**three-tier architecture, 32-33****Time hierarchy, 189****timeouts, connections, 311****timing of proactive caching, 424-426****tools, 8, 786-787****TotalMemoryLimit, 486, 488****trace**

- aggregations, 418
- AMOs, 676-684
- architecture, 750-751
- commands, 752-753
- flight recorder, 759-763
- objects, 751-752
- processing activity, 764-766

- query execution time events, 767-772
- SQL Service Profiler, 753-758

tracking memory, 492-494**transactions, 465**

- commands, 471-472
- OLTP, 395
- synchronizing, 474-476

transformation, 395**Translation parameter, 73****Translation property, 42, 49, 84****translations, 124-125**

- cubes, 134-135
- internal queries, 306
- objects, 42

trees, virtual set operation, 513-514**Trend property, 267****TrendGraphic property, 267****trends (actions), 272-273**

- defining, 273-278
- discovering, 279-284

triggers

- MOLAP/ROLAP, 423
- notification types, 431-433

Trimming property, 369**troubleshooting**

- cells, 739
- MDX, 569
- restores, 785
 - DDL commands, 787-788
 - partitions, 788-789
 - Restore Database dialog box, 786-787
- serialization, 570-571
- trace
 - processing activity, 764-766
 - query execution time events, 767-772
- XML/A, 567-572

tuples, 17, 146

- current coordinates, 178
- deleting, 514-515

- expressions, 296
- null, 168-171
- Root function, 210
- subcubes, 188

two-tier architecture, 30

Type property, 48, 274

types

- accounts, 234
- allocation, 295
- AMO objects, 648
 - major, 648, 655-656
 - minor, 650-654
- hierarchies, 61-64
- MDX objects, 177
- measure groups, 526-528
- memory allocators, 493
- notification, 431-433
- Process command, 469
- scopes, 507

U

UDM (Unified Dimensional Model), 5-6, 25-27, 34, 229, 285

unary operators, 226-229, 342-343

Unified Dimensional Model. See UDM

Union operation (MDX), 153-154

unique names, 164

unknown members, 53

unlocking commands, 475-476

unnamed minor objects, 650

unnatural hierarchies, 93

UPDATE CUBE statement, 292-296

- lifetime of, 297-298
- nonupdatable cells, 297

Update method, 655, 661

updating

automatic

- applying proactive caching, 426-429
- applying scheduling, 430-434
- monitoring, 435-436
- proactive caching, 422-424
- timing of proactive caching, 424-426

cells, 301

dimension processing, 375

partitions, 386-387

Usage property, 48

Usage-Based Optimization Wizard, 415-418

user-based security, 255-257

UserName function, 729

Username property, 310

user sessions, managing memory, 492

V

Validate method, 651

validating partitions, 526

Value property, 267

ValueColumn property, 48

values

- AggregationUsage property, 415
- cells, 196-202, 515-518
- DataID, 372
- drillthrough, 284-290
- multidimensional models, 48-60
- multidimensional space, 16

viewing

- cubes, 136-139
- DDL definitions, 112
- file systems, 789-791
- multidimensional data, 616
- server state, 762-763

views (DSV), 306, 313-315

- creating, 113-114
- modifying, 115-116
- named calculations, 316
- named queries, 315
- object bindings, 316-319

virtual cubes, creating, 455-456**virtual set operation trees, 513-514****VirtualTotals object properties, 724****Visible property, 76, 84****Visual Studio**

- ADOMD.NET, 575-576
- AMO projects, 663-664
- DataGridView class, 628-629

W**Warehouse dimension, 398****warehouses, relational schemas, 321-322****warnings, XML/A, 567-568, 572****Weight property, 267****WHERE clause**

- default members, 148-150
- Filter function, 161

WHERE clauses

- ROLAP partitions, 529
- sets, 180-183

WITH CELL CALCULATION clause, 203**WITH clause, 200, 211-212****wizards**

- Account Time Intelligence, 235
- Aggregation Design, 414-415
- Cube, 126, 323
- Data Source, 110-111
- Data Source View, 114
- Deployment Wizard, 793-794
- Dimension, 117

Linked Object, 130

Schema Generation, 326

schemas, 323-329

Synchronize Database Wizard, 797

Usage-Based Optimization, 415-418

Write Data jobs, 371, 380-381**WriteAlter method, 675****writeback**

- enabling, 299-300
- file backups, 780-782
- IRowsetChange OLE DB interface, 301
- partitions, 298, 301
- tables, 298

WriteCreate method, 675**WriteDelete method, 675****WriteEndBatch method, 675****WriteEndParallel method, 675****WriteProcess method, 675****WriteStartBatch method, 675****WriteStartParallel method, 675****writing data (UPDATE CUBE statement), 292-297****X****XML (Extensible Markup Language), 307**

- binary data access, 540-541
- Scripter objects, 673, 676

XML for Analysis (XML/A), 7, 547, 553

- applications, 547
- methods, 557
 - Discover, 557-561
 - Execute, 561-567
- state management, 554-557
- troubleshooting, 567-572

XSL (Extensible Stylesheet Language), 307