

Index

Symbols

- ``` (backtick), 49-50
- `{ }` (braces), 42
- `&` call operator, 28, 53, 232
- `.` (dot) call operator, 153
- `::` (double colon), 62
- `$` prefix, 41
- `./` prefix
 - opening files, 29
 - running scripts, 91
- `.\` prefix
 - opening files, 29
 - running scripts, 91
- `[]` (square brackets), 60-61

A

- abstraction layers (ADSI), 206
- Access Control Entry (ACE), 134-135
- access rules, building, 131
- accessing
 - drives, 74-77, 126
 - file information, 127
 - folder information, 126-127
 - PowerShell, 21-22
- ACE (Access Control Entry), 134-135

Active Directory Services Interfaces. See ADSI

ActiveX Data Objects (ADO), 207

Add-ACE function, 134-135

Add-Member cmdlet, 71

Add-PSSnapin cmdlet, 264

ADM (Group Policy Administrative Template), 89-91

administrator passwords, changing, 246-256, 258

ADO (ActiveX Data Objects), 207

ADSI (Active Directory Services Interfaces), 205-206

group membership scripts, 212-232

objects

creating, 210-211

retrieving object information, 209-210

in PowerShell, 208

in WSH, 207-208

[ADSI] type accelerator, 208

aliases, 45

cmdlets for, 47-48

creating, 10

Definition property, 40

naming standards and, 114

persistent aliases, 48-49

All Users host-specific profile, 84-85

All Users profile, 84

AllSigned execution policy, 86, 118

ampersand (&) call operator, 28, 53, 232

applications

Definition property, 39

shells versus, 7

arguments, 23

assemblies, loading, 241

auto-completion, 24-26

B

backtick (`), 49-50

Bash shell, 15

best practices

script design, 110-117

script development, 107-110

script security, 117-118

standardization, 118-120

blocked information, viewing, 71

Bourne Again Shell (Bash), 15

Bourne shell, 14

braces ({}), 42

built-in variables, 42-45

C

C shell, 14

CA (certificate authority), 86

defined, 94

signed certificates, obtaining from, 97-99

calling PowerShell from other shells, 30-32

certificate authority. See CA

certificate store

defined, 100

Trusted Publishers certificate store, 103-105

Trusted Root Certificate Authorities certificate store, 103

Untrusted Certificates certificate store, 105

certificates. See digital certificates

chaining commands, 9

ChangeLocalAdminPassword.ps1 script, 246-258

classes, static, 62

Clear-Inherit function, 133, 154

Clear-SD function, 133-134

CLI (command-line interface), 22-24

command types

cmdlets, 26

native commands, 29-30

script commands, 28-29

shell function commands, 26-28

GUI shells versus, 8

navigating, 24-26

shells as, 7

cmdlets. See also names of specific cmdlets

aliases, 45-49

common parameters, 34-35

defined, 26

help information for, 33-34

listing, 38-40

naming conventions, 33

ubiquitous parameters, error handling, 80-81

code signing, 86

best practices, 117

defined, 94-95

digital certificates

CA signed certificates, obtaining, 97-99

importing, 99-100

obtaining, 95-96

self-signed certificates, creating, 96-97

digital signatures, verifying, 101-102

importance of, 93

PowerShell scripts, 100-101

trust, establishing, 102-105

command chaining, 9

command shortcuts. See aliases

command-line interface. See CLI

commands

formats of, 23

storing in scripts, 53-56

types of

cmdlets, 26

native commands, 29-30

script commands, 28-29

shell function commands, 26-28

comments, 111

common parameters, list of, 34-35

compression function, 94

configuration information

hard-coding, 111

location of, 110-111

variables in, 112

configuring PowerShell console, 170

Confirm parameter, 115-117

confirmation, prompts for, 251

connections

remote PowerShell connections, 91

WMI connection methods, 183-184

console files for persistent snap-ins, 265

converting VBScript to PowerShell

file system management, 136-154

group membership scripts, 212-232

Registry management, 161-181

virtual machine monitoring, 191-202

Copy-Item cmdlet, 152

CreateRegKey function (VBScript), 165-166

CreateRegValue function (VBScript), 166-167

cryptography, public key, 94

current user's host-specific profile, 85

current user's profile, 85

custom object types, creating, 71

D

data store providers, 72-74

drives, accessing, 74-77

drives, mounting, 77-78

data types, ETS (Extended Type System), 70-72

databases, mailbox databases

size of, determining, 266-275

whitespace, determining, 275-285

DCL (Digital Command Language), 15

defining variables, 41-42

Definition property

for aliases, 40

for applications, 39

for functions, 40

for scripts, 40

DeleteRegKey function (VBScript), 168

DeleteRegValue function (VBScript), 168-169

delimiters, 58

deploying PSShell.ps1 script, 245-246

designing scripts. See script design

-detailed parameter (Get-Help cmdlet), 38

development life cycle model, 108-109

Dictionary object, 214

digital certificates

CA signed certificates, obtaining, 97-99

defined, 94

importing, 99-100

obtaining, 95-96

self-signed certificates, creating, 96-97

Digital Command Language (DCL), 15

digital signatures. See also code signing

defined, 94

verifying, 101-102

dir command, 23

directories

disk usage, determining, 10-14

listing, 8-10

disk usage of directories, determining, 10-14

distribution of signed code, 102-105

documentation for PowerShell, 91

dollar sign (\$) prefix, 41

DOSShell, 15-16

dot (.) call operator, 153

dot sourcing

script files, 169

scripts, 52

double colon (::), 62

downloading

.NET Framework 2.0, 19

PowerShell, 20

Drive object, 126

drives

accessing, 74-77, 126

defined, 74

mounting, 77-78

E

EMC (Exchange Management Console), 262

EMS (Exchange Management Shell), 261-262, 265-266

enterprise code, establishing trust, 105

error handling

with ErrorAction and ErrorVariable
parameters, 80-81

throw keyword, 83-84

trapping errors, 81-83

\$Error variable, 78-79

ErrorAction parameter, 80-81

ErrorRecord object, 78-80

errors

- \$Error variable, 78-79
- ErrorRecord properties, 79-80
- nonterminating errors, 78
 - handling, 80-81
 - trapping, 81-83
- terminating errors, 78
 - throw keyword, 83-84
 - trapping, 81-83

ErrorVariable parameter, 80-81

escape sequences, 49-50

ETS (Extended Type System), 70-72

Event ID 1221 messages (Exchange 2007), 275-285

Exchange 2007

- scripts
 - GetDatabaseSizeReport.ps1, 266-275
 - GetEvent1221Info.ps1, 275-285
 - ProvisionExchangeUsers.ps1, 285-291
- task automation, 261-262

Exchange Management Console (EMC), 262

Exchange Management Shell (EMS), 261-262, 265-266

ExecuteGlobal statement (VBScript), 162

execution policies

- AllSigned, 86
- AllSigned setting, 118
- RemoteSigned, 87-88
- RemoteSigned setting, 118
- Restricted, 86
- setting, 88-91
- Unrestricted, 88
- Unrestricted setting, 93, 118

explicit scope indicators, 51

explicitly defined permissions, 154

Export-Alias cmdlet, 48

Export-Console cmdlet, 265

Export-CSV cmdlet, 232

Export-DataTable function, 269-270, 275, 279, 285

expressions, 40-41

Extended Type System (ETS), 70-72

extending object types, 71

F

File object, 127

file system management. See also permissions management

- VBScript, converting to PowerShell
 - ProvisionWebFolders.ps1 script, 146-154
 - ProvisionWebFolders.wsf script, 136-143
- WSH versus PowerShell, 125-127

files, accessing information, 127

FileSystem provider, 126

FileSystemObject object, 125

fingerprint, 94

Folder object, 126

folders, accessing information, 126-127

Format-List cmdlet, 210

Format-Table cmdlet, 275

FormatNumber function, 194

FSO object model, 125

- Drive object, 126
- File object, 127
- FileSystemObject object, 125
- Folder object, 126

-full parameter (Get-Help cmdlet), 38

functions. See also specific functions

- defined, 26-28
- Definition property, 40
- for permissions management, 132-135
- in SubInACL utility, 128

G

Get-ACL cmdlet, 131
Get-ADObject function, 227, 230, 254, 290
Get-Alias cmdlet, 45
Get-AuthenticodeSignature cmdlet, 101-102
Get-ChildItem cmdlet, 75
Get-Command cmdlet, 34, 38-40
Get-Content cmdlet, 77
Get-CurrentDomain function, 227-229, 254, 290
Get-ExecutionPolicy cmdlet, 88
Get-Help cmdlet, 35-38
Get-Item cmdlet, 126
Get-ItemProperty cmdlet, 75, 159
Get-MailboxDatabase cmdlet, 274
Get-MailboxServer cmdlet, 273, 283
Get-Member cmdlet, 62-71
get-process cmdlet, 23-24
Get-PSDrive cmdlet, 74, 126
Get-PSProvider cmdlet, 73
Get-PSSnapin cmdlet, 263-264
Get-RegValue function, 171-172, 178
Get-RemoteEventLog function, 279, 284
Get-ScriptHeader function, 224-229, 254, 272, 282, 290
Get-WmiObject cmdlet, 185-187
GetDatabaseSizeReport.ps1 script, 266-275
GetEvent1221Info.ps1 script, 275-285
 global scope, 50-51
GPO (Group Policy Object)
 setting execution policies, 89-91
 for shell replacement, 237-238
 graphical user interface shells. *See* GUI shells
 group membership scripts, converting VBScript to PowerShell
 lsGroupMember.ps1 script, 222-232
 lsGroupMember.wsf script, 212-220

Group Policy Administrative Template (ADM), 89-91

Group Policy Object (GPO)
 setting execution policies, 89-91
 for shell replacement, 237-238

GUI shells, 7
 CLI shells versus, 8
 Windows as, 15

H

handling errors. *See* error handling
 hard-coding configuration information, 111
 help information
 for cmdlets, 33-34
 Get-Help cmdlet, 35-38
 hiding PowerShell console, 239-240
 history
 of PowerShell, 16-17
 of shells, 14-17
 hosting applications, 84

I

ICMP pings, 196
 implicitly defined permissions, 154
Import-Alias cmdlet, 48
Import-Csv cmdlet, 151
 importing digital certificates, 99-100
 including script files in VBScript, 162-163
 installing PowerShell, 19-21
 instances of .NET objects, creating, 60
 instructions including with scripts, 112
 interface. *See* CLI

interrogating objects, 62-70
IsGroupMember.ps1 script, 222-232
IsGroupMember.wsf script, 212-220

J-K

Join-Path cmdlet, 152

keyboard editing features, 24

kiosk shells

- overview, 8
- PSShell.ps1** script, 235-236
 - deploying, 245-246
 - desktop generation with Windows Forms, 240-245
- PSShell.exe**, 239-240
- Windows Shell Replacement, 236-238

Korn shell, 15

L

language references for PowerShell, 91

launching PowerShell, 21-22

least privileges, principle of, 118

LibraryRegistry.ps1 script, 169-181

LibraryRegistry.vbs script, 162-169

listing

- cmdlets, 38-40
- directories, 8-10

loading

- assemblies, 241
- EMS snap-in, 265-266
- snap-ins, 264

local administrator password,
changing, 246-258

local scope, 51

M

mailbox databases

- size of, determining, 266-275
- whitespace, determining, 275-285

makecert utility, 96-97

ManagementClass class, 189

ManagementObject class, 189

ManagementObjectSearcher class, 190

message digest, 94

methods

- defined, 25
- static methods, 62

moniker strings, 183

monitoring virtual machines

- MonitorMSVS.ps1** script, 197-202
- MonitorMSVS.wsf** script, 191-197

MonitorMSVS.ps1 script, 197-202

MonitorMSVS.wsf script, 191-197

mounting drives, 77-78

N

naming conventions, 114

- cmdlets, 33
- variables, 41-42

native commands, 29-30

navigating CLI, 24-26

.NET Framework

- downloading, 19
- instances of objects, creating, 60
- references in square brackets, 60-61
- reflection, 62-70
- static classes/methods, 62

networking equipment, shells in, 8

New-Alias cmdlet, 48

- New-Mailbox cmdlet, 291**
- New-Object cmdlet, 60, 241, 254**
- New-PromptYesNo function, 250-252**
- New-PSDrive cmdlet, 77**
- New-RandomPassword function, 250, 255**
- nonterminating errors, 78**
 - handling, 80-81
 - trapping, 81-83

O

- object information, retrieving with ADSI, 209-210**
- object-based environment**
 - ETS (Extended Type System), 70-72
 - pipeline in, 59-60
 - text-based environment versus, 57-58
- objects, creating with ADSI, 210-211**
- one-way hash, 94**
- opening files, 29**
- Out-File cmdlet, 254, 272, 282, 290**

P

- parameters**
 - common parameters, list of, 34-35
 - defined, 23
 - determining, 33-34
 - ubiquitous parameters, error handling, 80-81
 - validity checking on, 113
- passwords, local administrator password, 246-258**

- permissions management**
 - VBScript, converting to PowerShell
 - ProvisionWebFolders.ps1 script, 146-154
 - ProvisionWebFolders.wsf script, 136-143
 - WSH versus PowerShell, 128-135
- persistent aliases, 48-49**
- persistent snap-ins, 265**
- Ping function, 196**
- pipeline. See also command chaining**
 - defined, 8
 - in object-based environment, 59-60
 - in text-based environment, 58-59
- PKI (public key infrastructure), 95-96**
- PowerShell**
 - ADSI in, 208
 - calling from other shells, 30, 32
 - console, hiding, 239-240
 - converting VBScript
 - file system management, 136-154
 - group membership scripts, 212-232
 - Registry management, 161-181
 - virtual machine monitoring, 191-202
 - downloading, 20
 - file system management, 125-127
 - history of, 16-17
 - installing, 19-21
 - language references, 91
 - launching, 21-22
 - permissions management, 128-135
 - Registry management, 157-161
 - scripts
 - signing, 100-101
 - trust, establishing, 102-105
 - system requirements, 19
 - WMI in
 - Get-WmiObject cmdlet, 185-187
 - type accelerators, 187-190

preference settings, 44-45, 90
private scope, 52-53
production environment, avoiding script development in, 109
professional standards for scripts, 110
profiles
 All Users host-specific profile, 84-85
 All Users profile, 84
 configuring PowerShell console, 170
 current user's host-specific profile, 85
 current user's profile, 85
 defined, 84
 for persistent snap-ins, 265
projects, scripts as, 108
prompts for confirmation, 251
properties
 defined, 25
 ErrorRecord object, 79-80
providers, 72-74
 ADSI, 205
 drives
 accessing, 74-77
 mounting, 77-78
ProvisionExchangeUsers.ps1 script, 285-291
provisioning user accounts (Exchange 2007), 285-291
ProvisionWebFolders.ps1 script, 146-154
ProvisionWebFolders.wsf script, 136-143
.ps1 extension, 53
PSBase, 71
pseudocode, 109
PSObject, 70-72
PSShell.exe, 239-240
PSShell.ps1 script, 235-236
 deploying, 245-246
 desktop generation with Windows Forms, 240-245

 PSShell.exe, 239-240
 Windows Shell Replacement, 236-238
public code, establishing trust, 105
public key cryptography, 94
public key infrastructure (PKI), 95-96
PVK Digital Certificate Files Importer, 99-100

R

Read-Host cmdlet, 255, 291
readability, 114
ReadRegValue function (VBScript), 163-165
references, .NET Framework, 60-61
reflection, 62, 64-70
RegDelete method (WSH), 161
registering snap-ins, 263
Registry management
 shell replacement, 237
 VBScript, converting to PowerShell, 161
 LibraryRegistry.ps1 script, 169-181
 LibraryRegistry.vbs script, 162-169
 WSH versus PowerShell, 157-161
Registry provider, 158
RegRead method (WSH), 159
RegWrite method (WSH), 160
remote PowerShell connections, 91
RemoteSigned execution policy, 54, 87-88, 118
Remove-ACE function, 135
Remove-ItemProperty cmdlet, 161
Remove-PSDrive cmdlet, 78
Remove-RegKey function, 175-176, 181
Remove-RegValue function, 176-177, 180
replacing Windows Explorer, 236-238
required parameters, validity checking on, 113
requirements, gathering, 109

Restricted execution policy, 86
retrieving object information with ADSI, 209-210
reusability, 114
rights, principle of least privileges, 118
running scripts, 54, 91
runspaces, 242-243

S

scope

defined, 50
global scope, 50-51
local scope, 51
private scope, 52-53
script scope, 51-52
trapping errors, 83

script commands, 28-29

script files

dot sourcing, 169
including in VBScript, 162-163

scripts

ChangeLocalAdminPassword.ps1, 246-258
creating, 53-56
Definition property, 40
design, 110-117
development, 107-110
dot sourcing, 52
for Exchange 2007
 GetDatabaseSizeReport.ps1, 266-275
 GetEvent1221Info.ps1, 275-285
 ProvisionExchangeUsers.ps1, 285-291
including instructions with, 112
professional standards for, 110
as projects, 108

PSShell.ps1, 235-236
 deploying, 245-246
 desktop generation with Windows Forms, 240-245
 PSShell.exe, 239-240
 Windows Shell Replacement, 236-238
purpose of, 14
running, 54, 91
script files
 dot sourcing, 169
 including in VBScript, 162-163
scope, 51-52
security. See security
software development versus, 107
testing, 110

SDDL (Security Descriptor Definition Language), 134

secure kiosk shells, PSShell.ps1 script, 235-236

deploying, 245-246
desktop generation with Windows Forms, 240-245
PSShell.exe, 239-240
Windows Shell Replacement, 236-238

security

best practices, 117-118
code signing. See code signing
execution policies
 AllSigned, 86
 RemoteSigned, 87-88
 Restricted, 86
 setting, 88-91
 Unrestricted, 88
remote PowerShell connections, 91
scripts, running, 91
WSH, 85

Security Descriptor Definition Language (SDDL), 134

Security Descriptor String Format, 134
 selecting development life cycle model, 108-109
 self-signed certificates, creating, 96-97
Set-ACL cmdlet, 131
Set-Alias cmdlet, 48
Set-Aliases cmdlet, 48
Set-AuthenticodeSignature cmdlet, 100-101
Set-ChoiceMessage function, 250-252
Set-ExecutionPolicy cmdlet, 88
Set-ItemProperty cmdlet, 160
Set-Location cmdlet, 74
Set-Owner function, 133, 152-153
Set-RegKey function, 173
Set-RegValue function, 173-175
 shell function commands, 26-28. *See also* functions
 shell replacement, 236-238
 shell scripting

- purpose of, 14
- usage example, 10-14

shells

- applications versus, 7
- calling PowerShell from, 30-32
- defined, 7-8
- history of, 14-17
- usage example, 8-10

Show-ScriptUsage function, 224-228
signature blocks, 101
signatures. See digital signatures
signing code. See code signing
size of mailbox databases, determining, 266-275
snap-ins

- confirming availability of, 264
- defined, 262
- EMS snap-in, loading, 265-266

- loading, 264
- persistent snap-ins, 265
- registering, 263
- verifying, 263

software development, scripting versus, 107
square brackets ([]), 60-61
standardization, 118-120
static classes, 62
static methods, 62
status information, providing, 115
StdRegProv class (WMI), 163
storing

- commands in scripts, 53-56
- expressions in variables, 41

SubInACL utility, 128, 141-142
system requirements of PowerShell, 19

T

terminating errors, 78

- throw keyword, 83-84
- trapping, 81-83

Test-Path cmdlet, 150, 230, 291
testing scripts, 110
text-based environment

- object-based environment versus, 57-58
- pipeline in, 58-59

\$This variable, 72
throw keyword, 83-84
trapping errors, 81-83
trust, establishing, 102-105
Trusted Publishers certificate store, 103-105
Trusted Root Certification Authorities certificate store, 103

- type accelerators, 187-188**
 - list of, 188-189
 - [WMIClass], 189
 - [WMISearcher], 190
 - [WMI], 189
- types, ETS (Extended Type System), 70-72**

U

- ubiquitous parameters, error handling, 80-81**
- Unrestricted execution policy, 88, 93, 118**
- Untrusted Certificates certificate store, 105**
- Update-TypeData cmdlet, 71**
- user accounts (Exchange 2007), provisioning, 285-291**

V

- validity checking on required parameters, 113**
- variables**
 - built-in variables, 42-45
 - in configuration information, 112
 - defining, 41-42
 - definition of, 41
 - naming conventions, 41-42
 - storing expressions in, 41
- VBScript, converting to PowerShell**
 - file system management, 136-154
 - group membership scripts, 212-232
 - Registry management, 161-181
 - virtual machine monitoring, 191-202
- verifying**
 - digital signatures, 101-102
 - snap-ins, 263
- viewing blocked information, 71**

- virtual machines, monitoring**
 - MonitorMSVS.ps1 script, 197-202
 - MonitorMSVS.wsf script, 191-197

W-X-Y-Z

- WhatIf parameter, 115-117**
- whitespace in mailbox databases, determining, 275-285**
- whitespace delimiters, 59**
- Windows, 15**
- Windows Explorer, replacing, 236-238**
- Windows Forms, 240-245**
- Windows Management Instrumentation.**
 - See **WMI**
- Windows Script Host. See WSH**
- Windows Shell Replacement, 236-238**
- WMI (Windows Management Instrumentation)**
 - connection methods, 183-184
 - in PowerShell
 - Get-WmiObject cmdlet, 185-187
 - type accelerators, 187-190
 - in WSH, 184-185
- [WMIClass] type accelerator, 189**
- [WMISearcher] type accelerator, 190**
- [WMI] type accelerator, 189**
- Write-Host cmdlet, 148**
- WSH (Windows Script Host), 15-16**
 - ADSI in, 207-208
 - file system management 125-127
 - permissions management, 128-135
 - Registry management, 157-161
 - security issues, 85
 - WMI in, 184-185
- WshShell object, 157**
- xcopy utility, 140-141**