

Inside Microsoft® SQL Server® 2008: T-SQL Querying

Itzik Ben-Gan, Lubor Kollar, Dejan Sarka, Steve Kass (Solid Quality Mentors)

ISBN: 978-0-7356-2603-4

First printing: March, 2009

To ensure the ongoing accuracy of this book and its companion content, we've reviewed and confirmed the errors listed below. If you find a new error, we hope you'll report it to us on our website: www.microsoftpressstore.com/contact-us/errata.

Page	Location	Description	Date corrected
xxiii	Figure 1-1 caption	<p>Reads: FIGURE I-1 Data model of the TSQLFundamentals2008 database</p> <p>Should read: FIGURE I-1 Data model of the InsideTSQL2008 database.sql</p>	
18	Last code block	<p>Reads:</p> <pre>orderid customerid ----- 11077 RATTC 11076 BONAP 11075 RICSU</pre> <p>Should read:</p> <pre>orderid customerid ----- 7 NULL 6 MRPHS 5 KRLOS</pre>	
26	Numbered item 2	<p>Reads: 2. U2: Extracting Elements</p> <p>Should read: 2. U2: Extracting Element</p>	
32	Second code block	<p>Reads:</p> <pre>country region city ----- USA WA Kirkland USA WA Seattle</pre> <p>Should read:</p> <pre>region city ----- WA Kirkland WA Seattle</pre>	

Page	Location	Description	Date corrected
47	Table 2-4, fourth row from the end, first column	The character before the 3 should be changed to 1 (the number one). It is currently a lowercase "L." Reads: l3 Should read: 13	
52	Penultimate paragraph, last sentence	Reads: What does remains... Should read: What does remain...	
57	Last paragraph, first sentence	The word "precedes" should be italicized.	
73	Last paragraph, first sentence	Reads: There a number of... Should read: There are a number of...	
89	"Naming Conventions" section, second paragraph, sixth sentence	Reads: However, if the table and the columns would be named Table1(column1, column2, column3, column4). Should read: This would not be so if the table and the columns were named Table1 (column1, column2, column3, column4).	
93	Paragraph at top of page, last sentence	Reads: ...so I will introduce after this section... Should read: ...so I will introduce it after this section...	
94	Figure 3-3	The Minus operator diagram has an error. The shaded part should be the entire inverse 'L' shape of the upper box instead of the just the section shaded.	
100	Paragraph after Figure 3- 9, last sentence	Reads: ...by Itzik Ben-gan et al. Should read: ...by Itzik Ben-Gan et al.	
123	First paragraph, last sentence	Reads: ...of the invoices database. Should read: ...of the Invoices database.	

Page	Location	Description	Date corrected
249	Last paragraph, fourth sentence	<p>Reads: Don't forget that page reads are the only factor that you should take into consideration.</p> <p>Should read: Don't forget that page reads are not the only factor that you should take into consideration.</p>	
318	Last code block	<p>Reads: FROM (derived_table_query) AS derived_table_alias</p> <p>Should read: FROM (<derived_table_query>) AS<derived_table_alias></p>	
331	Last code block	<p>Reads: ranking_function OVER([PARTITION BY col_list] ORDER BY col_list)</p> <p>Should read: <ranking_function> OVER([PARTITION BY<col_list>] ORDER BY<col_list>)</p>	
339	Last code block, second column heading	<p>Reads: dups</p> <p>Should read: cnt</p>	
438	Last code block	<p>Reads: WITH EXCEPT_ALL AS (SELECT ROW_NUMBER() OVER(PARTITION BY country, region, city ORDER BY (SELECT 0) AS rn, country, region, city FROM HR.Employees EXCEPT SELECT ROW_NUMBER() OVER(PARTITION BY country, region, city ORDER BY (SELECT 0) AS rn, country, region, city FROM Sales.Customers) SELECT country, region, city FROM EXCEPT_ALL; Error: missing closing parenthesis after (SELECT 0) in both ROW_NUMBER expressions.</p> <p>Should read: WITH EXCEPT_ALL AS (SELECT ROW_NUMBER() OVER(PARTITION BY country, region, city ORDER BY (SELECT 0)) AS rn, country, region, city FROM HR.Employees EXCEPT SELECT ROW_NUMBER() OVER(PARTITION BY country, region, city ORDER BY (SELECT 0)) AS rn, country, region, city FROM Sales.Customers) SELECT country, region, city FROM EXCEPT_ALL;</p>	
472	First code block, output, last two lines	<p>Last two lines read: D 2007 0 D 2008 0</p> <p>These two lines should be deleted.</p>	

Page	Location	Description	Date corrected
490	First code block	<p>Reads:</p> <pre>SELECT groupid, CAST(ROUND(EXP(SUM(LOG(ABS(NULLIF(val,0)))))* (1-SUM(1-SIGN(val))%4)*(1-SUM(1-SQUARE(SIGN(val))),0) AS INT) AS product FROM dbo.Groups GROUP BY groupid;</pre> <p>Should read:</p> <pre>SELECT groupid, CAST(ROUND(EXP(SUM(LOG(ABS(NULLIF(val,0)))))* (1-SUM(1-SIGN(val))%4)*(1-MAX(1-SQUARE(SIGN(val))),0) AS INT) AS product FROM dbo.Groups GROUP BY groupid;</pre>	
791	Index, plan guides and queries plan guides entries	<p>Reads:</p> <p>plan guides, 124</p> <p>Should read:</p> <p>plan guides, 186</p> <p>Reads:</p> <p>queries plan guides, 124</p> <p>Should read:</p> <p>queries plan guides, 186</p>	
794	Index, sp_create_plan_guide entry	<p>Reads:</p> <p>sp_create_plan_guide, 124</p> <p>Should read:</p> <p>sp_create_plan_guide, 186</p>	