

**MCTS Self-Paced Training Kit (Exam 70-448): Microsoft® SQL Server®
2008 - Business Intelligence Development and Maintenance**

Erik Veerman, Teo Lachev, and Dejan Sarka of Solid Quality Mentors

ISBN: 978-0-7356-2636-2

First printing: April, 2009

To ensure the ongoing accuracy of this book and its companion content, we've reviewed and confirmed the errors listed below. If you find a new error, we hope you'll report it to us on our website: www.microsoftpressstore.com/contact-us/errata.

| Page | Location | Description | Date corrected |
|------|---|--|----------------|
| 67 | Exercise 2, step 7 | Should read: ...c:\temp\DimCustomer_Checkpoint.xml... Make sure the temp directory exists. | 11/30/2012 |
| 73 | Important reader aid, second sentence | Reads: ...and comparing these two... Should read: ...and comparing these to... | 3/1/2011 |
| 78 | Step 5 | Reads: ...change the Value drop-down list to Success.... Should read: ...change the Value drop-down list to Failure.... | 3/1/2011 |
| 90 | Step 1, code block, first line | Reads: AdventureWorks Should read: AdventureWorks2008 | 3/1/2011 |
| 99 | Table 3-1, third row, Description column | Reads: You can select multiple... Should read: You can only select one... | 11/30/2012 |
| 111 | Second paragraph, second sentence | Reads: ...or CAST statement... Should read: ...or case statement... | 11/30/2012 |

| Page | Location | Description | Date corrected |
|------|---|---|----------------|
| 114 | Exercise 1, step 3, numbered list item h | <p>Reads: Select the check box next to the <code>ConnectionString</code> property(), and then click Next.</p> <p>Should read: Select the check box next to the <code>ConnectionString</code> property, and then click Next.</p> | 3/1/2011 |
| 114 | Exercise 2, step 1 | <p>Reads: ...are promoted...</p> <p>Should read: ...are prompted...</p> | 11/30/2012 |
| 116 | Exercise 2, step 5 | <p>Reads: ...[SSIS Configuration]...</p> <p>Should read: ...[SSIS Configurations]...</p> | 11/30/2012 |
| 117 | Steps 8 and 9 | <p>An additional step is needed between steps 8 and 9. The new step should read: Navigate to the <code>ControlFlow</code> tab and select the <code>Foreach Loop</code> container. In the <code>Properties</code> window, set <code>DelayValidation</code> to true.</p> <p>The remaining steps should be renumbered accordingly.</p> | 3/1/2011 |
| 119 | First bulleted list item, fourth sentence | <p>Reads: ...SSIS through SSIS ...</p> <p>Should read: ...SSIS through SSMS...</p> | 11/30/2012 |
| 155 | Exercise 2, first paragraph | <p>The following sentence should be deleted: The package used, <code>DimCustomer.dtsx</code>, has a package password set on it from the Lesson 1 exercises, which will require entering it during the job configuration steps.</p> | 11/30/2012 |
| 171 | Exercise 2, first paragraph | <p>Reads: Follow these steps to set up a data source that points to the <code>AdventureWorks2008</code> database:</p> <p>Should read: Follow these steps to set up a data source that points to the <code>AdventureWorksDW2008</code> database:</p> | 11/30/2012 |
| 194 | Step 23, penultimate sentence | <p>Reads: Rename the <code>English Promotion Name</code> attribute to <code>Promotion Name...</code></p> <p>Should read: Rename the <code>EnglishPromotionType</code> attribute to <code>Promotion Type</code>.</p> | 3/1/2011 |

| Page | Location | Description | Date corrected |
|------|--|---|----------------|
| 242 | "Basic MDX Queries" section, second code block | <p>Reads: Select [Measures].[Internet Sales Amount] on Columns, [Product].[Category].Members on Rows FROM [Adventure Works] Where [Date].[Calendar Year].&[2003]</p> <p>Should read: Select [Measures].[Internet Sales Amount] on Columns, [Product].[Category].Members on Rows FROM [Adventure Works] Where [Date].[Calendar Year].&[2004]</p> | 11/30/2012 |
| 250 | "Chapter Summary" heading, fourth bulleted item, last sentence | <p>Reads: A KPI has four main properties: Value, Goal, Status and Target</p> <p>Should read: A KPI has four main properties: Value, Goal, Status and Trend.</p> | 11/30/2012 |
| 347 | First paragraph, fifth sentence | <p>Reads: ...Figure 8-19...</p> <p>Should read: ...Figure 8-21...</p> | 3/1/2011 |
| 397 | First paragraph, first sentence | <p>Reads: In this example, you are predicting Input Group, using the Region column from the case table as input.</p> <p>Should read: In this example, you are predicting Income Group, using the Region column from the case table as input.</p> | 3/1/2011 |
| 404 | Exercise 3, step 4 | <p>Reads: ...Microsoft Sequence Clustering...</p> <p>Should read: ...Microsoft Clustering...</p> | |
| 459 | First code block | <p>Reads: INNER JOIN Purchasing.PurchaseOrderDetail AS pod ON p.ProductID = pod.ProductID AND p.ProductID = pod.ProductID INNER JOIN Purchasing.PurchaseOrderHeader AS poh ON pod.PurchaseOrderID = poh.PurchaseOrderID AND pod.PurchaseOrderID = poh.PurchaseOrderID</p> <p>Should read: INNER JOIN Purchasing.PurchaseOrderDetail AS pod ON p.ProductID = pod.ProductID INNER JOIN Purchasing.PurchaseOrderHeader AS poh ON pod.PurchaseOrderID = poh.PurchaseOrderID</p> | 11/30/2012 |

| Page | Location | Description | Date corrected |
|------|---|--|----------------|
| 487 | Step 3 code block | Reads: ==RunningValue(Fields!BikeBuyer.Value,Sum,"Group1") Should Read: =RunningValue(Fields!BikeBuyer.Value,Sum,"Group1") - | 3/1/2011 |
| 510 | "Creating a Custom Assembly" section, first paragraph, third sentence | Reads: ...\Source\Ch09\TK 448 Ch11 Custom Assembly\ Should read: ...\Source\Ch11\TK 448 Ch11 Custom Assembly\ ... | 11/30/2012 |
| 513 | Exercise 1, step 9 | Reads: On the Completing The Wizard page, type Finished Products Stock Level as the product name, and then click Finish. Should read: On the Completing The Wizard page, type Finished Products Stock Level as the report name, and then click Finish. | 11/30/2012 |
| 513 | Exercise 2, step 9, code block | Reads: ==IIF(Fields!SafetyStockLevel.Value > Fields!StockLevel.Value, "White", "Black") Should read: =IIF(Fields!SafetyStockLevel.Value > Fields!StockLevel.Value, "White", "Black") | 11/30/2012 |
| 515 | Step 6 | Reads: In the Class Name box, type ch11_customassembly.customcolor. Should read: In the Class Name box, type TK_488_Ch11_CustomAssembly.customcolor. | 11/30/2012 |
| 525 | Exercise 3, step 10 | Reads: Right-click the project name, and then click Deploy to deploy the report model. Verify in SSMS that the model appears in the Models folder. Should read: Right-click the project name, and then click Deploy to deploy the report model. Verify in Report Manager that the model appears in the Models folder. | 11/30/2012 |