

MCTS Self-Paced Training Kit (Exam 70-505): Microsoft® .NET Framework 3.5 -- Windows Forms Application Development

Matthew A. Stoecker, Steven J. Stein

ISBN: 978-0-7356-2637-9

First printing: February, 2009

To ensure the ongoing accuracy of this book and its companion content, we've reviewed and confirmed the errors listed below. If you find a new error, we hope you'll report it to us on our website: www.microsoftpressstore.com/contact-us/errata.

Page	Location	Description	Date corrected
29	Last paragraph, first sentence	<p>Reads: If you set a row or column style to a size type of anything other than <code>SizeType.Absolute</code>, you can also set the <code>Width</code> (for columns) or <code>Height</code> (for rows).</p> <p>Should read: If you set a row or column style to a size type of anything other than <code>SizeType.AutoSize</code>, you can also set the <code>Width</code> (for columns) or <code>Height</code> (for rows).</p>	
30	Fourth paragraph, first sentence	<p>Reads: Columns in a <code>TableLayoutPanel</code> are numbers starting at 1, while rows start at 0.</p> <p>Should read: Columns and rows in a <code>TableLayoutPanel</code> are numbers starting at 0.</p>	
34	Third paragraph, third sentence	<p>Reads: Note that a panel is fixed by the <code>FixedPanel</code> property only when the <code>SplitContainer</code> control is resized.</p> <p>Should read: Note that a panel is fixed by the <code>FixedPanel</code> property only when the <code>SplitContainer</code> control is resized.</p>	
41	"Chapter Summary" section, first bulleted item, second sentence	<p>Reads: "<code>BorderStyle</code>"</p> <p>Should read: "<code>FormBorderStyle</code>"</p>	
50	Second paragraph, last sentence	<p>Reads: The property will relocate to the new location.</p> <p>Should read: The control will relocate to the new location.</p>	

Page	Location	Description	Date corrected
96	Table 3-4, fourth row, Description column, last sentence	<p>Reads: For example, the format string "0," ...</p> <p>Should read: For example, the format string "0,," ...</p>	
699	"Case Scenario 2" section, first sentence	<p>Reads: You can use the TabContainer control to display multiple pages of information and allow the user to switch between pages while keeping the information static.</p> <p>Should read: You can use the TabControl control to display multiple pages of information and allow the user to switch between pages while keeping the information static.</p>	
710	Question 2, answers C and D	<p>Reads: C. Correct: Use the OleDbConnection object when connecting to SQL Server 6.x and later databases. D. Incorrect: Use the SqlConnection object when connecting to SQL Server 2000 databases.</p> <p>Should read: C. Correct: Use the OleDbConnection object when connecting to SQL Server 6.x and earlier databases. D. Incorrect: Use the SqlConnection object when connecting to SQL Server 2000 databases version 7.0 or later.</p>	
733	Lesson 3, first question, B and C	<p>Reads: B. Correct: In the Zoom property, a value of 1 represents 100 percent normal size. Thus, 25 would correspond to a Zoom of 2500 percent. C. Incorrect: In the Zoom property, a value of 1 represents 100 percent normal size. Thus, 2.5 would correspond to a Zoom of 250 percent.</p> <p>Should read: B. Incorrect: In the Zoom property, a value of 1 represents 100 percent normal size. Thus, 25 would correspond to a Zoom of 2500 percent. C. Correct: In the Zoom property, a value of 1 represents 100 percent normal size. Thus, 2.5 would correspond to a Zoom of 250 percent.</p>	

Page	Location	Description	Date corrected
740, 741	Lesson 1, answers to question 3	<p>Reads:</p> <p>3. Correct Answer: A</p> <p>A. Correct: The ReportProgress method raises the ProgressChanged event and allows you to specify a percentage of progress.</p> <p>B. Incorrect: You must handle the ProgressChanged event to implement coed that is executed when progress is reported.</p> <p>C. Incorrect: It is unnecessary to poll the IsBusy property to report progress.</p> <p>D. Incorrect: You cannot call the ReportProgress method unless the WorkerReportsProgress property is set to True.</p> <p>Should read:</p> <p>3. Correct Answer: A, B, D</p> <p>A. Correct: The ReportProgress method raises the ProgressChanged event and allows you to specify a percentage of progress.</p> <p>B. Correct: You must handle the ProgressChanged event to implement coed that is executed when progress is reported.</p> <p>C. Incorrect: It is unnecessary to poll the IsBusy property to report progress.</p> <p>D. Correct: You cannot call the ReportProgress method unless the WorkerReportsProgress property is set to True.</p>	