

Microsoft® Access® 2010 VBA Programming Inside Out

Andrew Couch

ISBN: 978-0-7356-5987-2

First printing: July, 2011

To ensure the ongoing accuracy of this book and its companion content, we've reviewed and confirmed the errors listed below. If you find a new error, we hope you'll report it to us on our website: www.microsoftpressstore.com/contact-us/errata.

Page	Location	Description	Date corrected
46	Code block, fifth through ninth lines	<p>Reads:</p> <pre>#If Pre2007Version Then Dim rst As DAO.Recordset2 #Else Dim rst As DAO.Recordset #End If</pre> <p>Should read:</p> <pre>#If Pre2007Version Then Dim rst As DAO.Recordset #Else Dim rst As DAO.Recordset2 #End If</pre>	10/12/2012
46	After the first code block	The following sentence should be added: In this example, you would manually set the constant Pre2007Version to True or False.	10/12/2012
57	Second paragraph, second sentence	<p>Reads:</p> <p>You can also have the function test that the global variable has a valid value; ...</p> <p>Should read:</p> <p>You can alternatively use a subroutine to test that the global variable has a valid value; ...</p>	11/12/2014
72	First code block, first line	<p>Reads:</p> <p>the ByRef, says pass a reference to the parameter</p> <p>Should read:</p> <p>the ByRef, says pass a reference to the parameter</p>	10/12/2012

Page	Location	Description	Date corrected
75	Last code block	<p>The last code block on the page is identical to the first code block on the page and should be replaced with the following:</p> <pre> Sub modProcParam_ParamArray2(ParamArray varParameterArray()) ' ParamArray must be the last defined parameter ' Because we are passing an array we have an array Dim lngCount As Long For lngCount = 0 To UBound(varParameterArray(0)) Debug.Print lngCount, varParameterArray(0)(lngCount) _ ; VarType(varParameterArray(0)(lngCount)) Next End Sub Sub modProcParam_ParamArray_Test2() Dim db As Database Dim varRowArray(2) As Variant varRowArray(0) = Date varRowArray(1) = 100 varRowArray(2) = "A text string" modProcParam_ParamArray2 varRowArray End Sub </pre>	11/12/2014
81	Last code block, for loop	<p>Reads:</p> <pre> If lngCount > lngMaxRecords Then Exit For End If rst.MoveNext End If </pre> <p>Should read:</p> <pre> If lngCount > lngMaxRecords Then Exit For End If rst.MoveNext Next End If </pre>	10/12/2012
93	Fifth bulleted item	<p>Reads:</p> <ul style="list-style-type: none"> • Upper, Lower, and StrConv (supports proper case) Changes case. <p>Should read:</p> <ul style="list-style-type: none"> • Ucase, Lcase, and StrConv (supports proper case) Changes case. 	11/12/2014

Page	Location	Description	Date corrected
99	Code block, last seven lines	<p>Reads:</p> <pre>' replace an embedded single quote with two single quotes strMatch = "O'Reilly" strCriteria = "[Last Name] = "" & strMatch & """" Debug.Print strCriteria lngID = Nz(Dlookup("[ID]", "Customers", strCriteria)) Debug.Print lngID End Sub</pre> <p>Should read:</p> <pre>' use double quotes as delimiters strMatch = "O'Reilly" strCriteria = "[Last Name] = "" & strMatch & """" Debug.Print strCriteria lngID = Nz(Dlookup("[ID]", "Customers", strCriteria)) Debug.Print lngID End Sub</pre>	10/12/2012
189, 190, 192, 212	Code blocks	<p>A prefix of rst in some code blocks was incorrectly added. Those code blocks should read as follows.</p> <p>Code block at top of page 189, 11th line reads:</p> <pre>rst.Seek "=", 9</pre> <p>Should read:</p> <pre>.Seek "=", 9</pre> <p>Code block at top of page 189, 18th line reads:</p> <pre>rst.Seek "=", "Thomas", "Axen"</pre> <p>Should read:</p> <pre>.Seek "=", "Thomas", "Axen"</pre> <p>Code block at top of page 190, seventh line, reads:</p> <pre>rst.MoveNext</pre> <p>Should read:</p> <pre>.MoveNext</pre> <p>Code block in the Inside Out sidebar on page 192 reads:</p> <pre>rst.MoveNext</pre> <p>Should read:</p> <pre>.MoveNext</pre> <p>Code block on page 212 reads:</p> <pre>bk = rst2.Bookmark</pre> <p>Should read:</p> <pre>bk = .Bookmark</pre>	10/12/2012

Page	Location	Description	Date corrected
291	Third code block, after second line	<p>A line of code should be added after the comment.</p> <p>Reads: Private Sub cmdPick_Click() ' add current item to selected list</p> <p>Should read: Private Sub cmdPick_Click() ' add current item to selected list If IsNull(Me.lstProducts) Then MsgBox "No product selected": Exit Sub</p>	10/12/2012
458	First code block, second and third lines	<p>Reads: strChar = UCase(Mid(strCol, 1, 1)) lngCol = (lngCol + 1) * 25 + (Asc(strChar) - 64)</p> <p>Should read: strChar = Ucase(Mid(strCol, 2, 1)) lngCol = (lngCol * 26) + (Asc(strChar) - 64)</p>	11/12/2014
460	Second code block, fourth line	<p>Reads: ' Note we are ensuring that by using an Explicit ByVal that this routine can modify the value</p> <p>Should read: ' Note we are ensuring that by using an Explicit ByRef that this routine can modify the value</p>	11/12/2014
474	First code block, eighth line	<p>Reads: For lngItem = 1 To fldOutlook.Items.Count-1</p> <p>Should read: For lngItem = 1 To fldOutlook.Items.Count</p>	11/12/2014
478	Code block, fifth line	<p>Reads: ' Global variables</p> <p>Should read: ' Global variables</p>	11/12/2014
662	Inside Out reader aid, first bulleted item	<p>Reads: <ul style="list-style-type: none"> • CursorLocation Controls whether the Recordset is in the server's memory or your computer's memory. The default setting is adUseServer, and the alternative setting is adUseServer. </p> <p>Should read: <ul style="list-style-type: none"> • CursorLocation Controls whether the Recordset is in the server's memory or your computer's memory. The default setting is adUseServer, and the alternative setting is adUseClient. </p>	10/12/2012