

Index

Symbols & Numbers

- ? (IOS), 203
- ? (question mark), purpose of, 678
- 3-layer hierarchical models. *See* hierarchical models
- 10 Gigabit Ethernet, 100
- 10BASE-2 networks, 94-95
- 10BASE-5 networks, 95
- 10BASE-FL networks, 96
- 10BASE-T networks, 95
- 100BaseFX, 97
- 100BaseT4, 96
- 100BaseTX, 97
- 802.1q trunks, configuring, 311-313
- 802.3 (IEEE standard), 671. *See also* Ethernet
- 802.3u (IEEE standard). *See* Fast Ethernet
- 802.11 (IEEE standard), 67-68. *See also* Wi-Fi
- 1000BaseT, 98
- 1000BaseX, 98-99

A

- ABRs (Area Border Routers), 411
- Access layers (hierarchical models), 36-37
- access lists
 - dial-on-demand routing, 454
 - exam questions, 490-492
 - answers, 492-493
 - exercises, 484-489
 - extended access lists
 - configuring, 466-472
 - networks, restricting by, 478
 - protocols, restricting by, 477
 - subnets, blocking, 473-477

functions of, 452-453
 IOS interactions, 452
 named access lists, 478-480
 NAT (network address translation), 455
 overview, 450-452, 698-702
 packets, filtering, 453
 QoS (quality of service), 453-454
 review questions, 489
 answers, 492
 route filtering, 455-456
 standard access lists, 456
 configuring, 456-460, 466
 networks, isolating, 462, 465
 placement of, 460-462
 VTY access, restricting, 465
 verifying, 480-482

access ports, 305

ACK packet, 31

ACTIVE states (PVC), 629

address classes (IPv4), 129-132

addresses (IP). *See IP addresses*

addressing (Ethernet), 87-91

administrative distances (IOS), 338-339

advanced distance vector routing protocols. *See balanced hybrid routing protocols*

alternate ports (RSTP), 287

any keyword, 463

Application layer (OSI), 18-19

 description of, 665
 protocols, list of, 666-667

Application layers (TCP/IP models), 29-30

area command, 423

ARP (Address Resolution Protocol), 35

 Inverse ARP, 625
 purpose of, 123

AS numbers (BGP), 753

ASICs (Application-Specific Integrated Circuits), 276

asynchronous serial interfaces, 170

ATM (asynchronous transfer mode) on WANs, 540

attenuation, 60

authentication (PPP)

 configuring, 548-550
 overview, 543-545

autonomous systems, 353

auxiliary ports, 190

 User EXEC access, securing, 225

B

backbone areas (OSPF), 411

BackboneFast (STP), 286

backup ports (RSTP), 287

balanced-hybrid routing protocols, 428

 exam questions, 440-443
 answers, 444-445
 review questions, 439
 answers, 443-444

bandwidth

 definition of, 60, 669
 IGRP, 391
 managing, 754-755
 queuing options, 755
 WAN compression, 766-768
 WAN serial interfaces, redefining, 230

banners (login), creating, 220. *See also logins*

baseband, 536

basic Cisco configurations. *See configurations*

BECNs (Backwards Explicit Congestion Notifications), 621

BGP (Border Gateway Protocol), 353, 753

 configuring, 754

binary format, 123-124

 converting from decimals, 127-128, 136
 converting to decimals, 124-126, 675

blocked ports (STP), 281-282

 states, 284

blocking, 277
Bluetooth technology, 68
BOD (Bandwidth on Demand), 598-600
Boolean AND, 133-134
boot processes (IOS), 677. *See also configuration registry*
boot system command, 219
bootstrap, router/switches start-up, 193
boundaries (classful networks), 381
BPUDUs (Bridge Protocol Data Units)
 blocked ports, 281-282
 designated ports, 281
 inferior BPUDUs, 286
 root bridges, 277-279
 root ports, 279-280
BRI (Basic Router Interface)
 configuring, 573-574
 SPIDs (Service Provider Identifiers), 574-575
 switch types, 574
 definition of, 672
 example of, 576-577
 overview, 169-170, 569-570
bridges. *See also switches*
 exam questions, 294-298
 answers, 298-299
 frame forwarding, 272-273
 cut-through method, 274
 fragment-free method, 274
 store-and-forward method, 274
 half/full-duplex connections, 275
 overview, 102-104
 purpose of, 683
 root bridges, 277-279
 versus switches, 276, 683
broadband, 536
broadcast addresses, 90
broadcast IPs, 131
broadcast storms, 277
bus topologies, 56-57

C

cables
 coaxial cables, 61-62
 cross-over cables, 64-65
 fiber-optic cables, 65-66
 rolled cables, 65
 straight-through cables, 63-64
 twisted-pair cables, 62-65
 versus fiber-optic, 670

call setups. *See three-way handshakes*

callbacks, 545-546

CAM (Content Addressable Memory) tables, 272-273

Campus Infrastructure modules, 743

Carrier Sense Multiple Access Collision Detection (CSMA/CD), 94

CAS (Channel Associated Signaling), 570

Catalyst switch models. *See also switches*
 purpose of, 685

CBWFQ (Class-based Weighted Fair Queuing), 756-764

CCS (Common Channel Signaling), 570

CD-Rom Practice Test. *See MeasureUp*

CDP (Cisco proprietary protocol)
 utilizing, 248-249, 252

challenges
 NAT, 522-525
 OSPF (Open Shortest Path First), 427
 RIP, 387-388
 STP, 282-283
 VLANs, 318-319
 VLSMs, 349-351

CHAP (Challenge Handshake Authentication Protocol), 544-545

CIDR (Classless Interdomain Routing), 352, 675
 subnet masks, identifying, 134

circuit-switched networks, 535

CIRs (Committed Information Rates), 620
 Discard Eligible (De), 622

Cisco 3-layer hierarchical models. *See* **hierarchical models**

Cisco proprietary protocol. *See* **CDP**

classful network boundaries, 381

Classful Routing, 690

classful/classless routing protocols, 346-348

- route summarizations, 351-352

- VLSMs (Variable Length Subnet Masks), 349-351

Classless Routing, 690

clear command, 242

client mode (VTP), 314-315

CLNP (Connectionless Network Protocols)

- characteristics of, 752-753

- configuring, 753

- overview, 751

clock rate command, 230

coaxial cables, 61-62

collision domains, segmenting/creating, 102

commands (IOS)

- abbreviations, 204

- common syntax errors, 205-206

- finding, 203

- shortcut keys, 204-205

compression

- header compression, 768

- link compression, 766-768

- Microsoft Point-to-Point compression (MPPC), 767-768

- configuring, 550

- overview, 546-547

- payload compression, 768

- predictor compression, 767

- stacker compression (STAC), 767

- WANs, 766

config-register command, 218-219

configuration registry, dangers in modifications, 219

configurations

- backing up (to/from TFTP servers), 245-248

- exam questions, 260-264

- answer keys, 265-267

- loading at router/switches start-up, 195-197

- review questions, 260

- answer keys, 265

- routers, 235

configure command, 203. *See also* **Global Configuration**

Connection-Oriented Communication sessions, 31

console access, USER EXEC, securing to, 224

console ports, 188-189

context-sensitive help, purpose of, 678

copy command

- IOSs, copying, 246

- overview, 680-681

Core layers (hierarchical models), 37-39

counts to infinity, mitigating, 375

CPE (customer premise equipment), 171

cross-over cables, 64-65

- devices connected by, 670

crosstalk, 61, 669

- Far-end Crosstalk (FEXT), 61

- Near-end Crosstalk (NEXT), 61

CSMA/CD (Carrier Sense Multiple Access Collision Detection), 94

CSU/DSUs (Channel Service Unit/Data Service Units), 171-172, 538

cut-through frame transmissions, 274

D

Data Link Layer (OSI), 23-25, 666

- CDP, utilizing, 248-252

- devices, 100-101

- bridges, 102-104

- switches, 105-106

- exam questions, 110-114

- answers, 116-117

exercises, 109

protocols

- Ethernet, 87-92

- FDDI protocols, 86-87

- Token Ring protocols, 84-85

review questions, 110

- answers, 114-115

Data Link WAN encapsulations

- ATM (asynchronous transfer mode), 540

- frame relays, 540

- HDLC (high-level data link control), 540

- overview, 539

- PPP (point-to-point protocol), 540

- PPPoA/E, 541

- SLIP (serial line internet protocol), 539

- X.25 link access procedure, balanced (LAPB), 540

DCE (Data Communications Equipment), 170-171

- equipment types, 672

- versus DTE, 26

DDR (Dial-on-Demand Routing). *See also ISDN*

- access lists, 454

- BOD (Bandwidth on Demand), 598-600

- configuring

 - interesting traffic, defining, 584-586

 - overview, 582, 588

 - remote addresses, mapping, 586-587

 - static routes, 582-583

- dialer interfaces, configuring, 595-596

- dialer pools

 - associating, 595-596

 - configuring, 594-595

- dialer profiles, 592-594

- dialer timers, configuring, 596-597

- exam questions, 605-608

 - answers, 609-610

 - exercises, 604-605

 - operation of, 581-582

- PPP Multilink, 598-600

- review questions, 605

 - answers, 608

traditional shortcomings, 591-592

- verifying, 588-591

dead/invalid timers, 379

debug command (Privileged EXEC), 244-245

debug commands

- IGRP, 394

- RIP, 386

decimals, converting

 - from binary, 124-126

 - to binary, 127-128, 136, 675

 - to hexadecimals, 128-129

default gateways (routing), 336-337

 - switches, 232

default routes, 342, 689

 - verifying, 343-344

DELETED states (PVC), 629

demarcation points (demarcs), 171, 571

deny statements. *See* access lists

description command, utilizing, 229

designated ports (STP), 281

desktop layers (hierarchical models). *See* Access layers (hierarchical models)

devices (Network layer)

 - Layer 3 switches, 149

 - overview, 146

 - routers, 147-148

DHCIPv6, 746

dial-on-demand connections (WANs), 535

Dial on Demand Routing. *See* DDR

dialer interfaces, configuring, 595-596

dialer pools, 593

 - associating, 595-596

 - configuring, 594-595

dialer profiles (DDR), 592-594

dialer timers, configuring, 596-597

diameters (switches), 284

Dijkstra Shortest Path First (SPF) algorithms, 408

discovery protocol, 682

distance vector routing loops, preventing, 691-692

distance vector routing protocols

distance vector routing protocols, 353

exam questions, 398-402

answers, 402-403

loops, preventing, 691-692

operations of, 370-372

distribute lists. *See* access lists

distribution frames, 66

Distribution layers (hierarchical models), 37

DLCIs (Data Link Connection Identifiers)

definition of, 618-619

Inverse ARP, 625

DNS (Domain Name Service), TCP/UDP support, 33

DoD (Department of Defense) models. *See* TCP/IP models

domains

collision domains, segmenting/creating, 102

name resolution, configuring, 222-223

DR/BDR elections (OSPF), 415-417

DRAM (Dynamic RAM), 173. *See also* RAM

DS1 (digital signal level 1) services, 170

DTE (Data Terminal Equipment), 171-172

equipment types, 673

versus DCE, 26

DUAL algorithms (EIGRP), 431-432

duplex interfaces, 683-684

duplex logic, 106-107

dynamic access lists, 467. *See also* access lists

Dynamic NAT, 501

pool translations, 511

two-way configurations, 512-515

dynamic routing protocols, 344-345

classful/classless routing protocols

overview, 346-348

route summarizations, 351-352

VLSMs (Variable Length Subnet Masks), 349-351

distance vector routing protocols, 353

hybrid protocols, 354

interior/exterior gateway routing protocols, 353

link-state routing protocols, 354

purpose of, 689

routing metrics, 345-346

versus routed protocols, 344

D_e (discard eligible), 622

E

E-Commerce modules, 743

EBGP (External Border Gateway Protocol), 753

Edge Distribution modules, 743

EGP (Exterior Gateway Protocol), 690

EIA/TIA (Electronic Industries Association/Telecommunications Industry Association), 172

EIGRP (Enhanced Interior Gateway Routing Protocol), 428-430, 697-698

configuring, 432-433, 698

DUAL algorithms, 431-432

exam questions, 440-443

answers, 444-445

exercises, 438-439

review questions, 439

answers, 443-444

successor routes, 430

troubleshooting, 435

verifying, 433-435, 698

EMI (electromagnetic interference), 60

enable password command, 679

versus enable secret command, 221

enable secret command, 679

versus enable password command, 221

encapsulation, 26

Enterprise Composite Networks, 741

Enterprise Campus, 742-743

Enterprise Edge, 743-744

Service Provider Edges, 744-745

Enterprise Edge, 743-744

EtherChannel, 749

configuring, 288-289

Ethernet

10 Gigabit Ethernet, 100

10BASE-2, 94-95

10BASE-5, 95

10BASE-FL, 96

10BASE-T, 95

802.3 characteristics, 96

802.3u standards, 97

802.3z standards, 99

data link layer protocols

addressing, 87-91

framing, 91-93

exam questions, 110-114

answers, 116-117

exercises, 109

Fast Ethernet

100BaseFX, 97

100BaseT4, 96

100BaseTX, 97

Gigabit Ethernet

1000BaseT, 98

1000BaseX, 98-99

Long Reach Ethernet (LRE), 100

origin of, 93

review questions, 110

answers, 114-115

exam prep CD. See MeasureUp**exam question answers**

access lists, 492-493

balanced-hybrid routing protocols, 444-445

basic Cisco configurations, 265-267

bridges, 298-299

Data Link layer, 116-117

DDR, 609-610

distance vector protocols, 402-403

EIGRP, 444-445

Ethernet, 116-117

Frame Relays, 661-662

HDLC, 562-563

hierarchical models, 49-51

IGRP, 402-403

internetworks, 49-51

IOS operations, 213-214

IP addresses, 162-164

ISDN, 609-610

link-state routing protocols, 444-445

memory components, 182-183

NAT, 528-529

Network layer, 162-164

OSI models, 49-51

OSPF, 444-445

Physical layer networking concepts, 78-79

PPP, 562-563

RIP, 402-403

routing, 365

routing loops, 402-403

routing protocols, 402-403

STP, 298-299

switches, 298-299

TCP/IP models, 49-51

VLANs, 330-331

VTP, 330-331

WANs, 562-563

exam questions

access lists, 490-492

balanced-hybrid routing protocols, 440-443

basic Cisco configurations, 260-264

bridges, 294-298

Data Link layer, 110-114

DDR, 605-608

distance vector protocols, 398-402

EIGRP, 440-443

Ethernet, 110-114

Frame Relays, 657-660

HDLC, 560-561

hierarchical models, 43-46

IGRP, 398-402

internetworks, 43-46

IOS operations, 210-212

IP addresses, 156-160

ISDN, 605-608

link-state routing protocols, 440-443

memory components, 179-181
 NAT, 525-527
 Network layer, 146-149
 OSI models, 43-46
 OSPF, 440-443
 Physical layer networking concepts, 72-77
 PPP, 560-561
 RIP, 398-402
 routing, 362-364
 routing loops, 398-402
 routing protocols, 398-402
 STP, 294-298
 switches, 294-298
 TCP/IP models, 43-46
 VLANs, 326-329
 VTP, 326-329
 WANs, 560-561

EXEC sessions. *See also ICMP commands; terminal options*

IOS access, gaining, 676-677
 ping command, 243-244
 Privileged EXEC mode, 221
 Telnet, virtual terminal access, 252-253

exec-timeout command, 224

exercises, 438-439

access lists, 484-489
 Data Link layer, 109
 DDR, 604-605
 Frame Relays, 650-657
 IP addresses, 144-145
 ISDN, 604-605
 memory components, 178
 Network layer, 146-149
 OSI models, 41-42
 PPP, 556-559
 routing, 361
 routing protocols, 396-397
 VLANs, 324-325
 VTP, 324-325

extended access lists

configuring, 466-472
 networks, restricting by, 478
 protocols, restricting by, 477
 subnets, blocking, 473-477

Exterior/Interior Gateway Routing Protocol (EIGRP). *See EIGRP*

F

Fast Ethernet

100BaseFX, 97
 100BaseT4, 96
 100BaseTX, 97
 description of, 96

FCS (Frame Check Sequence) fields, 311

FDDI (Fiber Distributed Data Interface) protocols, 86-87

feasible successors, 430

features sets (IOS), 174

FECNs (Forwards Explicit Congestion Notifications), 621-622

FEXT (far-end crosstalk), 61

fiber-optic cables, 65-66

versus twisted pair, 670

files, IOS naming conventions, 673

filtering, 273

flapping, 410

Flash memory, 172-173

show flash command utilizing, 240

flash updates (routing), 379

floating static routes, 341, 689

FLSMs (Fixed Length Subnet Masks), 347

forward delays (STP), 284

forwarding port states (STP), 284

fragment-free frame transmissions, 274

fragmentation, 547

frame forwarding, 272-273

cut-through method, 274

fragment-free method, 274

store-and-forward method, 274

Frame Relays, 614, 709-712. *See also* NBMA networks

- address mapping, 624-625
- auto-configurations, 626-631
- BECNs (Backwards Explicit Congestion Notifications), 621
- CIRs (Committed Information Rates), 620
 - Discard Eligible (D_e), 622
- configuring
 - for multipoint interfaces, 632-639
 - for single neighbors, 626-631
 - point-to-point subinterfaces, 639-644
- DLCIs (Data Link Connection Identifiers), 618-619
- exam questions, 657-660
 - answers, 661-662
- exercises, 650-657
- FECNs (Forwards Explicit Congestion Notifications), 621-622
- LMIs (Local Management Interfaces), 618
- Local Access Rates, 619
- PVCs (Permanent Virtual Circuits), 618
 - ACTIVE states, 629
 - DELETED states, 629
 - INACTIVE states, 629
 - STATIC states, 629
- review questions, 657
 - answers, 660-661
- subinterfaces
 - configuring, 633
 - multipoint subinterfaces, 624
 - overview, 623-624
 - point-to-point subinterfaces, 624
- SVCs (Switched Virtual Circuits), 618
- troubleshooting, 645-648
- verifying, 644-645
- virtual circuits
 - full mesh design, 617
 - hub and spoke design, 615-616
 - overview, 614-615
 - partial mesh design, 616-617
- WANs, 540

frames, forwarding through switches, 683

framing (Ethernet), 91-93

full mesh design (virtual circuits), 617

full-duplex modes, 106

G

gain, 69

gateways (routing)

default gateways, 336-337

interior/exterior gateway routing protocols, 353

gateways of last resort, defining, 232

GBICs (Gigabit Interface Converters), 169

Gigabit Ethernet

1000BaseT, 98

1000BaseX, 98-99

overview, 97

ports, 168-169

Gigabit Interface Converters (GBICs), 169

Global Configuration, 201-202

boot system command, 219

commands, list of, 679

config-register command, 218-219

interface configuration, 202

line configuration, 202-203

global/local (NAT), 503

groups, configuring (PRI), 578-580

H

half-duplex modes, 106

half/full-duplex connections, 275

HDLC (high-level data link control), 540-541

exam questions, 560-561

answers, 562-563

origin of, 540

review questions, 559

answers, 562

header compression, 768

hexadecimals, converting from binary, 128-129

hierarchical models

hierarchical models, 35-36

- Access layers, 36-37
- Core layers, 37-39
- Distribution layers, 37
- exam questions, 43-46
 - answers, 49-51
- review questions, 42
 - answers, 47-49

hierarchies, 36

hold-down timers, 378

host keywords, 460

hosts

- calculating in subnets, 138-139
- names, changing, 220
- networks, isolating, 464
- subnets, calculating in, 676

HSSI (High-speed serial interfaces), 170

HTTP (Hypertext Transfer Protocol), 190-191

hub and spoke design (virtual circuits), 615-616

hubs, 69

hybrid routing protocols, 354

I - J - K

IANA (Internet Assigned Numbers Authority), 123

- private addresses, 675

IBGP (Interior BGP), 753. *See also BGP (Border Gateway Protocol)*

ICMP (Internet Control Messaging Protocol), 35

- commands
 - ping, 243-244
 - traceroute, 244
- Destination Unreachable messages, 243

IDFs (Intermediate Distribution Frames), 66

IEEE 802 standards

- 802.3 (Ethernet), 670
 - frame information/parameters, 671-672
- 802.3ab (Gigabit Ethernet), 97, 671
- 802.3u (Fast Ethernet), 97, 670
- 802.3z (Gigabit Ethernet), 671

IGP (Interior Gateway Protocol), 353, 690

IGRP (Interior Gateway Routing Protocol). *See also EIGRP*

- bandwidths, 391
- characteristics of, 389-390, 693-694
- configuring, 390-391, 694
- exam questions, 398-402
 - answers, 402-403
- IP default-networks, 392
- routing protocols, 396-397
- troubleshooting, 394
- unequal path load balancing, 391-392
- verifying, 393, 694

image files, naming (IOS), 174-175

implicit deny statements. *See access lists*

INACTIVE states (PVC), 629

inferior BPDUs, 286

infrared, 68

inside global addresses (NAT)

- description of, 503-504
- forwarding to Internal Web servers, 506-508

interesting traffic (DDR), 584-586

interface configuration (Global Configuration), 202

- commands, 680

interface range command (switches), 233

interface status values (show command), 681

interfaces. *See also router interfaces*

- exam questions, 179-181
 - answers, 182-183
- review questions, 179
 - answers, 181-182

Internet Access modules, 744

Internet layers (TCP/IP models), 34-35

Internet Service Provider (ISP) modules, 745

internetworks, 12

- exam questions, 43-46
 - answers, 49-51
- LANs, 13
- layered architecture. *See* OSI model
- MANs (Metropolitan Area Networks), 14
- networks, isolating, 464-465

review questions, 42
 answers, 47-49
 SANs (Storage Area Networks), 15
 VANs (Virtual Area Networks), 15
 WANs (Wide Area Networks), 14-15

interVLAN routing, 319-322

invalid input, 678

invalid/dead timers, 379

Inverse ARP, 625

inverse masks, 421

IOS (Input/Output System), 173-174
 ? (question mark) overview, 203
 access list interactions, 452
 administrative distances, 338-339
 backing up, 245-248
 boot process, 677
 commands
 abbreviations, 204
 common syntax errors, 205-206
 finding, 203
 shortcut keys, 204-205
 configuration files, static entries, creating, 222-223
 editing keystrokes, 678
 exam questions, 179-181, 210-212
 answers, 182-183, 213-214
 EXEC access, 676-677
 features sets, 174
 file naming conventions, 673
 Global Configuration, 201-202
 interface configuration, 202
 line configuration, 202-203
 image files, naming, 174-175
 loading router/switches at start-up, 193-197
 navigation modes, 677
 practice exercises, 208-210
 Privileged EXEC, 200-201
 review questions, 179, 210
 answers, 181-182, 212-213
 show version commands, 240-241
 User EXEC overview, 199-200

IP (Internet Protocol) addresses
 assigning, 228-229
 binary
 converting to decimals, 124-126
 overview, 123-124
 decimals, converting to hexadecimals, 128-129
 exam questions, 154
 answers, 161
 exercises, 150
 hexadecimals, 128
 hosts, calculating in subnets, 138-139
IPv6 overview, 745-746
 autoconfiguration, 746
 networks, calculating in subnets, 139-141
 review questions, 154
 answers, 159
RFC1918, 134-135
subnet masks, 132-134
subnets, 135-138, 676
 increments, calculating, 141-144
 switches, assigning to, 231-232
 zero subnets, 141

ip default-gateway command, 232

IP default-networks (IGRP), 392

ip host command, 223

ip ospf cost command, 423

ip ospf priority command, 424

IPv4 (Internet Protocol version 4). See also IP addresses
 address classes, 129-132
 addresses, 674-675
 integrating IPv6, 747

IPv6 (Internet Protocol version 6). See also IP addresses
 addressing, 745-746
 autoconfiguration, 746
 EtherChannel, 749
 integrating with IPv4, 747

overview, 745

RSPT

- origins of, 747
- port states and roles, 747-748
- rapid transitions, 748

SVIs (switched virtual interfaces), 749-750

IS-IS (Intermediate System-to-Intermediate System) protocol, 751

- characteristics of, 752-753
- configuring, 753

ISDN (Integrated Services Digital Network)

- architecture of, 571-573
- BRI**
 - configuring
 - overview, 573-574
 - SPIDs (Service Provider Identifiers), 574-575
 - switch types, 574
 - example of, 576-577
 - overview, 169-170, 569-570
- decline of, 568
- exam questions, 605-608
 - answers, 609-610
- exercises, 604-605
- overview, 706-709
- PRI**
 - configuring, 577-578
 - groups, configuring, 578-580
 - switch types, configuring, 578
- review questions, 605
 - answers, 608
- signaling protocols, 570-571
- S/T Interfaces, 572
- troubleshooting, 600-602
- types of, 569
- U Interfaces, 572

ISL trunks, 310

- configuring, 311-313

ISO HDLC, 543

keepalive, 230

keystrokes, IOS editing, 678

L

LANs (local area networks), 13

- interfaces, 168-169
- Spread Spectrum Wireless LANs, 670

LAPB (link access procedure, balanced), 540

Layer 1 (OSI model), Physical layer, 26

Layer 2 (OSI model), Data Link layer 23-25, 105

Layer 3 (OSI model), Network layer, 22-23

- switches, 151, 676. *See also* SVIs (switched virtual interfaces)

Layer 4 (OSI model), Transport layer, 21-22

Layer 5 (OSI model), Session Layer, 20

Layer 6 (OSI Model), Presentation layer, 19-20

Layer 7 (OSI Model), Application layer, 18-19

Layer switches. *See* switches, 231

layered architecture. *See* OSI model

layers (OSI model)

- control information for, 667
- related TCP/IP layers, 668

LCP (link control protocol)

- authentication, 543-544
- callbacks, 545-546
- CHAP, 544-545
- compression, 546
 - MPPC (Microsoft point-to-point compression), 547
 - Predictor, 547
 - Stacker, 546
- MLPPP (Multilink PPP), 547
- overview, 543
- PAP, 544

learning port states (STP), 284

leased lines, 534-535

line configuration (Global Configuration), 202-203

line speeds (Local Access Rates), 619

link compression, 766-768

link-state operations, 408-409
link-state routing protocols, 354

exam questions, 440-443
answers, 444-445
review questions, 439
answers, 443-444

listening port states (STP), 284**LLCs (logical link controls)**, 24-25**LLQ (Low Latency Queuing)**, 764-766**LMIs (Local Management Interfaces)**, 618**Local Access Rates**, 619**local loops**, 571**local/global (NAT)**, 503**logging synchronous command**, utilizing, 225**login banners**, creating, 220**Long Reach Ethernet (LRE)**, 100**longest match rule**, 357**loopback interfaces**, 414**loops (routing)**, 372-373

mitigating
counts to infinity, 375
invalid/dead timers, 379
route poisoning, 377-378
split horizons, 375-376
triggered updates, 379

LRE (Long Reach Ethernet), 100**LSAs (Link-State Advertisements)**, 408**LSU (link-state updates)**, 409**M****MAC (media access control) addresses**, 24

configuring, 289
definition of, 671
limitations of, 618
router assignments, 147
verifying, 289

management VLANs. *See* **VLANs****management IP addresses, switches, assigning to**, 231-232**MANs (Metropolitan Area Networks)**, 14**max age timers (STP)**, 284**maximum hop counts**, 691-692**MDFs (Main Distribution Frames)**, 66**MeasureUp**

installing, 771-772
overview, 770
shortcuts to, creating, 772
technical support, 772
test modes, 769-770

membership methods for VLANs, 305**memory types**, 673**memory components**

exam questions, 179-181
answers, 182-183
exercises, 178
FLASH, 172-173
NVRAM, 173
RAM, 173
review questions, 179
answers, 181-182
ROM, 172

memory types, 673**mesh topologies**, 59**message of the day**. *See* **login banners****metrics (OSPF)**, 413**metrics (routing)**, 345-346**metro Ethernet**, 537-538**microsegmentation**, 107**Microsoft Point-to-Point compression (MPPC)**, 547, 767-768**MLPPP (Multilink PPP)**, 547**modules**, 168. *See also* **individual modules**

routers, 176-177

monitoring terminals, 254**MPPC (Microsoft point-to-point compression)**, 547, 767-768

MQC (Modular QoS CLI), 756

multi-layer switches, 151

multicast addresses, 89-90

multimode (MM) fiber-optic cables, 66

multipoint interface Frame Relays, 632-639

multipoint subinterfaces, 624

N**named access lists, 478-480****NAT (Network Address Translation), 135**

access lists, 455

challenge exercises, 522-525

Dynamic NAT, 501

pool translations, 511

two-way configurations, 512-515

exam questions, 525-527

answers, 528-529

foundation concepts, 499-500

history of, 498

inside global addresses, 504

inside local addresses, 504

inside/outside, 503

local/global, 503

outside global addresses, 504

outside local addresses, 504

overview, 702-703

purpose of, 498

Static NAT, 500-501

configuring, 505-506

inside global address forwarding, 506-508

NAT Overload

combining, 518-520

splitting forwards, 508-511

verifying operation of, 520

NAT Overload, 502

configuring, 515-520

native VLANs, 311. *See also* VLANs**navigation modes (IOS), 677****NBAR (Network Based Application Recognition), 758-761****NBMA networks, 622-623****NCP (network control protocol), 548****Network Address Translation. *See* NAT**

network domains, data transport reliability, determining, 669

network IDs, 131**Network Interface layers (TCP/IP models), 35****Network layer**

devices

Layer 3 switches, 149

overview, 146

routers, 147

exam questions, 154-159

answers, 159-160

exercises, 150-153

review questions, 154

answers, 159-161

Network layer (OSI), 22-23

description of, 666

purpose of, 122-123

Network Management modules, 743**networks**

calculating in subnets, 140-141

isolating with access lists, 462, 465

neighbors, discovering with CDP, 248-249, 252

restricting with extended access lists, 478

subnets, calculating in, 676

topology. *See* topologies**NEXT (near-end crosstalk), 61****nibbles, 129****no command, 218****no debug all command, 245****no keepalives command, 230****no shutdown command, 229****Non-Broadcast Multi-Access (NBMA) networks, 622****NT-1 (Network Termination, Type 1), 572****NT-2 (Network Termination, Type 2), 572****NVRAM (Non-Volatile RAM), 173**

VLAN databases, 307

O

ODR (on-demand routing), 751

Open Systems Interconnection (OSI) model. *See* **OSI model**

OSI (Open Systems Interconnection) model, 16-17

Application layer, 18-19

compared to TCP/IP models, 29

Data Link layer, 23-25

exam questions, 43-46

answers, 49-51

exercises, 41-42

layered communications, 26-27

layers of, 27-28, 665-666

lower layers, 21

Network layer, 22-23

Physical layer, 26

Presentation layer, 19-20

review questions, 42

answers, 47-49

Session layer, 20, 665

Transport layer, 21-22

upper layers, 17

OSPF (Open Shortest Path First), 694-695

areas of, 410-412

challenges, 427

characteristics of, 410, 694-695

commands, 422-424

configuring, 418-422, 696

description of, 410

exam questions, 440-443

answers, 444-445

DR/BDR elections, 415-417

initializing, 417-418

metrics, 413

review questions, 439

answers, 443-444

router IDs, 413-414

topologies, 414-415

troubleshooting, 426

verifying, 424-426, 697

wildcard masks, 419-421

outside global addresses (NAT), 504

outside local addresses (NAT), 504

outside/inside (NAT), 503

P

packet-switched networks, 536

packets, filtering with access lists, 453

PAP (Password Authentication Protocol), 544

PAR (Positive Acknowledgement and Retransmission), 30

partial mesh design (virtual circuits), 616-617

password hashing, 545

passwords

enable password versus enable secret, 221

Privileged EXEC mode, assigning to, 221-222

recovery (router/switch start-ups), 197

PAT (Port Address Translation), 502

payload compression, 768

PBX systems, 579

PDUs (Protocol Data Units), 26

permanent virtual circuits, 536

permit statements. *See* **access lists**

Physical layer (OSI model), 26, 666

devices

hubs, 69

network interfaces, 69

repeaters, 68

networking concept exam questions, 72-77

answers, 78-79

networking concept exercises, 71

networking concept review questions, 71

answers, 77-78

WANs, 538-539

ping command, 243-244, 673-674

pinout, 63

PoE (Power over Ethernet), 177

point-to-point subinterfaces, 624

- configuring, 639-644

poison reverses, 378**pool translations (Dynamic NAT), 511****Port Address Translation (PAT), 502****port redirection, performing, 510****port states (RSTP), 747-748****PortFast (STP), 285****ports. *See also* router interfaces**

- access ports, 305

- blocked ports, 281-282

- costs/priorities, changing, 290

- designated ports, 281

- root ports, 279-280

- states (RSPT), transitioning, 283-288

Positive Acknowledgement and Retransmission (PAR), 30**PPP (Point-to-Point Protocol), 541-542**

- configuring

- authentication, 548-550

- compression, 550

- overview, 548

- exam questions, 560-561

- answers, 562-563

- exercises, 556-559

- overview, 704-706

- review questions, 559

- answers, 562

- SLIP (serial line internet protocol), 540

- sublayers

- ISO HDLC, 543

- LCP (link control protocol), 543-547

- NCP (network control protocol), 548

- troubleshooting, 552-554

- verifying, 551-552

PPP Multilink (DDR), 598-600**PPPoA/E (WANs), 541****PQ (Priority Queuing), 766****practice exam questions, 713-731**

- answers, 731-738

practice exercises

- IOS operations, 208-210

- Physical layer networking concepts, 71

- routers, 257

- switches, 258-259

Predictor, 547**predictor compression, 767****Presentation layer (OSI model), 19-20, 665****PRI (Primary Rate Interface)**

- configuring

- groups, 578-580

- overview, 577-578

- switch types, 578

- overview, 570

private addresses

- IANA, 675

- RFC1918, 134-135

Privileged EXEC. *See also* User EXEC

- clear command, 242

- debug command, 244-245

- overview, 200-201

- passwords, assigning to, 221-222

- securing, 679

- VLAN databases, 307-308

Protocol Data Units (PDUs), 26**protocols**

- Application layer (OSI model), 18-19

- Application layer (TCP/IP model), 30

- ARP (Address Resolution Protocol), 35

- ICMP (Internet Control Messaging Protocol), 35

- IP, 34

- Presentation layer (OSI model), 19-20

- Proxy ARP (Address Resolution Protocol), 35

- RARP (Reverse Address Resolution Protocol), 35

- restricting with access lists, 477

- Session layer (OSI model), 20

- TCP, 30-32

- UDP, 32-33

Proxy ARP (Address Resolution Protocol), 35

PSTNs (Public Switched Telephone Networks), 579

Service Provider modules, 745

PVCs (Permanent Virtual Circuits), 618

ACTIVE states, 629

DELETED states, 629

INACTIVE states, 629

STATIC states, 629

Q - R**Q.921/Q.931 protocols (ISDN Layers 2/3), 570-571****QoS (quality of service), 750-751**

access lists, 453-454

bandwidth management

overview, 754-755

WAN compression, 766-768

Congestion Management tools for queuing

CBWFQ (Class-based Weighted Fair Queuing), 756-764

LLQ (Low Latency Queuing), 764-766

PQ (Priority Queuing), 766

WFQ (Weighted Fair Queuing), 755-756

traffic policing, 454

queuing, 755

CBWFQ (Class-based Weighted Fair Queuing), 756-764

LLQ (Low Latency Queuing), 764-766

PQ (Priority Queuing), 766

WFQ (Weighted Fair Queuing), 755-756

RAM (random access memory), 173**range keyword, 423****rapid transitions (RSTP), 748****RARP (Reverse Address Resolution Protocol), 35****redistribution (routing protocols), 357, 691****remote addresses (DDR), mapping, 586-587****repeaters, 68****review question answers**

access lists, 492

balanced-hybrid routing protocols, 443-444

basic Cisco configurations, 265

Data Link layer, 114-115

DDR, 608

EIGRP, 443-444

Ethernet, 114-115

Frame Relays, 660-661

HDLC, 562

hierarchical models, 47-49

internetworks, 47-49

IOS operations, 212-213

IP addresses, 160-162

ISDN, 608

link-state routing protocols, 443-444

memory components, 181-182

Network layer, 160-162

OSI models, 47-49

OSPF, 443-444

Physical layer networking concepts, 77-78

PPP, 562

TCP/IP models, 47-49

VLANs, 329-330

VTP, 329-330

WANs, 562

review questions

access lists, 489

balanced-hybrid routing protocols, 439

basic Cisco configurations, 260

Data Link layer, 110

DDR, 605

EIGRP, 439

Ethernet, 110

Frame Relays, 657

HDLC, 559

hierarchical models, 42

internetworks, 42

IOS operations, 210

IP addresses, 154

ISDN, 605

link-state routing protocols, 439

memory components, 179

Network layer, 154

OSI models, 42

- OSPF, 439
- Physical layer networking concepts, 71
- PPP, 559
- TCP/IP models, 42
- VLANs, 325
- VTP, 325
- WANs, 559
- RFC1918, 134-135**
- ring topologies, 57**
- RIP (Routing Information Protocol), 379**
 - challenges, 387-388
 - characteristics of, 380
 - compared to RIPv2, 692
 - configuring, 381-383, 693
 - exam questions, 398-402
 - answers, 402-403
 - troubleshooting, 386-387
 - verifying, 384-385, 693
- RIPv2 (Routing Information Protocol version 2), 383-384**
 - compared to RIP, 692
 - configuring, 384
- rolled cables, 65**
- ROM (read-only memory), 172**
- ROMmon, router/switches start-up, 193**
- root bridges (STP), 277-279**
- root ports (STP), 279-280**
- route poisoning, mitigating, 377-378**
- route summarizations, 351-352**
- router IDs (OSPF), 413-414**
- router interfaces. *See also* switches**
 - bandwidth, redefining, 230
 - clock rate command, 230
 - duplexes, assigning, 230
 - enabling, 229
 - IP addresses, assigning, 228-229
 - show controller command, 239-240
 - show interfaces command, 237-239
 - show IP interface brief command, 239
- routers**
 - configurations
 - serving, 233-234
 - verifying, 235-237
 - defaults, returning to, 234
 - exam questions, 179-181
 - answers, 182-183
 - interVLAN routing, 319-322
 - Layer 3 functions, 676
 - overview, 147, 176-177
 - practice exercises, 257
 - review questions, 179
 - answers, 181-182
 - start-up procedures
 - bootstrap, 193
 - configuration loading, 195-197
 - device checks, 192-193
 - IOS loading, 193-197
 - overview, 192
 - password recovery, 197
 - practice challenge, 198-199
 - ROMmon, 193
 - setup mode, 196
 - routers on a stick, 320**
 - routes**
 - default routes, 689
 - dynamic routing protocols, 689
 - filtering with access lists, 455-456
 - static routes, 689
 - routing**
 - administrative distances, 338-339
 - Classful Routing, 690
 - Classless Routing, 690
 - default gateways, 336-337
 - default routes, 342
 - verifying, 343-344
 - exam questions, 362-364
 - answers, 365
 - exercises, 361

routing sources, 337-339
 static routes
 configuring, 340-341
 floating static routes, 341
 overview, 339
 verifying, 343-344

routing by rumor, 370

routing loops, 372-373
 exam questions, 398-402
 answers, 402-403
 mitigating
 counts to infinity, 375
 invalid/dead timers, 379
 route poisoning, 377-378
 split horizons, 375-376
 triggered updates, 379

routing metrics, 345-346, 690

routing protocols
 classes of, 691
 distance vector routing protocols
 loops, preventing, 691-692
 operations of, 370-372
 exam questions, 398-402
 answers, 402-403
 IGRP
 bandwidths, 391
 characteristics of, 389-390
 configuring, 390-391
 description of, 389
 IP default-networks, 392
 troubleshooting, 394
 unequal path load balancing, 391-392
 verifying, 393
 interior/exterior gateway protocols, 690
 maximum hop counts, 691-692
 purpose of, 689
 redistributing, 357, 691

routing protocols (dynamic), 344-345

classful/classless routing protocols
 overview, 346-348
 route summarizations, 351-352
 VLSMs (Variable Length Subnet Masks), 349-351
 distance vector routing protocols, 353
 hybrid protocols, 354
 interior/exterior gateway routing protocols, 353
 link-state routing protocols, 354
 versus routed protocols, 344

routing sources, 688-689

routing tables, 355-357

RSTP (Rapid Spanning Tree Protocol)
 origins of, 747
 port states and roles, 748
 rapid transitions, 748

S

S/T Interfaces (ISDN), 572

SANs (Storage Area Networks), 15

Server Farm modules, 743

server mode (VTP), 314

service password-encryption command, 222, 679

Service Provider Edges, 744-745

Session layer (OSI model), 20, 665

setup mode (router/switch start-ups), 196

show cdp neighbors command, 249-250

show command, 235, 681

 configurations, verifying, 235-237
 interface status values, 681
 IOS show version commands, 240-241
 list of, 242
 show controller, 239-240
 show interfaces, 237-239
 show IP interface brief, 239

show controllers serial command

show controllers serial command, 252
show frame-relay lmi command, 644
show frame-relay map command, 645
show frame-relay pvc command, 645
show running-config command, 235-237

unshown commands, 248

show sessions command, 253

show version command, 175

SIA (Stuck in Active) timers, 432

single neighbor Frame Relays, 626-631

single-mode (SM) fiber-optic cables, 66

SLIP (serial line internet protocol), 539

SNAP (Subnetwork Access Protocol), 93

sockets, 502

sources (routing tables), 337-339

SPF (Shortest Path First) algorithms, 408

SPIDs (Service Provider Identifiers), BRI,
configuring, 574-575

split-horizons, 622

mitigating, 375-376

Spread Spectrum Wireless LANs, 670

SSH (Secure Shell), 191

STAC (stacker compression), 767

Stacker, 546

standard access lists

configuring, 456-460, 466

networks, isolating, 462, 465

placement of, 460-462

VTY access, restricting, 465

star topologies, 58-59

start-up

routers/switches

bootstrap, 193

configuration loading, 195-197

device checks, 192-193

IOS loading, 193-197

overview, 192

password recovery, 197

practice challenge, 198-199

ROMmon, 193

setup mode, 196

startup processes. *See boot processes*

static maps, 625

Static NAT, 500-501

configuring, 505-506

forwarding splits, 508-511

inside global address forwarding, 506-508

NAT Overload, combining, 518-520

static routes, 339

configuring, 340-341

DDR, configuring, 582-583

description of, 689

floating static routes, 341

verifying, 343-344

STATIC states (PVC), 629

store-and-forward frame transmissions, 274

STP

challenges, 282-283

configuring, 289-290

enhancements

BackboneFast, 286

configuring, 290

PortFast, 285

UplinkFast, 285

EtherChannel, 288

exam questions, 294-298

answers, 298-299

port states, transitioning, 283-284

ports, costs/priorities, changing, 290

RSTP, port states, transitioning, 287-288

verifying, 291

STP (Spanning Tree Protocol), 277. *See also MAC addresses*

blocked ports, 281-282

configuring, 685

designated ports, 281

port states/cost values, 684

root bridges, 277-279

root ports, 279-280
 topology changes, 685
 VLANs, 305

STP cables, 62-63

straight-through cables, 63-64
 devices connected by, 670

stub areas (OSPF), 412

stub networks, 339

Stuck in Active (SIA) timers, 432

subinterfaces, 623-624

configuring, 633
 multipoint subinterfaces, 624
 point-to-point subinterfaces, 624
 configuring, 639-644
 VLANs, 320-322

sublayers (PPP)

ISO HDLC, 543
 LCP (link control protocol), 543
 authentication, 543-545
 callbacks, 545-546
 compression, 546-547
 MLPPI (Multilink PPP), 547
 NCP (network control protocol), 548

subnet IDs, 131

subnet masks, 132-134

subnets

blocking with access lists, 473-477
 description of, 132
 hosts, calculating, 138-139, 676
 increments, calculating, 141-144
 IP addresses, 676
 networks, calculating, 140-141, 676
 zero subnets, 141

subnetting IP addresses, 135-138

Subnetwork Access Protocol (SNAP), 93

successor routes (EIGRP), 430

DUAL algorithms, 431-432

SVCs (Switched Virtual Circuits), 618

SVIs (switched virtual interfaces), 749-750

switches. *See also bridges; ports; STP (Spanning Tree Protocol)*

BRI, configuring, 574
 configuration commands, list of, 680
 default gateways, defining, 232
 defaults, returning to, 234
 exam questions, 179-181, 294-298
 answers, 182-183, 298-299
 frame forwarding, 272, 683
 cut-through method, 274
 fragment-free method, 274
 store-and-forward method, 274
 interface range command, 233
 management IP addresses, assigning, 231-232
 microsegmentation, 107
 overview, 105-106, 177
 practice exercises, 258-259
 PRI, configuring, 578
 purpose of, 683
 review questions, 179
 answers, 181-182
 start-up procedures
 bootstrap, 193
 configuration loading, 195-197
 device checks, 192-193
 IOS loading, 193-197
 overview, 192
 password recovery, 197
 practice challenge, 198-199
 ROMmon, 193
 setup mode, 196
 STP (Spanning Tree Protocol), 277
 versus bridges, 276, 683
switching designs, 276-277
SYN packet, 31
SYN-ACK packet, 31
synchronous serial interfaces, 170
syntax errors, invalid input, 678

T**T1 controller cards, 170****T1 lines versus connection types, 570****TAs (Terminal Adapters), 572****TCP (Transmission Control Protocol)**

applications that utilize, 668

overview, 30-32

processes of, 668

segment header formats, 668

TCP/IP (Transmission Control Protocol/Internet Protocol)

address classes, 130

layers, related OSI layers, 668

models, 28-29

Application layer, 29-30

compared to OSI models, 29

exam questions, 43-51

Internet layer, 34-35

Network Interface layer, 35

review questions, 42-49

Transport layer, 30-33

TE1 (Terminal Endpoint, Type 1), 572**TE2 (Terminal Endpoint, Type 2), 572****TEI (Terminal Endpoint Identifier), 577****Telnet, 682-683**

brief description, 190

monitoring terminals, 254

User EXEC access, securing, 225, 228

virtual terminal access with, 252-253

terminal monitor command

RIP, 386

utilizing, 254

terminal options

auxiliary ports, 190

console ports, 188-189

description of, 188

HTTP, 190-191

SSH, 191

TFTP servers, configurations, backing up, 245-248**three-way handshakes, 31****throughput, 15****Token Ring protocols, 84-85****topologies, 56**

bus topologies, 56-57

OSPF (Open Shortest Path First), 414-415

mesh topologies, 59

ring topologies, 57

star topologies, 58-59

touring (inter-VLAN routing), 687-688**traceroute command, 244, 386, 673-674****traceroutes, 122****traffic policing, 454****trains (IOS), 173****transparent mode (VTP), 315****Transport layer (OSI model), 21-22, 665****Transport layer (TCP/IP model), 30-33****triggered updates (routing), 379****troubleshooting Frame Relays, 645-648****trunks (VLANs), 309, 686-687**

802.1q trunks, 311

configuring, 311-313

DTP (Dynamic Trunking Protocol), 312

ISL trunks, 310

VLAN trunking protocol (VTP), 687

twisted-pair cables, 62-65**two-way Dynamic NAT configurations, 512-515****U****U Interfaces (ISDN), 572****UDP (User Datagram Protocol), 32-33**

applications that utilize, 669

headers, 669

undebbug all command, 245**unequal path load balancing (IGRP), 391-392****unicast addresses, 88****unshielded twister pair cables versus fiber-optic, 670**

UplinkFast (STP), 285

upper layers (OSI model), 17

User EXEC. *See also Privileged EXEC*

auxiliary access, securing, 225

console access, securing, 224

overview, 199-200

securing, 679

Telnet access, securing, 225, 228

UTP cables, 62-63

V

VANs (Virtual Area Networks), 15

virtual circuits, 709-712

full mesh design, 617

hub and spoke design, 615-616

overview, 614-615

partial mesh design, 616-617

VLANs (virtual LANs), 304-305

challenges, 318-319

configuring, 306-309, 686

exam questions, 326-329

answers, 330-331

exercises, 324-325

interVLAN routing, 319-322, 687-688

management VLAN, 306

membership methods, 305

native VLANs, 311

purpose of, 686

review questions, 325

answers, 329-330

SVI (switched virtual interfaces), 749-750

trunks

802.1q trunks, 311

configuring, 311-313

DTP (Dynamic Trunking Protocol), 312

ISL trunks, 310

overview, 309

verifying, 308

VTP (VLAN Trunking Protocol), 687

client mode, 314-315

configuring, 317

pruning, 316-317

revising, 316

server mode, 314

transparent mode, 315

verifying, 318

workgroups, 36

VLSMs (Variable Length Subnet Masks), 349-351

VMPSs (VLAN Membership Policy Servers), 305

VPNs (virtual private networks), 536-537

Remote Access modules, 744

VTP (VLAN Trunking Protocol), 687

challenges, 318-319

configuring, 317

exam questions, 326-329

answers, 330-331

exercises, 324-325

modes of, 313-314

client mode, 314-315

server mode, 314

transparent mode, 315

pruning, 316-317

review questions, 325

revising, 316

verifying, 318

VTY access, restricting with access lists, 465

W - Z

WANs (wide area networks), 14-15, 703-706

Access modules, 744

bandwidth management. *See also queuing*
overview, 754-755

WAN compression, 766-768

broadband overview, 536

circuit-switched networks, 535

- compression
 - header compression, 768
 - link compression, 766-768
 - payload compression, 768
- Data Link encapsulations, 539
 - ATM (asynchronous transfer mode), 540
 - frame relays, 540
 - HDLC (high-level data link control), 540
 - PPP (point-to-point protocol), 540
 - PPPoA/E, 541
 - SLIP (serial line internet protocol), 539
 - X.25 link access procedure, balanced (LAPB), 540
- Enterprise Edge modules, 744
 - exam questions, 560-561
 - answers, 562-563
 - interfaces, 672-673
 - asynchronous serial interfaces, 170
 - BRI, 169-170
 - DCE (Data Communications Equipment), 170-171
 - DTE (Data Terminal Equipment), 171-172
 - HSSI, 170
 - synchronous serial interfaces, 170
 - T1 controller cards, 170
 - leased lines, 534-535
 - metro Ethernet, 537-538
 - packet-switched networks, 536
 - Physical layer, 538-539
 - review questions, 559
 - answers, 562
 - Service Providers, 745
 - VPNs, 536-537
- WFQ (Weighted Fair Queuing), 755-756**
- Wi-Fi (wireless networking), 67-68**
 - IEEE 802 characteristics
 - 802.3, 670
 - 802.3ab, 671
 - 802.3u, 670
 - 802.3z, 671
 - overview, 67-68
- wildcard masks (OSPF), 419-421
- windowing, 31
- workgroups (VLANs), 36
 - hubs, 69
 - layers (hierarchical models), 37
- X.25 link access procedure, balanced (LAPB), 540**
- zero subnets, 141**