

## Symbols

- & (ampersand), concatenation operator, 417
- ' (apostrophe), VBA comments, 1199
- \* (asterisk)
  - multiplication operator, 415
  - in SQL statements, 181
  - wildcard character, 418, 437, 919
- @ (at sign), variable identifier, 919
- \ (backslash)
  - escape characters, 224
  - integer division operator, 415
- ! (bang operator), 417, 1238
  - name separator, 1188
  - SQL punctuation, 919
- ^ (caret), exponentiation operator, 415
- : (colon), variable identifier, 919
- , (comma), SQL punctuation, 918
- . (dot)
  - in identifiers, 420
  - name separator, 1188
  - operator, 417, 1238
  - SQL punctuation, 918
- “ ” (double quotes), SQL punctuation, 919
- = (equal sign)
  - assignment operator, 415
  - equal to operator, 416
- / (forward slash), division operator, 415
- > (greater than operator), 416
- >= (greater than or equal to operator), 416
- < (less than operator), 416
- <= (less than or equal to operator), 416
- (minus sign)
  - subtraction operator, 415
  - unary minus sign, 414
- <> (not equal operator), 416
- := operator, named arguments, 1191
- % (percent), wildcard character, 919
- || (pipes), concatenation operator, 417
- + (plus sign)
  - addition operator, 415
  - concatenation operator, 417
- # (pound sign)
  - date/time identifier, 919
  - enclosing date values, 1181
- ? (question mark), wildcard character, 418, 437, 919
- ‘ ’ (single quotes), 1258
  - SQL punctuation, 919
- [ ] (square brackets), 385
  - in identifiers, 420
  - query names, 459
  - SQL punctuation, 918
- \_ (underscore), wildcard character, 919
- 3C (code-continuation character), 1191

## A

- abscissa, 770
- AbsolutePage property (Recordset object), 1314, 1316
- AbsolutePosition property (Recordset object), 1314
- .accdb files, 202
  - local connections, 870
  - .mdb file extension versus, 1334
- .accdc files, 166
- .accede files, creating, 164-165, 863-864
- .accdr files, creating, 165
- accelerator keys for option groups, 654
- Access
  - ADPs versus, 910-911
  - compatibility with Outlook, 94
  - default settings, 143-144
  - development history of, 20
  - functions of, 116-119
  - management tools, 910-911
  - operating modes of, 119-120
  - popularity of, 176
  - version differences, 1334
- Access 200x
  - upgrading secured Access 9x files to, 1341
    - back-end database file upgrades, 1342-1343
  - in mixed environment, 1341-1342

- upgrading to Access 2007
    - secured 200x files, 1343-1346
    - unsecured 200x files, 1343
  - upgrading unsecured Access 9x files to, 1335
  - after opening, 1338-1339
  - fixing missing VBA references, 1339-1341
  - troubleshooting, 1352
  - upon initial opening, 1336-1338
- Access 2002, converting databases to, 164**
- compile errors, 170
- Access 2007**
- Access 97 import/export features versus, 372-373
  - competing products, 69-70
  - new features, 20
    - Access database engine, 21, 47-52
    - forms and reports, 23, 53-56
    - macros, 23, 56-57
    - Navigation pane, 21, 42-47
    - ribbon user interface, 20-21, 24-40
    - security, 21, 40-42
    - SharePoint collaboration, 23, 57-58
    - tabbed documents, 21
    - templates, 22, 52-53
  - unsupported features, 59
  - upgrades to, advantages of, 1334-1335
  - upgrading secured Access 200x files to, 1343
    - creating shortcut for
      - Access 2007 front end with Access 200x back end, 1344-1345
    - removing username/password requirement, 1346
    - specifying default workgroup file, 1345
  - upgrading unsecured Access 200x files to, 1343
- Access 9x, upgrading to Access 200x**
- secured 9x files, 1341-1343
  - unsecured 9x files, 1335-1341, 1352
- Access 97**
- Access 2007 import/export features versus, 372-373
  - macros, 117
- Access Basic, 1209**
- Access client/server applications. *See* ADPs**
- Access color palette, 599-600**
- Access data projects. *See* ADPs**
- Access database engine, new features, 21, 47**
- data types, 47-49
  - Datasheet view, 49-52
- Access databases, 180**
- creating, 204-206
  - Jet databases versus, 202
  - migrating to SQL Server databases, 203
  - upgrading Jet databases to, 202
- Access Deployment files. *See* .accdc files**
- Access modules, 1175. *See also* modules**
- defined, 1175
  - function names, 1178
  - references, 1178
- Access Options dialog, 75, 143-144, 267**
- Add-Ins page, 154
  - Advanced page, 150-152
  - Current Database page, 145-147
  - Customize page, 152-153
  - Datasheet page, 147-148
  - Object Designers page, 148-149
  - Popular page, 144-145
  - Proofing page, 149-150
  - Resources page, 157-158
  - Trust Center pages, 155-157
- Access SQL, 378**
- reserved words, 973-978
  - T-SQL versus, 914-915
- Access Upsizing Wizard (AUW), 1270**
- acCmdApplyFilterSort argument (RunCommand method), 1226**
- acDialog argument (OpenForm method), 1225**
- ACEDAO.DLL, 1179**
- acEdit argument (OpenForm method), 1225**
- acNormal argument (OpenForm method), 1225**
- action queries, 401. *See also* append queries; delete queries; make-table queries; update queries**
- alternatives to, 575-577
  - defined, 550
  - table backups, importance of, 550
  - transactions and, 562
  - types of, 550
  - upsizing, 955
  - writing, 935-938
- actions**
- application actions, 1159
  - Close, 1151
  - definition of, 1148
  - form operations actions, 1159
  - OpenQuery, 1151
  - record navigation actions, 1158
  - record operations actions, 1159
  - report operations actions, 1159
  - RunCommand, 1151
  - viewing, 1149-1151
- activating KeyTips, 128**
- Active Server Pages. *See* ASP**
- ActiveCommand property (Recordset object), 1314**
- ActiveConnection property**
- Command object, 1304
  - Recordset object, 1314
- ActiveX controls, 764**
- for PivotTables/PivotCharts, troubleshooting, 807

- ActiveX Data Objects. *See* ADO
- ActualSize property (Field object), 1319
- adAddNew constant, 1326
- adAffectAll constant, 1326
- adAffectAllChapters constant, 1326
- adAffectCurrent constant, 1326
- adAffectGroup constant, 1326
- adApproxPosition constant, 1326
- adaptive menus, 171
- adBinary constant, 1308
- adBookmark constant, 1326
- adBookmarkCurrent constant, 1326
- adBookmarkFirst constant, 1326
- adBookmarkLast constant, 1326
- adBoolean constant, 1308
- adChar constant, 1308
- adCmdFile constant, 1302
- adCmdStoredProc constant, 1302
- adCmdTable constant, 1302
- adCmdTableDirect constant, 1302
- adCmdText constant, 1302
- adCmdUnknown constant, 1302
- adCurrency constant, 1308
- add-ins, 204
- Add-Ins page (Access Options dialog), 154
- adDate constant, 1308
- adDecimal constant, 1308
- adDelete constant, 1326
- adding
- breakpoints, 1276-1277
    - to IsLoaded() function, 1203-1205
  - composite primary keys to tables, 564-565
  - elements (XML) to exported tables/queries, 1069-1070
  - fields to tables, 563-564
  - foreign keys to tables, 565-567
  - grand totals to PivotTables, 528-530
  - records
    - to HRActions table (Northwind sample database), 281-283
    - with InfoPath forms, 1084-1087
    - from Navigation Pane, 87-91
    - to tables, 273-274
  - subsites (WSS 3.0), 1094-1097
  - tables, 230-233
    - preparations for, 225-226
- AddItem method, 1267
- addition operator, 415
- AddNew method (Recordset object), 1322
- AddOrders.adp sample project, 1328-1330
- adDouble constant, 1308
- Address Information Systems (AIS) files, as primary keys, 191
- .ade files, 909
- adEditDelete constant, 1317
- adEditInProgress constant, 1317
- adEditNone constant, 1317
- Adelson-Velski, G. M., 317
- adFieldDefaultStream constant, 1320
- adFilterAffectedRecords constant, 1317
- adFilterConflictingRecords constant, 1318
- adFilterFetchedRecords constant, 1318
- adFilterNone constant, 1317
- adFilterPendingRecords constant, 1318
- adFind constant, 1326
- adFldCacheDeferred constant, 1320
- adFldFixed constant, 1320
- adFldIsChapter constant, 1320
- adFldIsCollection constant, 1320
- adFldIsNullabale constant, 1320
- adFldIsRowURL constant, 1320
- adFldKeyColumn constant, 1320
- adFldLong constant, 1321
- adFldMaybeNull constant, 1321
- adFldMayDefer constant, 1321
- adFldNegativeScale constant, 1321
- adFldRowID constant, 1321
- adFldRowVersion constant, 1321
- adFldUnknownUpdatable constant, 1321
- adFldUpdatable constant, 1321
- adHoldRecords constant, 1326
- adIndex constant, 1326
- adInteger constant, 1308
- adLockBatchOptimistic constant, 1318
- adLockOptimistic constant, 1318
- adLockPessimistic constant, 1318
- adLockReadOnly constant, 1318

- adLockUnspecified constant, 1318**
- adLongVarBinary constant, 1308**
- adLongVarChar constant, 1308**
- adModeRead constant, 1296**
- adModeReadWrite constant, 1296**
- adModeRecursive constant, 1296**
- adModeShareDenyNone constant, 1296**
- adModeShareDenyRead constant, 1297**
- adModeShareDenyWrite constant, 1297**
- adModeShareExclusive constant, 1297**
- adModeUnknown constant, 1296**
- adModeWrite constant, 1297**
- adMovePrevious constant, 1326**
- adNotify constant, 1326**
- adNumeric constant, 1308**
- ADO (ActiveX Data Objects), 1182, 1280-1281**
  - AddOrders.adp sample project, 1328-1330
  - COM interoperability wrapper, 1182
  - objects
    - DAO objects versus, 1281-1282
    - displaying with Object Browser, 1290-1293
    - spaces in names, 1331
    - programming advantages, 1331-1332
- ADO.NET, 1182**
- ADODB.Command object, 1304**
  - methods, 1309-1310
  - Parameter objects, 1306-1309
  - Parameters collection, 1306
  - passing parameter values to stored procedures, 1310-1313
  - properties, 1304-1305
- ADODB.Connection object, 1293**
  - events, 1303-1304
  - methods, 1300-1302
  - properties, 1293-1294
    - Errors, 1297-1300
    - IsolationLevel, 1295-1296
    - Mode, 1296-1297
    - Provider, 1295
    - State, 1297
  - transaction isolation levels, 1296
- ADODB.Recordset object**
  - binding forms to, 1288-1290
  - corresponding database object type, 1182
  - creating, 1283
  - DAO.Recordset compatibility, 1313
  - events, 1327-1328
  - Fields collection, 1319-1322
  - methods, 1322-1327
  - properties, 1313-1319
  - Value property, 1188
- adOpenDynamic constant, 1317**
- adOpenForwardOnly constant, 1317**
- adOpenKeyset constant, 1317**
- adOpenStatic constant, 1317**
- ADOX**
  - ALTER TABLE DDL command, 1319
  - Catalog object, 1301
- adParamInput constant, 1308**
- adParamInputOutput constant, 1308**
- adParamLong constant, 1307**
- adParamNullable constant, 1307**
- adParamOutput constant, 1308**
- adParamReturnValue constant, 1308**
- adParamSigned constant, 1307**
- adParamUnknown constant, 1308**
- adPosBOF constant, 1316**
- adPosEOF constant, 1316**
- adPosUnknown constant, 1316**
- ADPs (Access Data Projects), 203, 378, 868-872. *See also* SQL Server**
  - Access versus, 910-911
  - attaching MSDE databases, 1348-1349
  - backups, 902-905
  - benefits/limitations, 871-872
  - characteristics of, 868-869
  - charts/graphs in, 777.
    - See also* PivotCharts
  - combo box forms,
    - converting, 1270-1276
  - contextual ribbons, 32-33
  - converting forms to, 1270
    - importing and testing forms, 1270-1272
    - replacing queries with SQL Server views, 1272-1273
    - T-SQL syntax, 1273-1276
  - Database window, 873-874
  - local .accdb file connections, 870
  - local Jet databases and, 870
  - Navigation Pane, 872-873
  - NorthwindSQL sample project, 872-874
  - practical uses for, 869
  - project designer, 874-875
    - adding tables, 886-890
    - Design view, 884-885
    - parenthesis pairs, 895
    - Properties dialog (tables), 877-883
    - Table Design view, 875-877
  - requirements, 870
  - restores, 904-905
  - saving as .ade files, 909

- securing as .ade files, 909
- software requirements, 870
- transferring to server, 906-907
- upsizing applications, 948
  - conforming columns to ANSI SQL, 959-963
  - correcting errors, 957-959
  - crossfooting crosstab queries, 994-997
  - crosstab queries, emulating, 980-994
  - data types, 978-979
  - filter references, 968-970
  - object values, 964-968
  - planned migrations, 949
  - second passes, 956-957
  - security, 997-999
  - SQL reserved words, 973-978
  - SQL statements, 970-973
  - strategic migrations, 1000-1001
  - testing projects, 964
  - trial and error, 949-955
  - troubleshooting, 999
  - Upsizing Wizard, 948
  - VBA functions, converting, 979-980
- uses, 869
- adRecCanceled constant, 1318**
- adRecCantRelease constant, 1318**
- adRecConcurrencyViolation constant, 1318**
- adRecDBDeleted constant, 1319**
- adRecDeleted constant, 1318**
- adRecIntegrityViolation constant, 1318**
- adRecInvalid constant, 1318**
- adRecMaxChangesExceeded constant, 1319**
- adRecModified constant, 1318**
- adRecMultipleChanges constant, 1318**
- adRecNew constant, 1318**
- adRecObjectOpen constant, 1319**
- adRecOK constant, 1318**
- adRecOutOfMemory constant, 1319**
- adRecPendingChanges constant, 1318**
- adRecPermissionDenied constant, 1319**
- adRecSchemaViolation constant, 1319**
- adRecUnmodified constant, 1318**
- adResync constant, 1326**
- adSeek constant, 1326**
- adSeekAfter constant, 1327**
- adSeekAfterEQ constant, 1327**
- adSeekBefore constant, 1327**
- adSeekBeforeEQ constant, 1327**
- adSeekFirstEQ constant, 1327**
- adSeekLastEQ constant, 1327**
- adSingle constant, 1308**
- adSmallInt constant, 1309**
- adStateClosed constant, 1297**
- adStateConnecting constant, 1297**
- adStateExecuting constant, 1297**
- adStateFetching constant, 1297**
- adStateOpen constant, 1297**
- adTinyInt constant, 1309**
- adUpdate constant, 1326**
- adUpdateBatch constant, 1326**
- adUseClient constant, 1317**
- adUseServer constant, 1317**
- Advanced Filter/Sort option, 298, 307-308**
  - composite criteria, 310-312
  - multifield sorts/compound filters, 308-310
- Advanced group (Advanced page), 152**
- Advanced page (Access Options dialog), 150-152**
- adVarBinary constant, 1309**
- adVarChar constant, 1309**
- adXactBrowse constant, 1296**
- adXactChaos constant, 1296**
- adXactCursorStability constant, 1296**
- adXactIsolated constant, 1296**
- adXactReadCommitted constant, 1296**
- adXactReadUncommitted constant, 1296**
- adXactSerializable constant, 1296**
- adXactUnspecified constant, 1296**
- aggregate functions (SQL), 495-496**
  - troubleshooting, 447
  - usage, 924-926
- aggregate queries. See summary queries**
- AIS (Address Information Systems) files, as primary keys, 191**
- aliases, 350**
- aliasing, 394-397**
- aligning**
  - form controls, 638-641
  - labels, 671
  - report controls, 727-728
- ALL qualifier (SQL), 917**
- Allow Nulls property (Table Design window), 876**
- Allow Zero Length field property, 211**
- Alpha Five, 69**

alphabetic code characters,  
grouping report data by,  
749

Alt+F4 key combination, 142

ALTERCOLUMN statement  
(SQL), 944

altering. *See* editing

ALTERTABLE statement  
(SQL), 944

ampersand (&),  
concatenation operator, 417

anchoring form/report  
controls, 55-56

And operator, 416

ANSI SQL, 914

- conforming computed  
columns, 959-963
- DDL statements, creating  
tables with, 942-944
- reserved words, 973-978

apostrophe ('), VBA  
comments, 1199

Append dialog, 558

Append method (Parameters  
collection), 1306

Append Only field property,  
212

append queries, 401, 557-559.

- See also* action queries
- defined, 550
- removing duplicate rows,  
1015-1016
- syntax, 935
- troubleshooting, 574

append stored procedures,  
896-899

append values queries, 898

Append-Only Memo  
Fields, 49

AppendChunk method  
Field object, 1321  
Parameter object, 1309

appending records

- append stored procedures,  
896-899
- with forms, 616-619
- identity fields, 896-897
- to tables, 275

application objects, 812

Application Options group  
(Current Database page),  
145

applications

- actions, 1159
- creating
  - changing default folder,  
75
  - changing Overlapping  
Windows to Tabbed  
Documents, 82-84
  - default folder as trusted  
location, 78-81
  - downloading templates,  
73-74, 78
  - embedded macros in  
templates, 77
  - templates from Microsoft  
Office Online, 81-82
  - templates, list of, 75-78
- design approach, 72
- elements of, 72-73
- functions of, 116-119
- mini-server applications,  
770
- multiuser. *See* multiuser  
applications
- runtime applications, 860
  - error-handling code,  
1198-1199
- sharing. *See* multiuser appli-  
cations
- signing, 1174
- template-based applications
  - importing objects to,  
102-104
  - renaming fields, 104-107
- upsizing to ADP, 948
  - conforming columns to  
ANSI SQL, 959-963
  - correcting errors,  
957-959
  - crossfooting crosstab  
queries, 994-997
  - crosstab queries,  
emulating, 980-994
  - data types, 978-979
  - filter references, 968-970
  - object values, 964-968

- planned migrations, 949
- second passes, 956-957
- security, 997-999
- SQL reserved words,  
973-978
- SQL statements,  
970-973
- strategic migrations,  
1000-1001
- testing projects, 964
- trial and error, 949-955
- troubleshooting, 999
- Upsizing Wizard, 948
- VBA functions, convert-  
ing, 979-980

ApplyFilter macro, 1161,  
1163-1164

ApplyFilter method, 1224

Approved by combo box,  
adding, 111-112

Approved by lookup field,  
adding, 109-111

arguments, 1190-1191
 

- DoCmd methods,  
1225-1226
- macros, 1148-1149
- VBA, 1190-1191

arithmetic operators,  
414-415

arrays, 1186-1187
 

- assigning values to, 1196
- declaring, 1186
- duration, 1187
- dynamic arrays, 1187
- multidimensional arrays,  
1187
- scope, 1187

Arrow Key Behavior prop-  
erty, setting, 267

art of query design, 407-408

As Integer keywords, 1183

AS qualifier (SQL), aggre-  
gate functions, 925

Asc function, 429

ASCII codes, listing, 1193

ASCII files, 337

- ASP (Active Server Pages), 1037**
    - displaying dynamic tables, 1037
    - creating ASP template files, 1038-1041
    - IIS setup, 1042-1043
    - ODBC data source setup, 1041
    - running ASP template from IIS, 1041
    - testing CustomersCSS.asp page, troubleshooting, 1051
  - Assets template, 76**
  - Assigned To combo box, adding, 111-112**
  - Assigned To lookup field, adding, 109-111**
  - assigning permissions to security groups (WSS 3.0), 1102-1103**
  - assignment operators, 414-415**
  - asterisk (\*)**
    - multiplication operator, 415
    - in SQL statements, 181
    - wildcard character, 418, 919, 437
  - at sign (@), variable identifier, 919**
  - Attach Databases dialog, 1349**
  - attaching**
    - exported tables to front-end components, 847-849
    - MSDE databases, 1347-1350
  - Attachment controls, adding, 675-678**
  - Attachment data type, 214-215**
  - Attachment fields, 48**
    - OLEObject fields versus, 355
  - attachments to email messages, reports as, 765-766**
  - Attachments dialog, 48**
  - attribute-centric XML documents, 1059-1060**
  - attributes**
    - defined, 178
    - XML attributes, 1057
  - Attributes property**
    - Connection object, 1293
    - Field object, 1319-1321
    - Parameter object, 1307
  - audience support, designing forms, 621**
  - AutoCorrect Options group (Proofing page), 149**
  - Autoexec macro, 1148**
  - AutoForm: PivotChart, 795-797**
  - AutoFormat, 595-599**
  - AutoLookup feature, 491-492**
  - automatically generated indexes, troubleshooting, 263**
  - AutoNumber data type, 213**
  - AutoNumber fields, troubleshooting, 263**
  - AUW (Access Upsizing Wizard), 1270**
  - availability. *See* reliability**
  - axes (PivotTables), exchanging, 534-535**
  - axis labels**
    - font size, changing, 779-780
    - reversing, 807
  - axis titles in PivotCharts, 541**
- ## B
- Back Up Database utility, 162**
  - Back Up SQL Database command, 902, 904**
  - back-end components, 812**
    - backing up, 822
    - creating with Database Splitter, 813-816
    - security, 952
    - share/folder/file permissions, 816-822
  - back-end database files, upgrading, 1342-1343**
  - background bitmap pictures in forms, 602-604**
  - background color**
    - forms, 600-601
    - PivotTables, 534
  - backslash (\)**
    - escape characters, 224
    - integer division operator, 415
  - backups**
    - ADPs (Access Data Projects), 902-905
    - importance of, 550
    - multiuser Access applications, 822
  - balanced binary tree structure, 317**
  - banding records, 702**
  - bang operator (!), 417, 1238**
    - name separator, 1188
    - SQL punctuation, 919
  - Bar charts, 545**
  - Base64 encoding, 1079**
  - BASIC, 1209**
  - batch processing, 178**
  - BDE (Borland Database Engine), 346**
  - Beep method (DoCmd object), 1223, 1225**
  - BeforeUpdate event handler, 1242-1243**
  - BEGIN TRAN statement (SQL), 938**
  - BeginTrans method (Connection object), 1300**
  - BEGINTRANS statement (SQL), 576**
  - BeginTransComplete event (Connection object), 1303**
  - Between operator, 418-419**

**BIDS (Business Intelligence Management Studio)**, 771

**Binary data type**, 215

**binary tree searches on ordered tables**, 317

**binding forms to Recordset objects**, 1284-1290

**bitwise operators**, 417

**Blank sites (WSS)**, 1093

**blocks of cells**

- copying/pasting, 271-272
- groups of records versus, 275
- selecting, 271

**Blog sites (WSS)**, 1093

**BOF property (Recordset object)**, 1314

**Bookmark property (Recordset object)**, 1314

**Boolean data type**, 1180-1181

**Boolean operators**. *See* logical operators

**border color for forms**, 604-605

**border style for forms**, 604-605

**Borland Database Engine (BDE)**, 346

**bound controls**, 582, 631

**bound object frames**, 764

**bound objects, SQL statements as record sources**, 970-973

**bound reports, adding linked subreports**, 758-760

**bound text boxes, creating**, 648-649

**branching**, 1192

**Break button (VBA editor toolbar)**, 1201

**breakpoints**

- adding, 1276-1277
- to functions, 1203-1205
- setting/clearing, 1202

**browse mode**, 519

**browse updating**, 490

**browse-mode table editing**, 575-576, 883

**Business Account Ledger template**, 77

**Business Intelligence Management Studio (BIDS)**, 771

**business rules**. *See also* data validation; entity integrity

**business-to-business communication**, 742

**Byte data type**, 216, 1180

## C

**CacheSize property (Recordset object)**, 1314

**calculated columns, performance and**, 448

**calculated controls**, 582, 631, 722

- adding to reports, 724-727
- changing data source, 722-724

**calculated fields**, 437-440

- expressions for, 445-447

**calculated text boxes**, 647

- creating, 649-650

**calculated values, linking reports and subreports**, 760

**calculations**. *See also* summary calculations

**Call keyword**, 1177

**calling event handlers for form events**, 1204

**Cancel method**

- Command object, 1309
- Recordset object, 1322

**CancelBatch method (Recordset object)**, 1322, 1326

**CancelEvent method**, 1224

**canceled added records**, 274

**CancelUpdate method (Recordset object)**, 1322

**Caption field property**, 211, 395, 524

**caret (^), exponentiation operator**, 415

**Cartesian products**, 918

**cascading deletes**, 241, 572

- test tables, creating, 572-573
- testing, 573

**cascading style sheets**. *See* CSS

**cascading updates**, 241, 572

- test tables, creating, 572-573
- testing, 574

**Case expressions, forms of**, 1194

**CAST() function**, 931

**Catalog object (ADOX)**, 1301

**categories**. *See also* fields

**category presentation in PivotCharts, changing**, 543-544

**CBool function**, 432

**CByte function**, 432

**CCC (code-continuation character)**, 1191

**CCL (Cursor Control Language)**, 916

**CCur function**, 432

**CDATA sections**, 1066

**CDate function**, 432

**CDbl function**, 432

**cells, blocks of**. *See* blocks of cells

**certificates**

- code-signing certificates, 41-42
- self-signed certificates, creating, 166-169

**CFBFs (code behind forms)**, 1149

**change propagation of field properties**, 248-251

**Chart Type dialog**, 781-782



**chart types of PivotCharts, changing, 544-546**

### Chart Wizard

- creating unlinked graphs, 773-778
- designing summary queries for, 771-773

**charts. See also graphs;**

### PivotCharts

- adding to reports, 784-787
- in ADP, 777
- changing chart type, 780, 782, 784
- converting graphs to, 780-784
- embedding, 321
- graphs versus, 774
- linked charts, 321, 788
  - assigning crosstab queries, 790
  - designing crosstab queries, 788-789
  - linking to records, 790-792, 794
  - in static tables, 985-986
- modifying chart design, 778-780
- printing in reports, 784-787
- troubleshooting, reversing x-axis and legend labels, 807
- unlinked charts, 770
  - creating with Chart Wizard, 773-778
  - query data source, creating, 770-773

**check boxes in reports, 764**

**check constraints (SQL Server tables), 882. See also data validation**

**Check Constraints page, Properties dialog (project designer), 882**

**CHECK keyword (SQL), 943**

**Chr function, 429**

**CInt function, 432**

**circular relationships, 452**

**Class Module, 72**

**class modules, 1177. See also modules**

- associated with forms, 1176
- creating with Macro-to-VBA Converter, 1213-1215
- debugging, 1217-1219
- defined, 1177, 1212
- encapsulating VBA code with, 1212-1213
- Form\_Switchboard
  - creating, 1213-1215
  - debugging, 1217-1219
  - event handling, 1215-1216
- functions, calling, 1247
- members, viewing in Object Browser, 1219-1220
- subprocedures, calling, 1247
- testing, 1215-1219

**clauses (SQL), 916**

**clean option (HTML Tidy), 1032-1034**

**Clear method (Err object), 1199**

**client/server applications, trusted connections, 831. See also ADPs (Access Data Projects)**

**client/server databases, migrating to, 179-180**

- benefits of, 823-825
- exporting tables to other RDBMSs, 827-828
- front ends with linked tables, 837
- manually
  - attaching exported tables, 847-849
  - creating ODBC data sources, 843-846
  - exporting to RDBMSs, 846-847
- manually linking tables, 843-849
- .mde front ends, creating, 863-864
- moving upsized databases, 839-842

- MSDE features, 824
- multiuser applications, 812-813
  - Database Splitter, 813, 815-816
  - securing network shares, 816-817, 821
  - verifying back-end security, 822
- ODBC table connection strings, 837-842
- password-protecting front ends, 860-863
- pass-through queries, 849-852
- shared files versus, 865-866
- single applications, 828-829
  - table properties, modifying, 829-830
  - Upsizing Wizard, 830-834
  - verifying process, 834-837
- strategic migrations, 1000-1001
- strategies, 825-826
- troubleshooting, 864-865

### Clipboard

- copying/pasting tables, 254-255
- keyboard operations for, 271-272

**Clipboard group (Home ribbon), 128-129**

**CLng function, 432**

**Clone method (Recordset object), 1322**

**cloning linked PivotCharts, 801-803**

**Close action, 1151**

**Close Database command button (Office gallery), 40**

**Close method**

- Connection object, 1300
- DoCmd object, 1224
- Recordset object, 1322

**closing, meaning in Access, 118-119**

- Codd, E. F.**, 178, 185, 199
- code behind forms (CBFs)**, 1149
- code editor.** *See* VBA editor
- code-continuation character (CCC)**, 1191
- code-signing certificates**, 41-42
- coerced data types**, 1181
- collaboration**, 1143-1144. *See also* SharePoint 2007; WSS 3.0
- Collation property (Table Design window)**, 876
- Collect Data Through E-Mail Messages wizard**, 1044
- Collect Data via E-Mail macro**, 77
- collections**
  - TempVars, 426
  - troubleshooting, missing objects, 1247
- colon (:), variable identifier**, 919
- color schemes for PivotTables, changing**, 534
- colors for forms**, 599
  - Access color palette, 599-600
  - background colors, 600-601
  - custom colors, 605-606
  - foreground colors, 604-605
- column fields (PivotTables)**, 526
- column headers in queries, changing names**, 394-397
- Column Name property (Table Design window)**, 876
- columns**
  - calculated columns, performance and, 448
  - conforming computed columns to ANSI SQL, 959-963
  - defined, 178
  - duplicate column names in views, 966-968
  - resizing, 316
- Columns page (Table Design view)**, 875-877
- COM**
  - add-ins, 204
  - interoperability wrappers, 1182
  - object references, 1178-1179
- COM interop**, 1182
- combinatorial hashing**, 318
- Combo Box Wizard**, 660-665, 668-675, 1254-1256
- combo boxes.** *See also* list boxes
  - advantages of, 1277-1278
  - constraining queries with, 1250
    - adding combo boxes to forms, 1254-1257
    - creating forms with list boxes, 1252-1253
    - query design, 1251
  - creating, 1160-1161
    - Combo Box Wizard, 660-665
    - query SQL statements from, 1258-1261
    - record-selection combo boxes, 671-675
    - static-value combo boxes, 668-671
- in DSAs (decision-support applications), 1250-1251
  - adding to forms, 1254-1256
  - converting to ADP, 1270-1276
  - designing queries, 1251
  - editing, 1256-1257
  - SELECT queries, creating, 1258-1261
  - selecting all items, 1266-1269
  - troubleshooting, 1168, 1276-1277
- events, responding to, 1159-1161
- list boxes versus, 660
- optimizing performance, 1277
- populating, 666-668
- selecting all items, 1266-1269
- troubleshooting, 1276-1277
- combo-box forms.** *See* forms
- comma (,), SQL punctuation**, 918
- comma-delimited text files**, 337
- Command Button Wizard**, 1155, 1157-1159
  - application actions, 1159
  - form operations actions, 1159
  - Previous Record button, creating, 1155-1157
  - record navigation actions, 1158
  - record operations actions, 1159
  - report operations actions, 1159
- command buttons**
  - adding to Quick Access Toolbar, 152-153
  - Create ribbon, 138-141
  - Home ribbon, 128-131
  - Table Tools, Datasheet ribbon, 133-135
  - Table Tools, Design ribbon, 137
- Command object**, 1304
  - corresponding database object type, 1182
  - methods, 1309-1310
  - Parameter objects, 1306-1309
  - Parameters collection, 1306
  - passing parameter values to stored procedures, 1310-1313
  - properties, 1304-1305
- command tabs**, 25. *See also* ribbon user interface
- commands (SQL)**
  - categories for, 915-916
  - defined, 916

- CommandStream property (Command object), 1304**
- CommandText property (Command object), 1304**
- CommandTimeout property**
  - Command object, 1304
  - Connection object, 1293
- CommandType property (Command object), 1305**
- comments in VBA, 1199**
- COMMIT TRAN statement (SQL), 938**
- commits (transactions), 195**
- committed inventory, 189**
- CommitTrans method (Connection object), 1300**
- COMMITTRANS statement (SQL), 576**
- CommitTransComplete event (Connection object), 1303**
- Compact and Repair Database command, 162-163**
- compacting**
  - databases, 163-164
  - troubleshooting, 170
  - workgroup information file, 1338
- CompareBookmarks method (Recordset object), 1323**
- comparison operators, 275, 414, 416**
  - data ranges and, 419
  - for filters, 297
- compatibility levels of databases, changing, 1350-1351**
- Compatibility Library (DAO), 1352**
- compile errors, converting databases, 170**
- compiling VBA code, 1189**
- composite criteria for filters/sorts, 310-312**
- composite primary keys**
  - adding to tables, 564-565
  - creating, 242
  - defined, 184
- composite sorts, 293**
- compound filters, 308-310**
- computed columns, conforming to ANSI SQL, 959-963**
- computer-based sorting and searching, history of, 317**
- concatenation of data types, 424**
- concatenation operators, 414, 417**
- concurrency conflicts, resolving, 885**
- conditional formatting, 222-223**
- Conditional Formatting dialog, 588**
- conditional statements, 1192-1195**
  - If...Then...End If, 1192-1193
  - Select Case...End Select, 1193-1195
- configuration files (HTML Tidy), 1023-1024**
- configuring subsites (WSS 3.0), 1097-1101**
- ConnectComplete event (Connection object), 1303**
- Connection object, 1293**
  - corresponding database object type, 1182
  - events, 1303-1304
  - methods, 1300-1302
  - properties, 1293-1294
    - Errors, 1297-1300
    - IsolationLevel, 1295-1296
    - Mode, 1296-1297
    - Provider, 1295
    - State, 1297
  - transaction isolation levels, 1296
- connections**
  - remote SQL Server databases, 907-909
  - troubleshooting, 909
- ConnectionString property (Connection object), 1294**
- ConnectionTimeout property (Connection object), 1294**
- Const keyword, 1189**
- constants, 1189. *See also* symbolic constants**
  - data types, specifying, 1189
  - declaring, 1189
  - intrinsic constants, 424, 433-434, 1190
  - named constants, 434
  - statement autocompletion, 1206
  - system-defined, 1189
- CONSTRAINT keyword (SQL), 943**
- Contacts (Outlook)**
  - exporting, 96
  - importing, 94-96
- Contacts folder. *See* Outlook 2007**
- Contacts template, 76**
- context-specific ribbons, 28-33, 132**
  - Table Tools, Datasheet ribbon, 132-135
  - Table Tools, Design ribbon, 135-137
- Control object, corresponding database object type, 1182**
- control structures, 1192-1195**
  - Do Until...Loop, 1196-1197
  - Do While...Loop, 1196-1197
  - For...Next, 1195-1196
  - If...Then...End If, 1192-1193
  - Select Case...End Select, 1193-1195

While...Wend, 1197  
 With...End With,  
 1188-1189

**controlling program flow. *See*  
 flow control (VBA)**

**controls**

Attachment controls,  
 adding, 675-678  
 bound controls, 631  
 calculated controls, 631  
 changing control types, 658  
 combo boxes  
   Combo Box Wizard,  
   660-665  
   list boxes versus, 660  
   populating, 666-668  
   record-selection boxes,  
   671-675  
   static-value boxes,  
   668-671  
 copying, 658-659  
   troubleshooting, 695  
 form controls, 582  
   adding, 631, 682-683  
   aligning, 638-641  
   background bitmap  
   pictures, 602-604  
   background colors,  
   600-601  
   border color, 604-605  
   border style, 604-605  
   bound controls, 582  
   calculated controls, 582  
   copying, 650-651  
   custom colors, 605-606  
   deleting, 606  
   disabling editing, 620  
   error correction, 651-652  
   foreground color,  
   604-605  
   Format Painter, 607  
   moving, 637-638  
   moving multiple,  
   639-640  
   optimizing data entry,  
   683-685  
   properties, 594-599  
   rearranging, 610  
   removing from tab order,  
   619

selecting, 636-637  
 selecting multiple,  
 639-640  
 sizing, 638  
 tab controls. *See* tab  
 controls  
 text editing, 606-607  
 unbound static controls,  
 582

label controls. *See* labels  
 native controls, 626  
 option group  
   creating, 653-658  
   testing, 657  
 report controls, 702  
   ActiveX controls, 764  
   aligning, 727-728  
   bound object frames, 764  
   calculated controls,  
   722-727  
   check boxes, 764  
   copying, 650-651  
   deleting, 717-719  
   editing, 719-722  
   formatting, 728-729  
   moving, 717-719  
   option buttons, 764  
   printing lookup fields,  
   719-720  
   shapes, 764  
   unbound object frames,  
   764  
 SQL statements in, 944-945  
 subform controls, VBA ref-  
 erences to, 1241  
 unbound controls, 631  
 VBA references to,  
 1239-1240

**Convert Database command,  
 162, 164**

**Convert Database Into  
 dialog, 1337**

**CONVERT function,  
 1273-1275**

**Convert/Open Database  
 dialog, 1336-1337**

**converting. *See also* upgrades**  
 between Number,  
 Date/Time, and Text data  
 types, 247

databases, 164  
   to Access 2002 format,  
   164  
   compile errors, 170  
   secured Access 9x files,  
   1341-1342  
   troubleshooting, 170  
   unsecured Access 9x files,  
   1335-1339

fields to Access data types,  
 356-358

forms to Access data proj-  
 ects (ADP), 1270  
   importing and testing  
   forms, 1270-1272  
   replacing queries with  
   SQL Server views,  
   1272-1273  
   T-SQL syntax,  
   1273-1276

graphs to charts, 780-784  
 HTML 4.01 to XHTML  
 1.0, 1036-1037

macros to VBA callback  
 functions, 1234-1237  
 SELECT queries to make-  
 table queries, 553-555  
 summary queries to  
 parameter queries,  
 500-501

two-digit years to four-digit  
 years, 447

VBA data-type conversion  
 functions to T-SQL  
 functions, 433

VBA date/time functions to  
 T-SQL functions, 428

VBA text-manipulation  
 functions to T-SQL  
 functions, 430

**Copy Database File  
 command, 907**

**CopyDatabaseFile method,  
 1225-1226**

**copying**

controls, 650-651, 658-659  
   troubleshooting, 695  
 databases to servers, 907  
 form controls, 606  
 tables, 254-255  
 text, 271-272

- CopyObject method, 1223-1224
- copyright, importing HTML tables, 1006
- corrupted databases, 164
- counting duplicate rows when importing HTML tables, 1013-1015
- Create on SharePoint Site dialog, 1132-1133
- Create ribbon, 26, 138-141
- CREATEINDEX statement (SQL), 944
- CreateParameter method (Command object), 1309-1310
- CREATETABLE statement (SQL), 943
- Creative Commons licenses, 1006
- criteria for query records, establishing, 389-391, 393-394
- crossfooting
  - crossstab queries, 994-997
  - defined, 523
- crossstab queries, 379, 401, 463, 503-504, 520
  - creating
    - with Crosstab Query Wizard, 504-508
    - linked graphs from, 788-794
    - manually, 508-510
  - crossfooting, 994-997
  - emulating with T-SQL, 980-994
    - with static tables, 981-986
    - with stored procedures, 986-994
  - fixed column headings in, 510-512
  - linked graphs, creating, 788
    - assigning query, 790
    - designing query, 788-789
  - PivotTables versus, 523
  - upsizing, 955
- Crosstab Query Wizard, 504-508, 990
- CSng function, 432
- CSS (cascading style sheets), 1031
  - formatting HTML tables, 1067-1069
  - upgrading to, 1031-1032
    - fixing HTML Tidy-generated CSS code, 1034-1035, 1050-1051
    - with HTML Tidy's clean option, 1032-1034
    - linking documents to CSS files, 1036
- CStr function, 432
- CSV files, 337
- Ctrl++ key combination, 143
- Ctrl+F key combination, 143
- Ctrl+F1 key combination, 142
- Ctrl+F4 key combination, 142
- Ctrl+F6 key combination, 142
- Ctrl+H key combination, 143
- Ctrl+Shift+F9 key combination, 1202
- Ctrl+Y key combination, 1202
- cubes (OLAP), 771
- Currency data type, 214, 216, 1181
- current database, 516
- Current Database page (Access Options dialog), 145-147
- Cursor Control Language (CCL), 916
- CursorLocation property
  - Connection object, 1294
  - Recordset object, 1314, 1317
- cursors, 392
- CursorType property (Recordset object), 1314, 1317
- Custom category (Navigation pane), customizing, 43-46
- custom colors for forms, 605-606
- Custom Filter dialog, 1139
- custom formats, creating, 220-222
- Custom Sort dialog, 1140
- custom subprocedures (VBA), 1178
- custom templates, creating, 158
- customer input for database/table design, importance of, 263
- Customer Service template, 77
- CustomersCSS.asp page, testing, 1051
- CustomersUpdate sample table, creating HTML forms for, 1044-1050
- Customize page (Access Options dialog), 152-153
- customizing
  - AutoFormats, 598-599
  - Custom category (Navigation pane), 43-46
  - Datasheet view, 314-316
  - form layout, 610-611
  - Quick Access Toolbar (QAT), 34-36
  - ribbons, 33-34
  - SharePoint list views, 1112-1117
  - SharePoint lists, 1134-1135
- cutting
  - form controls, 606
  - records in tables, 275
- CVar function, 432
- CVErr function, 432
- cycling focus, 132

**D**

da Vinci toolset. *See also*  
project designer

**DAO (Data Access Objects),  
1280-1281**

ADO objects versus,  
1281-1282

Compatibility Library, 1352  
displaying with Object  
Browser, 1290-1293

**DAO.Recordset object. *See*  
Recordset object**

ADODB.Recordset  
compatibility, 1313  
binding forms to,  
1284-1286

corresponding database  
object type, 1182  
creating, 1283, 1286-1287

**DAP (data access pages), 59**

**.dat files**

backing up, 902, 904  
restoring, 904-905

**Data Access Objects. *See*  
DAO**

**data access pages (DAP), 59**

**data blocks. *See* blocks of  
cells**

**data collection via HTML  
forms, 101, 1043-1050**

**Data Control Language  
(DCL), 916**

**Data data type, 1181**

**Data Definition Language  
(DDL), 915**

tables, creating, 942-944

**data dictionaries, creating,  
259-262**

**data entry, 116. *See* heads-  
down data entry**

with Datasheet view, when  
not to use, 287

keyboard operations  
editing text, 270  
fields/text boxes, 272-273  
importance of, 266-267

selecting text, 270-271  
setting data entry  
options, 267-269

Windows Clipboard  
operations, 271-272

validation rules,  
BeforeUpdate event  
handler, 1242-1243

**data events, 1152-1153**

BeforeUpdate, 1242-1243  
OnCurrent, 1243-1246

**data exchange, XML as  
format for, 1056. *See also*  
exporting; importing**

**Data Link Properties dialog,  
907-908, 1348**

**Data Manipulation Language  
(DML), 915**

**data objects, 812**

**data organization (function  
of Access), 116**

**Data page, Properties dialog  
(project designer), 883**

**data presentation (function  
of Access), 116**

**data providers, Recordset  
methods and, 1322**

**Data Query Language  
(DQL), 915**

**Data sheet view, heads-down  
data entry versus, 286**

**data sources**

for calculated controls,  
changing, 722-724

creating  
for forms, 641-643  
for graphs, 770-773

defined, 350

for linked graphs, changing  
to crosstab queries, 790  
merging form letters with,  
365-367

SQL Server data sources,  
designing forms/reports,  
908

for summary queries,  
selecting, 770-771

**Data Type and Formatting  
group (Table Tools,  
Datasheet ribbon), 134**

**data type conversions  
functions (SQL), 916**

**Data Type field property,  
210, 876**

**data types. *See* specific data  
types**

coerced data types, 1181  
concatenation, 424  
converting fields to Access  
data types, 356-358  
field data types

changing, 246-247  
Field Size property,  
selecting subtypes for,  
215-217

Format property,  
selecting, 218-223  
Input Mask property,  
223-225

list of, 213-215

new features, 47-49  
object libraries, 1181-1182  
for parameter queries,  
specifying, 502-503

SharePoint data types,  
1110-1111

SQL Server data types,  
978-979

type-declaration characters,  
1180-1181

upsizing to SQL Server, 826  
user-defined data types,  
1186

Variant, 424-425

VBA data types, 1180-1182

**data validation. *See also*  
entity integrity**

BeforeUpdate event  
handler, 1242-1243  
data verification versus, 287  
defined, 194

expressions, 275-276, 435  
field-level validation rules,  
276-278

lookup lists, 279-281

table-level validation rules,  
278-279

- testing, 283-285
- troubleshooting, 285
- data verification, data validation versus, 287**
- data visualization, PivotTables and PivotCharts, 547-548**
- data-centric collaboration, 1143-1144**
- data-related XML, advantages of learning, 1089-1090**
- data-type conversion functions, 421, 432-433**
- database compatibility levels, changing, 1350-1351**
- database connectivity, upgrades and, 1353**
- Database Design for Mere Mortals* (Hernandez), 199
- database diagrams, 873, 901-902**
- Database Diagrams page (Database window), 873**
- Database Documenter, 259-262**
- database engine. See Access database engine**
- Database object, 73, 1182**
- database objects**
  - pointing to, 1188
  - properties
    - as variables, 1187-1189
    - With...End With structure, 1188-1189
    - renaming, 245
    - VBA data types, 1181-1182
- database owner**
  - changing, 1350-1351
  - defined, 198
- database roles, 853-854**
- Database Splitter, 163, 813-816**
- Database to Convert From dialog, 1339**
- Database Tools ribbon, 27-28**
- Database Utilities (Tools menu), 162-163**
  - Backup SQL Database, 902, 904
  - Compact and Repair Database, 163
  - Convert Database, 164
  - Copy Database File, 907
  - Make ADE File, 909
  - Make MDE File, 164-165, 863
  - Restore SQL Database, 904-905
  - Transfer Database, 840
- Database window for ADP, 873-874**
- databases. See also Access databases; applications; Jet databases; RDBMSs; SQL Server databases**
  - .accdc files, creating, 164-165
  - .accdr files, creating, 165
  - add-ins, 204
  - backing up, 902-905
  - compacting, 163-164, 170
  - connections
    - remote SQL Server databases, 907-908
    - troubleshooting, 909
  - converting, 164
    - to Access 2002 format, 164
  - compile errors, 170
  - secured Access 9x files, 1341-1342
  - troubleshooting, 170
  - unsecured Access 9x files, 1335-1339
  - corrupted databases, 164
  - creating, 204-206
    - from Office Online templates, 1131-1137
    - from SharePoint 2007, 1106
  - current database, 516
  - default location, 120
  - designing, importance of customer input, 263
  - distributed databases, 177
  - documentation, creating
    - data dictionaries, 259-262
  - external databases
    - defined, 516
    - queries against, 516-518
  - hierarchical databases, 177
  - history of, 177-180
  - legacy databases
    - converting fields to Access data types, 356-358
    - images in, 354-356
    - importing, 345-350
    - linking with ODBC, 350-354
    - troubleshooting
      - importing, 371-372
  - linking, 180
  - network databases, 177
  - Northwind sample database, 225
    - adding tables, 230-233
    - designing tables, 226-230
    - preparing to add tables, 225-226
  - opening, 118-120
  - publishing to SharePoint 2007, 1105-1110, 1131-1134
    - customizing SharePoint lists, 1134-1135
    - synchronizing SharePoint lists, 1135-1137
  - record-locking information files, 203
  - relational databases, 178. *See also* data validation; entity integrity; normalization; primary keys; referential integrity; transactions
    - books for more information, 199
    - structure of, 181-185
  - remote SQL Server databases, connecting to, 907-909
  - repairing, 164
  - spreadsheets versus, 176
  - tables, modifying in other databases, 940, 942

- transferring to server, 906-907
  - troubleshooting
    - conversion compile errors, 170
    - invalid database locked messages, 170
    - remote connections, 909
  - upgrading
    - DAO versus ADO, 1353
    - MSDE to SQL Server, 1346
    - secured Access 9x files, 1341-1342
    - unsecured Access 9x files, 1335-1339
    - VBA code, optimizing, 1352-1353
  - DataMember property (Recordset object), 1314**
  - Datasheet Formatting dialog, 131**
  - Datasheet page (Access Options dialog), 147-148**
  - Datasheet view, 116, 198**
    - browse-mode editing, 883
    - creating tables in, 234-235
    - customizing, 314-316
    - new features, 49-52
    - Totals row, 96
    - when not to use, 287
  - DataSource property (Recordset object), 1314**
  - DataTips, 1204**
  - date constraints in Like expressions, 949**
  - Date function, 426**
  - date ranges, comparison operators and, 419**
  - date values, enclosing with # (pound sign), 1181**
  - Date/Time data type, 214**
    - converting to/from Number or Text data type, 247
    - four-digit year formatting, 219
    - standard formats for, 218-219
  - date/time fields, grouping report data by, 751**
  - date/time functions, 421, 426-428**
  - date/time identifiers, 919**
  - Date/Time literals, 420**
  - DateAdd function, 426**
  - DateDiff function, 426**
  - DatePart function, 426**
  - DateSerial function, 426**
  - DateValue function, 426**
  - Day function, 427**
  - dBASE**
    - importing/exporting files from, 347
    - importing/linking ISAM tables, 348-350
    - indexes, 346
    - supplemental files, 345
  - DCL (Data Control Language), 916**
  - DDL (Data Definition Language), 915**
    - tables, creating, 942-944
  - Debug object, printing to Immediate window (VBA editor), 1205-1208**
  - debugging**
    - class modules, 1217-1219
    - Form\_Switchboard class module, 1217-1219
    - Immediate window, printing to, 1205-1208
    - runtime errors, 1198-1200
  - Decimal Places field property, 211, 876**
  - Decimal subtype, 216**
  - decision-support applications, 583, 1250-1251**
    - combo boxes
      - adding to forms, 1254-1256
      - converting to ADP, 1270-1276
    - designing queries, 1251
    - editing, 1256-1257
    - SELECT queries, creating, 1258-1261
    - selecting all items, 1266-1269
  - constraining queries with, 1250
    - adding combo boxes to forms, 1254-1257
    - creating forms with list boxes, 1252-1253
    - query design, 1251
  - forms
    - adding query combo boxes, 1254-1256
    - creating, 1252, 1254
  - list boxes
    - drilling down from, 1261-1265
    - selecting items, 1265-1269
  - troubleshooting, 1168, 1276-1277
- Declarations section (modules), 1177**
  - dynamic arrays, 1187
  - form-level variables, 1184
  - global variables, 1184
  - module-level variables, 1184
  - Option Compare... statements, 1208
  - Option Explicit statement, 1183-1184
  - report-level variables, 1184
  - symbolic constants, 1189
  - user-defined data types, 1186
- declarative referential integrity (DRI), 827, 833**
- declaring**
  - arrays, 1186
  - constants, 1189
  - variables
    - explicit variables, 1183-1184
    - implicit variables, 1183
    - scope, 1184-1185
    - user-defined data types, 1186
- default Access 2007 workgroup file, 1343**
- Default Colors group (Datasheet page), 148**
- default field values, creating with expressions, 434-435**



- default folder
  - changing, 75
  - as trusted location, 78-81
- Default Font group (Datasheet page), 148
- default form layout, rearranging, 590-592
- default form property values, 594-595
- default form view, changing, 652-653
- default layouts for forms and reports, 54-55
- default options, setting (Access Options dialog), 143-144
  - Add-Ins page, 154
  - Advanced page, 150-152
  - Current Database page, 145-147
  - Customize page, 152-153
  - Datasheet page, 147-148
  - Object Designers page, 148-149
  - Popular page, 144-145
  - Proofing page, 149-150
  - Resources page, 157-158
  - Trust Center pages, 155-157
- default parameter values, adding, 893
- default references, viewing, 1179
- default system settings, 143-144
- Default Value field property, 211, 876
- default values
  - fields, setting, 235-237
  - input parameters, adding, 892-893
- Default View table property, 207
- default workgroup file, specifying for Access 2007 front end with Access 200x back end, 1345
- DefaultDatabase property (Connection object), 1294
- DefinedSize property (Field object), 1319
- Delete method
  - Parameters collection, 1306
  - Recordset object, 1323
- delete queries, 401, 560-563. *See also* action queries; cascading deletes
  - defined, 550
  - syntax, 936
  - transactions with, 938
- delete stored procedures, 900-901
- DeleteObject method, 1223
- deleting
  - AutoFormats, 599
  - form controls, 606
  - indexes, 944
  - MSDE, 1347
  - records, 275, 900-901
    - cascading deletions, 241
  - report controls, 717-719
  - report sections, 762-763
  - tab control pages, 680
  - tables, 255, 944
- delimiters, 919
  - defined, 337
  - text identifiers versus, 337
- Description property
  - Err object, 1199
  - Error object, 1299
  - fields, 210
  - Table Design window, 876
  - tables, 207
- Design mode button (VBA editor toolbar), 1201
- Design view, 120
  - forms, 634-635
    - aligning controls, 638-641
  - Form Design
    - Tools - Arrange ribbon, 631-634
  - Form Design
    - Tools - Design ribbon, 627-630
- moving controls, 637-638
- properties, 635-636
- selecting controls, 636-640
- sizing, 636, 638
- project designer, 884-885
- reports
  - Report Design
    - Tools - Arrange ribbon, 714-715
  - Report Design
    - Tools - Design ribbon, 713-714
  - Report Design
    - Tools - Page Setup ribbon, 714
- designing. *See also* formatting applications, 72
  - crosstab queries for linked graphs, 788-790
  - databases/tables, importance of customer input, 263
  - decision-support queries, 1251
  - forms, 621
    - audience support, 621
    - consistency and simplicity, 622-624
    - monitor resolution, 622
    - optimizing form design, 683-685
    - with SQL Server data sources, 908
  - PivotTables, 525-526
  - queries
    - art of, 407-408
    - optimizing performance, 408-409
  - reports, 767, 908
  - SELECT queries for make-table queries, 551-553
  - summary queries for Chart Wizard, 771-773
  - tables, 226-227
    - assigning field names, 228-229
    - assigning field properties, 229-230
    - information to include, 227-228

- desktop RDBMSs, 179
- detail fields (PivotTables), 526
- Detail section (forms)
  - background bitmap pictures, 602-604
  - background colors, 600-601
  - properties, 635
  - sizing, 636, 644
- Diagram button (view designer toolbar), 885
- Diagram Tools (Design ribbon), 32
- diagrams, database, 901
- Dialect property (Command object), 1305
- Dim statements
  - declaring arrays, 1186-1187
  - declaring variables, 1183-1186
- Direction property (Parameter object), 1307-1308
- Dirty event, 1154
- disabling form control editing, 620
- Disconnect event (Connection object), 1303
- Display group (Advanced page), 151
- Display Views on SharePoint table property, 208
- displaying data. *See* queries; views
- DISTINCT keyword, 489, 917, 977-978
- DISTINCTROW keyword, 385, 489, 917, 977-978
- distributed databases, 177
- division operator, 415
- DLLs (dynamic link libraries), references, 1178
- DLookUp aggregate function, 719-720
- DML (Data Manipulation Language), 915
- DNS, as distributed database, 177
- Do Until...Loop statement, 1196-1197
- Do While...Loop statement, 1196-1197
- DocFile, 203
- DoCmd object, 1173, 1219
  - methods, 1220-1223
  - arguments, 1225-1226
  - table of, 1223-1225
- Document Libraries (SharePoint)
  - checking in/out databases, 1123-1125
  - publishing databases to, 1106-1110
- Document Type Definition (DTD), 1058
- Document Workspace sites (WSS), 1093
- documentation
  - data dictionaries, creating, 259-262
  - RibbonX, 1228-1230
- documents
  - RibbonX documents, editing with Visual Studio 2005, 1230-1231
  - with XMLNotepad 2007, 1231-1233
  - XML documents
    - attribute-centric documents, 1059-1060
    - defined, 1057
    - element-centric documents, 1059
    - validated documents, 1058
    - well-formed documents, 1058
- domain integrity. *See* entity integrity
- dot (.)
  - dot operator, 417, 1238
  - name separator, 1188
- Double data type, 1180-1181
- double quotes (“ ”), SQL punctuation, 919
- Double subtype, 216
- downloading
  - HTML Tidy, 1021-1022
  - templates, 73-74, 78, 81
- DQL (Data Query Language), 915
- DRI (declarative referential integrity), 827, 833
- drill-down capabilities
  - defined, 526, 1252
  - forms, 1261-1265
  - increasing level of detail, 533-534
  - list boxes, 1261-1263
  - programming, 1263-1265
- drop-down list boxes. *See* list boxes; lookup fields
- DROPCOLUMN statement (SQL), 944
- DROPINDEX statement (SQL), 944
- DROPTABLE statement (SQL), 944
- DTD (Document Type Definition), 1058
- duplicate column names in views, 966-968
- duplicate rows (imported HTML tables)
  - counting, 1013-1015
  - removing, 1015-1016
- duration of VBA variables, 1185-1186
- dynamic arrays, 1187
- dynamic tables, displaying with ASP, 1037
  - creating ASP template files, 1038-1041
  - IIS setup, 1042-1043
  - ODBC data source setup, 1041
  - running ASP template from IIS, 1041
- Dynasets. *See also* updatable Recordsets

## E

- E-mail command button (Office gallery), 39
- E-Mail List macro, 77
- EB (Embedded Basic), 1209
- Echo method, 1225
- Edit method (Recordset object), 1325
- Edit Relationships dialog, 239, 457-458
- editing. *See also* customizing; updating
  - fields, 244-245
    - changing data types, 246-247
    - rearranging fields, 245-246
  - form controls, disabling, 620
  - graph design, 778-780
  - mailing labels, 738-741
  - queries in PivotTables, 528-530
  - relationships, 244-248
  - report controls, 719-722
  - RibbonX documents
    - with Visual Studio 2005, 1230-1231
    - with XMLNotepad 2007, 1231-1233
  - tables with InfoPath forms, 1084-1087
  - text, keyboard operations for, 270
  - text controls, 606-607
  - user information (WSS 3.0), 1103-1105
- Editing group (Advanced page), 150
- EditMode property (Recordset object), 1314, 1317
- element-centric XML documents, 1059
- elements (XML), 1057
  - adding to exported tables/queries, 1069-1070
- email attachments, reports as, 765-766
- email data collection
  - with HTML forms, 101, 1043-1050
  - with InfoPath forms, 1081-1082
    - creating forms, 1082-1084
    - editing table data, 1084-1087
- email messages, creating with SendObject macro, 96-100
- Embedded Basic (EB), 1209
- embedded macros. *See* macros
- embedding
  - charts, 321
  - image files, linking versus, 356
- Employees table (Northwind sample database), 225-226
- empty subtype, Null subtype versus, 425
- enabling
  - object dependencies, 248-250
  - SSX connections through Windows Firewall, 67-68
  - unsafe macros, 42
- encapsulating VBA code, 1212-1213
- End Sub reserved words, 1177
- EndOfRecordset event (Recordset object), 1327
- Enter Parameter Value dialog, 404, 945
  - troubleshooting, 518
- entering data. *See* data entry
- entities, replacing illegal characters with, 1066
- entity integrity, 193. *See also* data validation
- Envisioning Information* (Tufte), 548
- EOF property (Recordset object), 1314
- equal sign (=)
  - assignment operator, 415
  - equal to operator, 416
- equal to operator, 416
- equi-joins. *See* inner joins
- Err object, 1199
- Error Checking group (Object Designers page), 149
- error checking smart tags, 651-652
- error correction (forms), 651-652
- Error event, 1200
- error events, 1152-1153
- error handling. *See also* troubleshooting
  - macros, 56, 1157-1158
  - runtime errors (VBA)
    - Err object, 1199
    - Error event, 1200
    - On Error... statement, 1198-1199
- error messages, upsizing process, 953. *See also* troubleshooting
- Error objects, 1297-1300
- error prevention. *See* data validation; entity integrity; referential integrity; transactions
- Error statement, 1199
- Errors collection, 1297-1300
- errors in Upsizing Wizard, correcting, 957-959
- Errors property (Connection object), 1294
- Esc key, 143
- escape characters, 224
- ETC (evil type coercion), 424

**event handlers, 91**

BeforeUpdate, 1242-1243  
for form events, calling,  
1204

**event handling. *See also* class modules; RibbonX**

DoCmd object methods,  
1223  
arguments, 1225-1226  
table of, 1223-1225  
event-driven programming,  
1212, 1247-1248  
Form\_Switchboard class  
module, 1215-1216  
functions, 1221-1223

**event sinks, 1303****event-driven programming,  
1212, 1247-1248****events, 1152-1153**

Connection object,  
1303-1304  
data events, 1152-1153  
BeforeUpdate,  
1242-1243  
OnCurrent, 1243-1246  
Dirty, 1154  
Error, 1200  
error events, 1152-1153  
event properties, 1154  
filter events, 1153  
focus events, 1152-1153  
keyboard events, 1152-1153  
mouse events, 1152  
print events, 1153  
properties, 1154  
Recordset object, 1327-1328  
reference events, 1153  
responding to/from combo  
and list boxes, 1159-1161  
timing events, 1153  
types of, 1152  
Window events, 1152-1153

**Events template, 76****evil type coercion (ETC),  
424****Excel. *See also* spreadsheets**

charts, embedding/  
linking, 321  
exporting  
PivotTables to, 537-538  
tables to, 367-370

spreadsheet files  
importing, 96, 321-329  
linking, 329-330

**Exchange 2007. *See* Outlook  
2007****Exchange/Outlook Wizard,  
335-337****exchanging PivotTable axes,  
534-535****exclamation mark (!). *See*  
bang operator (!)****Execute method**

Command object, 1310  
Connection object,  
1300-1302

**execute rights for stored  
procedures, 857-859****ExecuteComplete event  
(Connection object), 1303****executing**

queries, troubleshooting,  
945  
VBA functions, 1173, 1178  
VBA subprocedures, 1172,  
1177

**explicit variables, 1183-1184**  
type-declaration characters,  
1181**exponentiation operator, 415****Export — HTML Document  
dialog, 1024****Export — Text File dialog,  
370****Export — XML File dialog,  
1061****Export Data to SharePoint  
List dialog, 1138****Export Report dialog, 262****Export RTF File dialog, 367****Export Sharepoint Team  
Services Wizard, 1138-1140****Export XML dialog, 1061,  
1073, 1075-1076, 1080****exported XML file sets,  
deploying to Web servers,  
1071****exporting**

Access 97 versus Access  
2007 features, 372-373  
Contacts (Outlook), 96  
filtered records, 316  
with Outlook 2007, 330-331  
Access tables, 331-335  
PivotTables to Excel,  
537-538  
queries  
to WSS lists, 1138, 1140  
as XML, 1060-1067  
related tables as XML, 1079  
reports  
to HTML tables,  
1026-1029  
static reports as XML,  
1072-1074, 1087-1088  
troubleshooting,  
1087-1088  
as web pages, 1071-1074  
SharePoint 2007 lists, 1106  
table data to RDBMS,  
827-828, 846-847  
attaching exported tables,  
847-849  
tables, 367-371  
to HTML, 1024-1026  
Oracle tables, 828  
to RDBMSs, 827-828,  
847  
to WSS lists, 1138, 1140  
as XML, 1060-1067,  
1079  
tables to SharePoint 2007,  
1105, 1110, 1138-1140  
changes to source tables,  
1121-1123  
checking in/out databases  
from Document  
Libraries, 1123-1125  
customizing list views,  
1112-1117  
from Northwind sample  
database, 1117-1121  
replacing lookup fields,  
1125-1129  
SharePoint data types,  
1110-1111  
SharePoint-specific  
commands/buttons,  
1129-1130  
troubleshooting, 1142

**Expression Builder**

- query criteria, 440-442
- table-level validation rules, 278-279

**expression functions. *See* functions****expressions**

- creating, 434
- data validation, 275-276, 435
- default values, creating, 434-435
- defined, 413
- elements of, 413-414
- identifiers. *See* identifiers
- literals. *See* literals
- operators. *See* operators
- queries, 435-442, 448
  - calculated field values, 445-447
  - troubleshooting, 447
- sorting report data groups by, 751-752
- unsafe expressions, 412

**extend mode (F8 function key), 142****extended characters in searches, 295****extended properties, 869****eXtensible Application Markup Language (XAML), 1248****Extensible Markup Language. *See* XML****Extensible Stylesheet Language. *See* XSL****External Data — Text File dialog, 338****External Data ribbon, 27, 320-321****external databases**

- defined, 516
- queries against, 516-518

**F****F1 function key, 142, 1202****F2 function key, 142****F3 function key, 1202****F4 function key, 142****F5 function key, 142****F6 function key, 142****F7 function key, 142****F8 function key, 142****F9 function key, 1202****F12 function key, 142****Faculty template, 76****False constant, 1189****FetchComplete event (Recordset object), 1327****FetchProgress event (Recordset object), 1327****field lists (SQL), 382****Field Name field property, 209****Field objects, 1319-1322****Field Property Sheet, formatting query data, 492-493****Field Size field property, 210**

- selecting subtypes for, 215-217

**field width, printing queries, 397****field-level validation rules, 276-278**

- testing, 283-285

**FieldChangeComplete event (Recordset object), 1327****fields. *See also* records**

- adding to tables, 563-564
- AutoNumber fields, troubleshooting, 263
- calculated fields, 437-440
  - expressions for, 445-447
- Caption property, 395, 524
- column fields (PivotTables), 526
- data types
  - Field Size property, selecting subtypes for, 215-217
- Format property, selecting, 218-223

**Input Mask property, 223-225**

- list of, 213-215
- in VBA, 1180-1181

**default values**

- creating, 434-435
- setting, 235-237

**defined, 178****detail fields (PivotTables), 526****editing, 244-245**

- changing data types, 246-247
- rearranging fields, 245-246

**filter fields (PivotTables), 526****freezing, 291****function key assignments, 142-143****hiding, 314****identity fields, appending records containing, 896-897****keyboard operations for, 272-273****legacy databases, converting to Access data types, 356-358****lookup fields, 104-106, 466-467****adding fixed-value****lookup lists, 472-474****adding foreign keys with Lookup Wizard, 467-471****adding to tables, 109-111****creating multivalued****lookup fields, 474-478****properties, 877****replacing, 1125-1129****in tables, 407****multiple fields, sorting on, 292-293****naming, 250, 264****when designing tables, 228-229****null values, troubleshooting, 406****object dependencies,****enabling/viewing, 248-250**

- in PivotCharts, filtering, 542
  - in PivotTables
    - filtering, 530-532
    - increasing level of detail, 533-534
  - primary keys
    - adding to make-table queries, 895
    - creating, 241-242
  - properties
    - list of, 209-213
    - when designing tables, 229-230
  - queries
    - selecting, 386-389, 494
    - troubleshooting, 406
  - relationships and, 237
  - renaming in template-based applications, 104-107
  - replacing values, 296-297
  - replication fields, 829
  - row fields (PivotTables), 526
  - single fields, sorting on, 292
  - smart tags
    - Property Options smart tag, 250-251
    - Web-based smart tags, 251-253
  - structure of relational databases, 181
  - summary calculations, 495
    - on all table records, 496-497
    - on selected table records, 497-500
    - with SQL aggregate functions, 495-496
  - text fields, newline pairs in, 371
  - totals fields (PivotTables), 526
  - unfreezing, 293
  - viewing hidden, 314
- Fields & Columns group (Table Tools, Datasheet ribbon), 133-134**
- Fields collection, 1319-1322**
- Fields property (Recordset object), 1314**
- fifth normal form, 190**
- file formats**
- for exporting tables, 371
  - support for, 337
- File New Database dialog, 204**
- file permissions for back-end components, 816-822**
- FileMaker Pro, 69-70**
- fill color for PivotTables, changing, 534**
- Filter and Sort dialog, 363**
- Filter by Form option, 297, 300-305**
- Filter by Selection option, 297-300**
- Filter Design window, 365**
- filter events, 1152-1153**
- filter fields (PivotTables), 526**
- Filter Lookup Options group (Current Database page), 147**
- Filter On Load table property, 208**
- Filter property**
- avoiding, 883
  - Recordset object, 1315, 1317-1318
  - viewing, 303
- filter references, removing, 968-970**
- Filter table property, 207**
- filtering**
- Datasheet view, 49
  - fields in PivotCharts, 542
  - Navigation pane, 47
  - PivotTable fields, 530-532
  - records, 297-298
    - advanced filters, 298, 307-312
    - applying saved queries as filters, 313-314
    - exporting filtered records, 316
    - by form, 297, 300-305
  - loading saved filters, 313
  - menu-based filtering, 297, 305-307
  - saving filters as queries, 312-313
  - by selection, 297-300
  - Text Filters option, 300
  - troubleshooting, 316
- filters**
- ApplyFilter macro, 1161, 1163-1164
  - events, 1153
  - server-side filters, 884
- financial functions, 421**
- Find and Replace dialog, 294**
- Find button (VBA editor toolbar), 1201**
- Find Duplicates Query Wizard, 1013-1015**
- Find group (Home ribbon), 131**
- Find in Field dialog, 362**
- Find method (Recordset object), 1316, 1323, 1326-1327**
- finding. *See* searching**
- FindNext method, 1224**
- FindRecord method, 1224**
- first normal form, 185-187**
- fixed column headings in crosstab queries, 510-512**
- fixed length, fixed width versus, 217**
- fixed width, fixed length versus, 217**
- fixed-value lookup lists, adding, 472-474**
- fixed-width Text fields, 217**
- fixed-width text files, 337**
- importing, 372
- flat tables, 185**
- flat XML documents, importing to tables, 1075-1077**
- flat-file database managers, 179**

- flow control (VBA), 1191**
  - branching, 1192
  - conditional statements, 1192
    - If...Then...End If statement, 1192-1193
    - Select Case...End Select statement, 1193-1195
  - repetitive statements, 1195
    - Do Until...Loop statement, 1197
    - Do While...Loop statement, 1196-1197
    - For...Next statement, 1195-1196
    - While...Wend statement, 1197
- fn (functions) prefix, 894**
- focus, cycling, 132**
- focus events, 1152-1153**
- folder permissions for back-end components, 816-822**
- folders, as Trusted Locations, 412**
- Font group (Home ribbon), 129**
- fonts, changing, 314**
- footers**
  - creating forms with, 643-644
  - form footers
    - adding, 694-695
    - background colors, 600-601
    - properties, 635
    - sizing, 636
  - group footers, 702
    - adding, 762
    - deleting, 762-763
    - page breaks, 763
  - page footers, 702
    - adding, 762
    - deleting, 762-763
    - disabling printing, 731
    - printing, 763
  - report footers, 702
- For...Next statement, 1195-1196**
- foreground color (forms), 604-605**
- foreign keys**
  - adding
    - lookup fields for, 467-471
    - to tables, 565-567
  - defined, 181
  - lookup operations, 182
- Form Design Tools - Arrange ribbon, 30, 631-634**
- Form Design Tools - Design ribbon, 30, 627-630**
- form events, calling event handlers, 1204**
- form filters, 297, 300-305**
- Form Layout Tools - Arrange ribbon, 30, 588-589**
- Form Layout Tools - Format ribbon, 29, 585-587**
- form letters**
  - creating, 359-365
  - merging with different data sources, 365-367
- form modules, 1176**
  - function names, 1178
- Form object, 1212-1213**
  - corresponding database object type, 1182
  - members, viewing in Object Browser, 1219-1220
  - referring to, 1238-1239
- Form view (run mode), 120**
- Form Wizard, creating master/child forms, 607-610**
  - layout adjustments, 610-611
  - subform properties, 611-614
- form wizards, 695-696**
- form-based table updating, 576**
- form-level scope, 1184**
- Form\_Switchboard class module**
  - creating, 1213-1215
  - debugging, 1217-1219
  - event handling, 1215-1216
- Format Axis dialog, 779-780, 783-784**
- Format Chart Title dialog, 779**
- Format Data Series dialog, 792-793**
- Format function, 429, 446**
- Format Painter, 607**
- Format property, 210**
  - selecting, 218
    - conditional formatting, 222-223
    - custom formats, 220-222
    - Null values, 220
    - standard formats, 218-219
  - Table Design window, 876
- FormatCurrency function, 431**
- FormatDateTime function, 431**
- FormatNumber function, 431**
- FormatPercent function, 431**
- formatting. *See also* designing**
  - form controls, 594
    - AutoFormat, 595-599
    - default values, 594-595
  - HTML files, upgrading to HTML 4.01 and CSS, 1031-1032
    - fixing HTML Tidy-generated CSS code, 1034-1035, 1050-1051
    - with HTML Tidy's clean option, 1032-1034
  - linking documents to CSS files, 1036
  - HTML tables, 1067
    - adding elements, 1069-1070
    - CSS rules, 1067-1069
  - linked PivotCharts, 803-804
  - query data, 492-494
  - report controls, 728-729
  - text
    - labels, 646-647
    - text boxes, 646-647

**forms, 72, 582**

- Attachment controls,
  - adding, 675-678
- binding to Recordset objects, 1284-1286, 1288-1290
- closing, 119
- colors, 599
  - Access color palette, 599-600
  - background colors, 600-601
  - custom colors, 605-606
  - foreground colors, 604-605
- combo boxes
  - adding, 1254-1256
  - Combo Box Wizard, 660-665
  - converting to ADP, 1270-1276
  - editing, 1256-1257
  - list boxes versus, 660
  - populating, 666-668
  - record-selection boxes, 671-675
  - SELECT queries,
    - creating, 1258-1261
  - selecting all items, 1266-1269
  - static-value boxes, 668-671
  - troubleshooting, 1168, 1276-1277
- constraining queries with, 1250
  - adding combo boxes to forms, 1254-1257
  - creating forms with list boxes, 1252-1253
  - query design, 1251
- controls, 582
  - adding, 631, 682-683
  - aligning, 638-641
  - bound controls, 631
  - calculating controls, 631
  - changing control types, 658
  - copying, 650-651, 658-659, 695
  - deleting, 606
  - disabling editing, 620
  - error correction, 651-652
  - Format Painter, 607
  - moving, 637-640
  - native controls, 626
  - optimizing data entry, 683-685
  - rearranging, 610
  - removing from tab order, 619
  - selecting, 636-640
  - sizing, 638
  - tab controls. *See* tab controls
  - text editing, 606-607
  - unbound controls, 631
  - VBA references to, 1239-1240
- converting to Access data projects (ADP), 1270
  - importing and testing forms, 1270-1272
  - replacing queries with SQL Server views, 1272-1273
  - T-SQL syntax, 1273-1276
- creating, 641
  - controls, adding, 644-646
  - for decision-support applications, 1252, 1254
  - formatting text, 646-647
  - with headers/footers, 643-644
  - query data source,
    - creating, 641-643
  - text boxes, 647-648
- default layout, rearranging, 590-592, 652-653
- Design view, 634-635
  - aligning controls, 638-641
  - Form Design
    - Tools - Arrange ribbon, 631-634
  - Form Design
    - Tools - Design ribbon, 627-630
  - form properties, 635-636
  - moving controls, 637-638
  - selecting controls, 636-640
  - sizing controls, 638
  - sizing forms, 636
- designing, 621
  - audience support, 621
  - consistency and simplicity, 622-624
  - monitor resolution, 622
  - optimizing form design, 683-685
  - with SQL Server data sources, 908
- drill-down capabilities of list boxes, 1261-1263
  - programming, 1263-1265
- Error event, 1200
- form operations actions, 1159
- HTML forms
  - creating, 1043-1050
  - in Outlook, 101
- InfoPath forms, 1081-1082
  - collaboration and, 1143-1144
  - creating, 1082-1084
  - data sources to bind to, 1081
  - editing table data, 1084-1087
- labels, adding, 644-646
- Layout view, 585
  - Conditional Formatting dialog, 588
  - Form Layout
    - Tools - Arrange ribbon, 588-589
  - Form Layout
    - Tools - Format ribbon, 585-587
  - Tab Order dialog, 590
- list boxes
  - adding, 1252, 1254
  - drilling down from, 1261-1265
  - selecting items, 1265-1269
- master/child forms, 583
  - creating from related tables, 583-584



- creating with Form Wizard, 607-614
  - viewing in Layout view, 584-585
  - multiple-items forms, creating, 614-615
  - new features, 23, 53
    - anchoring controls, 55-56
    - default layouts, 54-55
    - grouping controls, 55
    - Layout view, 53-54
    - margins for controls, 56
    - modal dialogs, 53
    - padding for controls, 56
    - publishing to PDF or XPS, 56
    - tabbed documents, 53
  - opening, 119
    - with macros, 91-93
    - from Navigation Pane, 87-89
  - option groups
    - creating, 653-658
    - testing, 657
  - PivotChart forms, 522, 794-795. *See also* PivotCharts
    - cloning linked forms/subforms, 801-803
    - creating, 795-797
    - editing subform design, 803-804
    - linking to records, 801
    - persisting linked properties, 804-805
    - printing, 801
    - using as subforms, 798-799
  - PivotTables, 522
  - properties, 594
    - AutoFormat, 595-599
    - default values, 594-595
    - modifying, 619-620
    - overriding, 693-694
  - records, adding, 691-693
  - reports versus, 701-702
  - sections
    - adding, 694-695
    - sizing, 644
  - split forms, creating, 614-615
  - SQL statements in, 944-945
  - subforms. *See* subforms
  - tabbed document view, changing to modal pop-up window, 593-594
  - text boxes, adding, 648-650
  - transaction-processing forms
    - appending records with, 616-619
    - creating, 583-585
    - navigation in, 615-616
  - troubleshooting, 620-621, 1168
    - list boxes and combo boxes, 1276-1277
    - variable scope, 1184
  - VBA references to, 1238-1239
- Forms class, 1212**
- Forms collection, referring to, 1238-1239**
- Forms group (Create ribbon), 139-140**
- Forms page (Database window), 874**
- Forms/Reports group (Object Designers page), 149**
- Formula property (Table Design window), 876**
- forward slash (/), division operator, 415**
- four-digit years**
- converting two-digit years to, 447
  - formatting, 219
- fourth normal form, 189-190**
- FoxPro. *See* Visual FoxPro**
- freezing fields, 291**
- unfreezing, 293
- FROM clause (SQL), 382, 918**
- front ends**
- with linked tables, upsizing, 837
  - .mde front ends, creating, 863-864
  - password-protecting, 860-863
- front-end components, 812**
- attaching exported tables to, 847-849
  - backing up, 822
  - password-protecting, 860-862
    - creating .accde files, 863-864
    - VBA code, 862-863
- full joins, 928**
- Function & View Tools (Design ribbon), 32**
- function keys, 141-143**
- for fields, grids, and text boxes, 142-143
  - global function keys, 141-142
  - VBA shortcuts, 1202
- functions**
- in ADP Navigation Pane, 873
  - aggregate functions
    - troubleshooting, 447
    - usage, 924-926
  - breakpoints, adding, 1203-1205
  - calling in class modules, 1247
  - CAST(), 931
  - converting macros to, 1234-1237
  - data type conversions
    - functions, 916
  - defined, 413, 448
  - as event handlers, 1221-1223
  - executing in VBA, 1178
  - group aggregate functions, 916

inline functions, 890, 926-927  
 default values for input parameters, adding, 892-893  
 parameterized table-valued functions, creating, 890-892

SQL functions  
 aggregate functions, 495-496  
 upsizing VBA functions to, 979-980

SQL Server functions  
 in-line functions, 890-893  
 user-defined, 868

subprocedures versus, 1177-1178

T-SQL functions, 412

TVFs (table-valued functions), 926-927

user-defined functions, 412

utility functions, 916

VBA functions, 412, 1177-1178  
 data-type conversion functions, 421, 432-433  
 date/time functions, 421, 426-428  
 executing, 1173, 1178  
 financial functions, 421  
 help features, 422-424  
 Immediate window, 422  
 IsLoaded() function, adding breakpoints, 1203-1205  
 mathematic functions, 421  
 TempVars collection, 426  
 text-manipulation functions, 421, 428-432  
 trigonometric functions, 421  
 types of, 421  
 Variant data type, 424-425  
 void functions, 1177

## G

**Gates, Bill, 1148**

**General group (Advanced page), 151**

**Get External Data — Excel Data dialog, 323**

**GetChunk method (Field object), 1321-1322**

**GetRows method (Recordset object), 1323**

**GetString method (Recordset object), 1323**

**Getting Started with Microsoft Access dialog, 204**

templates, downloading, 73-74

**global constants, 1189**

**global function keys, 141-142**

**global scope, 1184**

**Globally Unique Identifiers (GUID), 182, 217**

**GoTo statement (VBA), 1192**

**GoToControl method, 1224**

**GoToPage method, 1224**

**GoToRecord method, 1224**

**grafted menus, 779**

**grand totals, adding to PivotTables, 528-530**

**Graph. *See* MSGraph**

**graphical view designer, 884-885**

**graphics formats for Attachment control, 675-676**

**graphs. *See also* charts; PivotCharts**

adding to reports, 784-787  
 in ADP, 777

changing graph type, 780, 782, 784

charts versus, 774

converting to charts, 780-784

linked graphs, 788  
 assigning crosstab queries, 790

creating from crosstab queries, 788-794  
 defined, 773

designing crosstab queries, 788-789

linking to records, 790-792, 794

modifying graph design, 778-780

printing in reports, 784-787

time-series graphs, 770

unlinked graphs, 770

creating with Chart Wizard, 773-778

defined, 773

modifying with MSGraph, 778-780

query data source, creating, 770-773

**Gray, Jim, 20, 177**

**greater than operator (>), 416**

**greater than or equal to operator (>=), 416**

**Grid button (view designer toolbar), 885**

**gridlines, removing, 315**

**Gridlines and Cell Effects group (Datasheet page), 148**

**grids**

form controls, aligning, 638-641

function key assignments, 142-143

**group aggregate functions (SQL), 916**

**Group By button (view designer toolbar), 885**

**group footers, 702**

adding, 762

deleting, 762-763

page breaks, 763

**group headers, 702**

adding, 762

deleting, 762-763

page breaks, 763

**group sections (reports),**  
**702, 746-747**  
 by alphabetic code characters, 749  
 by date/time, 751  
 by numeric value, 748-749  
 preventing widowed records, 733-734  
 by ranges of values, 750-751  
 sorting, 709, 751-752  
 by using subgroups, 749

**Group, Sort, and Total pane,**  
**746-749**

**GROUPBY clause (SQL),**  
**385**  
 aggregate functions, 924-925

**grouped reports, creating with Report Wizard,**  
**704-712**

**grouping form/report controls,** 55

**groups of records, blocks of cells versus,** 275

**groups/totals reports,** 703

**GUIDs (Globally Unique Identifiers),** 182, 217

## H

**harmful code,** 40

**Harris, Jensen,** 171

**hashing,** 318

**HasModule property,** 1176

**HAVING clause (SQL),** 442  
 aggregate functions, 924-925

**headers**  
 creating forms with, 643-644  
 defined, 345  
 form headers  
 adding, 694-695  
 background colors, 600-601  
 labels, adding, 644-646  
 properties, 635  
 sizing, 636

group headers, 702  
 adding, 762  
 deleting, 762-763  
 page breaks, 763

HTML table headers, 1069-1070

page headers, 702  
 adding, 762  
 deleting, 762-763  
 printing, 763

report headers, 702  
 adding, 762  
 deleting, 762-763  
 disabling printing, 731

XML document headers, 1057

**heads-down data entry. See data entry**  
 Datasheet view versus, 286  
 defined, 194

**Help system. See also online help**  
 Help task pane, 158  
 for macros, 1149  
 for VBA, 422-424, 1202-1203

**HelpContext property (Error object),** 1299

**HelpFile property (Error object),** 1299

**hidden indexes,** 243

**hidden tables, Upsizing Wizard and,** 829

**hiding**  
 fields, 314  
 prebuilt categories (Navigation pane), 46

**hierarchical databases,** 177

**history**  
 of computer-based sorting and searching, 317  
 of databases, 177-180  
 of Microsoft support for HTML, 1051-1053  
 of Microsoft support for XML, 1052-1053  
 of programming languages for macros, 1208-1210

**Hobson's choice,** 807

**Hollerith, Herman,** 177

**Home Inventory template,** 78

**Home ribbon, 25-26,**  
**127-128**  
 command buttons, 128-131

**host variables,** 919

**Hour function,** 427

**Hourglass method,** 1225

**HRActions table (Northwind sample database)**  
 adding, 230-233  
 designing, 226-227  
 assigning field names, 228-229  
 assigning field properties, 229-230  
 information to include, 227-228  
 importing, 267  
 records, adding, 281-283

**.htm files, default location,** 120

**HTML (Hypertext Markup Language), 1006**  
 creating by exporting tables/queries as XML, 1060-1067  
 dynamic tables, displaying with ASP, 1037-1043  
 exporting  
 reports to, troubleshooting, 1087-1088  
 tables to, 1024-1026, 1060-1062  
 formatting tables, 1067-1070  
 forms  
 creating, 1043-1050  
 in Outlook, 101  
 history of Microsoft support for, 1051-1053  
 Internet Explorer 7 (IE 7), troubleshooting, 1088  
 lists, importing, 1017-1020  
 standards, 1006  
 templates, 1029-1031

- upgrading to HTML 4.01 and CSS, 1031-1032
    - fixing HTML Tidy-generated CSS code, 1034-1035, 1050-1051
    - with HTML Tidy's clean option, 1032-1034
    - linking documents to CSS files, 1036
    - validating, 1034
  - HTML 4.01, 1006**
    - converting to XHTML 1.0, 1036-1037
    - upgrading to, 1031-1032
      - fixing HTML Tidy-generated CSS code, 1034-1035, 1050-1051
      - with HTML Tidy's clean option, 1032-1034
      - linking documents to CSS files, 1036
  - HTML Output Options dialog, 1024**
  - HTML tables**
    - exporting reports to, 1026-1029
    - formatting, 1067
      - adding elements, 1069-1070
      - CSS rules, 1067-1069
    - headers, adding, 1069-1070
    - importing, 1006-1008
      - counting duplicate rows, 1013-1015
      - fixing source with HTML Tidy, 1020-1024
      - from web pages, 1008-1013, 1050
      - removing duplicate rows, 1015-1016
    - linking to, 1017
    - structure of, 1007-1008
    - STYLE tag, applying, 1067-1069
    - XSLT-generated, 1067
  - HTML Tidy, 1020-1021**
    - clean option, 1032-1034
    - configuration files, 1023-1024
    - converting HTML 4.01 to XHTML 1.0, 1036-1037
    - downloading, 1021-1022
    - fixing HTML Tidy-generated CSS code, 1034-1035, 1050-1051
    - running from command prompt, 1023
  - Hungarian notation, 381**
  - Hyperlink data type, 214**
  - hyperlinks**
    - defined, 1006
    - in HTML lists, 1019-1020
  - hypertext, defined, 1006**
  - Hypertext Markup Language. See HTML**
- I**
- identifier operators, 414, 417-418**
  - identifiers, 413, 420-421**
  - Identity fields, appending records, 896-897**
  - Identity Increment property (Table Design window), 876**
  - Identity property (Table Design window), 876**
  - Identity Seed property (Table Design window), 876**
  - IE 7 (Internet Explorer 7), troubleshooting, 1088**
  - If... Then... End If structure, 1192-1193**
  - IIS (Internet Information Services), 1042**
    - running ASP templates from, 1041
    - setting up, 1042-1043
  - Image control, 678**
  - images**
    - Attachment controls, adding, 675-678
    - in legacy databases, 354-356
  - IME Mode field property, 212**
  - IME Sentence Mode field property, 212**
  - Immediate window, 422**
    - printing to, 1205-1207
  - implicit variables, 1183**
  - Import a File dialog, 331**
  - Import and Export Wizard, 331**
  - Import HTML Wizard, 1008, 1010-1012, 1018**
  - Import Objects dialog, 103**
  - Import Specifications dialog, 342-344**
  - Import Spreadsheet Wizard, 323-329**
  - Import Text Wizard, 338-342**
    - advanced options, 342-345
  - Import XML dialog, 1074-1075, 1080**
  - importing**
    - Access 97 versus Access 2007 features, 372-373
    - Contacts (Outlook), 94-96
    - fixed-width text files, troubleshooting, 372
    - forms to ADP (Access data projects), 1270-1272
    - HRActions table (Northwind sample database), 267
    - HTML lists, 1017-1020
    - HTML tables, 1006-1008
      - counting duplicate rows, 1013-1015
      - fixing source with HTML Tidy, 1020-1024
      - removing duplicate rows, 1015-1016
      - from web pages, 1008-1013, 1050
    - legacy database files, 345-348
      - converting fields to Access data types, 356-358
      - images in, 354-356
      - ISAM tables, 348-350
      - troubleshooting, 371-372
    - objects to template-based applications, 102-104

- in Outlook 2007, 330-331
  - Access tables, 331-335
  - related tables from XML, 1080-1081
  - SharePoint 2007 lists, 1106
  - spreadsheet files, 96, 321
    - creating tables via, 321-329
  - text files, 337-338
    - Import Text Wizard, 338-345
  - XML data to tables, 1074-1078, 1080-1081
    - as flat XML documents, 1075-1077
    - with XML schemas, 1077-1078
- In operator, 418-419**
  - Or operator versus, 277
- IN predicate (SQL), 934, 940, 942**
- in-line functions, 890-893**
- increasing level of detail (PivotTables), 533-534**
- Index property (Recordset object), 1315**
- Indexed field property, 212**
- indexed sequential access method. *See* ISAM tables**
- indexes**
  - automatically generated indexes, troubleshooting, 263
  - creating, 242-244, 943-944
  - dBASE and Paradox databases, 346
  - defined, 193
  - deleting, 944
  - hidden indexes, 243
  - multiple-field indexes, 243
  - query optimization, 290
  - in searching and sorting, 317-318
- Indexes dialog, 242**
- Indexes/Keys page, Properties dialog (project designer), 880-881**
- indirect relationships. *See* many-to-many relationships**
- InfoMessage event (Connection object), 1303**
- InfoPath forms, 1081-1082**
  - collaboration and, 1143-1144
  - creating, 1082-1084
  - data sources to bind to, 1081
  - editing table data, 1084-1087
  - XML schema, 1081
- Informix, linking/exporting tables, 827-828**
- inline functions, 890, 926-927**
  - default values for input parameters, adding, 892-893
  - parameterized table-valued functions, creating, 890-892
- inner joins, 928**
  - defined, 451
  - multicolumn inner joins, creating, 463-466
  - single-column inner equi-joins, creating, 452-455
- Input Mask field property, 211, 223-225, 877**
- input masks, 274**
  - formatting query data, 493
- input parameters, adding default values, 892-893**
- Insert Hyperlink dialog, 1019**
- Insert Merge Field dialog, 361**
- Insert Module button (VBA editor toolbar), 1201**
- INSERT queries. *See* append queries**
- INSERTINTO clause (SQL), 559**
- installing SSX (SQL Server 2005 Express), 60-65**
- instance names for SSX (SQL Server 2005 Express), 828**
- instances**
  - defined, 1185
  - SQL Server instances, 813
- InStr function, 429**
- InStrRev function, 429**
- intDataMode argument (OpenForm method), 1225**
- Integer data type, 1180**
- integer division operator, 415**
- Integer subtype, 216**
- IntelliMenus, 171**
- IntelliSense statement autocompletion, 1206**
- International Standard Book Number (ISBN), as primary keys, 191**
- Internet Assistant for Microsoft Access add-in, 1051**
- Internet Explorer 7 (IE 7), troubleshooting, 1088**
- Internet Information Services. *See* IIS**
- interoperability wrappers (COM), 1182**
- INTO clause (SQL), 403, 554**
- intrinsic constants, 424, 433-434, 1190**
- invisible variables, 1184**
- invoking. *See* executing**
- inWindowMode argument (OpenForm method), 1225**
- Is operator, 418**
- Is RowGuid property (Table Design window), 876**
- ISAM tables, importing/linking, 348-350**
- ISBN (International Standard Book Number), as primary keys, 191**

**IsLoaded function, adding breakpoints, 1203-1205**

**Isolation property (Connection object), 1296**

**IsolationLevel property (Connection object), 1294-1296**

**Issues template, 76**

**ItemData property, 1265**

**iterating list box items, 1265-1266**

## J

**Jet databases, 177, 180, 870**

- Access databases versus, 202
- attaching MSDE databases, 1349-1350
- concurrent users limit, 824
- migrating to client/servers
  - benefits of, 823-825
  - exporting to RDBMSs, 827-828
  - selecting strategy for, 825-826
  - with Upsizing Wizard, 826-839
- upgrading to Access databases, 202

**Join function, 429**

**JOIN properties, setting for views, 886-890**

**Join Properties dialog, 239, 485**

**joins, 195, 567-569**

- creating, 928-930
- inner joins, 451
- multicolumn inner joins,
  - creating, 463-466
- natural joins, 451
- with nested queries,
  - creating, 457-459
- outer joins
  - creating, 484-486
  - defined, 452
- relationships and, 450-451
- rows returned, minimizing, 455-457
- self-joins
  - creating, 486-487
  - defined, 452

- single-column inner equi-joins, creating, 452-455
- sort order, specifying, 455-457
- theta joins
  - creating, 487-488
  - defined, 452
- types of, 451-452

## K

**keyboard events, 1152-1153**

**keyboard operations. *See also* function keys; Keytips; shortcut keys**

- editing text, 270
- fields/text boxes, 272-273
- importance of, 266-267
- selecting text, 270-271
- setting data entry options, 267-269
- VBA code shortcuts, 1202
- Windows Clipboard operations, 271-272

**keypunch data entry. *See* heads-down data entry**

**keys**

- composite primary keys, 184
- foreign keys
  - defined, 181
  - lookup operations, 182
- primary keys
  - data validation testing, 284
  - defined, 181
  - deriving, 182
  - entity integrity, 193
  - lookup operations, 182
  - referential integrity, 192-193
  - selecting, 190-192
- secondary keys, 318
- surrogate keys, 182

**KeyTips, 25**

- activating, 128
- Create ribbon, 138-141
- Home ribbon, 128-131
- Table Tools, Datasheet ribbon, 133-135
- Table Tools, Design ribbon, 137

**keywords. *See also* reserved words**

- in arrays, 1187
- help window for, 1202
- SQL, categories for, 916-917
- statement autocompletion, 1206
- in variables, 1183

**Knuth, Donald E., 316-318**

## L

**Label Wizard, 734-737**

**labels**

- adding
  - to forms, 644-646
  - to tab control pages, 682-683
- aligning, 671
- for bound text boxes, 649
- formatting text, 646-647
- graph labels
  - font size, changing, 779-780
- reversing, 807
- mailing labels
  - creating, 734-737
  - editing, 738-741
  - moving, 646
  - VBA, 1192

**.laccdb files, 203**

**Landis, E. M., 317**

**Layout mode, 120**

**layout of forms**

- customizing, 610-611
- rearranging default layout, 590-592

**layout of reports, 702-703**

**Layout view**

- forms, 53-54, 585
  - Conditional Formatting dialog, 588
  - Form Layout
    - Tools – Arrange ribbon, 588-589
  - Form Layout
    - Tools – Format ribbon, 585-587

- master/child forms, 584-585
  - Tab Order dialog, 590
- reports, 53-54, 712
  - Report Layout
    - Tools – Arrange ribbon, 714-715
  - Report Layout
    - Tools – Format ribbon, 712-713
  - Report Layout
    - Tools – Page Setup ribbon, 714
- LCase function, 429**
- .ldb files, 203**
- Left function, 429**
- left outer joins, 928**
  - creating, 484-486
- legacy database files**
  - importing, 345-348
    - converting fields to Access data types, 356-358
    - images, 354-356
    - ISAM tables, 348-350
    - troubleshooting, 371-372
  - linking with ODBC, 350-354
- legal issues, importing HTML tables, 1006**
- legends**
  - in PivotCharts, 541
  - reversing with x-axis, 807
- Len function, 429**
- Lending Library template, 77**
- Length property (Table Design window), 876**
- less than operator (<), 416**
- less than or equal to operator (<=), 416**
- Leszynski Naming Conventions for Access, 1175**
- level of detail in PivotTable fields, increasing, 533-534**
- libraries. *See also* add-ins**
  - missing libraries, troubleshooting, 1352
  - references, 1178-1179
- licensing**
  - Microsoft Small Business Server (SBS), 911
  - MSDE, 870
  - Software Assurance and Licensing terms, 1209
  - SQL Server, 870-871
- lifetime of VBA variables, 1185. *See also* duration**
- Like expressions, date constraints in, 949**
- Like operator, 418-419**
- line graphs, 770**
  - adding to reports, 784-787
  - changing graph type, 780, 782, 784
  - creating
    - with Chart Wizard, 773-778
    - from crosstab queries, 788-792, 794
  - modifying design, 778-780
  - query data source
    - Chart Wizard, 770-773
    - crosstab queries, 788, 790
- line graphs. *See* graphs**
- line spacing in report sections, 729-731**
- line-item sources, 770**
- Link Child Fields table property, 208**
- link connection string, changing, 840-842**
- link expression errors, troubleshooting reports, 766**
- Link Master Fields table property, 209**
- Link Spreadsheet Wizard, 330**
- Link Tables dialog, 352**
- linked charts in static tables, 985-986**
- linked graphs, 788**
  - assigning crosstab queries, 790
  - creating from crosstab queries, 788-794
  - defined, 773
- designing crosstab queries, 788-789
- linking to records, 790-792, 794
- linked PivotCharts**
  - cloning, 801-803
  - creating, 801
  - formatting, 803-804
  - persisting properties in, 804-805
- linked servers, 868**
- Linked Table Manager, 162, 358-359, 839**
- linked tables, troubleshooting queries with, 518**
- linking**
  - charts, 321
  - client/server databases manually, 843
    - attaching exported tables, 847-849
    - creating ODBC data source, 843-846
    - exporting table data to RDBMS, 846-847
  - databases, 180
  - HTML documents to CSS files, 1036
  - to HTML tables, 1017
  - image files, embedding versus, 356
  - importance of, 320
  - ISAM tables, 348-350
  - legacy databases
    - converting fields to Access data types, 356-358
    - images in, 354-356
  - Outlook 2007 files to Access tables, 335-337
  - PivotCharts, 801
    - cloning linked forms/subforms, 801-803
    - persisting linked properties, 804-805
    - setting linked properties, 1243-1246
  - SharePoint 2007 lists, 1106, 1140-1141

- spreadsheet files, 321
  - to tables, 329-330
- subreport data to reports, 758-760
- tables. *See also* multiuser
  - Access applications
    - with Database Splitter, 813-816
  - defined, 183
  - Oracle tables, 828
  - to SharePoint lists, 1141-1142
  - upsizing applications
    - with linked tables, 837
  - WSS lists to, 1140
  - Visual FoxPro tables with ODBC, 350-354
- links.** *See* **hyperlinks**
- List Box Wizard, 1252, 1254, 1263**
- list boxes.** *See also* **combo boxes**
  - adding to tab control pages, 682-683
  - advantages, 1277-1278
  - combo boxes versus, 660
  - creating
    - Combo Box Wizard, 660-665
    - forms with, 1252-1253
    - record-selection boxes, 671-675
    - static-value boxes, 668-671
  - drill-down capabilities, 1261-1263
    - programming, 1263-1265
  - in DSAs (decision-support applications)
    - adding to forms, 1252, 1254
    - drilling down from, 1261-1265
    - selecting items, 1265-1269
  - events, responding to, 1159-1161
  - iterating items, 1265-1266
  - optimizing performance, 1277
  - populating, 666-668
  - selecting items, 1265-1266
  - troubleshooting, 1276-1277
- list management (function of Access), 116**
- ListCount property, 1265**
- lists (HTML), importing, 1017-1020**
- lists (SharePoint 2007)**
  - customizing, 1134-1135
  - exporting tables to, 1110, 1138-1140
    - changes to source tables, 1121-1123
  - checking in/out databases
    - from Document Libraries, 1123-1125
  - customizing list views, 1112-1117
  - from Northwind sample database, 1117-1121
  - replacing lookup fields, 1125-1129
  - SharePoint data types, 1110-1111
  - SharePoint-specific commands/buttons, 1129-1130
    - troubleshooting, 1142
  - exporting/importing/linking, 1106
  - linking tables to, 1141-1142
  - linking to tables, 1140-1141
  - synchronizing, 1135-1137
- literals**
  - Date/Time literals, 420
  - defined, 413
  - numeric literals, 419
  - text literals, 419-420
- live Web reports, 701**
- loading saved filters, 313**
- local scope, 1184**
- local variables, 1186**
- locking**
  - database files, 203
  - Navigation pane, 46
- locking file, 817**
- LockType property (Recordset object), 1315, 1318**
- logical operators, 275, 414-417**
  - in form filters, 300
- logins, adding to SQL Server, 852-853**
  - execute rights for stored procedures, 857-859
  - server and database roles, 853-854
  - with SQL Server Management Studio, 854-857
  - verifying protection, 859-860
- Long Binary data type, 215**
- Long data type, 1181**
- Long Integer data type, 216, 1180-1181**
- lookup fields, 104-106, 466-467**
  - adding to tables, 109-111
  - fixed-value lookup lists, adding, 472-474
  - foreign keys as, 467-471
  - multivalued lookup fields, creating, 474-478
  - printing, 719-720
  - properties (Table Design view), 877
  - replacing, 1125-1129
  - in tables, 407
- lookup lists, 104**
  - data validation, 279-281, 284
- lookup operations, 182**
- Lookup page (Table Design view), 877**
- lookup tables, creating with Table Analyzer Wizard, 255-259**
- Lookup Wizard, 214, 467-471**
- looping, 1195**
  - Do Until...Loop statement, 1196-1197
  - Do While...Loop statement, 1196-1197
  - ensuring loop execution, 1197-1198



For...Next statement,  
1195-1196  
While...Wend loop, 1197

**Lotus 1-2-3, importing  
Lotus spreadsheet files, 96**

**LTrim function, 429**

## M

**Macro Builder, 1149**

**macro commands, 72**

**Macro-to-VBA Converter,  
class modules**

creating, 1213-1215  
debugging, 1217-1219  
testing, 1215-1219

**macros, 57, 72, 117-118,  
1208-1209**

actions

Close, 1151  
definition of, 1148  
OpenQuery, 1151  
RunCommand, 1151  
viewing, 1149-1151

advantages/disadvantages,  
1151, 1169

ApplyFilter, 1161, 1163-1164  
arguments, 1148-1149

AutoExec, 1148

compared to VBA, 1151

converting to VBA callback  
functions, 1234-1237

definition of, 1148

embedded macros, 72

in templates, 77

error handling, 1157-1158  
events

data events, 1153  
Dirty, 1154  
error events, 1153  
event properties, 1154  
filter events, 1153  
focus events, 1153  
keyboard events, 1153  
mouse events, 1152  
print events, 1153  
reference events, 1153  
responding from combo  
and list boxes,  
1159-1161

timing events, 1153  
types of, 1152  
window events, 1153  
generating with Command  
Button Wizard, 1155,  
1157-1159  
application actions, 1159  
form operations actions,  
1159  
Previous Record button,  
1155-1157  
record navigation  
actions, 1158  
record operations  
actions, 1159  
report operations actions,  
1159

history of programming  
languages for, 1208-1210

Macro Builder, 1149

macros behind forms, 1149

macrosheets, 1149

new features, 23, 56-57

online help, 1149

opening forms/reports,  
91-93

role of, 1148

SendObject macro, creating  
e-mail messages, 96-100

Switchboard Manager,  
1164-1168

in templates, 77

troubleshooting, 1168

unsafe macros, enabling, 42

VBA versus, 1172

**macrosheets, 1149**

**Mail Merge Recipients  
dialog, 363**

**Mail Merge Wizard, 359-360**

form letters  
creating, 360-365  
merging with different  
data sources, 365-367

**mailing labels, 703**

creating with Label Wizard,  
734-737

editing, 738-741

printing multicolumn  
reports as, 734-741

**mainframe computers, 177**

**Make MDE File command,  
163, 165, 863**

**Make Table dialog, 402, 553**

**make-table queries, 401, 551.**

*See also* action queries

converting SELECT  
queries to, 553-555  
creating, 402-404  
defined, 550  
designing SELECT query  
for, 551-553  
final steps in example,  
556-557  
parameters, adding, 404-405  
primary-key fields, adding,  
895  
relationships, establishing,  
555-556  
syntax, 936

**make-table stored  
procedures, 894-896**

**Manage command button  
(Office gallery), 38**

**management tools, Access  
versus SQL Server, 910-911**

**manually linking**

**client/server databases, 843**  
attaching exported tables,  
847-849  
creating ODBC data source,  
843-846  
exporting table data to  
RDBMS, 846-847

**many-to-many relationships,  
183**

with lookup fields, 104-106  
queries, creating from,  
459-463

**Map Custom Fields dialog,  
333**

**margins**

for form/report controls, 56  
reports, 731-732

**Marketing Projects template,  
76**

**markup tags (HTML)**

defined, 1006  
for lists, 1017  
for tables, 1007-1008

**MarshalOptions property**  
(Recordset object), 1315

**master/child forms, 583**

- creating
  - with Form Wizard, 607-614
  - from related tables, 583-584
- viewing in Layout view, 584-585

**mathematic functions, 421**

**MaxRecords property**  
(Recordset object), 1315

**.mdb files, 73, 202**

- .accdb file extension versus, 1334
- upgrading to .accdb file extension, 202

**.mde files, 860**

- creating, 164-165, 863-864

**Memo data type, 213**

**Memo Fields**

- Append-Only Memo Fields, 49
- Rich Text in, 48

**menu negotiation, 779**

**Menu-based Filter/Sort option, 297, 305-307**

**Merge to New Document dialog, 364**

**metadata, 345, 1301**

**methods**

- Command object, 1309-1310
- Connection object, 1300-1302
- DoCmd object, 1221-1225
- Field object, 1321-1322
- Recordset object, 1322-1327

**Microsoft**

- history of HTML support, 1051-1053
- history of XML support, 1052-1053

**Microsoft Access projects.**  
*See* ADPs

**Microsoft Analysis Services, 771**

**Microsoft Data Engine (MSDE).** *See* SSX (SQL Server 2005 Express)

**Microsoft Graph.** *See* MSGraph

**Microsoft Office Access 2007.** *See* Access 2007

**Microsoft Office Online, templates from, 81-82**

**Microsoft Office Open XML (MOOX), 1052, 1056**

**Microsoft Office SharePoint Services (MOSS) 2007, 1092.** *See also* SharePoint 2007

**Microsoft Small Business Server (SBS), 911**

**Microsoft Software Assurance and Licensing terms, 1209**

**Mid function, 429**

**migrating.** *See also* upgrading

- Access databases to SQL Server databases, 203
- to client/server databases
  - benefits of, 823-825
  - exporting to RDBMSs, 827-828
  - selecting strategy for, 825-826
  - with Upsizing Wizard, 826-839

**mini-server applications, 770**

**minimizing rows returned in joins, 455-457**

**minus sign (-), subtraction operator, 415**

**Minute function, 427**

**mixed environment, upgrading secured Access 9x files, 1341-1342**

**Mod operator, 415**

**modal dialogs, 21, 53**

**modal pop-up window, changing tabbed document form view to, 593-594**

**Mode property (Connection object), 1294, 1296-1297**

**modifying tables in other databases, 940, 942**

**Module window (VBA editor toolbar), 1200-1202**

**module-level scope, 1184**

**modules, 72, 118, 1175-1177.**

*See also* class modules

- Access modules, 1175
- class modules, 1177
  - functions, calling, 1247
  - subprocedures, calling, 1247
- Declarations section, 1177
  - dynamic arrays, 1187
  - form-level variables, 1184
  - global variables, 1184
  - module-level variables, 1184
  - Option Compare... statements, 1208
  - Option Explicit statement, 1183-1184
  - report-level variables, 1184
  - symbolic constants, 1189
  - user-defined data types, 1186

form modules, 1176

function names, 1178

functions, 1177-1178

procedures, 1177

Public variables, declaring, 1177

references, 1178

report modules, 1176

shortcut keys, 1202

text comparison options, 1208

Utility Functions module, 1203-1207

variable scope, 1184

VBA

elements of, 1177

types of, 1175-1177

**monitor resolution, designing forms, 622**

**Month function, 427**

**Monthly Orders by Category report, creating, 754-758**

- MonthName** function, 427
- MOOX**(Microsoft Office Open XML), 1052, 1056
- MOSS** (Microsoft Office SharePoint Services) 2007, 1092. *See also* SharePoint 2007
- most-recently used (MRU) list**, 123
- mouse events**, 1152
- Move method (Recordset object)**, 1323
- Move to SharePoint Site Wizard**, 1106, 1111
- MoveComplete** event (Recordset object), 1328
- MoveFirst** method (Recordset object), 1323
- MoveLast** method (Recordset object), 1324
- MoveNext** method (Recordset object), 1324
- MovePrevious** method (Recordset object), 1324
- moving**. *See also* exporting form controls, 637-640 labels, 646 report controls, 717-719 upsized databases, 839-842 changing link connection string, 840-842
- MRU (most-recently used) list**, 123
- MSDE (Microsoft Data Engine)**. *See also* SSX (SQL Server 2005 Express) batch operations limit, 824 features, 824 licensing, 870 performance, troubleshooting, 864-865 upgrading to SQL Server 2005 Express (SSX), 1346-1347 attaching MSDE databases, 1347-1350 removing MSDE, 1347
- SQL Server 2000 editions versus, 871
- MSDesign Tools**. *See* project designer
- MsgBox** method (DoCmd object), 1223, 1225
- MSGraph**, 770 adding graphs to reports, 784-787 changing graph type, 780, 782, 784 converting graphs to charts, 780-784 linked graphs, 788 assigning crosstab queries, 790 designing crosstab queries, 788-789 linking to records, 790-792, 794 modifying graph design, 778-780 PivotCharts versus, 807-808
- MSInfo** files, 158
- multicolumn inner joins, creating**, 463-466
- multicolumn reports**, 703 printing as mailing labels, 734-741
- multidimensional arrays (VBA)**, 1187
- multifield sorts**, 308-310
- multiline text boxes**, 647
- multiple fields, sorting on**, 292-293
- multiple records, updating**, 563 adding composite primary keys to tables, 564-565 fields to tables, 563-564 foreign keys to tables, 565-567 joining tables, 567-569 UNION queries, 569-572
- multiple values in lookup fields**, 467
- multiple-field indexes**, 243
- multiple-items forms, creating**, 614-615
- multiplication operator**, 415
- multitable queries, optimizing**. *See also* joins aggregate queries, 519 crosstab queries, 520 subdatasheets, 519
- multiuser Access applications**, 812-813 back-end components, share/folder/file permissions, 816-822 backing up, 822 creating, 812-813 Database Splitter, 813-816 securing network shares, 816-817, 821 verifying back-end security, 822 linking client/server databases manually, 843 attaching exported tables, 847-849 creating ODBC data source, 843-846 exporting table data to RDBMS, 846-847 migrating to client/server databases benefits of, 823-825 exporting to RDBMSs, 827-828 selecting strategy for, 825-826 with Upsizing Wizard, 826-839 moving upsized databases, 839-840 changing link connection string, 840-842 performance, troubleshooting, 864-865 practical uses for, 865-866
- Multivalued Lookup Field (MVLf)**, 48. *See also* lookup fields creating, 474-478
- munge**, 373

## N

**NAICS (North American Industry Classification System), as primary keys, 191**

**Name AutoCorrect feature, 147, 245, 250**

**Name AutoCorrect Options group (Current Database page), 147**

**Name property**

Command object, 1305

Field object, 1319

Parameter object, 1307

**named arguments, 1190-1191**

**named constants, 434**

**named database objects as VBA variables, 1187-1188**

**NamedParameters property (Command object), 1305**

**names**

of query column headers, changing, 394-397

three-part names, 941

**namespaces (XML), 1058**

**naming conventions**

fields, 250

when designing tables, 228-229

Hungarian notation, 381

option group controls, 657

for server share connections, 815

SQL Server, 894

tables, 94

tables/fields, 264

variables, 1183

VBA, 1174-1175

**native controls, 626**

**NativeError property (Error object), 1299**

**natural joins. See inner joins**

**Navigation group (Current Database page), 145**

**navigation in**

transaction-processing forms, 615-616

**Navigation Options dialog, 45**

**Navigation pane, 21, 42-43, 85**

for ADPs, 872-873

Custom category, customizing, 43-46

filtering, 47

forms, opening, 87-89

with macros, 91-93

hiding prebuilt categories, 46

locking, 46

object classification method, selecting, 85-86

records, adding, 87-91

reports, opening with

macros, 91-93

searching, 47

sorting, 47

**nested If...End If statements (VBA), 1193**

**nested queries, 382**

creating, 457-459

defined, 933

upsizing, 955, 957-959

**nested views, 933**

**network databases, 177**

**New command button (Office gallery), 36**

**new features in**

**Access 2007, 20**

Access database engine, 21, 47

data types, 47-49

Datasheet view, 49-52

forms and reports, 23, 53

anchoring controls,

55-56

default layouts, 54-55

grouping controls, 55

Layout view, 53-54

margins for controls, 56

modal dialogs, 53

padding for controls, 56

publishing to PDF or

XPS, 56

tabbed documents, 53

macros, 23, 56-57

Navigation pane, 21, 42-43

customizing Custom

category, 43-46

filtering, 47

hiding prebuilt

categories, 46

locking, 46

searching, 47

sorting, 47

ribbon user interface, 20-21, 24-25

contextual ribbons, 28-33

Create ribbon, 26

customizing, 33-34

Database Tools ribbon,

27-28

External Data ribbon, 27

Home ribbon, 25-26

Office gallery, 36-40

Quick Access Toolbar

(QAT), 34-36

security, 21, 40-41

enabling unsafe

macros, 42

package signing, 41-42

trusted locations, specifying,

41

SharePoint collaboration,

23, 57-58

tabbed documents, 21

templates, 22, 52-53

**New Form dialog**

AutoForm:PivotChart, 795-797

Chart Wizard, 773-778

**New Item macro, 77**

**New Values field**

**property, 212**

**newline pairs in text fields, 371**

**NextRecordset method (Recordset object), 1324**

**.nfo files, 158**

**No constant, 1189**

**NoMatch property (Recordset object), 1316**

**nonlinked graphs. See unlinked graphs**

**nonreserved words (ANSI SQL), 917**

- normal forms**
    - defined, 185
    - first normal form, 185-187
    - second normal form, 187-188
    - third normal form, 188-189
    - fourth normal form, 189-190
    - fifth normal form, 190
  - North American Industry Classification System (NAICS), as primary keys, 191**
  - Northwind sample database, 225**
    - exporting to SharePoint 2007, 1117-1121
    - HRActions table
      - adding records to, 281-283
      - importing, 267
    - Oakmont sample database versus, 184-185
    - opening, 120-123
    - tables
      - adding, 230-233
      - designing, 226-230
      - preparing to add, 225-226
    - Utility Functions module, 1203-1207
  - Northwind SQL sample ADP project, 872-874**
  - not equal operator (<>), 416**
  - Not operator, 417**
  - not-equal joins, creating, 487-488**
  - Now function, 427**
  - Null constant, 1189**
  - Null subtype, empty subtype versus, 425**
  - Null values, 220**
    - as default values, 236
    - in parameter queries, troubleshooting, 406
  - Number data type, 213**
    - converting to/from Date/Time or Text data type, 247
    - selecting subtypes for, 216-217
    - standard formats for, 218-219
  - Number property**
    - Err object, 1199
    - Error object, 1299
  - numeric data types, grouping report data by, 748-749**
  - numeric fields, changing data types, 246-247**
  - numeric literals, 419**
  - NumericScale property**
    - Field object, 1319
    - Parameter object, 1307
  - Nutrition template, 78**
  - Nz function, 432**
- 0**
- Oakmont sample database, Northwind sample database versus, 184-185**
  - Object Browser, 1179-1180**
    - ADO objects, displaying, 1290-1293
    - class module members, viewing, 1219-1220
    - DAO objects, displaying, 1290-1293
    - intrinsic constants, displaying, 1190
    - starting, 1220
    - viewing, 1179
  - Object Browser button (VBA toolbar editor), 1201**
  - object classification method (Navigation Pane), selecting, 85-86**
  - object dependencies, enabling/viewing, 248-250**
  - Object Designers page (Access Options dialog), 148-149**
  - object libraries, 1181-1182**
    - references, 1178
  - Object List button (VBA editor toolbar), 1202**
  - object menus, 779**
  - Object not found in this collection (error message), 1247**
  - object properties, setting, 1188-1189**
  - object security. See user-level security**
  - object-oriented programming languages, 1210**
  - objects. See names of specific objects**
    - data types in VBA, 1182
    - pointing to, 1188
    - statement autocompletion, 1206
  - ODBC (Open Database Connectivity), 827-828**
    - data sources, creating, 843-846, 1041
    - linking
      - front ends to
        - client/server RDBMSs, 827-828
        - Visual FoxPro tables, 350-354
      - table connection strings, 837-842
  - ODBC DSNs, attaching MSDE databases, 1349-1350**
  - ODBC table connection string, 837-839**
  - ODF (OpenDocument Format for Office Applications), 1052**
  - Off constant, 1189**
  - Office 2007 ribbon user interface. See ribbon user interface**
  - Office gallery, 36-40**
  - Office Live Premium, 69**
  - Office Online templates, creating databases from, 1131-1134**
    - customizing SharePoint lists, 1134-1135

- synchronizing SharePoint lists, 1135-1137
- Office Web Components (OWC), 808**
- offline access, synchronizing SharePoint lists, 1135-1137
- OLAP (online analytical processing), 771**
- OLE, embedding/linking**  
Excel charts, 321
- OLE DB, 1182**  
COM interoperability wrapper, 1182  
data providers, Recordset methods and, 1322
- OLE mini-server applications, 770**  
menu commands, 779
- OLE Object data type, 214-215**
- OLE Object fields, Attachment fields versus, 355**
- OLTP (online transaction processing) databases, 771.** *See also* transaction processing (TP)  
designing queries for, 771-773
- On constant, 1189**
- On Current event, setting linked PivotChart properties, 1243-1246**
- On Error GoTo statement, 1198-1199**
- On Error Resume Next statement, 1198**
- one-to-many forms.** *See* master/child forms
- one-to-many relationships, 183**
- one-to-one relationships, 183**
- online analytical processing (OLAP), 771
- online help, 158-159**  
searching for phrases, 159-160  
searching other sources, 160-162
- online transaction processing (OLTP) databases, 771.** *See* transaction processing (TP)  
designing queries for, 771-773
- Open command button (Office gallery), 36**
- Open Database Connectivity (ODBC), 827-828**
- Open dialog, 121**
- Open method**  
Connection object, 1300-1301  
Recordset object, 1324
- open source database systems, 70**
- OpenDataAccessPage method, 1224**
- OpenDiagram method, 1224**
- OpenDocument Format for Office Applications (ODF), 1052**
- OpenForm method, 1223, 1225**
- opening**  
databases, 118  
forms, 119  
with macros, 91-93  
from Navigation Pane, 87-89  
meaning in Access, 118-119  
Northwind Traders sample database, 120-123  
pages, 119  
reports, 119  
with macros, 91-93  
SELECT queries, 119  
tables, 118  
VBA editor, 1200
- OpenModule method, 1223**
- OpenQuery method, 1151, 1223-1224**
- OpenReport method, 1223**
- OpenSchema method (Connection object), 1300-1301**
- OpenStoredProcedure method, 1224**
- OpenTable method, 1223**
- OpenView method, 1224**
- operands, 275, 414**
- operating modes, 119**
- operator syntax, 276**
- operators**  
arithmetic operators, 414-415  
assignment operators, 414-415  
Between operator, 418-419  
bitwise operators, 417  
categories of, 414  
comparison operators, 414, 416  
date ranges, 419  
concatenation operators, 414, 417  
defined, 275, 413  
identifier operators, 414, 417-418  
In operator, 418-419  
Is operator, 418  
Like operator, 418-419  
logical operators, 414, 416-417  
SQL, 916  
wildcard characters, 418
- optimizing**  
form design, 683-685  
list boxes and combo boxes, 1277  
multitable queries  
aggregate queries, 519  
crosstab queries, 520  
subdatasheets, 519  
PivotTables, 538-541, 546  
query performance, 408-409  
VBA code after upgrades, 1352
- Option Base statement, 1187**
- option buttons in reports, 764**

- Option Compare...**
    - statements, 1208
  - Option Explicit statement, 1183**
  - Option Group Wizard, 653-658**
  - option groups, 653, 657**
    - creating, 653-658
    - naming controls, 657
    - testing, 657
  - Option1\_Click() procedure, 1215-1216**
  - Optional keyword, 1191**
  - options, default, 143-144**
  - Options properties dialog.**
    - See Access Options dialog
  - Or operator, 416**
    - In operator versus, 277
  - Oracle, linking/exporting tables, 827-828**
  - Order By On Load table property, 208**
  - Order By table property, 207**
  - ORDERBY clause (SQL), 391, 918**
    - in UNION queries, 931-932
    - in views, 886
  - ordered tables, binary tree searches on, 317**
  - ordering, sorting versus, 317**
  - ordinate, 770**
  - Orientation table property, 207**
  - OriginalValue property (Field object), 1319**
  - orphan records, 193**
  - Others group (Create ribbon), 141**
  - OuputAs method, 1225**
  - outer joins, 928**
    - creating, 484-486
    - defined, 452
  - Outlook**
    - compatibility with
      - Access, 94
    - Contacts
      - exporting, 96
      - importing, 94-96
    - e-mail messages, creating
      - with SendObject macro, 96-100
    - HTML forms, 101
    - importing/exporting files, 330-331
      - Access tables, 331-335
    - linking files to Access tables, 335-337
    - reports, sending, 765-766
  - Outlook Express, sending reports, 765-766**
  - OutputTo method, 1226**
  - Overlapping Windows, changing to Tabbed Documents, 82-84**
  - overriding form properties, 693-694**
  - OWC (Office Web Components), 808**
  - ownership of databases, changing, 1350-1351**
- P**
- p-code, 1189**
  - package files**
    - creating, 169
    - signing, 41-42, 169
    - testing, 169
  - padding for form/report controls, 56**
  - page breaks in reports, 763**
  - page footers, 702**
    - form page footers
      - adding, 694-695
      - properties, 635
      - sizing, 636
    - report page footers
      - adding, 762
      - deleting, 762-763
      - disabling printing, 731
      - printing, 763
  - page headers, 702**
    - form page headers
      - adding, 694-695
      - properties, 635
      - sizing, 636
    - report page headers
      - adding, 762
      - deleting, 762-763
      - disabling printing, 731
      - printing, 763
  - Page view, run mode, 120**
  - PageCount property (Recordset object), 1315**
  - pages**
    - closing, 119
    - opening, 119
    - tab control pages
      - adding, 679
      - changing order of, 679-680
      - controls, adding, 682-683
      - deleting, 680
      - setting properties, 681-683
      - subforms, adding, 686-691
  - PageSize property (Recordset object), 1315**
  - paperless offices, 742-743**
  - Paradox**
    - importing/exporting files
      - from, 347
    - importing/linking ISAM tables, 348-350
    - indexes, 346
    - supplemental files, 346
  - Parameter objects, 1306-1309**
  - parameter queries, 402, 500**
    - converting summary queries to, 500-501
    - creating, 404-405
    - data types for, 502-503
    - null values, troubleshooting, 406
  - parameterized functions, 890, 892**

**parameterized stored procedures (Command object), 1310-1313**

**parameterized table-valued functions, creating, 890-892**

**parameters**

- for action queries/stored procedures, 936, 938
- default values, adding, 893
- Enter Parameter Value dialog, 945
- passing values to stored procedures, 1310-1313

**Parameters collection, 1306**

**Parameters dialog, 742**

**Parent property, 1241**

**pass-through queries, 402, 849-852**

**password-protecting front-end components, 860-862**

- creating .acdde files, 863-864
- VBA code, 862-863

**Paste Table As dialog, 254**

**pasting**

- form controls, 606
- records, troubleshooting, 285
- tables, 254-255
- text
  - keyboard operations for, 271-272
  - troubleshooting, 285

**PDF**

- exporting tables to, 367-370
- publishing to, 56
- for reports, 700

**percent (%), wildcard character, 919**

**PERCENT modifier (SQL), 917**

**percentage distribution charts, 782**

**PercentPosition property (Recordset object), 1316**

**performance**

- calculated columns and, 448
- list boxes and combo boxes, 1277
- PivotTables, 538-541, 546
- queries, 408-409
- SSX (SQL Server 2005 Express), troubleshooting, 864-865

**period (.). See dot (.)**

**permissions**

- assigning to security groups (WSS 3.0), 1102-1103
- for back-end components, 816-822
- server and database roles, 853-854
- for upsized projects, 997-999

**persistent database objects, 312**

**PersistFormat property (Recordset object), 1315**

**persisting properties of linked PivotCharts, 804-805**

**Personal Account Ledger template, 78**

**personalized menus, 171**

**phrases, searching help system for, 159-160**

**pipes (|), concatenation operator, 417**

**PIVOT operator (views), emulating crosstab queries, 986-994**

**PivotChart Tools (Design ribbon), 29**

**PivotCharts, 522, 541, 794-795**

- ActiveX control connections, troubleshooting, 807
- axis titles, 541
- category presentation, changing, 543-544
- chart type, changing, 544-546
- cloning linked forms/subforms, 801-803
- creating, 795-797

data visualization, 547-548

editing subform design, 803-804

fields, filtering, 542

legends, 541

linked PivotCharts

cloning, 801-803

creating, 801

formatting, 803-804

persisting properties in, 804-805

setting linked properties, 1243-1246

MSGraph versus, 807-808

persisting linked properties, 804-805

PivotTables as substitute for, 806

printing, 801

troubleshooting, 807

as subforms, 798-801

**PivotTable Tools (Design ribbon), 29**

**PivotTables, 522**

ActiveX control connections, troubleshooting, 807

adding to forms, 806

axes, exchanging, 534-535

color schemes, changing, 534

crosstab queries versus, 523

data visualization, 547-548

designing, 525-526

exporting to Excel, 537-538

fields

filtering, 530-532

increasing level of detail, 533-534

generating initial, 526-528

grand totals, adding, 528-530

performance optimization, 538-541, 546

properties, setting, 535-537

queries

creating, 523-525

editing, 528-530

as substitute for

PivotCharts, 806

troubleshooting, 807



- placeholders.** *See also* variables  
 defined, 220  
 for input masks, 223-224  
 list of, 220-221  
 typographic conventions, 1174
- PlainText function,** 429
- plus sign (+)**  
 addition operator, 415  
 concatenation operator, 417
- pointers,** 1188
- pop-up modal dialogs,** 84
- Popular page (Access Options dialog),** 144-145
- populating combo boxes,** 666-668
- pound sign (#)**  
 date/time identifier, 919  
 enclosing date values, 1181
- prebuilt categories (Navigation pane), hiding,** 46
- Precision property, 210**  
 Field object, 1319  
 Parameter object, 1307  
 Table Design window, 876
- predicates (SQL),** 916
- Prepared property (Command object),** 1305
- preventing errors.** *See* data validation; entity integrity; referential integrity; transactions
- Primary Key field property,** 210
- primary keys**  
 append queries and, troubleshooting, 574  
 composite primary keys  
 adding to tables, 564-565  
 defined, 184  
 creating, 241-242  
 data validation testing, 284  
 defined, 181  
 deriving, 182  
 entity integrity, 193  
 lookup operations, 182  
 referential integrity, 192-193  
 selecting, 190-192  
 SQL Server tables, 880-881
- primary-key fields, adding to make-table queries,** 895
- Print command button (Office gallery),** 37
- print events, 1152-1153**
- Print method (Debug object),** 1205-1207
- Print Preview, run mode,** 120
- Print Preview ribbon,** 28, 715-717
- Print Table Definition dialog,** 260
- printing, 118**  
 graphs/charts in reports, 784-787  
 lookup fields, 719-720  
 PivotCharts, 801  
 print events, 1153  
 queries, 397-398  
 reports, 733  
 blank pages, eliminating, 741  
 as mailing labels, 734-741  
 margin options, 731-732  
 page headers/footers, 763  
 to Immediate window, 1205-1207
- Printing group (Advanced page),** 151
- PrintInvoice\_Click event handler,** 965
- PrintOut method,** 1224
- Procedure List button (VBA editor toolbar),** 1202
- procedure-level scope,** 1184
- procedures, 1177.** *See also* functions; subprocedures  
 arguments, 1190-1191  
 functions versus, 1177-1178  
 Option1\_Click(), 1215-1216  
 property procedures, 1177
- program flow control.** *See* flow control (VBA)
- programming languages for macros, history of,** 1208-1210
- project designer, 378,** 874-875  
 adding tables, 886-890  
 Design view, 884-885  
 parameter default values, adding, 893  
 parenthesis pairs, 895  
 Properties dialog, 877  
 Check Constraints page, 882  
 Data page, 883  
 Indexes/Keys page, 880-881  
 Relationships page, 879-880  
 Tables page, 877-879  
 stored procedures, 893  
 append, 896-899  
 delete, 900-901  
 make-table, 894-896  
 update, 894-896  
 Table Design view, 875-877
- Project Explorer button (VBA editor toolbar),** 1201
- Project/Library list (Object Browser), 1179-1180**  
 intrinsic constants, 1190
- projects, troubleshooting missing projects, 1352.** *See also* ADP (Access Data Projects)
- Projects template,** 76
- Proofing page (Access Options dialog),** 149-150
- properties**  
 Command object, 1304-1305  
 Connection object, 1293-1294, 1296  
 Errors, 1297-1300  
 IsolationLevel, 1295-1296  
 Mode, 1296-1297  
 Provider, 1295  
 State, 1297

event properties, 1154  
 extended properties, 869  
 Field object, 1319-1321  
 field properties  
   change propagation, 248-251  
   list of, 209-213  
   lookup fields, 877  
   when designing tables, 229-230  
 form properties, 594, 600-601, 635-636  
   AutoFormat, 595-599  
   default values, 594-595  
   default view, changing, 652-653  
   modifying, 619-620  
   overriding, 693-694  
 linked PivotCharts, persisting, 804-805  
 object properties, setting, 1188-1189  
 PivotChart properties  
   reapplying, 804-805  
   setting linked properties, 1243-1246  
 PivotTables, setting, 535-537  
 Recordset object, 1313-1319  
 subform properties, 611-614  
 tab control properties, 681-683  
 table properties  
   list of, 206-208  
   modifying for upsizing operations, 829-830  
   in project designer, 876-877  
   SQL Server tables, 877-879  
   for subdatasheets, 208-209  
 as variables, 1187-1189  
 With...End With structure, 1188-1189

**Properties dialog (project designer), 205, 877-883**  
 Check Constraints page, 882  
 Data page, 883  
 Indexes/Keys page, 880-881  
 Relationships page, 879-880  
 Tables page, 877-879

**Properties property**  
 Command object, 1305  
 Connection object, 1294  
 Field object, 1320  
 Recordset object, 1315

**Properties Window button (VBA toolbar editor), 1201**

**Property Options smart tag, 250-251**

**property procedures, 1177**

**Provider property (Connection object), 1294-1295**

**providers, Recordset methods and, 1322**

**pseudo-code, 1189**

**public constants, 1189**

**public scope, 1184**

**Public variables, declaring, 1177**

**Publish as PDF or XPS dialog, 367**

**Publish command button (Office gallery), 39**

**Publish to the Web Wizard, 1051**

**Publish to Web Server dialog, 1107, 1110**

**publishing**  
 databases to SharePoint  
   2007, 1105-1110, 1131-1134  
   customizing SharePoint lists, 1134-1135  
   synchronizing SharePoint lists, 1135-1137  
   to PDF or XPS, 56

**punched cards, 177**

**punctuation (SQL), list of, 918-919**

## Q

**QAT (Quick Access Toolbar), customizing, 34-36**

**QBE (query-by-example)**  
 defined, 195-198  
 translating SQL to, 919  
   creating Access query definitions, 920-921  
   creating SQL Server views, 921-924

**qualifiers (SQL), 916**

**queries, 72, 378. See also PivotTables**  
 action queries, 401. *See also*  
 append queries; delete queries; make-table queries; update queries  
 alternatives to, 575-577  
 defined, 550  
 table backups, importance of, 550  
 transactions and, 562  
 types of, 550  
 upsizing, 955  
 writing, 935-936, 938

in ADP Navigation Pane, 873

against external databases, 516-518

aggregate queries. *See* summary queries

append queries, 401, 557-559. *See also*  
 action queries  
 defined, 550  
 removing duplicate rows, 1015-1016  
 syntax, 935  
 troubleshooting, 574

art of query design, 407-408

closing, 119

constraining, 1250  
 adding combo boxes to forms, 1254-1257  
 creating forms with list boxes, 1252-1253  
 query design, 1251

creating  
 as form data source, 641-643  
 as graph data source, 770-773  
 from indirect relationships, 459-463

- PivotCharts from, 795-797
- for PivotTables, 523-525
- SQL statements
  - from combo boxes, 1258-1261
- crosstab queries, 379, 401, 463, 503-504
  - creating linked graphs from, 788-794
  - creating manually, 508-510
  - creating with Crosstab Query Wizard, 504-508
- crossfooting, 994-997
- emulating with T-SQL, 980-994
- fixed column headings in, 510-512
- PivotTables versus, 523
- upsizing, 955
- cursor types, 392
- Datasheet view. *See* Datasheet view
- decision-support queries
  - adding to forms, 1254-1256
  - creating forms, 1252, 1254
  - designing, 1251
  - editing combo boxes, 1256-1257
  - SELECT queries, creating, 1258-1261
- delete queries, 401, 560-563. *See also* action queries; cascading deletes
  - defined, 550
  - syntax, 936
  - transactions with, 938
- drill-down capabilities of list boxes, 1261-1263
  - programming, 1263-1265
- editing in PivotTables, 528-530
- Enter Parameter Value dialog, troubleshooting, 518
- executing, troubleshooting, 945
- exporting
  - to SharePoint lists, 1138-1142
  - as XML, 1060-1067
- expressions in, 435-442, 448
  - calculated field values, 445-447
  - troubleshooting, 447
- fields, selecting all, 494
- joins. *See* joins
- with linked tables, troubleshooting, 518
- make-table queries, 401, 551. *See also* action queries
  - adding parameters to, 404-405
  - converting SELECT queries to, 553-555
  - creating, 402-404
  - defined, 550
  - designing SELECT query for, 551-553
  - final steps in example, 556-557
  - primary-key fields, adding, 895
  - relationships, establishing, 555-556
  - syntax, 936
- multitable queries. *See* joins
- nested queries, 382
  - creating, 457-459
  - defined, 933
  - upsizing, 955, 957-959
- optimizing performance, 408-409
- parameter queries, 402, 500
  - converting summary queries to, 500-501
  - creating, 404-405
  - data types for, 502-503
  - null values in, 406
- pass-through queries, 402, 849-852
- QBE. *See* QBE (query-by-example)
- Query Design window, 385-386
  - changing column header names, 394-397
  - establishing record criteria, 389-391, 393-394
- preventing result set updates, 391-393
- printing queries, 397-398
- selecting fields, 386-389
- replacing with SQL Server views, 1272-1273
- saving filters as, 312-314
- select queries, 401
  - changing to action queries, 550
  - writing, 917-918
- Simple Query Wizard, 378-379
  - creating select queries, 379-385
- subdatasheets, adding, 481-483
- subqueries, 382, 514-516, 933-935
- summary calculations, 495
  - on all table records, 496-497
  - on selected table records, 497-500
  - with SQL aggregate functions, 495-496
- summary queries, 383-385
  - choosing data sources for, 770-771
  - creating for Chart Wizard, 771-773
  - selecting data sources, 770-771
  - troubleshooting, 406
- T-SQL syntax, 1273-1276
- troubleshooting, 406-407
- union queries, 401, 512-514, 569-572
  - creating, 930-933
  - custom rows, adding to combo/list boxes, 1267
  - selecting all combo box items, 1267
- update queries, 401, 563. *See also* action queries; cascading updates
  - composite primary keys, adding to tables, 564-565
  - defined, 550
  - fields, adding to tables, 563-564

- foreign keys, adding to tables, 565-567
  - joining tables, 567-569
  - parameter values, 936, 938
  - syntax, 935
  - UNION queries with, 569-572
  - updating tables with, 489-491
    - formatting data, 492-494
    - row fix-up feature, 491-492
  - upsizing to SQLServer, 443-444
  - Query Builder, populating combo boxes, 666-668**
  - query definitions, creating from SQL statements, 920-921**
  - Query Design group (Object Designers page), 148**
  - query design specification. See QueryDef objects**
  - Query Design window, 195-196, 385-386**
    - column headers, changing names, 394-397
    - fields, selecting, 386-389
    - queries, printing, 397-398
    - records, establishing criteria, 389-391, 393-394
    - result sets, preventing updates to, 391-393
  - query optimization, 290**
  - Query Tools (Design ribbon), 29**
  - query-by-example. See QBE**
  - QueryDef objects, 393**
    - corresponding database object type, 1182
  - question mark (?), wildcard character, 418, 437, 919**
  - Quick Access Toolbar (QAT)**
    - adding command buttons to, 152-153
    - customizing, 34-36
  - quick searches, 296**
  - QuickBase, 70**
  - Quit method, 1224**
- ## R
- rafted toolbars, 171**
  - RaiseError statement, 1199**
  - ranges of values, grouping reports with, 750-751**
  - ranking functions (T-SQL), 850**
  - RDBMSs (relational database management systems)**
    - client/server, 179-180
    - desktop, 179
    - exporting tables to, 827-828, 846-847
      - attaching exported tables, 847-849
    - functions of, 116-117
    - SQL standards, 178
  - Really Simple Syndication (RSS), 1114-1115**
  - rearranging**
    - default form layout, 590-592
    - fields, 245-246
    - form controls, 610
  - record navigation actions, 1158**
  - record operations actions, 1159**
  - record-locking information files, 203**
  - record-selection combo boxes, creating, 671-675**
  - RecordChangeComplete event (Recordset object), 1328**
  - RecordCount property (Recordset object), 1315**
  - records. See also fields; user-defined data types**
    - adding
      - to HRActions table (Northwind sample database), 281-283
      - with InfoPath forms, 1084-1087
    - from Navigation Pane, 87-91
    - to tables, 273-274, 691-693
  - appending, 896-899
    - append stored procedures, 896-899
    - with forms, 616-619
    - identity fields, 896-897
    - to tables, 275, 557-559
  - canceling added records, 274
  - cascading updates/deletions, 241
  - cutting in tables, 275
  - defined, 178
  - deleting, 275, 560-563, 900-901
  - filtering, 297-298
    - advanced filters, 298, 307-312
    - applying saved queries as filters, 313-314
    - exporting filtered records, 316
    - by form, 297, 300-305
    - loading saved filters, 313
    - menu-based filtering, 297, 305-307
    - saving filters as queries, 312-313
    - by selection, 297-300
    - Text Filters option, 300
    - troubleshooting, 316
  - groups of, blocks of cells versus, 275
  - orphan records, 193
  - pasting, troubleshooting, 285
  - in queries, establishing criteria, 389-391, 393-394
  - replacing
    - content in tables, 275
    - field values, 296-297
  - searching, 294-296
  - selecting in tables, 274
  - sorting, 290
    - advanced sort orders, 307-312
    - freezing fields, 291
    - on multiple fields, 292-293

- on single field, 292
- removing sort order, 293
- structure of relational databases, 181
- summary calculations
  - on all records, 496-497
  - on selected records, 497-500
- transactions, 194-195
- updating, 563, 899-900
  - adding composite
    - primary keys to tables, 564-565
  - adding fields to tables, 563-564
  - adding foreign keys to tables, 565-567
  - joining tables, 567-569
  - UNION queries, 569-572

### **Records group (Home ribbon), 130**

#### **Recordset object**

- binding forms to, 1284-1290
- class identifiers, 1182
- creating, 1283
  - from SQL Server Express database, 1286-1287
- events, 1327-1328
- Fields collection, 1319-1322
- methods, 1322-1327
- properties, 1313-1319
- updatable Recordsets, 390
- validating updates to, 1242-1243
- Value property, 1188

#### **RecordsetChangeComplete event (Recordset object), 1328**

#### **reDim statement, 1187**

#### **Redo button (VBA editor toolbar), 1201**

#### **reference events, 1152-1153**

#### **references, 1178**

- adding, 1179
- alternative collection syntax, 1241-1242
- to controls, 1239-1240

- default, viewing, 1179
- defined, 1178-1179
- to forms, 1238-1239
- to Office XP Web controls, 1244
- to reports, 1238-1239
- to subform controls, 1241

#### **References dialog, 1179**

#### **referential integrity**

- cascading updates/deletions, 241
- data validation testing, 283
- defined, 192-193
- deleting records, 562
- enforcing, 240, 827, 833
- in SQL Server, 827
- troubleshooting, 575

#### **Refresh method (Parameters collection), 1306**

#### **related tables**

- creating master/child forms from, 583-584
- exporting as XML, 1079
- importing from XML, 1080-1081

#### **relational database management systems. *See* RDBMSs**

#### **relational databases. *See also* RDBMSs**

- books for more information, 199
- data validation. *See* data validation
- entity integrity. *See* entity integrity
- history of databases, 178
- normalization. *See* normalization
- primary keys. *See* primary keys
- referential integrity. *See* referential integrity
- structure of, 181-185
- transactions. *See* transactions

#### **relations, 178**

#### **Relations page (Properties dialog), 879-880**

#### **Relationship Tools (Design ribbon), 29**

#### **relationships**

- circular relationships, 452
- defined, 183
- diagramming, 901
- editing, 244-245, 247-248
- establishing, 237-241
  - after make-table queries, 555-556
  - for testing cascading deletes/updates, 572-573
  - troubleshooting, 575
- indirect relationships, creating queries from, 459-463
- joins and, 450-451
- many-to-many, 183
  - with lookup fields, 104-106
- one-to-many, 183
- one-to-one, 183
- SQL Server tables, 879-880
- in Tasks sample application, 112
- viewing, 184

#### **Relationships database diagram, 901-902**

#### **Relationships group (Table Tools, Datasheet ribbon), 134**

#### **Relationships page, Properties dialog (project designer), 879-880**

#### **Relationships window, 238, 451**

#### **reliability of client/server databases, 823**

#### **relinking tables, 358-359**

#### **relocating. *See* moving**

#### **remote SQL Server databases, connecting to, 907-908**

- troubleshooting, 909

#### **remote users, accessibility to SSX (SQL Server 2005 Express), 65-67**

**removing**

- duplicate rows when importing HTML tables, 1015-1016
- filter references, 968-970
- form controls from tab order, 619
- gridlines, 315
- MSDE, 1347
- saved filters, 313
- sort orders, 293
- username/password requirement, 1346

**Rename method, 1223-1224****renaming**

- database objects, 245
- fields in template-based applications, 104-107

**RepaintObject method, 1224****repairing databases, 164****repetitive data, eliminating, 255-259****repetitive statements (VBA), 1195**

- Do Until...Loop statement, 1197
- Do While...Loop statement, 1196-1197
- For...Next statement, 1195-1196
- While...Wend statement, 1197

**Replace function, 429****replacing**

- field values, 296-297
- lookup fields, 1125-1129
- queries with SQLServer views, 1272-1273
- record content in tables, 275

**replication, 59****replication conflicts, 154****replication fields, 829****Replication ID subtype, 216****Report Design**

- Tools — Arrange ribbon, 31, 714-715

**Report Design**

- Tools — Design ribbon, 31, 713-714

**Report Design Tools — Page Setup ribbon, 31, 714****Report Layout**

- Tools — Arrange ribbon, 31, 714-715

**Report Layout**

- Tools — Format ribbon, 30, 712-713

**Report Layout Tools — Page Setup ribbon, 31, 714****report modules, 1176**

- function names, 1178

**Report object, 1212-1213**

- corresponding database object type, 1182
- members, viewing in Object Browser, 1219-1220
- referring to, 1238-1239

**Report Snapshots, 700, 765**

- troubleshooting, 766

**Report Wizard, 702, 704-712****report-level scope, 1184****reports, 72, 700, 746**

- charts, adding, 784-787
- closing, 119
- controls, 702
  - ActiveX controls, 764
  - aligning, 727-728
  - bound object frames, 764
  - calculated controls, 722-727
  - check boxes, 764
  - copying, 650-651
  - deleting, 717-719
  - editing, 719-722
  - formatting, 728-729
  - moving, 717-719
  - option buttons, 764
  - printing lookup fields, 719-720
  - shapes, 764
  - unbound object frames, 764
  - VBA references to, 1239-1240
- creating with default blank reports, 752-758
- Design view
  - Report Design Tools — Arrange ribbon, 714-715

**Report Design**

- Tools — Design ribbon, 713-714

**Report Design**

- Tools — Page Setup ribbon, 714

**designing, 767**

- with SQL Server data sources, 908

**as email attachments, 765-766****Error event, 1200****exporting**

- to HTML tables, 1026-1029
- static reports as XML, 1072-1074, 1087-1088
- troubleshooting, 1087-1088
- as web pages, 1071-1074

**formats for, 700-701****forms versus, 701-702****graphs, adding, 784-787****group sections, 702, 746-747**

- by alphabetic code characters, 749

**by date/time, 751**

- by numeric value, 748-749

**preventing widowed records, 733-734**

- by ranges of values, 750-751

**sorting, 709, 751-752**

- by using subgroups, 749

**grouped reports, creating with Report Wizard, 704-712****Layout view, 712**

- Report Layout Tools — Arrange ribbon, 714-715

**Report Layout**

- Tools — Format ribbon, 712-713

**Report Layout**

- Tools — Page Setup ribbon, 714

**Report Layout**

- Tools — Page Setup ribbon, 714

**layouts, 702-703****length, reducing, 764****linked subreports, 758-760**

- new features, 23, 53
    - anchoring controls, 55-56
    - default layouts, 54-55
    - grouping controls, 55
    - Layout view, 53-54
    - margins for controls, 56
    - modal dialogs, 53
    - padding for controls, 56
    - publishing to PDF or XPS, 56
    - tabbed documents, 53
  - opening, 119
    - with macros, 91-93
  - operations actions, 1159
  - Print Preview ribbon, 715-717
  - printing, 733
    - blank pages, eliminating, 741
    - graphs/charts in, 784-787
    - as mailing labels, 734-741
    - margin options, 731-732
    - page headers/footers, 763
    - queries as, 397-398
  - Report Snapshots, 700
  - sections, 702
    - adding, 762
    - deleting, 762-763
    - line spacing, 729-731
    - page breaks, 763
    - printing, 763
  - SQL statements in, 944-945
  - subreports, 702, 753-754
  - tabular reports, creating, 703-704
  - troubleshooting
    - blank pages, 741
    - link expression errors, 766
    - Parameters dialog, 742
    - snapshots, 766
  - unlinked subreports, 761
  - in upsizing process, 953-954
  - variable scope, 1184
  - VBA references to, 1238-1239
  - widowed records, preventing, 733-734
- Reports class, 1212**
- Reports collection, referring to, 1238-1239**
  - Reports group (Create ribbon), 140**
  - Reports List macro, 77**
  - Reports page (Database window), 874**
  - Query method, 1224**
    - Recordset object, 1324
  - Requested For combo box, creating, 107-109**
  - Required field property, 211**
  - requirements, software requirements for ADPs, 870**
  - reserved words, 973-978. See keywords**
    - ANSI SQL, 917, 973-978
    - typographic conventions, 1174
    - Upsizing Wizard and, 955
  - Reset button (VBA editor toolbar), 1201**
  - resizing**
    - columns, 316
    - rows, 315
  - resolution (of monitor), designing forms, 622**
  - resources, RibbonX documentation, 1228-1230**
  - Resources page (Access Options dialog), 157-158**
  - Restore SQL Database command, 904-905**
  - restoring databases, 904-905**
  - result sets**
    - combining with UNION queries, 512-514
    - defined, 917
    - preventing updates to, 391-393
  - Resync method (Recordset object), 1324**
  - Ribbon and Toolbar Options group (Current Database page), 146**
  - ribbon user interface, 20-21, 24-25, 127**
    - context-specific ribbons, 132
      - Table Tools, Datasheet ribbon, 132-135
      - Table Tools, Design ribbon, 135-137
    - contextual ribbons, 28-33
    - Create ribbon, 26, 138
    - command buttons, 138-141
    - customizing, 33-34
    - Database Tools ribbon, 27-28
    - External Data ribbon, 27
    - Home ribbon, 25-26, 127-128
      - command buttons, 128-131
    - Office gallery, 36-40
    - Quick Access Toolbar (QAT), 34-36
    - usability, 171-172
  - ribbons, creating, 1227-1228**
  - RibbonX**
    - documentation and reference material, 1228-1230
    - documents, editing
      - with Visual Studio 2005, 1230-1231
      - with XMLNotepad 2007, 1231-1233
    - macros, converting to VBA callback functions, 1234-1237
    - objects, creating, 1227-1228
    - overview, 1226-1227
  - Rich Text group (Home ribbon), 129-130**
  - Rich Text Memo fields, 48**
  - Right function, 429**
  - right outer joins, 928**
  - roles, 853-854**
  - rollbacks (transactions), 195**
  - RollbackTrans method (Connection object), 1301**
  - RollbackTransComplete event (Connection object), 1303**

rolled-up data, 770-771

roundtrips, 194

row fields (PivotTables), 526

row fix-up feature, 491-492

**Row Height dialog, 315**

**rows**

defined, 178

in joins, minimizing number returned, 455-457

resizing, 315

**RPT2DAP.xsl style sheet, 1071**

**RPT2HTML4.xsl style sheet, 1071**

export restrictions, 1073, 1088

**RSS (Really Simple**

**Syndication), 1114-1115**

**RTF**

exporting tables to, 367-370  
for reports, 701

**RTrim function, 429**

**Rucker, Erik, 20**

**Run mode, 120**

**Run Sub/User Form button (VBA toolbar editor), 1201**

**RunApp method, 1224**

**RunCode method, 1224**

**RunCommand method, 1151, 1224, 1226**

**RunMacro method, 1224**

**running**

ASP templates from IIS, 1041

HTML Tidy from command prompt, 1023

**RunSQL method, 1224**

**runtime applications, error-handling code, 1198-1199**

**runtime errors, 1198-1199**

detecting error type, 1199

Err object, 1199

Error event, 1200

On Error... statement, 1198-1199

**runtime files, creating, 165**

**runtime versions, 860**

## S

**Sales Pipeline template, 76**

**sandbox mode, 412**

**Save a Local Copy dialog, 1107**

**Save ADE As dialog, 909**

**Save As command button (Office gallery), 36**

**Save command button (Office gallery), 36**

**Save Import Steps dialog, 327**

**Save Import/Export Specification dialog, 344**

**Save method**

DoCmd object, 1224

Recordset object, 1324

**saving**

custom templates, 158

filters as queries, 312-313  
as PDF or XPS, 56

queries, applying as filters, 313-314

**SBS (Small Business Server), 911**

**scalability of client/server databases, 823**

**Scale field property, 211, 876**

**schemas (XML)**

defined, 1058

for exported tables/queries, 1062-1066

importing data with, 1077-1078

**science of query design, 408-409**

**scope**

arrays, 1187

functions, 1178

variables, 1184-1185

**ScreenTips, 144**

**scripts. See macros**

**searching**

binary tree searches on ordered tables, 317

Navigation pane, 47

records, 294-296

searching help system for other sources,

160-162

for phrases, 159-160

**Second function, 427**

**second normal form, 187-188**

**secondary keys, 318**

**sections**

form sections

adding, 694-695

background bitmap pictures, 602-604

background colors, 600-601

border color, 604-605

border style, 604-605

custom colors, 605-606

foreground color,

604-605

labels, adding, 644-646

sizing, 636, 644

report sections, 702

adding, 762

deleting, 762-763

line spacing, 729-731

page breaks, 763

printing, 763

**secured Access 200x files, upgrading to Access 2007, 1343**

creating shortcut for Access 2007 front end with Access 200x back end, 1344-1345

removing username/password requirement, 1346

specifying default workgroup file, 1345

**secured Access 9x files, upgrading to Access 200x, 1341**

back-end database file upgrades, 1342-1343

in mixed environment, 1341-1342



- security, 118**  
 ADPs, saving as .ade files, 909  
 back-end components, 952  
 client/server applications  
   password-protecting  
     front ends, 860-863  
     trusted connections, 831  
 new features, 21, 40-41  
   enabling unsafe macros, 42  
   package signing, 41-42  
   trusted locations, specifying, 41  
 password-protecting front-end components, 860-862  
   creating .acdde files, 863-864  
   VBA code, 862-863  
 permissions for back-end components, 816-822  
 secured Access 200x files, upgrading to Access 2007, 1343-1346  
 secured Access 9x files, upgrading to Access 200x, 1341-1343  
 self-signed certificates, creating, 166-169  
 SQL Server user accounts and logins, 852-860  
 trusted location, default folder as, 78-81  
 unsecured Access 200x files, upgrading to Access 2007, 1343  
 unsecured Access 9x files, upgrading to Access 200x, 1335-1341, 1352  
 for upsized projects, 997-999  
 user-level security, 59, 1335  
 VBA, 1174
- security groups (WSS 3.0), 1101-1102**  
 assigning permissions to groups, 1102-1103  
 editing user information, 1103-1105
- Seek method (Recordset object), 1325, 1327**  
 primary keys, 190-192  
 records in tables, 274  
 subtypes for Field Size property, 215-217  
 text, keyboard operations for, 270-271
- selection filters, 297-300**
- SelectObject method (DoCmd object), 1223-1224**
- self-joins, 452, 928**  
 creating, 486-487
- self-signed certificates, 42**  
 creating, 166-169
- Send dialog, 262**
- SendKeys method, 1225**
- SendObject method, 1225**  
 creating e-mail messages, 96-100
- separators. See delimiters**
- serial numbers, as primary keys, 190**
- server roles, 853-854**
- server roundtrips, 194**
- server share connections, naming conventions for, 815**
- server-side filters, 884**
- servers. See also Web servers**  
 exported XML file sets, deploying, 1071  
 transferring ADPs to, 906-907
- SET command (SQL), 935**
- Set statement, creating named variables, 1188**
- SetValue method, 1224**
- SetWarnings method, 1225**
- SGML (Standard Generalized Markup Language), 1057**
- ShallAllRecords method, 1224**
- shapes in reports, 764**
- share permissions for back-end components, 816-822**
- Select Case...End Select structure, 1193-1195**
- Select Data Source dialog, 351**
- SELECT keyword (SQL), 382**  
 elements of, 917
- Select Names to Add dialog (Outlook), 1136**
- select queries, 401**  
 changing to action queries, 550  
 converting to make-table queries, 553-555  
 creating, 379-385  
 designing for make-table queries, 551-553  
 opening, 119  
 upsizing, 955  
 writing, 917-918
- SELECT statement, based on combo box values, 1258-1261**
- Select Unique Record Identifier dialog, 352**
- selecting**  
 all combo box items, 1266-1269  
 blocks of cells, 271  
 client/server migration strategy, 825-826  
 data sources for summary queries, 770-771  
 fields for queries, 386-389, 494  
 form controls, 636-637, 639-640  
 Format property, 218  
   conditional formatting, 222-223  
   custom formats, 220-222  
   Null values, 220  
   standard formats, 218-219  
 list box items, 1265-1266  
   troubleshooting, 1276-1277  
 object classification method (Navigation Pane), 85-86

- shared file systems, future of, 865-866
- shared-file database managers, 179
- SharePoint 2007. *See also* WSS 3.0**
  - creating databases from, 1106
  - exporting tables to, 1105, 1110
    - changes to source tables, 1121-1123
    - checking in/out databases from Document Libraries, 1123-1125
    - customizing list views, 1112-1117
    - from Northwind sample database, 1117-1121
    - replacing lookup fields, 1125-1129
  - SharePoint data types, 1110-1111
  - SharePoint-specific commands/buttons, 1129-1130
  - exporting tables/queries to, 1138-1140
    - troubleshooting, 1142
  - linking tables to, 1141-1142
  - linking to tables, 1140-1141
  - lists,
    - exporting/importing/linking, 1106
  - new features, 23, 57-58
  - publishing databases to, 1105-1110, 1131-1134
    - customizing SharePoint lists, 1134-1135
    - synchronizing SharePoint lists, 1135-1137
- SharePoint List group (Table Tools, Datasheet ribbon), 135**
- sharing applications. *See* multiuser Access applications
- Shift+Enter key combination, 143**
- Shift+F2 key combination, 142**
- Shift+F3 key combination, 1202**
- Shift+F4 key combination, 142**
- Shift+F8 key combination, 143**
- Shift+F12 key combination, 142**
- Shift+Tab key combination, 1202**
- shortcut keys. *See also* keyboard operations**
  - KeyTips, 25
  - VBA code shortcuts, 1202
- shortcuts, creating for Access 2007 front end with Access 200x back end, 1344-1345**
- Show Fields dialog, 334**
- Show Table dialog, 238, 386**
- Show/Hide group (Table Tools, Design ribbon), 137**
- showing. *See* viewing**
- SIC (Standard Industrial Classification), as primary keys, 191**
- signing**
  - applications, 1174
  - packages, 41-42, 169
- Simple Query Wizard, 378-379**
  - select queries, creating, 379-385
- Single data type, 1180-1181**
- single fields, sorting on, 292**
- single quotes ( ' '), 1258**
  - SQL punctuation, 919
- Single subtype, 216**
- single-column inner equi-joins, creating, 452-455**
- single-column reports, 702**
- single-line text boxes, 647**
- Site Collection Administrators (WSS 3.0), 1101**
- Site Members (WSS 3.0), 1101**
- Site Owners (WSS 3.0), 1101**
- Site Visitors (WSS 3.0), 1101**
- sites (WSS 3.0)**
  - adding subsites, 1094-1097
  - configuring subsites, 1097-1101
  - security groups, 1101-1102
    - assigning permissions to groups, 1102-1103
    - editing user information, 1103-1105
  - types of, 1093
- Size property (Parameter object), 1307**
- sizing**
  - form controls, 638
  - form sections, 636, 644
- Small Business Server (SBS), 911**
- smart tags, 971**
  - error checking options, 651-652
  - Property Options smart tag, 250-251
  - Web-based smart tags, 251-253
- Smart Tags field property, 212**
- Snap to Grid command, 638-639**
- snapshot backups, 902, 904**
- Snapshot Viewer, 59, 700, 767**
  - obtaining, 765
- Snapshots cursor type, 392**
- Social Security Numbers (SSNs), as primary keys, 191**
- Software Assurance and Licensing terms, 1209**
- software requirements for ADPs, 870**
- Sort & Filter group (Home ribbon), 130**
- sort order of joins, specifying, 455-457**
- Sort property (Recordset object), 1316**

**sorting**

- Datasheet view, 49
- Navigation pane, 47
- ordering versus, 317
- records, 290
  - advanced sort orders, 307-312
  - freezing fields, 291
  - on multiple fields, 292-293
  - removing sort order, 293
  - on single field, 292
- report data, 746-747
  - by alphabetic code
    - characters, 749
  - by date/time, 751
  - by expressions, 751-752
  - by numeric value, 748-749
  - by ranges of values, 750-751
  - by using subgroups, 749

**Sorting and Searching, Volume 3 (Knuth), 316-318****source code (HTML), fixing with HTML Tidy, 1020-1024****Source property**

- Error object, 1299
- Recordset object, 1316

**sp (stored procedures) prefix, 894****Space function, 429****space-delimited files, 337****spacing. See line spacing****Spelling: Language dialog, 131****splat (\*). See asterisk (\*)****split forms, 89**

- creating, 614-615

**Split function, 429****Spolsky, Joel, 1006****spreadsheet files**

- databases versus, 176
- importing, 96, 321-329
- linking, 321
- to tables, 329-330

**SQL (Structured Query Language)**

- Access SQL, 378
  - reserved words, 973-978
  - T-SQL versus, 914-915
- action queries, writing, 935-936, 938
- aggregate functions, 495-496
  - usage, 924-926
- ANSI SQL
  - conforming computed columns, 959-963
  - reserved words, 973-978
- clauses, 916
- commands
  - categories for, 915-916
  - defined, 916
- data type conversions functions, 916
- DISTINCTROW keyword, 385
- field lists, 382
- in forms/reports, 944-945
- FROM clause, 382
- functions, upsizing VBA functions to, 979-980
- group aggregate functions, 916
- GROUPBY clause, 385
- HAVING clause, 442
- history of databases, 178
- importance of learning, 945-946
- IN predicate, 940, 942
- INTO clause, 403
- joins, creating, 928-930
- keywords, categories for, 916-917
- operators, 916
- ORDERBY clause, 391
- predicates, 916
- punctuation/symbols, list of, 918-919
- qualifiers, 916
- queries, troubleshooting query execution, 945
- SELECT command, 382
  - elements of, 917
  - writing, 917-918
- standards, 178, 914

**statements**

- SQL views, 886
  - upsizing, 970-973
- stored procedures, 893
  - append procedures, 896-899
  - crosstab queries, emulating, 986-994
  - delete procedures, 900-901
  - make-table procedures, 894-896
  - transactions in, 938-940
  - update procedures, 894-896
    - writing, 935-936, 938
  - subqueries, 933-935
  - T-SQL (Transact-SQL), 378
  - tables, updating, 576-577
  - transactions and, 576
  - translating to QBE (query-by-example), 919
    - creating Access query definitions, 920-921
    - creating SQL Server views, 921-924
  - TVPs (table-valued functions), 926-927
  - UNION queries, creating, 930-933
  - utility functions, 916
  - WHERE clause, 391, 462
- SQL button (view designer toolbar), 885**
- SQL Queries for Mere Mortals (Viescas), 199**
- SQL Server. See also ADPs**
  - Access versus, 910-911
  - backing up databases, 902-905
  - Books Online documentation, 827
  - data sources, designing forms/reports, 908
  - data types, 978-979
  - database diagrams, 901-902
  - databases, 180
    - backups, 902-903
    - migrating Access databases to, 203

- remote databases, connecting to, 907-909
  - editions, 870-871
  - extended properties, 869
  - functions
    - in-line functions, 890-893
    - user-defined, 868
  - installation, 911
  - instances, 813
  - licensing, 870-871
  - management tools, 910-911
  - migrating with Upsizing Wizard, 826-839
  - moving database files
    - between servers, 840
  - naming conventions, 894
  - pass-through queries, 849-852
  - referential integrity, enforcing, 827, 833
  - stored procedures, 893
    - append stored procedures, 896-899
    - delete stored procedures, 900-901
    - make-table stored procedures, 894-896
    - update stored procedures, 894-896, 899-900
  - tables
    - appending records, 896-899
    - check constraints, 882
    - creating, 894-896
    - Database window, 873
    - deleting records, 900-901
    - Properties dialog, 877-883
    - upsized databases, moving, 839-840
      - changing link connection string, 840-842
    - upsizing queries to, 443-444
    - user accounts and logins, 852-853
      - creating with SQL Server Management Studio, 854-857
      - execute rights for stored procedures, 857-859
      - server and database roles, 853-854
      - verifying protection, 859-860
  - views, 884-890
    - adding tables, 886-890
    - creating from SQL statements, 921-924
    - duplicating queries, 1272-1273
    - replacing queries with, 1272-1273
    - server-side filters, 884
    - setting JOIN properties, 886-890
    - SQL statements for, 886
    - view designer, 884-890
- SQL Server 2005 Embedded Edition (SSEE), SQL Server 2005 Express Edition (SSX) versus, 1093**
- SQL Server 2005 Express (SSX), 59, 203**
- benefits/limitations of, 824-825
  - database compatibility levels, changing, 1350-1351
  - database owner, changing, 1350-1351
  - enabling connections through Windows Firewall, 67-68
  - features of, 871
  - installing, 60-65
  - instance names, 828
  - licensing, 871
  - performance, troubleshooting, 864-865
  - practical uses for, 866
  - remote user accessibility, 65-67
  - SQL Server 2005 Embedded Edition (SSEE) versus, 1093
  - upgrading to, 1346-1347
    - attaching MSDE databases, 1347-1350
    - removing MSDE, 1347
- SQL Server Compact Edition (SQLce), 870**
- SQL Server Express database, creating Recordset objects from, 1286-1287**
- SQL Server Management Studio (SSMS), creating logins with, 854-857**
- SQL Server Management Studio Express (SSMSX) Service Pack (SP) 2, 825**
- SQL State property (Error object), 1299**
- SQL Statement Tools (Design ribbon), 33**
- SQL statements**
- asterisk (\*) in, 181
  - creating for queries from combo boxes, 1258-1261
  - for views, 886
  - upsizing, 970-973
- SQL-200n specification, 178**
- SQL-92 standard, 178, 914**
- DDL statements, creating tables with, 942-944
- SQL-99 specification, 178, 914**
- SQL:2003 standard, 914**
- SQLce (SQLServer Compact Edition), 870**
- square brackets ([ ]), 385**
- in identifiers, 420
  - query names, 459
  - SQL punctuation, 918
- SSEE (SQLServer 2005 Embedded Edition), SSX (SQL Server 2005 Express Edition) versus, 1093**
- SSMS (SQL Server Management Studio), creating logins with, 854-857**
- SSMSX (SQL Server Management Studio Express) SP (Service Pack) 2, 825**
- SSNs (Social Security Numbers), as primary keys, 191**

- SSX (SQL Server 2005 Express), 59, 203**  
 benefits/limitations of, 824-825  
 database compatibility levels, changing, 1350-1351  
 database owner, changing, 1350-1351  
 enabling connections through Windows Firewall, 67-68  
 features of, 871  
 installing, 60-65  
 instance names, 828  
 licensing, 871  
 performance, troubleshooting, 864-865  
 practical uses for, 866  
 remote user accessibility, 65-67  
 SSEE (SQL Server 2005 Embedded Edition) versus, 1093  
 upgrading to, 1346-1347  
   attaching MSDE databases, 1347-1350  
   removing MSDE, 1347
- Stacked Area charts, 546, 782**
- Stacked Column charts, 545, 780, 782, 784, 795-797**
- standard formats for**  
 Number, Date/Time, Yes/No data types, 218-219
- Standard Generalized Markup Language (SGML), 1057**
- Standard Industrial Classification (SIC), as primary keys, 191**
- standard modules. *See* Access modules**
- standards**  
 HTML 4.01, 1006  
 SQL, 178, 914
- star (\*). *See* asterisk (\*)**
- starting Object Browser, 1220**
- Startup mode, 119-120**
- State property**  
 Command object, 1305  
 Connection object, 1294, 1297  
 Recordset object, 1316
- statement autocompletion, 1206**
- statements (SQL). *See* SQL statements**
- static reports, exporting as XML, 1072-1074, 1087-1088**
- Static reserved word, 1185-1186**
- static tables, emulating crosstab queries, 981-986**
- static variables, 1185-1186**
- static Web reports, 701**
- static-value combo boxes, creating, 668-671**
- Status property**  
 Field object, 1320  
 Recordset object, 1316, 1318-1319
- StayInSync property (Recordset object), 1316**
- StopAllMacros method, 1224**
- StopMacro method, 1224**
- Stored Procedure Tools, Design ribbon, 32**
- stored procedures, 893**  
 in ADP Navigation Pane, 873  
 append procedures, 896-899  
 crosstab queries, emulating, 986-994  
 delete procedures, 900-901  
 execute rights, 857-859  
 make-table procedures, 894-896  
 parameterized Command object, 1310-1313  
 transactions in, 938-940  
 update procedures, 894-896, 899-900  
 updating tables, 577  
 in upsized projects, troubleshooting, 999  
 writing, 935-936  
   parameters, 936, 938
- Str function, 429**
- StrComp function, 430**
- strFormName argument (OpenForm method), 1225**
- String data type, 1181**
- String function, 430**
- string identifiers (delimiters), 919**  
 defined, 337  
 text identifiers versus, 337
- string literals. *See* text literals**
- string operators, 276**
- strings**  
 concatenation operators, 417  
 text-manipulation functions, 428-432
- StrReverse function, 430**
- structured information, 1144**
- Structured Query Language. *See* SQL**
- structures, 1192-1195. *See also* user-defined data types**  
 Do Until...Loop, 1196-1197  
 Do While...Loop, 1196-1197  
 For...Next, 1195-1196  
 If...Then...End If, 1192-1193  
 Select Case...End Select, 1193-1195  
 While...Wend, 1197  
 With...End With, 1188-1189
- Students template, 76**
- style sheets (XML). *See also* CSS; XSL**  
 defined, 1060  
 for exported tables/queries, 1066-1067

**STYLE tag (HTML),**  
1067-1069

**Sub reserved word, 1177**

**Subdatasheet Expanded table property, 209**

**Subdatasheet Height table property, 209**

**Subdatasheet Name table property, 208**

**subdatasheets, 478-479, 519**  
browse-mode editing, 883  
query subdatasheets, adding, 481-483  
table properties, 208-209  
table subdatasheets, adding, 479-481

**Subform Field Linker dialog, 802**

**Subform Wizard, 686-691, 798**

**subforms, 582**

adding to tab control pages, 682-683, 686-691  
controls, VBA references to, 1241  
PivotChart subforms, 798-801  
cloning linked forms/subforms, 801-803  
editing design, 803-804  
linking, 801  
using forms as, 798-799  
properties, 611-614  
troubleshooting, 620-621

**subgroups, grouping reports with, 749**

**subprocedures, 118. *See also* event handling**

arguments, 1190-1191  
calling in class modules, 1247  
custom subprocedures, 1178  
executing, 1172, 1177  
functions as, 1221-1223  
functions versus, 1177-1178

**subqueries, 382, 514-516, 933-935**

**subreports, 702, 746**  
linking to bound reports, 758-760

reports as, 753-754  
unlinked subreports, 761

**subroutines. *See* subprocedures**

**subsites (WSS 3.0)**  
adding, 1094-1097  
configuring, 1097-1101

**subtraction operator, 415**

**subtypes, selecting for Field Size property, 215-217**

**summary calculations, 495**  
on all table records, 496-497  
on selected table records, 497-500  
with SQL aggregate functions, 495-496

**summary queries, 383-385, 519**

choosing data sources for, 770-771  
converting parameter queries to, 500-501  
creating for Chart Wizard, 771-773  
data sources, selecting, 770-771  
troubleshooting, 406

**Supports method (Recordset object), 1322, 1325-1326**

**surrogate keys, 182**

**switchboard class modules**  
creating, 1213-1215  
debugging, 1217-1219  
testing, 1215-1219

**Switchboard Manager, 163, 1164-1168**

**switchboards, 1164**

**Sybase, linking/exporting tables, 827-828**

**symbolic constants, 1189. *See also* named constants**  
data types, specifying, 1189  
declaring, 1189  
intrinsic, 1190  
system-defined, 1189

**symbols (SQL), list of, 918-919**

**synchronizing SharePoint lists, 1135-1137**

**System Info (.nfo) files, creating, 158**

**System Information window, 158**

**system-defined constants, 1189**

## T

**T-SQL (Transact-SQL), 378**  
Access SQL versus, 914-915  
crosstab queries, emulating, 980-994  
functions, 412  
converting VBA functions to, 428-433  
ranking functions, 850  
upsizing VBA functions to, 979-980  
query syntax, 1273-1276  
reserved words, 973-975  
views, creating, 197-198

**tab controls, 678**

adding to forms, 678-679  
pages  
adding, 679  
changing order of, 679-680  
controls, adding, 682-683  
deleting, 680  
setting properties, 681-683  
subforms, adding, 686-691  
properties, 681-683

**TAB files, 337**

**Tab key in VBA code, 1202**

**tab order, removing form controls from, 619**

**Tab Order dialog, 590**

**tab-delimited text files, 337**

**tabbed document form view, changing to modal pop-up window, 593-594**

- tabbed documents, 21, 53**
  - changing Overlapping Windows to, 82-84
- Table Analyzer Wizard, 255-259**
- Table Datasheet view, 123-124, 127**
  - components of, 124-127
  - Create ribbon, 138-141
  - Home ribbon command buttons, 128-131
- Table Design group (Object Designers page), 148**
- Table Design view (project designer), 875-877**
- table headers/captions, adding to exported tables/queries, 1069-1070**
- table joining and data extraction (function of Access), 116**
- table properties in project designer, 876-877**
- Table Properties dialog, 206.**  
*See also* Properties dialog (project designer)
- Table Selection dialog, 256**
- Table Tools (Datasheet ribbon), 28, 132-133**
  - command buttons, 133-135
- Table Tools (Design ribbon), 29, 135-136**
  - command buttons, 137
- Table Wizard, 234**
- table-level validation rules, 278-279**
  - testing, 283-285
- table-valued functions (TVFs), 926-927**
- TableDef object, corresponding database object type, 1182**
- tables, 72**
  - adding, 230-233
    - to views, 886-890
  - in ADP Navigation Pane, 873
- backups, importance of, 550
- browse-mode editing, 575-576
- cascading updates/deletions, 241
- copying/pasting, 254-255
- creating
  - from copied blocks of cells, 272
  - in Datasheet view, 234-235
  - with DDL statements, 942-944
  - by importing Excel worksheets, 96, 321-329
  - with make-table queries, 894-896, 551-557
  - from templates, 233-234
- data entry. *See* data entry
- data validation, 194
- Datasheet view. *See* Datasheet view
- defined, 178
- deleting, 255, 944
- designing, 226-227
  - assigning field names, 228-229
  - assigning field properties, 229-230
  - importance of customer input, 263
  - information to include, 227-228
- display of, 123, 127. *See also* queries; views
- dynamic tables, displaying with ASP, 1037-1043
- editing, 244-245
  - changing field data types, 246-247
  - with InfoPath forms, 1084-1087
  - rearranging fields, 245-246
- entity integrity, 193
- exporting, 367-371
  - to HTML, 1024-1026
  - Oracle tables, 828
  - to RDBMSs, 827-828, 846-849
- to WSS lists, 1138, 1140
- as XML, 1060-1067, 1079
- exporting to SharePoint 2007, 1105, 1110, 1138-1140
  - changes to source tables, 1121-1123
  - checking in/out databases from Document Libraries, 1123-1125
  - customizing list views, 1112-1117
  - from Northwind sample database, 1117-1121
  - replacing lookup fields, 1125-1129
  - SharePoint data types, 1110-1111
  - SharePoint-specific commands/buttons, 1129-1130
  - troubleshooting, 1142
- fields
  - freezing, 291
  - hiding, 314
  - replacing values, 296-297
  - sorting on, 292-293
  - unfreezing, 293
  - viewing hidden, 314
- flat tables, 185
- form-based updating, 576
- HTML tables
  - exporting reports to, 1026-1029
  - fixing source with HTML Tidy, 1020-1024
  - formatting, 1067-1070
  - headers, adding, 1069-1070
  - importing, 1006-1016, 1050
  - linking to, 1017
  - structure of, 1007-1008
  - STYLE tag, applying, 1067-1069
  - XSLT-generated, 1067
- importing
  - with Outlook 2007, 331-335
  - text files, 337-345

- XML data, 1074-1078, 1080-1081
  - indexes, creating, 242-244
  - indirect relationships, creating queries from, 459-463
  - ISAM tables, importing/linking, 348-350
  - joins. *See* joins
  - linking. *See also* multiuser applications
    - with Database Splitter, 813-816
    - defined, 183
    - Oracle tables, 828
    - to Outlook 2007 files, 335-337
    - to SharePoint lists, 1141-1142
    - spreadsheet files to, 329-330
    - troubleshooting, 518
    - upsizing applications
      - with linked tables, 837
    - WSS lists to, 1140-1141
  - lookup fields, 407, 466-467
    - adding, 109-111
      - adding fixed-value lookup lists, 472-474
      - adding foreign keys with Lookup Wizard, 467-471
      - creating multivalued lookup fields, 474-478
  - lookup tables, creating with Table Analyzer Wizard, 255-259
  - modifying
    - in other databases, 940, 942
    - for upsizing, 829-830
  - naming conventions, 94, 264
  - normalization
    - defined, 185
    - first normal form, 185-187
    - second normal form, 187-188
    - third normal form, 188-189
    - fourth normal form, 189-190
    - fifth normal form, 190
  - opening, 118
  - PivotTables. *See* PivotTables
  - preparing to add, 225-226
  - primary keys. *See* primary keys
  - properties
    - list of, 206-208
    - modifying for upsizing operations, 829-830
    - SQL Server tables, 877-879
    - for subdatasheets, 208-209
  - records. *See* records
  - referential integrity, 192-193
  - related tables
    - exporting as XML, 1079
    - importing from XML, 1080-1081
  - relationships
    - diagramming, 901
    - editing, 247-248
    - establishing, 237-241
    - SQL Server tables, 879-880
    - troubleshooting, 575
  - relinking, 358-359
  - in sample database. *See* Northwind sample database
  - SQL Server tables
    - appending records, 896-899
    - check constraints, 882
    - creating, 894-896
    - Database window, 873
    - deleting records, 900-901
    - primary keys, 880-881
    - project designer. *See* project designer
    - Properties dialog, 877-883
    - relationships, 879-880
  - structure of relational databases, 181
  - subdatasheets, adding, 479-481
  - summary calculations, 495
    - on all table records, 496-497
    - on selected table records, 497-500
    - with SQL aggregate functions, 495-496
  - test tables, creating for testing cascading deletes/updates, 572-573
  - updatable tables, 273
  - updating
    - with queries, 489-494
    - with SQL statements, 576-577
    - with stored procedures, 577
  - Visual FoxPro tables, linking with ODBC, 350-354
- Tables group (Create ribbon), 138-139**
- Tables page**
- Database window, 873
  - Properties dialog (project designer), 877-879
- tabular reports, 702**
- creating, 703-704
- tags (HTML). *See* markup tags (HTML)**
- Tasks sample application, 101**
- Approved By and Assigned To combo boxes, adding, 111-112
  - Approved By and Assigned To lookup fields, adding, 109-111
  - importing objects, 102-104
  - relationships in, 112
  - renaming fields, 104-107
  - Requested For combo box, creating, 107-109
- Tasks template, 76**
- tb (tables) prefix, 894**
- Team sites (WSS), 1093**
- template-based applications**
- importing objects to, 102-104
  - renaming fields, 104-107



**templates**

- ASP
  - creating, 1038-1041
  - running from IIS, 1041
- creating tables from, 233-234
- custom templates, creating, 158
- downloading, 73-74, 78, 81
- embedded macros in, 77
- HTML, 1029-1031
- list of, 75-78
- from Microsoft Office Online, 81-82
  - creating databases from, 1131-1137
- new features, 22, 52-53
- viewing current list of, 81

**TempVars collection, 426****tentative append record, 88, 273****test tables, creating for testing cascading deletes/updates, 572-573****testing**

- aggregate queries, 519
- ApplyFilter macro, 1161, 1163-1164
- cascading deletes, 573
- cascading updates, 574
- class modules, 1215-1219
- CustomersCSS.asp page, 1051
- data validation, 283-285
- forms converted to ADP (Access data projects), 1270-1272
- option groups, 657
- package files, 169
- upsized projects, 964

**text**

- copying/pasting, keyboard operations for, 271-272
- editing, keyboard operations for, 270
- extended characters in searches, 295
- formatting
  - labels, 646-647
  - text boxes, 646-647

- pasting, troubleshooting, 285
- selecting, keyboard operations for, 270-271

**Text Align field property, 212****text boxes**

- adding
  - to forms, 648-649
  - to tab control pages, 682-683
- creating
  - bound text boxes, 648-649
  - calculated text boxes, 649-650
- formatting text, 646-647
- function key assignments, 142-143
- keyboard operations for, 272-273
- types of, 647-648

**text comparison with VBA, 1208****text controls (forms), editing, 606-607****Text data type, 213**

- converting to/from Date/Time or Number data type, 247
- fixed-width Text fields, 217
- input masks, 223-225

**Text Export Wizard, 370****text fields**

- changing data types, 247
- newline pairs in, 371

**text files**

- exporting tables as, 370-371
- fixed-width text files, troubleshooting importing, 372
- importing, 337-338
  - Import Text Wizard, 338-345

**Text Filters option, 300****Text Format field property, 212****text identifiers, delimiters versus, 337****text literals, 419-420****text-manipulation functions, 421, 428-432**

- converting to T-SQL text-manipulation functions, 430

**thawing. See unfreezing****Thelen, Ed, 286****theta joins**

- creating, 487-488
- defined, 452

**third normal form, 188-189****three-part names, 941****Tidy. See HTML Tidy****Time function, 427. See date/time functions****time-series graphs, 770**

- adding to reports, 784-787
- changing graph type, 780, 782, 784
- creating with Chart Wizard, 773-778
- modifying design, 778-780
- query data source, creating, 770-773

**TimeSerial function, 427****timestamp fields, 885****TimeValue function, 427****timing events, 1152-1153****tmp (temporary tables) prefix, 894****toggleing**

- defined, 269
- form controls, 637

**toolbars. See also ribbon user interface**

- rafted toolbars, 171
- VBA editor toolbar, 1200-1202

**Toolbox button (VBA editor toolbar), 1201****Tools group (Table Tools, Design ribbon), 137****TOP modifier (SQL), 917****TOP operators in views, 886**

- totals, adding grand totals to PivotTables, 528-530
- totals fields (PivotTables), 526
- Totals row (Datasheet view), 96
- TP (transaction processing), 194
- TPL (Transaction Processing Language), 915
- Transact-SQL. *See* T-SQL
- transaction isolation levels (Connection object), 1295-1296
- transaction processing (TP), 194
- Transaction Processing Language (TPL), 915
- transaction-processing forms, 583
  - appending records with, 616-619
  - creating, 583
    - from related tables, 583-584
    - viewing in Layout view, 584-585
  - navigation in, 615-616
- transactions
  - action queries and, 562
  - defined, 194-195
  - SQL statements and, 576
  - in stored procedures, 938-940
- Transfer Database command, 840, 1225-1226
- transferring ADPs to server, 906-907
- TransferSpreadsheet method, 1225-1226
- TransferSQLDatabase method, 1225-1226
- TransferText method, 1225
- translating SQL to QBE, 919
  - Access query definitions, creating, 920-921
  - SQL Server views, creating, 921-924
- trends, data visualization, 547-548
- trigonometric functions, 421
- Trim function, 430
- troubleshooting
  - ADO object names, 1331
  - aggregate functions, 447
  - append queries, 574
  - automatically generated indexes, 263
  - AutoNumber fields, 263
  - charts, reversing x-axis and legend labels, 807
  - collections, missing objects, 1247
  - compacting databases, 170
  - connection errors, 909
  - controls, copying, 695
  - converting databases, 170
  - data validation, 285
  - database conversion compile errors, 170
  - decision-support applications, 1168, 1276-1277
  - exporting reports, 1087-1088
  - exporting tables to SharePoint lists, 1142
  - filtering records, 316
  - forms, 620-621, 1168
    - list boxes and combo boxes, 1276-1277
  - HTML Tidy-generated CSS code, 1050-1051
  - importing HTML tables
    - fixing source with HTML Tidy, 1020-1024
    - from web pages, 1050
  - importing legacy databases, 371-372
  - Internet Explorer 7 (IE 7), 1088
  - invalid database locked messages, 170
  - libraries, missing, 1352
  - macros, 1168
  - MSDE performance, 864-865
  - PivotChart/PivotTable
    - Active X control connections, 807
    - PivotCharts, 807
    - PivotTables, 546, 807
  - projects, missing, 1352
  - queries, 406-407
    - Enter Parameter Value dialog, 518
    - with linked tables, 518
  - query expressions, 447
  - referential integrity, 575
  - remote SQL Server database connections, 909
  - reports
    - blank pages, 741
    - link expression errors, 766
    - Parameters dialog, 742
    - snapshots, 766
  - SSX (SQL Server 2005 Express) performance, 864-865
  - stored procedures in upsized projects, 999
  - subforms, 620-621
  - testing CustomersCSS.asp page, 1051
  - upgrading Access 9x files to Access 200x, 1352
  - upsizing operations, 864-865
  - WSS export operations, 1142
- True constant, 1189
- Trust Center pages (Access Options dialog), 155-157
- trusted connections, 831
- trusted locations, 21, 1174
  - default folder as, 78-81
  - designating folders as, 412
  - specifying, 41
- Trusted Locations subpage (Trust Center pages), 155-156
- Trusted Publishers subpage (Trust Center pages), 155
- Tufte, Edward R., 548
- tuples, 178
- turning off data-type checking, 424
- TVFs (table-valued functions), 926-927

two-digit years, converting to four-digit years, 447

TXT files, 337  
for reports, 701

type libraries, references, 1178

Type property  
Field object, 1320  
Parameter object, 1307-1309

type-declaration characters, 1180-1181

## U

UCase function, 430

UDFs (user-defined functions), 412, 868

unary minus sign (-), 414

unbound controls, 631. *See also* calculated controls

unbound object frames, 764  
unbound reports, 703

unlinked subreports, 761

unbound static controls, 582

unbound text boxes, 648

UNC (Uniform Naming Convention), 815

UnderlyingValue property (Field object), 1320

underscore (\_), wildcard character, 919

Undo button (VBA editor toolbar), 1201

Undo event, 1154

unfreezing fields, 293

Unhide Columns dialog, 314, 1123

Unicode Compression field property, 212

Uniform Naming Convention (UNC), 815

Uniform Product Code (UPC), as primary keys, 191

union queries, 401, 512-514, 569-572

creating, 930-933  
custom rows, adding to combo/list boxes, 1267  
selecting all combo box items, 1267

Unique Records property (SQL), 489

Unique Values property (queries), 489

Universally Unique Identifiers (UUIDs). *See* GUIDs

unlinked graphs, 770

adding to reports, 784-787  
changing graph type, 780, 782, 784  
creating with Chart Wizard, 773-778  
defined, 773  
modifying design, 778-780  
query data source, creating, 770-773

unlinked subreports, 761

unsafe expressions, 412

unsafe macros, enabling, 42

unsecured Access 200x files, upgrading to Access 2007, 1343

unsecured Access 9x files, upgrading to Access 200x, 1335

after opening, 1338-1339  
fixing missing VBA references, 1339-1341  
troubleshooting, 1352  
upon initial opening, 1336-1338

unsupported features from previous Access versions, 59

UPC (Uniform Product Code), as primary keys, 191

updatable Recordsets, 390, 392

updatable tables, 273

Update method (Recordset object), 1325

update queries, 401, 563. *See also* action queries; cascading updates

composite primary keys, adding to tables, 564-565  
defined, 550  
fields, adding to tables, 563-564  
foreign keys, adding to tables, 565-567  
joining tables, 567-569  
parameter values, 936, 938  
syntax, 935  
UNION queries with, 569-572

update stored procedures, creating, 894-896, 899-900

UpdateBatch method (Recordset object), 1325

updating

downloading template files, 81  
query result sets, preventing, 391-393  
records, 899-900  
cascading updates, 241  
tables with queries, 489-494

upgrades. *See also* migrating  
Access version differences, 1334

advantages of, 1334-1335  
DAO versus ADO, 1353  
difficulty of, 1352-1353  
HTML to HTML 4.01 and CSS, 1031-1036, 1050-1051

Jet databases to Access databases, 202

MSDE to SQL Server 2005 Express (SSX), 1346-1347  
attaching MSDE databases, 1347-1350

removing MSDE, 1347  
secured Access 200x files to Access 2007, 1343

creating shortcut for Access 2007 front end with Access 200x back end, 1344-1345

- removing username/password requirement, 1346
- specifying default workgroup file, 1345
- secured Access 9x files to Access 200x, 1341
  - back-end database file upgrades, 1342-1343
  - in mixed environment, 1341-1342
- unsecured Access 200x files to Access 2007, 1343
- unsecured Access 9x files to Access 200x, 1335
  - after opening, 1338-1339
  - fixing missing VBA references, 1339-1341
  - troubleshooting, 1352
  - upon initial opening, 1336-1338
- VBA code, optimizing, 1352-1353
- upsized databases, moving, 839-840**
  - changing link connection string, 840-842
- upsizing. *See also* Upsizing Wizard**
  - to ADP, 948
    - conforming columns to ANSI SQL, 959-963
    - correcting errors, 957-959
    - crossfooting crosstab queries, 994-997
    - crosstab queries, emulating, 980-994
    - data types, 978-979
    - filter references, 968-970
    - object values, 964-968
    - planned migrations, 949
    - second passes, 956-957
    - security, 997-999
    - SQL reserved words, 973-978
    - SQL statements, 970-973
    - strategic migrations, 1000-1001
    - testing projects, 964
  - trial and error, 949-955
  - troubleshooting, 999
  - Upsizing Wizard, 948
  - VBA functions, converting, 979-980
- front end with linked tables, 837
- queries to SQL Server, 443-444
- single-file applications to SQL Server, 828-829
  - table properties, modifying, 829-830
- Upsizing Wizard, 830-834
  - verifying process, 834-837
- troubleshooting operations, 864-865
- VBA functions to SQL Server, 979-980
- Upsizing Wizard, 163, 826-834. *See also* upsizing**
  - for linked table applications, 837
  - manually linking client/server tables, 843-849
  - ODBC table connection string, 837-839
  - preparation for upsizing, 829-830
  - single-file Jet applications, 830-834
  - table properties, modifying, 829-830
  - verifying upsizing process, 834-837
- usability of ribbon user interface, 171-172**
- user accounts**
  - adding to SQL Server, 852-853
    - execute rights for stored procedures, 857-859
  - server and database roles, 853-854
  - with SQL Server Management Studio, 854-857
  - verifying protection, 859-860
- WSS 3.0
  - assigning to groups, 1102-1103
  - editing user information, 1103-1105
- user interface. *See also* ribbon user interface**
  - function keys, 141
    - for fields, grids, and text boxes, 142-143
  - global function keys, 141-142
  - Table Datasheet view, 123-124
    - components of, 124-127
- user-defined data types, 1186**
- user-defined functions (UDFs), 412, 868**
- user-level security, 59, 118, 1335**
- username/password requirement, removing, 1346**
- utilities, list of, 162-163**
- utility functions (SQL), 916**
- Utility Functions module, 1203-1207**
  - adding breakpoints, 1203-1205
  - printing to Immediate window, 1205-1207
- UUIDs (Universally Unique Identifiers). *See* GUIDs**

## V

- Val function, 430**
- validated XML documents, 1058**
- validating data entry. *See* data validation**
- validating HTML, 1034**
- Validation Rule property, 207, 211**
- Validation Text property, 207, 211, 275**
- Value property**
  - controls, 1188
  - Field object, 1320
  - Parameter object, 1307

- variables, 1183. *See also***
  - placeholders**
    - arrays, 1186-1187
    - duration, 1185
    - explicit variables, 1183-1184
    - identifiers, 919
    - implicit variables, 1183
    - invisible variables, 1184
    - named database objects as, 1187-1188
    - naming, 1183
    - object properties as, 1187-1189
    - scope, 1184-1185
    - setting object properties, 1188-1189
    - static variables, 1185-1186
    - storing parameter values, 937
    - typographic conventions, 1174-1175
    - user-defined data types and, 1186
    - visible variables, 1184
- Variant data type, 424-425, 1181**
- VBA (Visual Basic for Applications), 72, 1172**
  - arguments, 1190-1191
  - branching, 1192
  - breakpoints
    - adding, 1203-1205
    - setting/clearing, 1202
  - class modules. *See* class modules
  - comments, 1199
  - compiling code, 1189
  - data types, 1180-1182. *See also specific data types*
    - corresponding Jet database objects, 1181-1182
    - type-declaration characters, 1180-1181
  - flow control, 1191
    - branching, 1192
    - conditional statements, 1192-1195
    - repetitive statements, 1195-1197
  - functions. *See* functions
  - Help system, 1202
  - history of, 1209
  - labels, 1192
  - looping, 1195-1198
    - Do Until...Loop statement, 1196-1197
    - Do While...Loop statement, 1196-1197
    - ensuring loop execution, 1197-1198
    - For...Next statement, 1195-1196
    - While...Wend loop, 1197
  - macros versus, 1151, 1172, 1208-1209
  - modules, 1175-1177
    - Access modules, 1175
    - class modules, 1177
    - Declarations section, 1177
    - elements of, 1177
    - form modules, 1176
    - procedures, 1177
    - Public variables, declaring, 1177
    - references, 1178
    - report modules, 1176
    - text comparison options, 1208
    - types of, 1175-1177
    - Utility Functions module, 1203-1207
    - variable scope, 1184
  - naming conventions, 1174-1175
  - as object-oriented, 1210
  - optimizing after upgrades, 1352
  - password-protecting code, 862-863
  - references, 1178-1179
  - referring to
    - controls, 1239-1240
    - forms, 1238-1239
    - Office XP Web controls, 1244
    - reports, 1238-1239
    - subform controls, 1241
  - role in Access, 1172
  - runtime errors, 1198-1199
    - detecting error type, 1199
    - Err object, 1199
    - Error event, 1200
    - On Error... statement, 1198-1199
  - security issues, 1174
  - structures, With...End With, 1188-1189
  - subprocedures, 118
    - executing, 1172, 1177
  - symbolic constants, 1189
    - intrinsic constants, 1190
    - system-defined constants, 1189
  - text comparison, 1208
  - typographic conventions, 1174-1175
  - uses, 1173
  - variables, 1183
    - arrays, 1186-1187
    - duration of, 1185-1186
    - explicit, 1183-1184
    - implicit, 1183
    - named database objects as, 1187-1188
    - naming conventions, 1183
    - object properties as, 1187-1189
    - scope of, 1184-1185
    - static variables, 1185-1186
    - user-defined data types, 1186
    - when to use, 1173
- VBA code, password-protecting, 862-863**
- VBA editor, 1200-1202**
  - help system, 1202-1203
  - Immediate window, printing to, 1205-1208
  - Module window toolbar, 1200-1202
  - opening, 1200
  - pseudo-code, 1189
  - shortcut keys, 1202
  - statement autocompletion, 1206
  - toolbar, 1200-1202

**VBA Help button (VBA editor toolbar), 1202**

**VBA references, fixing during upgrades, 1339-1341**

**vbCrLf constant, 1190**

**verification. *See* data verification**

**Verify SQL Syntax button (view designer toolbar), 885**

**version control. *See* Document Libraries (SharePoint)**

**Version property (Connection object), 1294**

**versions of Access, differences among, 1334**

**vertical bars. *See* pipes (|)**

**VFP (Visual FoxPro), 69**

**View Microsoft Access button (VBA editor toolbar), 1201**

#### viewing

- Filter property, 303
- forms, changing tabbed document form view to modal pop-up window, 593-594
- hidden fields, 314
- macro actions, 1149-1151
- master/child forms in
  - Layout view, 584-585
- Object Browser, 1179
- object dependencies, 248-250
- references, 1179
- relationships, 184

#### views

- in ADP Navigation Pane, 873
- default view, selecting for forms, 652-653
- duplicate column names, 966-968
- nested views, 933
- PIVOT operator, emulating crosstab queries, 986-994
- Query Design View, 195-196
- SharePoint lists, customizing, 1112-1117

- SQL Server views, 884-890
  - adding tables, 886-890
  - creating from SQL statements, 921-924
  - duplicating queries, 1272-1273
  - server-side filters, 884
  - setting JOIN properties, 886-890
  - SQL statements for, 886
  - view designer, 884-890
- T-SQL, creating, 197-198
- Table Datasheet view, 127
- Table Design view, 875-876

**Views group (Home ribbon), 128**

**visible variables, 1184**

**Visual Basic, 1209**

**Visual Basic for Applications. *See* VBA**

*The Visual Display of Quantitative Information (Tufte), 548*

*Visual Explanations: Images and Quantities, Evidence and Narrative (Tufte), 548*

**Visual FoxPro (VFP), 69**

- importing/exporting files from, 347
- linking with ODBC, 350-354
- supplemental files, 345

**Visual Studio, editing RibbonX documents, 1230-1231**

**visualizing data, PivotTables and PivotCharts, 547-548**

**void functions, 1177**

**vw (views) prefix, 894**

**vwUnion.xml document file, 1064, 1066**

**vwUnion.xsd schema file, 1063-1064**

**vwUnion.xsl style sheet, 1066**

**vwUnion\_report.xml file, 1066**

## W

**W3C (World Wide Web Consortium), 1006**

**web pages. *See also* HTML**

- exporting reports as, 1071-1074
- importing HTML tables from, 1008-1013, 1050

**Web reports, 701**

**Web servers, deploying XML file sets to, 1071**

**Web-based smart tags, 251-253**

**Weekday function, 427**

**WeekdayName function, 428**

**well-formed XML documents, 1058**

**WhatsLoaded function, 1206-1207**

**When Correcting Spelling in Microsoft Office Programs group (Proofing page), 149**

**WHERE clause (SQL), 391, 462, 918**

- aggregate functions, 925
- joins, 929-930
- Like expressions, date constraints, 949

**While...Wend loop, 1197**

**widowed records, preventing in reports, 733-734**

**Wiki sites (WSS), 1093**

**wildcard characters, 418, 437, 919**

**WillChangeField event (Recordset object), 1328**

**WillChangeRecordset event (Recordset object), 1328**

**WillConnect event (Connection object), 1303**

**WillExecute event (Connection object), 1303**

**WillMove event (Recordset object), 1328**

**Window events, 1152-1153**

**Windows Clipboard.** *See* **Clipboard**

**Windows Firewall, enabling SSX (SQL Server 2005 Express) connections, 67-68**

**Windows SharePoint Services.** *See* **WSS 3.0**

**With...End With structure, 1188-1189**

**WITHTIES modifier (SQL), 917**

**wizards, 695-697**

**Word**

exporting tables to, 367-370  
form letters. *See* form letters

**Word Basic, 1209**

**workgroup files**

default Access 2007 workgroup file, 1343  
specifying for Access 2007 front end with Access 200x back end, 1345  
upgrading, 1342-1343

**workgroup information file, compacting, 1338**

**workgroup security.** *See* **user-level security**

**worksheets.** *See* **spreadsheet files**

**World Wide Web**

**Consortium (W3C), 1006**

**writing**

action queries, 935-936  
parameters, 936, 938  
SELECT queries, 917-918  
stored procedures, 935-936  
parameters, 936, 938

**WSS 3.0 (Windows SharePoint Services), 1092-1093.** *See* **SharePoint 2007**

Access tables/queries, exporting to WSS lists, 1138, 1140

linking lists to Access tables, 1140

security groups, 1101-1102  
assigning permissions to groups, 1102-1103  
editing user information, 1103-1105

sites

adding subsites, 1094-1097  
configuring subsites, 1097-1101  
types of, 1093

## X

**x-axis**

reversing with legend labels, 807  
for time-series graphs, 770

**XAML (eXtensible Application Markup Language), 1248**

**XDocs.** *See* **InfoPath forms**

**XHTML 1.0, 1021**

converting HTML 4.01 to, 1036-1037

**XML (Extensible Markup Language), 1056.** *See also* **InfoPath forms**

advantages of learning, 1089-1090  
attributes, 1057  
as data interchange format, 1056  
elements, 1057  
exporting  
related tables as, 1079  
reports as, 1071-1074  
tables/queries as, 1060-1067

formatting exported tables/queries, 1067

adding elements, 1069-1070

CSS rules, 1067-1069

history of Microsoft support for, 1052-1053

importing related tables from, 1080-1081

importing to tables, 1074-1075  
as flat XML documents, 1075-1077  
with XML schemas, 1077-1078

Internet Explorer 7 (IE 7), troubleshooting, 1088  
namespaces, 1058-1059  
overview, 1057-1060  
style sheets

defined, 1060  
for exported tables/queries, 1066-1067  
XSL (Extensible Stylesheet Language), 1060

**XML documents, 1057**

attribute-centric, 1059-1060  
attributes, 1057  
defined, 1057  
element-centric, 1059  
elements, 1057  
exported file sets, deploying to Web servers, 1071  
exporting  
queries as, 1060-1064, 1066  
static reports as, 1072-1074, 1087-1088  
tables as, 1060-1064, 1066, 1079

headers, 1057  
importing to tables, 1074-1078, 1080-1081  
validated, 1058  
well-formed, 1058

**XML file sets, deploying to Web servers, 1071**

**.xml files, 1057**

**XML Infosets, advantages of learning, 1089-1090**

**XML namespaces, 1058**

**XML schema, 1058**

defined, 1058  
for exported tables/queries, 1062-1065

- importing data with, 1077-1078
- InfoPath forms, 1081
- tables exported to HTML, 1062-1064, 1066

**XML-based business-to-business communication, 742**

**XML Notepad 2007, editing RibbonX documents, 1231-1233**

**Xor operator, 417**

**xp (stored procedures) prefix, 894**

**XPath (XML Path Language), 1067**

**XPS**

- exporting tables to, 367-370
- publishing to, 56
- for reports, 700

**XSL (Extensible Stylesheet Language), 1060**

**.xsl files, 1060**

**XSLT (Extensible Stylesheet Language Transformations), 1057, 1060**

- advantages of learning, 1089-1090
- debugging tools, 1090
- Xpath sub-language, 1067
- XSLT Developer's Guide, 1067

## Y

**y-axis for time-series graphs, 770**

**Y2K compliance features, 219**

**Year function, 428**

**years, two-digit versus four-digit, 447**

**Yes constant, 1189**

**Yes/No data type, 214**  
standard formats for, 218-219