

Index

NUMBERS

90-90 traction, 185-186

A

ABCD (asymmetrical, border, colors, diameter) in assessing skin lesions, 142

ABCD assessment, 356

airway, 357

breathing, 357-358

circulation, 358-359

deficits, 359

abdominal injuries, 361-362

abducens nerve assessment, 249

abortions, 294

abruptio placenta, 297

absence seizures, 244

abstinence, 310

acetaminophen overdose, 347

acid/base balance, electrolyte balance, and fluid disorders, 90

changes associated with aging, 98

exam prep questions, 99-102

metabolic acidosis, 91-93

metabolic alkalosis, 95-96

normal electrolyte values, 97-98

pH regulation, 91

respiratory acidosis, 93-94

respiratory alkalosis, 96-97

web resources, 581

acidosis

metabolic acidosis

care and treatment, 92-93

causes, 91-92

definition of, 91

symptoms, 92

respiratory acidosis

care and treatment, 94

causes, 93-94

definition of, 93

symptoms, 94

uncompensated acidosis, 91

acoustic nerve assessment, 249**acquired heart disorders**

Kawasaki disease (KD), 342-344

rheumatic fever, 341-342

acquired immuno-deficiency syndrome (AIDS), 300**acrocyanosis, 308****acromegaly, 206****active transport, 90****acute diarrheal disease, 340****acute epiglottitis, 337-338****acute glaucoma, 124****acute glomerulonephritis, 64-65****acute mania, 274****acute otitis media (AOM), 335****acute post-traumatic stress disorder (PTSD), 265****acute respiratory failure**

ARDS (acute respiratory distress syndrome), 48

pulmonary embolus, 48-50

acute respiratory infections

pleurisy, 53-54

pneumonia, 52-53

TB (tuberculosis), 54

acute subdural hematomas, 246**acyanotic, 331****Adams position, 344****Addiction Research Foundation Chemical Institute Withdrawal Assessment-Alcohol (CIWA-Ar), 277****Addisonian Crises, 212****ADHD (attention deficit hyperactive disorder), 282****administering medications, 23****adolescents**

growth and development, 323

psychiatric disorders of, 281

attention deficit hyperactive disorder (ADHD), 282

conduct disorder, 281

eating disorders, 282

oppositional defiant disorder, 281

adrenal gland disorders, 212-213**adrenocortical insufficiency (Addison's disease), 212-213****adrenocorticotrophic hormone, 206****adverse effects of medications, 20**

angiotensin-converting agents, 25

anti-infectives, 27

benzodiazepines, 29

beta adrenergic blockers, 26

cholesterol-lowering agents, 34

glucocorticoids, 31-32

phenothiazines, 30

protease inhibitors, 33

proton pump inhibitors, 39

affect, 272**aging clients, 98****AIDS (acquired immuno-deficiency syndrome), 300****air emboli, 49****airway management, 357****alcoholism, 276-277****alertness, 359**

alkalosis

- metabolic alkalosis

- care and treatment, 96

- causes, 95

- definition of, 95

- symptoms, 95

- respiratory alkalosis

- care and treatment, 97

- definition of, 96

- symptoms, 96

- uncompensated alkalosis, 91

allergenic (extrinsic) asthma, 51**allogenic transplants, 147****allografts, 113****Allopurinol (Zyloprim), 191****alopecia, 145****alpha interferon injections, 166****alpha-fetoprotein screening, 291-292****alternative items, 12****Alzheimer's disease, 255-256****ambivalence, 272****ambulating clients, 402****ambulation, assistive devices for**

- canes, 197

- crutches, 196-197

- walkers, 197-198

American Association of Poison Control Centers, 363**American Cancer Society's seven warning signs of cancer, 140**

American Indians. *See* Native Americans

aminoglycosides, 26-28**aminophylline, 51****amniocentesis, 292****amniotic membrane dressings (burns), 113****amputations, 195-196****analgesics, 22****anaphylaxis, 364****anemia**

- aplastic anemia, 79

- Cooley's anemia, 81

- iron deficiency anemia, 80

- pernicious anemia, 78-79

- sickle cell anemia, 80

aneurysm, 233-234**angina pectoris, 229****Angiotensin converting enzyme inhibitors, 225****angiotensin receptor blockers, 35-36, 225****angiotensin-converting agents, 24-25****anions, 90****anorexia nervosa, 282****answers (practice exams)**

- practice exam I

- answer explanations, 466-488

- answer key, 463-465

- practice exam II

- answer explanations, 546-569

- answer key, 543-545

antacids, 21**anthrax, 367****anti-infectives, 21, 26, 28****antianemics, 21****antianxiety drugs, 28-30****anticholinergics, 22****anticoagulants, 21, 39-40, 232****anticonvulsants, 22, 28-29****antidiarrheals, 21****antiemetics, 30****antihistamines, 21****antihypertensives, 21, 24-25, 225****antipsychotics, 30, 273****antipyretics, 21****antisocial personality disorder, 270**

anxiety-related disorders

- dissociative identity disorder (DID), 265-266
- generalized anxiety disorder (GAD), 264-265
- obsessive-compulsive disorder (OCD), 267-268
- panic disorder, 266-267
- phobic disorders, 267
- post-traumatic stress disorder (PTSD), 265
- somatoform disorder, 266

AOM (acute otitis media), 335**aorta, coarctation of, 332****APGAR scoring, 308-309****aplastic anemia, 79****Apothecary System of Measurement, 585****Arab-Americans, 385**

- childbirth and pain response, 386
- dietary practices, 388
- nonverbal/verbal communication, 386
- time considerations, 386

ARDS (acute respiratory distress syndrome), 48**arthritis (rheumatoid)**

- symptoms, 192
- treatment, 192-193

artificial skin, 113**Asian-Americans, 383**

- childbirth and pain response, 385
- dietary practices, 387
- nonverbal/verbal communication, 385
- time considerations, 384

assault, 400**assault and battery, 400****assistive devices for ambulation**

- canes, 197
- crutches, 196-197
- walkers, 197-198

association, 272**asthma, 51****atopic asthma, 51****atrioventricular node, 225****atropic (dry) macular degeneration, 126****attention deficit hyperactive disorder (ADHD), 282****atypical antipsychotics, 273****aura, 243****autism, 272****autologous transplants, 147****automaticisms, 244****autonomic hyperreflexia, 254****AV atrioventricular node, 225****avoidant personality disorder, 271****AVPU (alertness, verbal stimuli, pain, unresponsiveness), 359**

B**B vitamins, 79****background diabetic retinopathy, 125****bacterial pneumonia, 52****balance suspension, 186****Ballance's sign, 362****barbiturate abuse, 279****barrier methods of contraception, 311****bases, 90****beliefs (clients), 378****beneficial beliefs, 378****benign prostatic hyperplasia (BPH), 69****benzodiazepine abuse, 279****benzodiazepines, 28-29****beta adrenergic blockers, 25-26****beta blockers, 225****biliary atresia, 327****bilis, 381****biologic dressings, 113-114****biological agents, 365-369****biosynthetic dressings, 113-114**

bioterrorism

- chemical and biological agents, 365-369
- nuclear warfare, 369-370
- triage, 370

bipolar disorders

- acute mania, 274
- major depression, 275-276

birth control pills, 311

birth defects. *See* congenital anomalies

bites (poisonous), 364-365

bladder cancer, 70-71

blood pressure

- diastolic pressure, 224
- hypertension, 224-225
- systolic pressure, 224

blood urea nitrogen (BUN), 64

blue bloaters, 50

blue spells, 332

body language

- Asian-Americans, 385
- Hispanics/Latinos, 381
- Native Americans, 383

bone marrow transplantation, 146

- allogenic transplants, 147
- autologous transplants, 147
- nursing care following, 147-148
- syngeneic transplants, 147

borderline personality disorder, 270

botulism, 176, 368

BP. *See* blood pressure

BPH (benign prostatic hyperplasia), 69

bradycardia, 305

brain injuries

- epidural hematomas, 245
- subdural hematomas, 245-246
- treatment, 246

breathing, 109, 357-358

Brethine (terbutaline sulfate), 301

bronchiolitis, 338-339

bronchitis, chronic, 50

bronchodilators, 21, 51

Buck's traction, 185

Buddhist clients, 384, 388

Buerger's disease, 232

bulimia nervosa, 282

BUN (blood urea nitrogen), 64

burns, 103

- carbon monoxide poisoning, 109
- debridement, 112
- deep partial thickness (second degree), 105
- diagnostic tests, 114
- dressings
 - biologic or biosynthetic dressings, 113-114
 - standard wound dressings, 113
- electrical burns, 105
- emergent phase
 - additional interventions, 111
 - assessment, 108-109
 - fluid replacement formulas, 109-111
- exam prep questions, 116-119
- fluid replacement formulas
 - Consensus formula, 110-111
 - Parkland formula, 109-110
- full thickness (third degree), 105-106
- infections, 112
- intermediate phase, 112-113
- Lund and Browder classification method, 106
- major burns, 107
- minor burns, 107
- moderate burns, 107
- palm classification method, 107
- pharmacology categories, 114-115
- psychological care, 108
- rehabilitative phase, 114
- Rule of Nines, 106

- superficial partial thickness (first degree), 105
- total body surface area (TBSA), 104-107
- web resources, 581-584

C

calcium

- channel blockers, 225
- normal electrolyte values, 97

calculating fluid requirements (burns)

- Consensus formula, 110-111
- Parkland formula, 109-110

cancer

- bone marrow transplantation, 146
 - allogenic transplants, 147
 - autologous transplants, 147
 - nursing care following, 147-148
 - syngeneic transplants, 147
- carcinoma, 140
- chemotherapy, 143-145
- diagnostic tests, 149-150
- exam prep questions, 152-155
- leukemia, 140, 346
- lymphoma
 - definition of, 140
 - Hodgkin's lymphoma, 148-149
- metastasis, 140
- osteogenic sarcoma, 346
- patient teaching, 143
- pharmacology categories, 150-151
- prevention, 143
- radiation therapy, 143-144
- risk factors, 141-142
- sarcoma, 140
- surgery, 143
- TPN (total parenteral nutrition), 145-146
- warning signs, 140
- web resources, 581
- Wilms tumor, 346

canes, 197

cannabis abuse, 280-281

caput succedaneum, 308

carbon monoxide poisoning, 109

carcinoma, 140

cardiac catheterization, 231

cardiac tamponade, 231

cardiovascular disorders, 223

- acquired heart disorders
 - Kawasaki disease (KD), 342-344
 - rheumatic fever, 341-342
- aneurysm, 233-234
- Buerger's disease, 232
- congenital anomalies, 330
- congenital heart defects (CHD)
 - acyanotic, 331
 - coarctation of the aorta (COA), 332
 - cyanotic, 331
 - symptoms, 331
 - tetralogy of Fallot (TOF), 332-333
- congestive heart failure, 234-235
- diagnostic tests, 235
- exam prep questions, 236-238
- heart block
 - first-degree, 225
 - pacemakers/internal defibrillators, 227-228
 - second-degree, 226
 - third-degree, 226
 - toxicity to medications, 227
- hypertension, 224-225
- myocardial infarction
 - angina pectoris, 229
 - diagnosis, 229
 - managing, 230
 - ventricular fibrillation (V-fib), 230-232
 - ventricular tachycardia, 230
- pharmacology categories, 235
- Raynaud's Syndrome, 233

- thrombophlebitis, 233
- web resources, 583
- carditis, 342**
- casts, 187**
- CAT (Computer Adaptive Test), 10-11**
- cataracts, 122-123**
- catatonic schizophrenia, 273**
- Category A (pregnancy drug category), 42**
- Category B (pregnancy drug category), 42**
- Category C (pregnancy drug category), 42**
- Category D (pregnancy drug category), 42**
- Category X (pregnancy drug category), 42**
- Catholic clients, 388**
- cations, 90**
- celiac, 341**
- central nervous system disorders, congenital anomalies, 329**
- central venous pressure (CVP), 112**
- cephalocaudal - proximodistal development, 318**
- cephalohematoma, 308**
- cerebral perfusion pressure (CPP), 251**
- certification mode (CD-ROM), 609**
- cervical mucus method of contraception, 310**
- CHD (congenital heart defects), 330**
 - acyanotic, 331
 - coarctation of the aorta (COA), 332
 - cyanotic, 331
 - symptoms, 331
 - tetralogy of Fallot (TOF), 332-333
- chemical agents, 365-369**
- Chemical Institute Withdrawal Assessment-Alcohol (CIWA-Ar), 277**
- chemical names, 24**
- chemotherapy, 143, 145**
- chest injuries, 361**
- childbirth. *See also* pregnancy**
 - Arab-Americans, 386
 - Asian-Americans, 385
 - Hispanics/Latinos, 382
 - labor
 - definition of, 301
 - dilation, 303
 - dystocia, 303
 - effacement, 303
 - factors influencing, 301-302
 - fetal lie, 303
 - fetal monitoring, 304-306
 - pharmacologic management, 307-308
 - phases, 302
 - position, 302
 - precipitate delivery, 303
 - prelabor testing, 304
 - presentation, 302
 - preterm labor, 301
 - stages, 302
 - station, 303
 - Native Americans, 383
 - postpartum care, 308
 - terms associated with newborns, 308-309
- childhood psychiatric disorders**
 - attention deficit hyperactive disorder (ADHD), 282
 - conduct disorder, 281
 - eating disorders, 282
 - oppositional defiant disorder, 281
- children. *See* pediatric clients**
- Chinese. *See* Asian-Americans**
- chlamydia, 298**
- chloride, normal electrolyte values, 97**
- cholecystitis, 173-174**
- cholelithiasis, 173-175**
- cholera, 367**
- cholesterol-lowering agents, 34-35**

chronic bronchitis

chronic bronchitis, 50

chronic glomerulonephritis, 65

chronic obstructive pulmonary disease (COPD)

asthma, 51

chronic bronchitis, 50

emphysema, 50-51

chronic subdural hematomas, 246

Chvostek's sign, 96, 210

circulation, 109, 358-359

cirrhosis

biliary cirrhosis, 169

diagnosis, 170

Laennec's portal cirrhosis, 169

post-necrotic cirrhosis, 169

symptoms, 169-170

treatment, 170-171

civil laws, 397

CIWA-Ar (Chemical Institute Withdrawal Assessment-Alcohol), 277

classifications of burns, 104

deep partial thickness (second degree), 105

full thickness (third degree), 105

Lund and Browder method, 106

palm method, 107

Rule of Nines, 106

superficial partial thickness (first degree), 105

cleft lip, 324-325

cleft palate, 324-325

client beliefs, 378, 584

client information, obtaining, 359

client needs, 10

client rights, 398

closed fractures, 184

clubfoot, congenital, 329

Cluster A personality disorders

paranoid personality disorder, 268

schizoid personality disorder, 269

schizotypal personality disorder, 269

Cluster B personality disorders

antisocial personality disorder, 270

borderline personality disorder, 270

histriotic personality disorder, 269

narcissistic personality disorder, 269

Cluster C personality disorders, 271

CNS. *See* central nervous system disorders

COA (coarctation of the aorta), 332

Code of Ethics for Nursing, 398-399

codeine abuse, 279

coining, 384

coitus interruptus, 310

color codings (triage), 370

comminuted fractures, 184

common laws, 397-398

communication

Arab-Americans, 386

Asian-Americans, 385

Hispanics/Latinos, 381

language differences, 379

Native Americans, 383

compartment syndrome

definition of, 187

symptoms, 187-188

treatment, 188

complete abortions, 294

complete spinal cord injuries, 252

complex partial seizures, 244

complications of pregnancy, 293

compound fractures, 184

Computer Adaptive Test (CAT), 10-11

condoms, 311

conduct disorder, 281

condylomata, 299

congenital aganglionic megacolon (Hirschsprung disease), 326-327

congenital anomalies, 323

- biliary atresia, 327
- cleft lip and cleft palate, 324-325
- congenital clubfoot, 329
- congenital heart defects (CHD), 330
 - acyanotic, 331
 - coarctation of the aorta (COA), 332
 - cyanotic, 331
 - symptoms, 331
 - tetralogy of Fallot (TOF), 332-333
- developmental hip dysplasia (DHD), 328
- esophageal atresia (EA), 325
- galactosemia, 334
- Hirschsprung disease (congenital aganglionic megacolon), 326-327
- imperforate anus, 326
- phenylketonuria (PKU), 333-334
- spina bifida, 329-330
- tracheoesophageal fistula (TEF), 325

congenital clubfoot, 329**congenital heart defects (CHD), 330**

- acyanotic, 331
- coarctation of the aorta (COA), 332
- cyanotic, 331
- symptoms, 331
- tetralogy of Fallot (TOF), 332-333

congestive heart failure, 234-235**Consensus formula, 110-111****consent for care, witnessing, 401****continuous passive motion (CPM) machine, 194-195****contraception, 310-311****contraction stress test, 304****contrecoup injuries, 360****contusions of eyes, 128****Cooley's anemia, 81****COPD (chronic obstructive pulmonary disease)**

- asthma, 51
- chronic bronchitis, 50
- emphysema, 50-51

cord prolapse, 297**coronary artery bypass grafts, 231****cortisol, 212****Cotrel-Dubousset approach, 345****Coumadin, 232****coup injuries, 360****cox 2 enzyme blockers, 36-37****coxa plana, 345****CPM (continuous passive motion) machine, 194-195****CPP (cerebral perfusion pressure), 251****cranial nerve assessment, 249-250****craniotomy (intracranial surgery), 251-252****cretinism, 207-208****criminal laws, 397****Crohn's disease, 161****crutches, 196-197****Crutchfield tong traction, 186****Cullen's sign, 362****cultural practices, 378**

- Arab-Americans, 385-386
- Asian-Americans, 383-385
- cultural assessment
 - client beliefs, 378
 - language differences, 379
- dietary considerations, 387-388
- exam prep questions, 390-393
- Hispanics/Latinos, 380-381
- Native Americans, 382-383
- religious beliefs, 388-389
- web resources, 584

cultured skin dressings, 113

cupping, 384

Cushing's Syndrome, 32

Cushing's triad, 247

CVP (central venous pressure), 112

cyanides, 366

cyanotic, 331

Cyclogyl, 123

cystectomy, 70

cystic fibrosis, 339

D

debridement, 112

deceleration of fetal heart tones, 305-306

deep partial thickness (second degree) burns, 105

defibrillators, internal, 227-228

deficits, 359

degenerative neurological disorder, 255-256

delayed post-traumatic stress disorder (PTSD), 265

demand pacemakers, 227

Demerol, 20

dependent personality disorder, 271

depression (major), 275-276

determiners, 13

development and growth

adolescents, 323

infants, 318-319

preschoolers, 321-322

school age children, 322

toddlers, 320

developmental hip dysplasia (DHD), 328

dextrostix, 217

DHD (developmental hip dysplasia), 328

diabetes during pregnancy, 295

diabetes mellitus, 213-216

diabetic retinopathy, 125-126

Diagnostic and Statistical Manual of Mental Disorders (DSM-IV-TR), 264

diagnostic tests

burns, 114

cancer, 149-150

cardiovascular disorders, 235

ear disorders, 132

emergency nursing, 370-371

endocrine system disorders, 216-217

gastrointestinal disorders, 176-177

hematopoietic disorders, 82

musculoskeletal disorders, 198-199

neurological disorders, 256-257

obstetric clients, 312

pediatric clients, 348

prenatal care, 292

psychiatric disorders, 283

renal/genitourinary disorders, 71

respiratory disorders, 56

ulcers, 159

visual tests, 129

dialysis, 66

Diamox, 123

diaphragms, 311

diastolic pressure, 224

DIC (disseminated intravascular coagulation), 296

DID (dissociative identity disorder), 265-266

diet. *See* nutrition

dietary practices of cultural groups, 387-388

dilation, 303

dissecting aneurysm, 233

distracters, 13

diuretics, 21, 225

diversity. *See* cultural practices

diverticulitis, 163
documenting forensic evidence, 363
dressings
 burn dressings, 113-114
 TPN (total parenteral nutrition), 146
drug schedules, 42
drugs. *See* pharmacology
dry (atropic) macular degeneration, 126
DSM-IV-TR (Diagnostic and Statistical Manual of Mental Disorders), 264
dumping syndrome, 160
duodenal ulcers, 158
dysreflexia, 254
dysrhythmias
 ventricular fibrillation (V-fib), 230-232
 ventricular tachycardia, 230
dystocia, 303

E

e. coli, 176
EA (esophageal atresia), 325
ear disorders, 129
 diagnostic tests, 132
 ear trauma, 132
 exam prep questions, 134-136
 hearing loss, 132
 Meniere's disease, 130-131
 otitis externa, 130
 otitis media, 130
 otosclerosis, 131
 pharmacology categories, 133
 presbycusis, 131
early deceleration of fetal heart tones, 305
eating disorders, 282
ECCE (extracellular cataract extraction), 123
echinacea, 41
effacement, 303

elective abortions, 294
electrical burns, 105
electrocardiograms, 226-227
electrolyte balance, acid/base balance, and fluid disorders, 90
 changes associated with aging, 98
 exam prep questions, 99-102
 metabolic acidosis, 91-93
 metabolic alkalosis, 95-96
 normal electrolyte values, 97-98
 pH regulation, 91
 respiratory acidosis, 93-94
 respiratory alkalosis, 96-97
 web resources, 581
emergency nursing, 355
 ABCD assessment, 356
 airway, 357
 breathing, 357-358
 circulation, 358-359
 deficits, 359
 bioterrorism
 chemical and biological agents, 365-369
 nuclear warfare, 369-370
 triage, 370
 client information, obtaining, 359
 diagnostic tests, 370-371
 exam prep questions, 372-375
 forensic evidence, documenting and protecting, 363
 pharmacology, 371
 poisoning, 363-364
 poisonous stings and bites, 364-365
 trauma
 abdominal injuries, 361-362
 chest injuries, 361
 definition of, 360
 head injuries, 360
 triage, 356

emergent phase (burns)

- additional interventions, 111
- assessment, 108-109
- fluid replacement formulas
 - Consensus formula, 110-111
 - Parkland formula, 109-110

emerging infections, 54-55**empacho, 381****emphysema, 50-51****end stage renal disease (ESRD)**

- hemodialysis, 66
- peritoneal dialysis, 66
- renal transplants, 67

endocrine system, 211, 582**endocrine system disorders, 205**

- adrenal gland disorders, 212-213
- diabetes mellitus, 213-216
- diagnostic tests, 216-217
- exam prep questions, 218-221
- parathyroid disorders, 210-211
- pharmacology categories, 217
- pituitary disorders, 206-207
- thyroid disorders
 - hyperthyroidism, 208-209
 - hypothyroidism, 207

engrafts, 147**enteric-coated tablets, 22****envenomation, 365****epidural block, 307****epidural hematomas, 245****epiglottitis, acute, 337-338****erythema marginatum, 342****erythroblastosis fetalis, 309****esophageal atresia (EA), 325****ESRD (end stage renal disease), 66-67****ethics, Code of Ethics for Nursing, 398-399****evil eye (mal de ojo), 381****exam prep questions**

- burns, 116-119
- cancer, 152-155
- cardiovascular disorders, 236-238
- cultural practices, 390-393
- emergency nursing, 372-375
- endocrine system disorders, 218-221
- fluid, electrolyte balance, and acid/base balance, 99-102
- gastrointestinal disorders, 178-181
- hematopoietic disorders, 84-87
- legal issues, 405-408
- musculoskeletal disorders, 200-203
- neurological disorders, 258-261
- obstetric clients, 313-316
- pediatric clients, 350-352
- pharmacology, 43-46
- psychiatric disorders, 284-287
- renal/genitourinary disorders, 72-75
- respiratory disorders, 58-61
- sensorineural disorders, 134-136

exams (practice)

- practice exam I, 409-462
 - answer explanations, 466-488
 - answer key, 463-465
- practice exam II, 489-541
 - answer explanations, 546-569
 - answer key, 543-545

external bleeding, controlling, 358**extracellular cataract extraction (ECCE), 123****extracellular fluid, 90****extrinsic (allergenic) asthma, 51****exudative (wet) macular degeneration, 126****eye disorders**

- exam prep questions, 134-136
- intraocular disorders
 - cataracts, 122-123
 - glaucoma, 123-125

pharmacology categories, 129
refractory errors, 127-128
retinal disorders
 diabetic retinopathy, 125-126
 hypertensive retinopathy, 125
 macular degeneration, 126
 retinal detachment, 126
traumatic injuries, 128
visual tests, 129

F

facial nerve assessment, 249
farsightedness, 127
fasciotomy, 188
fasting blood glucose, 217
fat emboli, 48-49
felonies, 397
fetal heart tones, measuring, 293
fetal lie, 303
fetal monitoring, 304
 early decelerations, 305
 late decelerations, 306
 variable decelerations, 305
feverfew, 41
filtration, 90
first degree (superficial partial thickness) burns, 105
first-degree heart block, 225
flail chest, 361
fluids
 electrolyte balance, and acid/base balance disorders, 90
 changes associated with aging, 98
 exam prep questions, 99-102
 metabolic acidosis, 91-93
 metabolic alkalosis, 95-96
 normal electrolyte values, 97-98
 pH regulation, 91

 respiratory acidosis, 93-94
 respiratory alkalosis, 96-97
fluid replacement formulas (burns)
 Consensus formula, 110-111
 Parkland formula, 109-110
web resources, 581

focal seizures, 244
food-borne illnesses, 175-176
foreign bodies in eye, 128
forensic evidence, documenting and protecting, 363
four-point crutch-walking gait, 197
fractured hip, 193-194
fractures
 casts, 187
 comminuted fractures, 184
 compartment syndrome, 187-188
 compound fractures, 184
 definition of, 184
 green stick fractures, 184
 osteomyelitis, 188-189
 pathological fractures, 184
 simple fractures, 184
 symptoms, 184
 traction, 185-186
 treatment, 184-185
fraud, 401
full thickness (third degree) burns, 105-106
fusiform aneurysm, 233

G

GAD (generalized anxiety disorder), 264-265
gait belts, 198
galactosemia, 334
gallbladder disease, 173
gallbladder inflammation, 173-174
garamycin, 53

gastric ulcers, 159**gastroenteritis, 340****gastrointestinal disorders**

celiac, 341

cholecystitis, 173-174

cholelithiasis, 173-175

cirrhosis

biliary cirrhosis, 169

diagnosis, 170

Laennec's portal cirrhosis, 169

post-necroticcirrhosis, 169

symptoms, 169-170

treatment, 170-171

congenital anomalies, 324

biliary atresia, 327

cleft lip and cleft palate, 324-325

esophageal atresia (EA), 325

Hirschsprung disease (congenital aganglionic megacolon), 326-327

imperforate anus, 326

tracheoesophageal fistula (TEF), 325

Crohn's disease, 161

diagnostic tests, 176-177

diverticulitis, 163

exam prep questions, 178-181

food-borne illnesses, 175-176

gastroenteritis, 340

hepatitis

general management techniques, 164

hepatitis A, 164-165

hepatitis B, 165-167

hepatitis C, 167

hepatitis D, 167-168

hepatitis E, 168

icteric stage, 168-169

prodromal stage, 168-169

intussusception, 340

pancreatitis, 171-172

pharmacology categories, 177

pyloric stenosis, 340

ulcerative colitis, 162

ulcers

diagnostic tools, 159

dumping syndrome, 160

duodenal ulcers, 158

gastric ulcers, 159

treatment, 159-160

gastrointestinal system, web resources, 582**general anesthesia, childbirth, 308****generalized anxiety disorder (GAD), 264-265****generalized seizures**

absence, 244

tonic-clonic, 242-243

generic names, 24**genital herpes, 299****genitourinary disorders, 63**

acute glomerulonephritis, 64-65

bladder cancer, 70-71

BPH (benign prostatic hyperplasia), 69

chronic glomerulonephritis, 65

diagnostic tests, 71

ESRD (end stage renal disease), 66-67

exam prep questions, 72-75

nephrotic syndrome, 67-68

pharmacology categories, 71

urinary calculi, 68

UTIs (urinary tract infections), 68-69

genitourinary system, web resources, 580**gigantism, 206****ginkgo, 41****ginseng, 41****Glasgow coma scale, 250-251****glaucoma, 123-125****glomerulonephritis, 64-65****glossopharyngeal nerve assessment, 249****glucagon, 216****glucocorticoids, 31****glucose tolerance tests, 216**

gluten-induced enteropathy, 341
glycosylated hemoglobin (Hgb A-1C), 217
goiters, 208
gonadotrophic hormones, 206
gonorrhea, 298
gout, 190-191
Gower's maneuver, 345
grand mal seizures, 242-243
green stick fractures, 184
growth and development
 adolescents, 323
 infants, 318-319
 preschoolers, 321-322
 school age children, 322
 toddlers, 320
growth hormone, 206
Guillain-Barre, 254-255
Guthrie test, 334

H

H Pylori bacteria, 158
H.influenza B conjugate vaccine, 337
hallucinogens abuse, 280
halo vests, 253
Harrington rods, 345
Havrix, 165
hazardous substances, ingestion of
 acetaminophen overdose, 347
 iron poisoning, 348
 lead, 347
 salicylate overdose, 347
HBIG (hepatitis B immune globulin), 167
head injuries, 360
hearing loss, assisting clients with, 132. See
 also ear disorders
heart block
 first-degree, 225
 pacemakers/internal defibrillators, 227-228

 second-degree, 226
 third-degree, 226
 toxicity to medications, 227
HELLP syndrome, 296
help, technical support, 612
hematomas
 epidural hematomas, 245
 subdural hematomas, 245-246
 treatment, 246
hematopoietic disorders, 77
 anemia
 aplastic anemia, 79
 Cooley's anemia, 81
 iron deficiency anemia, 80
 pernicious anemia, 78-79
 sickle cell anemia, 80
 diagnostic tests, 82
 exam prep questions, 84-87
 hemophilia, 81
 pharmacology categories, 83
 polycythemia vera, 82
hematopoietic system, web resources, 580
hemodialysis, 66
hemolysis, 296
hemophilia, 81
hemorrhage, 361
heparin, 232
hepatitis
 general management techniques, 164
 hepatitis A, 164-165
 hepatitis B, 165-167
 hepatitis C, 167
 hepatitis D, 167-168
 hepatitis E, 168
 icteric stage, 168-169
 prodromal stage, 168-169
hepatitis B immune globulin (HBIG), 167
Heptovax, 166

herbals, 41-42

herpes, 299

heterograftsw, 113

HEV (hepatitis E), 168

Hgb A-1C (glycosylated hemoglobin), 217

high-purine foods, 191

Hindu clients, 384, 389

hip fractures, 193-194

hip replacement, 193-194

Hirschsprung disease (congenital aganglionic megacolon), 326-327

Hispanics/Latinos

bilis, 381

childbirth and pain response, 382

dietary practices, 387

empacho, 381

evil eye (mal de ojo), 381

nonverbal/verbal communication, 381

susto (fright sickness), 381

time considerations, 381

traditional healers, 380

histamine 2 antagonists, 37-38

histrioc personality disorder, 269

HIV (human immunodeficiency virus), 300

Hodgkin's lymphoma, 148-149

hormonal contraception, 311

hormones

adrenocorticotrophic hormone, 206

cortisol, 212

gonadotrophic hormone, 206

growth hormone, 206

parathormone, 210-211

thyroid hormone, 207

thyrotrophic hormone, 206

Household System of Measurement, 585-586

human immunodeficiency virus (HIV), 300

hydatidiform moles, 294

hyperbilirubinemia, 309

hyperemesis gravidarum, 293

hyperglycemia, 215

hyperkalemia, 65, 92

hyperopia, 127

hyperparathyroidism, 210-211

hyperplasia of the thyroid, 208

hypertension, 224-225

hypertensive retinopath, 125

hyperthyroidism, 208-209

hyphema, 128

hypoglossal nerve assessment, 250

hypoglycemia, 216

hypoparathyroidism, 210-211

hypothyroidism

adults, 207

infants, 208

managing, 208

hypovolemic shock, 358



ICP (increased intracranial pressure)

causes, 246

intracranial pressure monitors, 251

symptoms, 246-248

treatment, 248

icteric stage (hepatitis), 168-169

identifying drug types, 24, 40-41

Imferon, 81

imperforate anus, 326

incompetent cervix, 293

incomplete abortions, 294

incomplete spinal cord injuries, 252

increased intracranial pressure (ICP)

causes, 246

intracranial pressure monitors, 251

symptoms, 246-248

treatment, 248

inevitable abortions, 294

infants. See also obstetric clients, pediatric clients, pregnancy

- acrocyanosis, 308
- APGAR scoring, 308-309
- caput succedaneum, 308
- cephalohematoma, 308
- growth and development, 318-319
- hyperbilirubinemia, 309
- ICP (increased intracranial pressure), 248
- milia, 309
- Mongolian spots, 309
- physiologic jaundice, 310
- prematurity, 301
- web resources, 584

infection control, 14

infections during pregnancy, 297-300

inflammatory bowel disorders, 160

- Crohn's disease, 161
- diverticulitis, 163
- ulcerative colitis, 162

ingestion of hazardous substances

- acetaminophen overdose, 347
- iron poisoning, 348
- lead, 347
- salicylate overdose, 347

insulin, 215

intact corneal rings, 128

Integra, 113

intermediate phase (burns), 112-113

internal defibrillators, 227-228

intra-abdominal bleeding, 362

intracellular fluid, 90

intracranial pressure monitors, 251

intracranial surgery (craniotomy), 251-252

intramuscular iron, 81

intraocular disorders

- cataracts, 122-123
- glaucoma
 - acute glaucoma, 124
 - management of, 124-125
 - POAG (primary open-angle glaucoma), 123
 - secondary glaucoma, 124

intraocular pressure, 124

intrapartal care

- dilation, 303
- dystocia, 303
- effacement, 303
- fetal lie, 303
- fetal monitoring, 304-306
- labor
 - definition of, 301
 - factors influencing, 301-302
 - pharmacologic management, 307-308
 - phases, 302
 - stages, 302
- position, 302
- precipitate delivery, 303
- prelabor testing, 304
- presentation, 302
- station, 303

intrinsic (nonallergenic) asthma, 51

intussusception, 340

iron deficiency anemia, 80

iron poisoning, 348

Islamic clients, 385

IUDs (intrauterine devices), 311

IV therapy, 402

J - K

jabon de la mano milagrosa, 381

Japanese. See Asian-Americans

jaundice, 310, 328

Jehovah's Witness clients, 389**Jewish clients, 389****kava-kava, 42****KD (Kawasaki disease), 342-344****Kehr's sign, 362****kernicterus, 309****ketonuria, 214****keywords, looking for, 12****kidney stones, 68****kidneys. See renal/genitourinary disorders****knee replacement**

- CPM (continuous passive motion) machines, 194-195
- physical therapy, 195
- post-operative care, 194

L
lacerations of eye, 128**language differences, 379****Lantus insulin, 215****laryngotracheobronchitis (LTB), 337****laser in-situ keratomileusis (LASIK), 128****LASIK (laser in-situ keratomileusis), 128****Latinos/Hispanics**

- bilis, 381
- childbirth and pain response, 382
- empacho, 381
- evil eye (mal de ojo), 381
- nonverbal/verbal communication, 381
- susto (fright sickness), 381
- time considerations, 381
- traditional healers, 380

laws

- civil laws, 397
- common laws, 397-398

- criminal laws, 397

- statutory laws/regulatory laws, 397

laxatives, 21**lead poisoning, 347****left occiput anterior (LOA), 302****legal issues**

- assault, 400
- assault and battery, 400
- civil laws, 397
- Code of Ethics for Nursing, 398-399
- common laws, 397-398
- criminal laws, 397
- exam prep questions, 405-408
- fraud, 401
- malpractice, 400
- managing client care, 401-404
- negligence, 400
- Nurse Practice Acts, 396-397
- statutory laws/regulatory laws, 397
- torts, 400
- versus, 403
- web resources, 584
- witnessing consent for care, 401

Legg-Calve-Perthes disease, 345**Legionnaire's Disease, 55****Leopold's maneuver, 303****leukemia, 140, 346****lithium, 275****liver disorders**

- cirrhosis, 169
 - biliary cirrhosis, 169
 - diagnosis, 170
 - Laennec's portal cirrhosis, 169
 - post-necrotic cirrhosis, 169
 - symptoms, 169-170
 - treatment, 170-171
- hepatitis, 164
 - general management techniques, 164
 - hepatitis A, 164-165

- hepatitis B, 165-167
- hepatitis C, 167
- hepatitis D, 167-168
- hepatitis E, 168
- icteric stage, 168-169
- prodromal stage, 168-169

LOA (left occiput anterior), 302

local infiltration, 307

low-purine foods, 191

LTB (laryngotracheobronchitis), 337

Lugol's solution, 209

Lund and Browder classification method (burns), 106

lungs. *See* respiratory disorders

Luque wires, 345

lymphoma

- definition of, 140
- Hodgkin's lymphoma
 - diagnosis, 148-149
 - prognosis, 149
 - treatment, 149

M

ma huang, 42

macular degeneration, 126

magnesium, normal electrolyte values, 98

magnesium gluconate, 296

magnesium sulfate, 296, 301

major burns, 106-107

- emergent phase
 - additional interventions, 111
 - assessment, 108-109
 - fluid replacement formulas, 109-111
- fluid replacement formulas
 - Consensus formula, 110-111
 - Parkland formula, 109-110

major depression, 275-276

maladaptive beliefs, 378

malignant cells. *See* cancer

malpractice, 400

managing client care, 401-404

mania, acute, 274

Mantoux skin tests, 54

manual traction, 185

MAOIs (monoamine oxidase inhibitors), 276

MAP (mean arterial pressure), 251

marijuana abuse, 280-281

maternal/infant clients, 289

- abortions, 294
- abruptio placenta, 297
- complications of pregnancy, 293
- contraception, 310-311
- cord prolapse, 297
- diagnostic tests, 312
- disseminated intravascular coagulation (DIC), 296
- exam prep questions, 313-316
- labor
 - definition of, 301
 - dilation, 303
 - dystocia, 303
 - effacement, 303
 - factors influencing, 301-302
 - fetal lie, 303
 - fetal monitoring, 304-306
 - pharmacologic management, 307-308
 - phases, 302
 - position, 302
 - precipitate delivery, 303
 - prelabor testing, 304
 - presentation, 302
 - preterm labor, 301
 - stages, 302
 - station, 303
- maternal diabetes, 295
- maternal infections, 297-300
- pharmacological categories, 312

physiologic jaundice, 310
 Placenta Previa, 297
 postpartum care, 308
 preeclampsia, 295-296
 prematurity, 301
 prenatal care

- alpha-fetoprotein screening, 291-292
- amniocentesis, 292
- diagnostic tests, 292
- diet and weight maintenance, 291
- fetal heart tones, measuring, 293
- ultrasonography, 293

 Rh incompatibility, 309-310
 signs of pregnancy, 290

- positive signs, 291
- presumptive signs, 290
- probable signs, 290-291

 terms associated with newborns, 308-309
 web resources, 584

math skills, testing, 586-587**mean arterial pressure (MAP), 251****measurement, systems of**

Apothecary System of Measurement, 585
 Household System of Measurement, 585-586
 metric measurements, 586

medication. See also pharmacology

most-prescribed medication table, 589-592
 web resources, 589

Meniere's disease, 130-131**meningitis, 330****meningocele spina bifida, 329****mental disorders. See psychiatric disorders****metabolic acidosis**

care and treatment, 92-93
 causes, 91-92
 definition of, 91
 symptoms, 92

metabolic alkalosis, 95-96**metabolic disorders**

galactosemia, 334
 phenylketonuria (PKU), 333-334

metastasis, 140**methicillin-resistant staphylococcus aureus (MRSA), 28****metric measurements, 586****milia, 309****minor burns, 107****miotics, 22** **misdemeanors, 397****missed abortions, 294****moderate burns, 107****Mongolian spots, 309****monoamine oxidase inhibitors (MAOIs), 276****morphine abuse, 279****motor vehicle accidents (MVAs)**

abdominal injuries, 361-362
 chest injuries, 361
 head injuries, 360

MRSA (methicillin-resistant staphylococcus aureus), 28**mucocutaneous lymph node syndrome, 342-344****mucoviscidosis (cystic fibrosis), 339****multiple personality disorder, 265-266****multiple sclerosis, 255-256****muscular dystrophies, 345****musculoskeletal disorders, 183**

amputations, 195-196
 assistive devices for ambulation

- canes, 197
- crutches, 196-197
- walkers, 197-198

 congenital anomalies

- congenital clubfoot, 329
- developmental hip dysplasia (DHD), 328

 diagnostic tests, 198-199

exam prep questions, 200-203

fractures

casts, 187

comminuted fractures, 184

compartment syndrome, 187-188

compound fractures, 184

definition of, 184

green stick fractures, 184

osteomyelitis, 188-189

pathological fractures, 184

simple fractures, 184

symptoms, 184

traction, 185-186

treatment, 184-185

gout, 190-191

Legg-Calve-Perthes disease, 345

muscular dystrophies, 345

osteoporosis, 189-190

pharmacology, 199

rheumatoid arthritis, 192-193

scoliosis, 344-345

surgical procedures

amputations, 195-196

fractured hip and hip replacement,
193-194

total knee replacement, 194-195

musculoskeletal system, web resources, 582

Muslim clients, 385

MVAs (motor vehicle accidents)

abdominal injuries, 361-362

chest injuries, 361

head injuries, 360

myasthenia gravis, 255-256

mydriatics, 22

myelomeningocele spina bifida, 329

myocardial infarction, 228

angina pectoris, 229

diagnosis, 229

managing, 230

ventricular fibrillation (V-fib), 230-232

ventricular tachycardia, 230

myopia, 127

myxedema, 207

N

names (medication), 24

narcissistic personality disorder, 269

narcotics, 22

narrow-angle glaucoma, 124

National Council Licensure Examination. See
NCLEX-RN exam

Native Americans

childbirth and pain response, 383

nonverbal/verbal communication, 383

shamans, 382

time considerations, 382

NATO (North Atlantic Treaty Organization) triage
color codings, 370

NCLEX-RN exam, 409, 543

exam prep questions

burns, 116-119

cancer, 152-155

cardiovascular disorders, 236-238

cultural practices, 390-393

emergency nursing, 372-375

endocrine system disorders, 218-221

fluid, electrolyte balance, and acid/base
balance, 99-102

gastrointestinal disorders, 178-181

hematopoietic disorders, 84-87

legal issues, 405-408

musculoskeletal disorders, 200-203

neurological disorders, 258-261

obstetric clients, 313-316

pediatric clients, 350-352

pharmacology, 43-46

psychiatric disorders, 284-287

renal/genitourinary disorders, 72-75

- respiratory disorders, 58-61
- sensorineural disorders, 134-136
- practice exam I, 409-462
 - answer explanations, 466-488
 - answer key, 463-465
- practice exam II, 489-541
 - answer explanations, 546-569
 - answer key, 543-545
- preparing for, 10-11
- test-taking strategies, 11
 - eliminating distracters, 13
 - looking for keywords, 12
 - looking for opposite answers, 14
 - looking for similar options, 13-14
 - practice questions, 15-17
 - reading questions carefully, 12
 - watching for specific details, 13
- nearsightedness, 127**
- negative schizophrenia, 272**
- negligence, 400**
- Neo-Synephrine, 123**
- nephroblastoma, 346**
- nephrotic syndrome, 67-68**
- nerve agents, 366**
- nerve blocks, 307**
- neuroleptic malignant syndrome, 274**
- neurological assessment**
 - cranial nerve assessment, 249-250
 - Glasgow coma scale, 250-251
 - intracranial pressure monitors, 251
- neurological disorders, 241**
 - brain injuries
 - epidural hematomas, 245
 - subdural hematomas, 245-246
 - treatment, 246
 - degenerative neurological disorders, 255-256
 - diagnostic tests, 256-257
 - exam prep questions, 258-261
 - Guillain-Barre, 254-255
 - ICP (increased intracranial pressure)
 - causes, 246
 - intracranial pressure monitors, 251
 - symptoms, 246-248
 - treatment, 248
 - intracranial surgery (craniotomy), 251-252
 - neurological assessment
 - cranial nerve assessment, 249-250
 - Glasgow coma scale, 250-251
 - intracranial pressure monitors, 251
 - pharmacology, 257
 - seizures
 - causes of, 242
 - generalized seizures, 242
 - absence, 244
 - tonic-clonic, 242-243
 - partial seizures, 244
 - complex partial, 244
 - simple partial, 244
 - treatment, 244
 - spinal cord injuries
 - autonomic hyperreflexia, 254
 - complete, 252
 - incomplete, 252
 - spinal shock, 254
 - treatment, 253
 - status epilepticus, 245
- neurological system, web resources, 583**
- neurotic disorders.** *See* anxiety-related disorders
- neurotransmitters, 264**
- neutral beliefs, 378**
- newborns.** *See* infants
- nitroglycerine, 229**
- non-cardiogenic pulmonary edema, 48**
- non-stress test, 304**
- nonallergenic (intrinsic) asthma, 51**
- nonsteroidal anti-inflammatory drugs (NSAIDs), 36**

nonverbal/verbal communication

- Arab-Americans, 386
- Asian-Americans, 385
- Hispanics/Latinos, 381
- Native Americans, 383

normal electrolyte values, 97-98**Norplant, 311****North Atlantic Treaty Organization (NATO) triage color codings, 370****novel antipsychotics, 273****NSAIDs (nonsteroidal anti-inflammatory drugs), 36****nuclear warfare, 369-370****Nurse Practice Acts, 396-397, 403****nutrition**

- prenatal diet and weight maintenance, 291
- TPN (total parenteral nutrition), 145-146

O

OA (occiput anterior), 303**obsessive-compulsive disorder (OCD), 267-268****obsessive-compulsive personality disorder, 271****obstetric clients, 289-290**

- abortions, 294
- abruptio placenta, 297
- complications of pregnancy, 293
- contraception, 310-311
- cord prolapse, 297
- diagnostic tests, 312
- disseminated intravascular coagulation (DIC), 296
- exam prep questions, 313-316
- labor
 - definition of, 301
 - dilation, 303
 - dystocia, 303
 - effacement, 303
 - factors influencing, 301-302

fetal lie, 303

fetal monitoring, 304-306

pharmacologic management, 307-308

phases, 302

position, 302

precipitate delivery, 303

prelabor testing, 304

presentation, 302

preterm labor, 301

stages, 302

station, 303

maternal diabetes, 295

maternal infections, 297-300

pharmacological categories, 312

physiologic jaundice, 310

Placenta Previa, 297

postpartum care, 308

preeclampsia, 295-296

prematurity, 301

prenatal care

- alpha-fetoprotein screening, 291-292

- amniocentesis, 292

- diagnostic tests, 292

- diet and weight maintenance, 291

- fetal heart tones, measuring, 293

- ultrasonography, 293

Rh incompatibility, 309-310

signs of pregnancy

- positive signs, 291

- presumptive signs, 290

- probable signs, 290-291

terms associated with newborns, 308-309

occiput anterior (OA), 303**OCD (obsessive-compulsive disorder), 267-268****oculomotor nerve assessment, 249****odd answer out strategy, 13****olfactory nerve assessment, 249****opiates, 279**

oppositional defiant disorder

oppositional defiant disorder, 281

optic nerve assessment, 249

options, 12

orientation, assessing, 359

osmosis, 90

osteogenic sarcoma, 346

osteomyelitis, 188-189

osteoporosis, 189-190

osteosarcoma, 346

otitis externa, 130

otitis media, 130

otosclerosis, 131

overdoses, 347

P

pacemakers, 227-228

pain response, 359

Arab-Americans, 386

Asian-Americans, 385

Hispanics/Latinos, 382

Native Americans, 383

palm classification method (burns), 107

pancreatitis, 171-172

panic disorder, 266-267

paranoid personality disorder, 268

parathormone, 210-211

parathyroid disorders, 210-211

Parkinson's disease, 255-256

Parkland formula, 109-110

partial seizures, 244

partial thromoplastin time (PTT), 232

pathological fractures, 184

patient care/management, cultural practices/beliefs web resources, 584

Patient's Bill of Rights, 398

Pearson attachments, 186

pediatric clients, 318

acquired heart disorders

Kawasaki disease (KD), 342-344

rheumatic fever, 341-342

childhood cancer, 346

congenital anomalies, 323

biliary atresia, 327

cleft lip and cleft palate, 324-325

congenital clubfoot, 329

congenital heart defects (CHD), 330-333

developmental hip dysplasia (DHD), 328

esophageal atresia (EA), 325

galactosemia, 334

Hirschsprung disease (congenital aganglionic megacolon), 326-327

imperforate anus, 326

phenylketonuria (PKU), 333-334

spina bifida, 329-330

tracheoesophageal fistula (TEF), 325

diagnostic tests, 348

exam prep questions, 350-352

gastrointestinal disorders

celiac, 341

gastroenteritis, 340

intussusception, 340

pyloric stenosis, 340

growth and development

adolescents, 323

infants, 318-319

preschoolers, 321-322

school age children, 322

toddlers, 320

ingestion of hazardous substances

acetaminophen overdose, 347

iron poisoning, 348

lead, 347

salicylate overdose, 347

- musculoskeletal disorders
 - Legg-Calve-Perthes disease, 345
 - muscular dystrophies, 345
 - scoliosis, 344-345
- pharmacology categories, 349
- respiratory disorders
 - acute epiglottitis, 337-338
 - acute otitis media (AOM), 335
 - bronchiolitis, 338-339
 - cystic fibrosis, 339
 - laryngotracheobronchitis (LTB), 337
 - tonsillitis, 336
- pediatrics, web resources, 584**
- penetrating injuries of eye, 128**
- peritoneal dialysis, 66**
- peritonitis, 66**
- pernicious anemia, 78-79**
- personality disorders**
 - antisocial personality disorder, 270
 - avoidant personality disorder, 271
 - borderline personality disorder, 270
 - client management, 271
 - dependent personality disorder, 271
 - histrionic personality disorder, 269
 - narcissistic personality disorder, 269
 - obsessive-compulsive personality disorder, 271
 - paranoid personality disorder, 268
 - schizoid personality disorder, 269
 - schizotypal personality disorder, 269
- PEs (polyethylene tubes), 130**
- petit mal seizures, 244**
- pH regulation, 91**
- pharmacodynamics, 20**
- pharmacokinetics, 20**
- pharmacology, 19**
 - administering medications, 23
 - adverse effects, 20
 - angiotensin receptor blockers, 35-36
 - angiotensin-converting agents, 24-25
 - antacids, 21
 - anti-infectives, 21, 26-28
 - antianemics, 21
 - anticholinergics, 22
 - anticoagulants, 21, 39-40, 232
 - anticonvulsants, 22
 - antidiarrheals, 21
 - antihistamines, 21
 - antihypertensives, 21, 24-25, 225
 - antipyretics, 21
 - atypical antipsychotics, 273
 - benzodiazepines, 28-29
 - beta adrenergic blockers, 25-26
 - beta blockers, 225
 - Brethine (terbutaline sulfate), 301
 - bronchodilators, 21
 - burns, 114
 - calcium channel blockers, 225
 - cancer, 150-151
 - cardiovascular disorders, 235
 - chemical names, 24
 - cholesterol-lowering agents, 34-35
 - cox 2 enzyme blockers, 36-37
 - diuretics, 21, 225
 - drug (Hydrocodone) identification, 41
 - drug identification, 24, 40
 - drug schedules, 42
 - ear disorders, 133
 - emergency nursing, 371
 - endocrine system disorders, 217
 - enteric-coated tablets, 22
 - exam prep questions, 43-46
 - eye disorders, 129
 - gastrointestinal disorders, 177
 - generic names, 24
 - glucocorticoids, 31
 - hematopoietic disorders, 83
 - herbals, 41-42
 - histamine 2 antagonists, 37-38

- laxatives, 21
- miotics, 22
- musculoskeletal disorders, 199
- mydriatics, 22
- narcotics/analgesics, 22
- neurological disorders, 257
- nitroglycerine, 229
- obstetric clients, 312
- pediatric clients, 349
- pharmacodynamics, 20
- pharmacokinetics, 20
- pharmacologic management of labor, 307-308
- pharmacotherapeutics, 20
- phenothiazines, 30
- pregnancy categories, 42
- protease inhibitors, 32-33
- proton pump inhibitors, 38-39
- psychiatric disorders, 283
- renal/genitourinary disorders, 71
- respiratory disorders, 56-57
- spansules, 22
- time-released drugs, 22
- trade names, 24
- trough drug levels, 28
- web resources, 579
- Yutopar (ritodrine), 301
- pharmacotherapeutics, 20**
- phases of labor, 302**
- Phenergan, 20**
- phenothiazines, 30**
- phenylketonuria (PKU), 333-334**
- phlebostatic axis, 112**
- phobic disorders, 267**
- phosphorus, normal electrolyte values, 98**
- photorefractive keratotomy (PRK), 127**
- physical therapy for total knee replacement, 195**
- physiologic jaundice, 310**
- pinching, 384**
- pink puffers, 50**
- Pitocin, 304**
- pituitary disorders, 206-207**
- PKU (phenylketonuria), 333-334**
- Placenta Previa, 297**
- placentas, 297**
- plague, 367**
- pleurisy, 53-54**
- plumbism, 347**
- pneumonia, 52-53**
- POAG (primary open-angle glaucoma), 123**
- poisoning**
 - acetaminophen overdose, 347
 - emergency nursing, 363-364
 - iron, 348
 - lead, 347
 - salicylate overdose, 347
- poisonous stings and bites, 364-365**
- polycythemia vera, 82**
- polydipsia, 214**
- polyethylene tubes (PEs), 130**
- polyphagia, 214**
- polyuria, 214**
- position, 302**
- positional congenital clubfoot, 329**
- positive schizophrenia, 272**
- positive signs of pregnancy, 291**
- post-traumatic stress disorder (PTSD), 265**
- postpartum care, 308**
- potassium, normal electrolyte values, 97**
- practice exams**
 - practice exam I, 409-462
 - answer explanations, 466-488
 - answer key, 463-465
 - practice exam II, 489-541
 - answer explanations, 546-569
 - answer key, 543-545

precipitate delivery, 303**preeclampsia, 295-296****pregnancy**

- abortions, 294
- abruptio placenta, 297
- complications, 293
- contraception, 310-311
- cord prolapse, 297
- disseminated intravascular coagulation (DIC), 296
- drugs categories of, 42
- labor
 - definition of, 301
 - dilation, 303
 - dystocia, 303
 - effacement, 303
 - factors influencing, 301-302
 - fetal lie, 303
 - fetal monitoring, 304-306
 - pharmacologic management, 307-308
 - phases, 302
 - position, 302
 - precipitate delivery, 303
 - prelabor testing, 304
 - presentation, 302
 - preterm labor, 301
 - stages, 302
 - station, 303
- maternal diabetes, 295
- maternal infections, 297-300
- physiologic jaundice, 310
- Placenta Previa, 297
- postpartum care, 308
- preeclampsia, 295-296
- pregnancy categories for drugs, 42
- prenatal care
 - alpha-fetoprotein screening, 291-292
 - amniocentesis, 292

diagnostic tests, 292

diet and weight maintenance, 291

fetal heart tones, measuring, 293

ultrasonography, 293

Rh incompatibility, 309-310

signs of

positive signs, 291

presumptive signs, 290

probable signs, 290-291

web resources, 584

prelabor testing, 304**prematurity, 301****prenatal care**

alpha-fetoprotein screening, 291-292

amniocentesis, 292

diagnostic tests, 292

diet and weight maintenance, 291

fetal heart tones, measuring, 293

ultrasonography, 293

presbycusis, 131**presbyopia, 127****preschoolers, growth and development, 321-322****presentation, 302****presumptive signs of pregnancy, 290****preterm labor, 301****prevention of cancer, 143****primary brain injuries, 360****primary hypertension, 224****primary open-angle glaucoma (POAG), 123****PRK (photorefractive keratotomy), 127****probable signs of pregnancy, 290-291****prodromal stage (hepatitis), 168-169****proliferative diabetic retinopathy, 125****protease inhibitors, 32-33****protecting forensic evidence, 363****Protestant clients, 388****proton pump inhibitors, 38-39**

psychiatric disorders, 263-264. *See also* neurological disorders

anxiety-related disorders

dissociative identity disorder (DID),
265-266generalized anxiety disorder (GAD),
264-265obsessive-compulsive disorder (OCD),
267-268

panic disorder, 266-267

phobic disorders, 267

post-traumatic stress disorder (PTSD),
265

somatoform disorder, 266

Diagnostic and Statistical Manual of
Mental Disorders (DSM-IV-TR), 264

diagnostic tests, 283

disorders of childhood and adolescence

attention deficit hyperactive disorder
(ADHD), 282

conduct disorder, 281

eating disorders, 282

oppositional defiant disorder, 281

exam prep questions, 284-287

personality disorders

antisocial personality disorder, 270

avoidant personality disorder, 271

borderline personality disorder, 270

client management, 271

dependent personality disorder, 271

histrionic personality disorder, 269

narcissistic personality disorder, 269

obsessive-compulsive personality disorder,
271

paranoid personality disorder, 268

schizoid personality disorder, 269

schizotypal personality disorder, 269

pharmacology categories, 283

psychotic disorders

bipolar disorders, 274

major depression, 275-276

schizophrenia, 272-274

substance abuse

alcoholism, 276-277

cannabis, 280-281

hallucinogens, 280

opiates, 279

sedative-hypnotics, 279

stimulants, 280

psychological care, burn patients, 108**psychotic disorders**

bipolar disorders

acute mania, 274

major depression, 275-276

schizophrenia, 272-274

web resources, 584

PTSD (post-traumatic stress disorder), 265**PTT (partial thromoplastin time), 232****puddental blocks, 307****pulmonary disorders.** *See* respiratory disorders**pulmonary embolus, 48-50****pulmonary intoxicants, 366****purine, 191****pyloric stenosis, 340**

R

RA (rheumatoid arthritis), 192-193**radial keratotomy (RK), 127****radiation injuries, 369-370****radiation therapy, 143-144****rape trauma kits, 363****Raynaud's Syndrome, 233****reading questions carefully, 12****Recombivax, 166****red urine, 70****refractory errors, 127-128****regional enteritis (Crohn's disease), 161****regulation of pH, 91****regulatory laws, 397****rehabilitative phase (burns), 114**

religious beliefs, 388-389. *See also* cultural practices

renal system, web resources, 580

renal transplants, 67

renal/genitourinary disorders, 63

acute glomerulonephritis, 64-65

bladder cancer, 70-71

BPH (benign prostatic hyperplasia), 69

chronic glomerulonephritis, 65

diagnostic tests, 71

ESRD (end stage renal disease)

hemodialysis, 66

peritoneal dialysis, 66

renal transplants, 67

exam prep questions, 72-75

nephrotic syndrome, 67-68

pharmacology categories, 71

urinary calculi, 68

UTIs (urinary tract infections), 68-69

Respigam, 339

respiratory acidosis, 93-94

respiratory alkalosis, 96-97

respiratory disorders, 47, 334

acute epiglottitis, 337-338

acute otitis media (AOM), 335

acute respirator infections, 54

acute respiratory failure, 48-50

acute respiratory infections

pleurisy, 53-54

pneumonia, 52-53

TB (tuberculosis), 54

bronchiolitis, 338-339

COPD (chronic obstructive pulmonary disease), 50

asthma, 51

chronic bronchitis, 50

emphysema, 50-51

cystic fibrosis, 339

diagnostic tests, 56

diagnostic tests, 56

emerging infections, 54

Legionnaire's Disease, 55

SARS (Severe Acute Respiratory Syndrome), 55

exam prep questions, 58-61

laryngotracheobronchitis (LTB), 337

pharmacology, 56-57

tonsillitis, 336

respiratory system, web resources, 579-580

restraints, 402

retinal detachment, 126

retinal disorders

diabetic retinopathy, 125-126

hypertensive retinopathy, 125

macular degeneration, 126

retinal detachment, 126

retinopathy

diabetic retinopathy, 125-126

hypertensive retinopathy, 125

Rh incompatibility, 309-310

rhabdomyolysis, 34

rheumatic fever, 341-342

rheumatoid arthritis, 192-193

ribavirin, 338

ricin, 368

right occiput anterior (ROA), 302

rights of administering medications, 23

rights of clients, 398

riot control agents, 366

risk factors for cancer, 141-142

risperidone, 273

ritodrine, 301

RK (radial keratotomy), 127

ROA (right occiput anterior), 302

RSV-IGIV (Respigam), 339

Rule of Nines, 106

Russian Orthodox clients, 389

S

SA (sinoatrial) node, 225
saccular aneurysm, 233
Safe Effective Care, 401-404
salicylate overdose, 347
salmonella, 176
santero/santera, 380
sarcoma, 140, 346
SARS (Severe Acute Respiratory Syndrome), 55
Schedule I (drugs), 42
Schedule II (drugs), 42
Schedule III (drugs), 42
Schedule IV (drugs), 42
Schedule V (drugs), 42
Schilling test, 82
schizoid personality disorder, 269
schizophrenia, 272-274
schizotypal personality disorder, 269
school age children, growth and development, 322
SCIs (spinal cord injuries)
 autonomic hyperreflexia, 254
 complete, 252
 incomplete, 252
 spinal shock, 254
 treatment, 253
scoliosis, 344-345
second degree burns
 deep partial thickness burns, 105
 full thickness burns, 105-106
second-degree heart block, 226
secondary brain injuries, 360
secondary glaucoma, 124
secondary hypertension, 224
sedative-hypnotic abuse, 279

sedatives

benzodiazepines, 28-29
 pregnancy, 307

seizures

causes of, 242
 generalized seizures
 absence, 244
 tonic-clonic, 242-243
 partial seizures, 244
 treatment, 244

selective serotonin reuptake inhibitors (SSRIs), 276

self-exams (cancer), 143

sensorineural disorders, 121

diagnostic tests, 132
 ear trauma, 132
 exam prep questions, 134-136
 hearing loss, 132
 intraocular disorders
 cataracts, 122-123
 glaucoma, 123-125
 Meniere's disease, 130-131
 otitis externa, 130
 otitis media, 130
 otosclerosis, 131
 pharmacology categories, 129, 133
 presbycusis, 131
 refractory errors, 127-128
 retinal disorders
 diabetic retinopathy, 125-126
 hypertensive retinopathy, 125
 macular degeneration, 126
 retinal detachment, 126
 traumatic injuries, 128
 visual tests, 129
 web resources, 581

sensorineural hearing loss, 131

septic abortions, 294

- septic emboli, 50**
- set pacemakers, 227**
- seven rights of administering medications, 23**
- Severe Acute Respiratory Syndrome (SARS), 55**
- sexual assault, 363**
- shamans, 382**
- shock, hypovolemic, 358**
- sickle cell anemia, 80**
- side effects of medications**
 - angiotensin-converting agents, 25
 - anti-infectives, 27
 - benzodiazepines, 29
 - beta adrenergic blockers, 26
 - cholesterol-lowering agents, 34
 - glucocorticoids, 31-32
 - phenothiazines, 30
 - protease inhibitors, 33
 - proton pump inhibitors, 39
- Sikh clients, 384, 389**
- simple fractures, 184**
- simple partial seizures, 244**
- sinoatrial (SA) node, 225**
- skeletal traction, 185**
- skin traction, 185**
- smallpox, 367**
- sodium, normal electrolyte values, 97**
- solymigratory arthritis, 342**
- somatiform disorder, 266**
- Somogyi effect, 216**
- southern belle syndrome, 269**
- spansules, 22**
- specific determiners, 13**
- spina bifida, 329**
- spinal (subarachnoid) anesthesia, 307**
- spinal accessory nerve assessment, 250**
- spinal cord injuries**
 - autonomic hyperreflexia, 254
 - complete, 252
 - incomplete, 252
 - spinal shock, 254
 - treatment, 253
- spinal shock, 254**
- spinal/epidural narcotics, 308**
- spleen, trauma to, 362**
- splitting, 270**
- SSRIs (selective serotonin reuptake inhibitors), 276**
- stigmatism, 127**
- St. John's wort, 42**
- Stage 1 withdrawal, 277**
- Stage 2 withdrawal, 277**
- Stage 3 withdrawal, 277**
- Stage 4 withdrawal, 277**
- stages of labor, 302**
- stairs crutch-walking gait, 197**
- standard wound dressings, 113**
- stapes, 131**
- staphylococcal, 176**
- staphylococcus, 368**
- 'statin' drugs, 34**
- station, 303**
- status epilepticus, 245**
- statutory laws, 397**
- stems, 12**
- sterilization (contraception), 311**
- stimulant abuse, 280**
- strategies for successful test-taking, 11**
 - eliminating distractors, 13
 - looking for
 - keywords, 12
 - opposite answers, 14
 - similar options, 13-14

strategies for successful test-taking

- practice questions, 15-17
- reading questions carefully, 12
- watching for specific details, 13

streptokinase, 50

string signs, 161

strings, poisonous, 364-365

subacute subdural hematomas, 246

subarachnoid (spinal) anesthesia, 307

subcutaneous nodules, 342

subdural hematomas, 245-246

substance abuse

- alcoholism, 276-277
- cannabis, 280-281
- hallucinogens, 280
- opiate abuse, 279
- sedative-hypnotics, 279
- stimulants, 280

suicide prevention, 275

superficial partial thickness (first degree) burns, 105

surgery, cancer, 143

surgical procedures, musculoskeletal

- amputations, 195-196
- fractured hip and hip replacement, 193-194
- total knee replacement, 194-195

susto (fright sickness), 381

Swan-Ganz catheters, 232

swimmer's ear, 130

swing-through crutch-walking gait, 197

Sydenham's chorea, 342

syngeneic transplants, 147

Synthroid, 208

syphilis, 298

systems of measurement

- Apothecary System of Measurement, 585
- Household System of Measurement, 585-586
- metric measurements, 586

systolic pressure, 224

T

T-2 mycotoxins, 368

talipes equinovarus (congenital clubfoot), 329

TB (tuberculosis), 54

TBSA (total body surface area), 104-107

technical support, 612

TEF (tracheoesophageal fistula), 325

teratologic congenital clubfoot, 329

terbutaline sulfate, 301

terrorism. *See* bioterrorism

test-taking strategies, 11

- eliminating distractors, 13
- looking for
 - keywords, 12
 - opposite answers, 14
 - similar options, 13-14
- practice questions, 15-17
- reading questions carefully, 12
- watching for specific details, 13

tet attacks, 332

tetracycline, 41, 53

Tetralogy of Fallot (TOF), 332-333

thalassemia major, 81

thickness of the burn injuries, 104-106

third-degree heart block, 226

Thomas ring splints, 186

threatened abortions, 294

three-point crutch-walking gait, 197

- thromboangilitis obliterans, 232**
- thrombophlebitis, 233**
- thunderbirds (Native American amulets), 382**
- thyroid disorders**
- hyperthyroidism, 208-209
 - hypothyroidism, 207-208
- thyroid storms, 209**
- thyrotrophic hormone, 206**
- time considerations (cultural)**
- Arab-Americans, 386
 - Asian-Americans, 384
 - Hispanics/Latinos, 381
 - Native Americans, 382
- time-released drugs, 22**
- toddlers, growth and development, 320**
- TOF (Tetralogy of Fallot), 332-333**
- tong traction, 186, 253**
- tonic-clonic seizures, 242-243**
- tonsillitis, 336**
- tonsils, 336**
- torts, 400**
- total body surface area (TBSA), 104-107**
- total knee replacement, 194-195**
- tourniquets, 358**
- TPN (total parenteral nutrition), 145-146**
- tracheoesophageal fistula (TEF), 325**
- traction, 185-186**
- trade names, 24**
- traditional healers**
- Hispanic/Latino, 380
 - Native Americans, 382
- transplants**
- bone marrow transplantation, 146
 - allogenic transplants, 147
 - autologous transplants, 147
 - nursing care following, 147-148
 - syngeneic transplants, 147
 - renal transplants, 67
- transspenoidal surgery, 207**
- transurethral prostatectomy (TURP), 69**
- trauma**
- abdominal injuries, 361-362
 - chest injuries, 361
 - definition of, 360
 - head injuries, 360
- traumatic injuries**
- ear trauma, 132
 - eye trauma, 128
- triage, 356, 370**
- trigeminal nerve assessment, 249**
- trochlear nerve assessment, 249**
- trough drug levels, 28, 53**
- Trousseau's sign, 96, 210**
- true congenital clubfoot, 329**
- tubal ligation, 311**
- tuberculosis (TB), 54**
- tularemia, 367**
- TURP (transurethral prostatectomy), 69**
- two-point crutch-walking gait, 196**
- tyrosine, 333**

U

ulcerative colitis, 162

ulcers

- diagnostic tools, 159
- dumping syndrome, 160
- duodenal ulcers, 158
- gastric ulcers, 159
- treatment, 159-160

ultrasonography, 293

umbilical cord prolapse, 297

uncompensated acidosis, 91

uncompensated alkalosis, 91

unresponsiveness, 359

urinary calculi, 68

urinary disorders, 63

- acute glomerulonephritis, 64-65
- bladder cancer, 70-71
- BPH (benign prostatic hyperplasia), 69
- chronic glomerulonephritis, 65
- diagnostic tests, 71
- ESRD (end stage renal disease), 66-67
- exam prep questions, 72-75
- nephrotic syndrome, 67-68
- pharmacology categories, 71
- urinary calculi, 68
- UTIs (urinary tract infections), 68-69

urinary diversions, 70**UTIs (urinary tract infections), 68-69****V****V-fib (ventricular fibrillation), 230-232****vaccines, H.influenza B conjugate, 337****vaginal bleeding, 293****vagus nerve assessment, 250****variable deceleration of fetal heart tones**

- early decelerations, 305
- late decelerations, 306

vasectomy, 311**venomous snake bites, 364-365****ventricular fibrillation (V-fib), 230-232****ventricular tachycardia, 230****verbal stimuli, response to, 359****verbal/nonverbal communication**

- Arab-Americans, 386
- Asian-Americans, 385
- Hispanics/Latinos, 381
- Native Americans, 383

vesicants, 366**vestibulocochlear nerve assessment, 249****viral encephalitides, 368****viral hemorrhagic fevers, 368****viral pneumonia, 52****vitamins, 79****W****walkers, 197-198****warning signs of cancer, 140****Waterhouse-Friderichsen Syndrome, 212****wet (exudative) macular degeneration, 126****Wilms tumor, 346****withdrawal (substance abuse), 277****witnessing consent for care, 401****X - Y - Z****xenografts, 113****yin/yang, 383****Yutopar (ritodrine), 301****Zyloprim, 191**