

Index

A

Allaire Homesite 4.5, 158–159

and operator, 33

Apache Web server installation:
on Linux, 5, 7
on Windows, 1–2, 3

Arguments to a function, 39

array function, 37–38

Arrays, 16, 37–38, 51–53

C

Checking user-entered data, 40–47,
62–66

Coding help, 160–162

Comments in scripts, 10

Contents of a file, opening and
displaying, 59–62

Conventions, 12–13

Cookies, 47–51

defined, 35

deleting, 37

session, 36

setting, 47

that expire after x seconds, 36

Customer service feedback page,
69–75

D

Data from a form:

checking, 40–47, 62–66

using, 19–22

Data tables:

multiple, 121–127

simple, 104–105

Data-driven Web sites, 99–100

See also MySQL database

Date formats, 34, 35

date function, 34, 35

Default column, 106

DELETE command, 104, 108–109

Deleting data, 108–109

Dynamic articles page, 90–97

Dynamic templates, 89–98

E

else, 32

elseif, 32

Email:

customer service feedback page,
69–75

dynamic templates, 90–98

mail function, 58–59

Embedding PHP into HTML pages,
13–16

End tags, 12–14

equal operator, 33

Extra column, 106

F

fclose function, 56–57

Feedback page, customer service,

69–75

Feedback script, 66–69

fgets function, 57

fgetss function, 57

Fields column, 106

File processing functions, 57

Floating point numbers, 16

fopen function, 56–57

Forms:

- checking user-entered data,

- 40–47, 62–66

- passing information through,

- 22–28

- using data from, 19–22

fpassthru function, 57

fputs function, 57

Function declaration, basic, 39

Functions:

- array, 37–38

- date, 34, 35

- fclose, 56–57

- file processing, 57

- fopen, 56–57

- if/then, 31–32

- include, 77–78

- isset, 32–34

- mail, 58–59

- mysql_connect, 101, 112, 163

- mysql_fetch_array, 101–102, 118, 163

- mysql_list_dbs, 164

- mysql_list_fields, 164

- mysql_list_id, 164

- mysql_list_tables, 164

- mysql_num_fields, 163

- mysql_num_rows, 163

- mysql_query, 101, 112, 163

- mysql_select_db, 101, 112, 163

- print, 11–12, 15

- printf, 100, 118

- setcookie, 35–37

- string, 57–59, 62–66

- strip_tags, 89

- time, 34

- user-defined, 38–39

- while, 100, 113, 118

fwrite function, 57

G

GET method, 22

greater than operator, 33

greater than or equal to operator, 33

H

HTML editors, 157–160

HTML pages, embedding PHP into, 13–16

htmlentities function, 58

httpd.conf, 8–9

I

if/then function, 31–32

include function, 77–78

info.php3, 5, 6, 9

.ini file, 103

INSERT command, 104

Inserting data, 107

Installation:

- of Apache Web server on Linux, 5, 7

- of Apache Web server on Windows, 1–2, 3

- of PHP on Linux, 7–9

- of PHP on Windows, 2, 4–5

isset function, 32–34

K

Key column, 106

L

less than operator, 33

less than or equal to operator, 33

Links, passing information through, 22–28

Linux:

- adjusting PHP to work with MySQL on, 102–103

- Apache Web server installation on, 5, 7

- MySQL database installation on, 102

- PHP installation on, 7–9

M

Macromedia Dreamweaver 3, 159, 160
mail function, 58–59
Mailing list archives, 162
Mini Slashdot site, 134–156
Modifying data, 107–108
Modularization, 78–87
Multiple data tables, 121–127
MySQL database, 99–119
functions, 100–102
getting content out of, 113–118
installation of, 102
mini Slashdot site, 134–156
multiple data tables, 121–127
putting content into, 109–113
setting up a simple database, 104–105
setting up PHP to work with, 102–103
SQL queries, 103–104, 106–109
user authentication, 127–134

MySQL function list, 100–102, 162–164
mysql_connect function, 101, 112
mysql_fetch_array function, 101–102, 118
mysql_list_dbs function, 164
mysql_list_fields function, 164
mysql_list_id function, 164
mysql_list_tables function, 164
mysql_num_fields function, 163
mysql_num_rows function, 163
mysql_query function, 101, 112
mysql_select_db function, 101, 112

N

Name/value pairs, 22–23
NOT equal operator, 33
NOT operator, 33
Null column, 106

O

Opening files, 56–57
Operators, 32, 33
or operator, 33

P

Parse errors, 12
Passwords, 127–134
PHP knowledge base, 162
PHP mailing list, 161–162
PHP support page, 160–161
.php3, 4
.php3.ini file, 9, 103
.php4, 4
phpbuilder.com, 162
php.ini, 9–10, 103
php.ini file, 9, 103
POST method, 22
print function, 11–12, 15
printf function, 100, 118

R

Rationalization, 121
Required fields, checking user-entered data for, 40–47, 62–66
RPM version of MySQL, 102

S

Scripts, comments in, 10
SELECT command, 103, 104, 108, 125, 126
Semicolons, 13
Server-side scripting basics, 11–29
conventions, 12–13
embedding PHP into HTML pages, 13–16
passing information through forms and links, 22–28
print function, 11–12, 15
using data from a form, 19–22
variables, 16–18

Session cookies, 36
setcookie function, 35–37
Slashdot site, mini, 134–156
SQL queries, 103–104, 106–109
Start tags, 12–13
String functions, 57–58, 62–66
strip_tags function, 89
strlen function, 58
substr function, 58

T

Templates:

- dynamic, 89–98
- include function, 77–78
- modularization, 78–87

time function, 34

trim function, 58

Type column, 106

U

UPDATE command, 104, 107

User authentication, 127–134

User interaction, 31–54

- array function, 37–38
- arrays, 51–53
- checking user-entered data for required fields, 40–47
- cookies, 47–51
- date function, 34, 35
- if/then function, 31–32
- isset function, 32–34
- setcookie function, 35–37
- time function, 34
- user-defined functions, 38–39

User-defined functions, 38–39

User-entered data, checking, 40–47, 62–66

V

Variables, 16–18

- arrays, 16, 37–38, 51–53
- passing information through forms and links, 22–28
- using data from a form, 19–22

VIM, 159

W

WHERE, 103, 104

while function, 100, 113, 118

Windows:

- adjusting PHP to work with MySQL on, 102–103
- Apache Web server installation on, 1–2, 3
- MySQL database installation on, 102
- PHP installation on, 2, 4–5

WinZip, 2

with-mysql flag, 103

Z

Zend Technologies, 162